

เอกสารอ้างอิง

- Ananth GP, Bronson DC, Brown JK (1992) Generation of airborne fly body particles by four electrocution fly traps and an electronic fly trap. *Inter J Environ Health Res* 2:106-113
- Barreto M, Burbano ME, Barreto P (2002) Flies (Calliphoridae, Muscidae) and beetles (Silphidae) from human cadavers in Cali, Colombia. *Mem Inst Oswaldo Cruz* 97:137-138
- Bhasin A, Mordue AJ, Mordue W (2000) Responses of the biting midge *Culicoides impunctatus* to acetone, CO₂ and 1-octen-3-ol in a wind tunnel. *Med Vet Entomol* 14:300-307
- Bhatt AP, Jayakrishnan A (2000) Oral myiasis: a case report. *Int J Paediatric Dent* 10:67-70
- Boonchu N, Piangjai S, Sukontason KL, Sukontason K (2003) Comparison of the effectiveness of baits used in traps for adult fly collection. *Southeast Asian J Trop Med Public Health* 34:630-633
- Broce AB, Schwenke JR, Hampton KE (1991) Landing pattern of stable flies (Diptera: Muscidae) on the alsynite cylinder trap: effect of wind speed and direction. *J Med Entomol* 28:730-733
- Budick SA, Dickinson MH (2006) Free-flight responses of *Drosophila melanogaster* to attractive odors. *J Exp Biol* 209:3001-3017
- Bunchu N, Sukontason K, Olson JK, Kurahashi H, Sukontason KL (2008) Behavioral responses of *Chrysomya megacephala* to natural products. *Parasitol Res* 102:419-429
- Cao XM, Song FL, Zhao TY, Dong YD, Sun CHX, Lu BL (2006) Survey of deltamethrin resistance in house flies (*Musca domestica*) from urban garbage dumps in northern China. *Environ Entomol* 35:1-9
- Chapman JW, Knapp JJ, Goulson D (1999) Visual responses of *Musca domestica* to pheromone impregnated targets in poultry units. *Med Vet Entomol* 13:132-138
- Chapman RF (1998) The insects structure and function. 4th ed Cambridge University Press, Cambridge

- Clark TM, Hutchinson MJ, Huegel KI, Moffett SB, Moffett DF (2005) Additional morphological and physiological heterogeneity within the midgut of larval *Aedes aegypti* (Diptera: Culicidae) revealed by histology, electrophysiology, and effects of *Bacillus thuringiensis* endotoxin. *Tissue and Cell* 37: 457-468
- Clements AN (1999) *The Biology of mosquitoes: sensory reception and behaviour*. CAB International, Wallingford, UK, p 527
- Coler RR (1993) A new species of exotic nematode parasite and a viral pathogen as possible control agents of the house fly, *Musca domestica*. Ph.D. dissertation, University of Florida
- Costantini C, Birkett MA, Gibson G, Ziesmann J, Sagnon NF, Mohammed HA, Coluzzi M, Pickett JA (2001) Electroantennogram and behavioural responses of the malaria vector *Anopheles gambiae* to human-specific sweat components. *Med Vet Entomol* 15:259-266
- Davidson MM, Butler RC, Teulon DAJ (2006) Starvation period and age affect the response of female *Frankliniella occidentalis* (Pergande) (Thysanoptera: Thripidae) to odor and visual cues. *J Insect Physiol* 52:729-736
- Davis JB, Goff ML (2000) Decomposition patterns in terrestrial and intertidal habitats on Oahu Island and Coconut Island, Hawaii. *J Forensic Sci* 45:836-842
- Doiz O, Clavel A, Morales S, Varea M, Castillo FJ, Rubio C, Gomez-Lus R (2000) House fly (*Musca domestica*) as a transport vector of *Giardia lamblia*. *Folia Parasitol* 47:330-331
- Eisenbeis G, Wichard W (1987) *Atlas on the biology of soil arthropods*. Springer, Berlin
- Fadamiro HY (1996) Influence of stimulus dose and wind speed on the orientation behavior of *Prostephanus truncatus* (Coleoptera: Bostrichidae) to pheromone. *Bull Entomol Res* 86:659-665
- Geden CHJ (1997) Evaluation of *Paraiotonchium muscadomesticae* (Nematoda: Tylenchida: Iotonchiidae), a potential biological control agent of the housefly (Diptera: Muscidae). *Biol Control* 10:42-47
- Gibson G, Torr SJ (1999) Visual and olfactory responses of haematophagous Diptera to host stimuli. *Med Vet Entomol* 13:2-23
- Graczyk TK, Cranfield MR, Fayer R, Bixler H (1999) House flies (*Musca domestica*) as transport hosts of *Cryptosporidium parvum*. *Am J Trop Med Hyg* 61:500-504

- Greenberg B (1970) Species distribution of new structures on fly antennae. *Nature* 228:1338-1339
- Greenberg B (1971) Flies and disease. Ecology, classification and biotic associations, vol. I. Princeton University Press, New Jersey
- Greenberg B (1973) Flies and disease. Biological and disease transmission, vol. II. Princeton University Press, New Jersey
- Greenberg B, Kunich JC (2002) Entomology and the law. Flies as forensic indicators. Cambridge University Press, Cambridge
- Grubel P, Hoffman JS, Chong FK, Burstein NA, Mepani C, Cave DR (1997) Vector potential of houseflies (*Musca domestica*) for *Helicobacter pylori*. *J Clin Microbiol* 35:1300-1303
- Healy TP, Copland MJ (2000) Human sweat and 2-oxopentanoic acid elicit a landing response from *Anopheles gambiae*. *Med Vet Entomol* 14:195-200
- Heath JJ, Williams RN, Phelan PL (2001) High light intensity: a critical factor in the wind-tunnel flight of two scarabs, the rose chafer and Japanese beetle. *J Chem Ecol* 27:419-429
- Hodgman CT, Ziniu Y, Ming S, Sawyer T, Nicholls CM, Ellar DJ (1993) Characterization of *Bacillus thuringiensis* strain which is toxic to the house fly *Musca domestica*. *FEMS Microbiol Lett* 114:17-22
- Hoelscher JA, Barrett BA (2003) Effects of methoxyfenozide-treated surfaces on the attractiveness and responsiveness of adult codling moth (Lepidoptera: Tortricidae). *J Econ Entomol* 96:623-628
- Hogsette JA, Jacobs RD (1999) Failure of *Hydrotaea aenescens*, a larval predator of the housefly, *Musca domestica*, to establish in wet poultry manure on a commercial farm in Florida, U.S.A. *Med Vet Entomol* 13:349-354
- Howard LO (1911) The house fly-disease carrier. Fredrick A. Stokes, New York
- Husain A, Husain S, Malaviya GN, Bahadur RR (1993) Myiasis in leprosy. *Acta Leprol* 8:137-141.
- Isaacs R, Willis MA, Byrne DN (1999) Modulation of whitefly take-off and flight orientation by wind speed and visual cues. *Physiol Entomol* 24:311-318
- Jeremy JH, Roger NW, Larry P (2001) High light intensity: a critical factor in the wind-tunnel flight of two scarabs, the rose chafer and Japanese beetle. *J Chem Ecol* 27:419-429

- Kangsadalampai K (1996) Application of neem extracts to prevent housefly worms on salted fish. *J Pharm Sci* 20:225-237
- Kaufmal PE, Reasor C, Rutz DA, Ketzis JK, Arends JJ (2005) Evaluation of *Beauveria bassiana* applications against adult house fly, *Musca domestica*, in commercial caged-layer poultry facilities in New York state. *Biol Control* 33:360-367
- Kelling FJ, Biancaniello G, Otter CJ (2002) Electrophysiological characterization of olfactory cell types in the antennae and palps of the housefly. *J Insect Physiol* 48:997-1008
- Khalequzzaman M, Ara H, Zohura F, Nahar J (2002) Toxic, repellent and attractant properties of some insecticides towards the housefly (*Musca domestica* L.). *J Biol Sci* 2:672-676
- Khalil K, Lindblom GB, Mazhar K, Kaijser B (1994) Flies and water as reservoirs for bacterial enteropathogens in urban and rural areas in and around Lahore, Pakistan. *Epidemiol Infect* 113:435-444
- Kobayashi M, Sasaki T, Saito N, Tamura K, Suzuki K, Watanabe H, Agui N (1999) Houseflies: not simple mechanical vectors of enterohemorrhagic *Escherichia coli* O157:H7. *Am J Trop Med Hyg* 61:625-629
- Labib IM, Rady M. (2001) Application of *Bacillus thuringiensis* on poultry houses as a biological control agent against the house fly, *Musca domestica sorbens*. *J Egypt Soc Parasitol* 31:531-544
- Leucuona RE, Turica M, Tarocco F, Crespo DC (2005) Microbial control of *Musca domestica* (Diptera: Muscidae) with selected strains of *Beauveria bassiana*. *J Med Entomol* 42:332-336
- Lysyk TJ (2004) Effects of cold storage on development and survival of three species of parasitoids (Hymenoptera: Pteromalidae) of house fly, *Musca domestica* L. *Environ Entomol* 33:823-31
- Maver JA, Gorghiou GP, Bradley FA, Tran H (1990) Filth fly resistance to pyrethrins associated with automated spray equipment in poultry house. *Poult Sci* 69:736-40
- Monzon RB, Sanchez AR, Tadianan BM, Najos OA, Valencia EG, de Rueda RR, Ventura JV (1991) A comparison of the role of *Musca domestica* (Linnaeus) and *Chrysomya megacephala* (Fabricius) as mechanical vectors of helminthic parasites in a typical slum area of Metropolitan Manila. *Southeast Asian J Trop Med Public Health* 22:222-228

- Muller P (1989) Insecticide resistance in the *Musca domestica* populations of the GDR 1976-1988. *Anqew Parasitol* 30:145-54
- Ochieng SA, Park KC, Zhu JW, Baker TC (2000) Functional morphology of antennal chemoreceptors of the parasitoid *Microplitis croceipes* (Hymenoptera: Braconidae). *Arthropod Struct Dev* 29:231-240
- Olson DM, Andow DA (1993) Antennal sensilla of female *Trichogramma nubilale* (Ertle and Davis) (Hymenoptera: Trichogrammatidae) and comparisons with other parasitic Hymenoptera. *Int J Insect Morphol Embryol* 22:507-520
- Picken LG, Jaworski J, Kovac B, Mills GD Jr (1994) Traps and baits for flies (Diptera) on Pacific Islands. *J Med Entomol* 31:828-832
- Pont AC (1973) Muscidae (house flies, stable flies, etc.). In: Smith KGV (ed) insects and other arthropods of medical importance. The Trustees of the British Museum (Natural History) London, pp 251-269
- Quinn BP, Bernier UR, Geden CJ, Hogseete JA, Carlson DA (2007) Analysis of extracted and volatile components in blackstrap molasses feed as candidate house fly attractants. *J Chromato* 1139:279-284
- Renn N, Bywater AF, Barson G (1999) A bait formulated with *Metarhizium anisopliae* for the control of *Musca domestica* L. (Dipt., Muscidae) assessed in large-scale laboratory enclosures. *J Appl Entomol* 123:309-314
- Renthal R, Velasquez D, Olmos D, Hampton J, Wergin WP (2003) Structure and distribution of antennal sensilla of the red imported fire ant. *Micron* 34:405-413
- Schurrer JA, Dee SA, Moon RD, Rossow KD, Mahlum C, Mondaca E, Otake S, Fano E, Collins JE, Pijoan C (2004) Spatial dispersal of porcine reproductive and respiratory syndrome virus-contaminated flies after contact with experimentally infected pigs. *Am J Vet Res* 65:1284-1292
- Sehgal R, Bhatti HPS, Bhasin DK, Sood AK, Nada R, Malla N, et al (2002) Intestinal myiasis due to *Musca domestica*: a report of two cases. *Jpn J Infect Dis* 55:191-193
- Service MW (2000) Medical entomology for students. 2nd ed Cambridge University Press, Cambridge

- Shalaby OA, deCarvalho LM, Goff ML (2000) Comparison of patterns of decomposition in a hanging carcass and a carcass in contact with soil in a xerophytic habitat on the Island of Oahu, Hawaii. *J Forensic Sci* 45:1267-1273
- Sharpington PJ, Healy TP, Copland MJW (2000) A wind tunnel bioassay system for screening mosquito repellents. *J Am Mosq Control Assoc* 16:234-240
- Smith KGV (1986) A manual of forensic entomology. Cornell University Press, New York
- Steenberg T, Humber RA (1998) Entomopathogenic potential of *Verticillium* and *Acremonium* species (Deuteromycotian: Hyphomycetes). *J Invertebr Pathol* 73:309-314
- Steinkraus DC, Geden CJ, Rutz DA, Kramer JP (1990) First report of the natural occurrence of *Beauveria bassiana* (Moniliales: Moniliaceae) in *Musca domestica* (Diptera: Muscidae). *J Med Entomol* 27:309-312
- Sucharit S, Tumrasvin W, Vutikes S (1976) A survey on house flies in Bangkok and neighboring provinces. *Southeast Asian J Trop Med Public Health* 7:85-90
- Sukontason KL, Boonchu N, Sukontason K, Choochote W (2004) Effect of eucalyptol on housefly (Diptera: Muscidae) and blow fly (Diptera: Calliphoridae). *Rev Inst Med Trop S Paulo* 46:97-101
- Sukontason K, Chaiwong T, Tavutivutikul J, Somboon P, Choochote W, Piangjai S, Sukontason KL (2005) Susceptibility of *Musca domestica* and *Chrysomya megacephala* to permethrin and deltamethrin in Thailand. *J Med Entomol* 42:812-814
- Sukontason K, Sukontason KL, Piangjai S, Boonchu N, Chaiwong T, Ngern-Klun R, Sripakdee D, Vogtsberger RC, Olson JK (2004) Antennal sensilla of some forensically important flies in families Calliphoridae, Sarcophagidae and Muscidae. *Micron* 35:671-679
- Sulaiman S, Othman MZ, Aziz AH (2000) Isolations of enteric pathogens from synanthropic flies trapped in downtown Kuala Lumpur. *J Vector Ecol* 25:90-93
- Tabor KL, Brewster CC, Fell RD (2004) Analysis of the successional patterns of insects on carrion in southwest Virginia. *J Med Entomol* 41:785-795
- Taskin V, Kence M (2004) The genetic basis of malathion resistance in housefly (*Musca domestica* L.) strains from Turkey. *Genetica* 40:1475-1482

- Tumrasvin W, Sucharit S, Kano R (1978) Studies on medically important flies in Thailand. IV. Altitudinal distribution of flies belonging to Muscidae and Calliphoridae in Doi Indhanondh Mountain, Chiangmai, in early summer season. Bull Tokyo Med Dent Univ 25:77-81
- Turner EC Jr, Ruszler PL, Dillon P, Carter L, Youngman R (1992) An integrated pest management program to control house flies in commercial high rise houses. J App Poul Res 1:242-250
- Umeche N, Mandah LE (1989) *Musca domestica* as a carrier of intestinal helminths in Calabar, Nigeria. East Afr Med J 66:349-352
- Urech R, Green PE, Franke F, Mulder JC, Roberts C (1994) Behavioural responses of *Lucilia cuprina* (Wiedemann) (Diptera: Calliphoridae) to olfactory stimuli: evaluation of an olfactometer. J Aust Entomol Soc 33:137-141
- Vosshall LB (2000) Olfaction in *Drosophila*. Curr Opin Neurobiol 10:498-503
- Wall RL, Fisher P (2001) Visual and olfactory cue interaction in resource-location by the blowfly, *Lucilia sericata*. Physiol Entomol 26:212-218
- Watson DW, Geden CJ, Long SJ, Rutz DA (1995) Efficacy of *Beauveria bassiana* for controlling the house fly and stable fly (Diptera: Muscidae). Biol Control 5:405-411
- Watson DW, Rutz DA, Long SJ (1996) *Beauveria bassiana* and sawdust bedding for the management of the house fly *Musca domestica* (Diptera: Muscidae). Biol Control 7:221-227
- Wattanachai P, Sooppapathom K, Tintanon B, Phunurai P (1996) Susceptibility of house fly (*Musca domestica*) to different compounds in Thailand, 1993-1995. J Health Sci 5:572-576
- WHO (1980) Resistance of vectors of diseases to pesticides. WHO, Geneva
- WHO (1986) Vector control series. The housefly. Training and information guide. WHO, Geneva
- WHO (1997) Vector control, methods for use by individuals and communities. WHO, Geneva
- Zacharuk RY (1985) Antennal sensilla. In: Kerkut GA, Gilbert LI (eds) comparative insect physiology, biochemistry and pharmacology. Pergamon Press, Oxford
- Zumpt F (1965) Myiasis in man and animals in the old world. Butterworths, London
- Zurek L, Denning SS, Schal C, Watson DW (2001) Vector competence of *Musca domestica* (Diptera: Muscidae) for *Yersinia pseudotuberculosis*. J Med Entomol 38:333-335