

## เอกสารอ้างอิง

- [1] สิทธิชัย วิโรจน์ปฐมภัก, “เทคโนโลยีการพ่นเคลือบด้วยความร้อน”, ภาควิชาเคมี, คณะวิทยาศาสตร์, มหาวิทยาลัยเชียงใหม่
- [2] P. Gu, B. Arsenault, J.J. Beaudoin, J.-G. Legoux, B. Harvey, J. Fournier, Polarization resistance of stainless steel-coated rebars, *Cement & Concrete Res.* 28(3) (1998) 321–327.
- [3] K. Dobler, H. Kreye, R. Schwetzke, Oxidation of stainless steel in the high velocity oxy-fuel process, *J. Thermal Spray Technol.*, 9(3) (2000) 407–423.
- [4] L. Zhao, E. Lugscheider, Influence of the spraying processes on the properties of 316L stainless steel coating, *Surf. Coat. Technol.* 162 (2002) 6–10.
- [5] M.L. Lau, V.V. Gupta, E.J. Lavernia, Particle behavior of nanocrystalline 316 stainless steel during high velocity oxy-fuel thermal spray, *NanoStructure Mater.* 12 (1999) 319–322.
- [6] T. Grosdidier, A. Tidu, H-L Liao, Nanocrystalline Fe-40Al coating processed by thermal spraying of milled powder, *Scripta Mater.* 44 (2001) 387–393.
- [7] Y. Wang, Nano- and submicron-structured sulfide self-lubricating coatings produced by thermal spraying, *Tribol. Lett.*, 17 (2004) 165–168.
- [8] J.-P. Salvetat, J.-M. Bonard, N.H. Thomson, A.J. Kulik, L. Forró, W. Benoit, L. Zuppiroli, Mechanical properties of carbon nanotubes, *Appl. Phys. A* 69 (1999) 255–260.
- [9] R.S. Ruoff, D. Qian, W.K. Liu, Mechanical properties of carbon nanotubes: theoretical predictions and experimental measurements, *C. R. Physique* 4 (2003) 993–1008.
- [10] J-P S-Delmotte, A. Rubio, Mechanical properties of carbon nanotubes: a fiber digest for beginners, *Carbon* 40 (2002) 1729–1734.
- [11] T. Laha, A. Agarwal, T. McKechnie, S. Seal, Synthesis and characterization of plasma spray formed carbon nanotube reinforced aluminum composite, *Mater. Sci. Eng. A* 381 (2004) 249–258.


- [12] K. Balani, Y. Chen, S.P. Harimkar, N.B. Dahotre, A. Agarwal, Tribological behavior of plasma-sprayed carbon nanotube-reinforced hydroxyapatite coating in physiological solution, *Acta Biomater.* 3 (2007) 944–951.
- [13] K. Balani, S. P. Harimkar, A. Keshri, Y. Chen, N. B. Dahotre, A. Agarwal, Multiscale wear of plasma-sprayed carbon-nanotube-reinforced aluminum oxide nanocomposite coating, *Acta Mater.* 56 (2008) 5984–5994.
- [14] A. Agarwal, K. Rea, S. Wannaparhun, S. Seal, N.B. Dahotre, T. McKechnie, Surface Engineering in Materials Science II, TMS Annual Meeting, San Diego, CA, USA, 2003.
- [15] S.J. Hong, V. Viswanathan, K. Rea, S. Patil, S. Deshpande, P. Georgieva, T. McKechnie, S. Seal, Plasma spray formed near-net-shape  $\text{MoSi}_2\text{-Si}_3\text{N}_4$  bulk nanocomposites-structure property evaluation, *Mater. Sci. Eng. A* 404 (2005) 165–172.
- [16] X. Qi, N. Eigen, E. Aust, F. Gartner, T. Klassen, R. Bormann, Two-body abrasive wear of nano- and microcrystalline TiC-Ni-based thermal spray coatings, *Surf. Coat. Technol.* 200 (2006) 5037–5047.
- [17] H. Li, K.A. Khor, Characteristics of the nanostructures in thermal sprayed Hydroxyapatite coatings and their influence on coating properties, *Surf. Coat. Technol.* 20 (2006) 2147–2154.
- [18] V. Viswanathan, Arvind Agarwal, V. Ocelik, J. T. M. De Hosson, N. Sobczak, and S. Seal, High Energy Density Processing of a Free Form Nickel-Alumina Nanocomposite, *J. Nanosci. and Nanotech.* 6 (2006) 651–660.
- [19] J.H. Kim, K.H. Baik, B.G. Seong, S.Y. Hwang, Effects of post-spraying heat treatment on wear resistance of WC-Co nanocomposite coatings, *Mater. Sci. Eng. A* 449–451 (2007) 876–879.
- [20] A. Ibrahim, R.S. Lima, C.C. Berndt, B.R. Marple, Fatigue and mechanical Properties of nanostructured and conventional titania ( $\text{TiO}_2$ ) thermal spray coatings, *Surf. Coat. Technol.* 210 (2007) 7589–7596.
- [21] S. Iijima, Helical microtubules of graphitic carbon, *Nature* 354 (1991) 56–58.

- [22] H. Dai, Nanotube growth and characterization, Berlin: Springer, 2001.
- [23] Z. Xia, L. Riester, W.A. Curtin, H. Li, B.W. Sheldon, J. Liang, B. Chang, J.M. Xu, Direct observation of toughening mechanisms in carbon nanotube ceramic matrix composites, *Acta Mater.* 52 (2004) 931–944.
- [24] S. Rul, F. Lefèvre-schlick, E. Capria, Ch. Laurent, A. Peigney, Percolation of single-walled carbon nanotubes in ceramic matrix nanocomposites, *Acta Mater.* 52 (2004) 1061–1067.
- [25] A. Allaoui, S. Bai, H.M. Cheng, J.B. Bai, Mechanical and electrical properties of a MWNT/epoxy composite, *Compos Sci Technol.* 62 (2002) 1993–1998.
- [26] S-M Yuen, C-C M. Ma, Y-Y Lin, H-C Kuan, Preparation, morphology and properties of acid and amine modified multiwalled carbon nanotube/polyimide composite, *Compos Sci Technol.* 67 (2007) 2564–2573.
- [27] K.T. Kim, S.I Cha, S. H. Hong, Hardness and wear resistance of carbon nanotube reinforced Cu matrix nanocomposites, *Mater. Sci. Eng. A* 449–451 (2007) 46–50.
- [28] K. Balani, T. Laha, A. Agarwal, TMS Annual Meeting and Conferences, 2006.
- [29] Srinivas R. Bakshi, K. Balani, A. Agarwal, Thermal conductivity of plasma-sprayed aluminum oxide-multiwalled carbon nanotube composites, *J. Am. Ceram. Soc.* 91 (2008) 942–947
- [30] แม้น อมรสิทธิ์ และสมชัย อัครทิวา, “วัสดุวิศวกรรม”, แมคกรอ-ฮิล อินเทอร์เน็ตชั้นแนล เอ็นเตอร์ไพรส์, กรุงเทพมหานคร; 2540
- [31] ชาญวุฒิ ตั้งจิตวิทยา และสาโรช ลูติเกียรติพงศ์, “วัสดุในงานวิศวกรรม”, ซีเอ็ดยูเคชั่น จำกัด, กรุงเทพมหานคร, 2529, หน้า 143
- [32] “Stainless steel-grade 431” [Online] Available <http://www.azom.com> (10 January 2009)
- [33] “Carbon Nanotubes: a brief introduction” [Online] Available [http://www.princeton.edu/~cstaii/CN/Carbon\\_nanotubes.html](http://www.princeton.edu/~cstaii/CN/Carbon_nanotubes.html) (12 January 2009)
- [34] “Carbon nanotube” [Online] Available [http://en.wikipedia.org/wiki/Carbon\\_nanotube](http://en.wikipedia.org/wiki/Carbon_nanotube) (12 January 2009)

- [35] “Nanotube basics” [Online] Available  
<http://ipn2.epfl.ch/CHBU/NTbasics1.htm> (12 January 2009)
- [36] สุรวุฒิ ช่างโชติ, พิชญ์ ศุภผล, “ท่อนาโนคาร์บอน” ไฟฟ้าและอุตสาหกรรม 2548.
- [37] “Wondrous World of Carbon Nanotubes” [Online] Available  
<http://students.chem.tue.nl/ifp03/synthesis.html> (12 January 2009)
- [38] K.B.K. Teo, C. Singh, M. Chhowalla, W.I. Milne, Catalytic synthesis of carbon nanotubes and nanofibers, *Encyclopedia of Nanoscience and Nanotechnology*, (2003) 1–22.
- [39] A. Sekar, S.H. Kim, A. Umar and Y.B. Hahn, Catalyst-free synthesis of ZnO nanowires on Si by oxidation of Zn powders, *J. Cryst. Growth* 277 (2005) 277, 471–478.
- [40] “Thermal Spray” [Online] Available  
<http://www.sulzermetco.com> (1 September 2008)
- [41] “Thermal Spray coatings” [Online] Available  
<http://www.gordonengland.co.uk/> (1 September 2008)
- [42] J.A. William, Y. Xie., The generation of wear surfaces by the interaction of parallel grooves, *Wear* 155 (1992) 363–379.
- [43] B.R. Lawn, M.V. Swain, Microfracture beneath point indentations in brittle solids, *J. Mater. Sci.* 10 (1975) 113–122.
- [44] K. Kato, K. Adachi, Modern tribology handbook I, *CRC press*, London New York Washington, D.C., 2001.
- [45] B. Bhushan, Principle and applications of Tribology, *John Wiley & Sons, Inc.*, 1999.
- [46] ปณิตดา นิรนาทล้ำพงศ์, John P.H. Pearce, ผกามาศ แซ่หว่าง, วารุณี เปรมานนท์, สุรพล ราษฎร์น้อย และสิทธิชัย วิโรจนูปถัมภ์, “การสึกหรอ”, ศูนย์เทคโนโลยีและวัสดุแห่งชาติ, พิมพ์ครั้งที่ 1, 2545.
- [47] “Wear testing” [Online] Available  
<http://www.devicelink.com/mddi/archive/99/08/005.html> (12 January 2009)

- [48] Standard Test Method for Pin Abrasion Testing ASTM, 132–96, Annual Book of ASTM standard, 1997.
- [49] “Wear testing” [Online] Available  
<http://midas.npl.co.uk/midas/content/images/mn30fig1.gif> (12 January 2009)
- [50] “Analysis” [Online] Available  
<http://earth.huji.ac.il/facilities-in.asp?id=22&page=10> (20 January 2009)
- [51] “Energy Dispersive X–Ray Spectroscopy (EDS/EDX)” [Online] Available  
<http://www.thermo.com/com/cda/technology/detail/1,12700,00.html> (20 January 2009)
- [52] R.L.V.r Wal, L.J. Hall, C carbon nanotube synthesis upon stainless steel meshes, *Carbon* 41 (2003) 659–672.
- [53] M. Karwa, Z. Iqbal, S. Mitra, Scaled-up self-assembly long stainless steel tubing, *Carbon* (2006) 1235–1242.
- [54] C. Ducati, I. Alexandrou, M. Chhowalla, G.A.J. Amaratunga and J. Robertson, Temperature selective growth of carbon nanotubes by chemical vapor deposition, *J. Appl. Phys.* 92 (2002) 3299–3303.
- [55] G. Zhou, J.C. Yang, Temperature effects on the growth of oxide islands on Cu(110), *Appl. Surf. Sci.* 222 (2004) 357–364.
- [56] I.R. Beattie, T.R. Gilson, The single-crystal Raman spectra of nearly opaque materials. Iron oxide(III) and chromium(III) oxide, *J. Chem. Soc. A* 5 (1980) 980–986.
- [57] J.L. Verble, Temperature-dependent light-scattering studies of the Verwey transition and electronic disorder in magnetite, *Phys. Rev. B* 9 (1974) 5236–5248.
- [58] Ning J, Zhang J, Pan Y, Guo, Fabrication and mechanical properties of SiO<sub>2</sub> matrix composite reinforced by carbon nanotube, *J. Mater Sci Eng A* 357 (2003) 392–396.
- [59] D. Srivastava, C. Wei, K. Cho, Nanomechanics of carbon nanotubes and composites, *Appl Mech Rev.* 56 (2003) 215–229.

- [60] W.X. Chen, J.P. Tu, L.Y. Wang, H.Y. Gan, Z.D. Xu, X.B. Zhang, Tribological application of carbon nanotubes in a metal-based composite coating and composites, *Carbon* 41 (2003) 215–222.
- [61] A. Hirata, N. Yoshioka, Sliding friction properties of carbon nanotube coatings deposited by microwave plasma chemical vapor deposition, *Trib. Inter.* 37 (2004) 893–898.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่  
Copyright© by Chiang Mai University  
All rights reserved