

## เอกสารอ้างอิง

- นงลักษณ์ ใจโต. 2551. การตรวจหาเชื้อ *Legionella pneumophila* serogroup 1 โดยเทคนิคพีซีอาร์. ปัญหาพิเศษวิทยาศาสตร์บัณฑิตสาขาวิชาจุลชีววิทยา. ภาควิชาชีววิทยา. คณะวิทยาศาสตร์. มหาวิทยาลัยเชียงใหม่.
- นิรนาม 1, 2553. แหล่งท่องเที่ยวกับสถานการณ์โรคที่ต้องสังเกตการณ์: ศูนย์บริการข้อมูลประชาชน ควบคุมโรค กระทรวงสาธารณสุข.
- นิรนาม 2, 2554. Ozone for health and environment. [ออนไลน์]. <http://www.oocities.org/ultrazone92/coolingti.htm>. [2011, January, 5].
- ภาสกร อัตรเสวี. 2552. ระบบข้อมูลข่าวสาร ภาพ และกิจกรรม เครือข่ายสาธารณสุขอำเภอเมืองยโสธร. [ออนไลน์]. [http://203.157.181.13/ssom/ssom\\_board/attach/view.php?id\\_view=22](http://203.157.181.13/ssom/ssom_board/attach/view.php?id_view=22). [2009, October, 20].
- มนฯล เลิศความนิชกุล. 2546. การตรวจหาเชื้อลิจิโอนอลานในสิ่งแวดล้อมของมหาวิทยาลัยลักษณ์. ปัญหาพิเศษ ปริญญาตรีสาขาวิชาสหเวชศาสตร์ และสาธารณสุขศาสตร์ มหาวิทยาลัยลักษณ์ นครศรีธรรมราช.
- วชรี อัตติพหลกุณ และ มนตรี อัตติพหลกุณ. 2536. ทฤษฎีการประยุกต์ใช้ประโยชน์ PCR Technology. โรงพยาบาลรังสิต.
- วันธนา ปวินกิตติพร. 2553. เอกสารประกอบรายงานการประชุมสัมมนา *Legionella* และอันตรายที่มองไม่เห็นในโรงแรม. [ออนไลน์]. [http://www.tcesolutions.com/water\\_detail.php?news\\_id=3](http://www.tcesolutions.com/water_detail.php?news_id=3). [2010, December, 22].
- สุรินทร์ ปิยะโชคณาภุกุล. 2548. พันธุศาสตร์เบื้องต้น. สำนักพิมพ์มหาวิทยาลัยเกษตรศาสตร์. กรุงเทพมหานคร. หน้า 194-210.
- อติเทพ จินดา, ปรารภ นาลนุรี, วิรัตน์ เพาะปลูก, รุ่งพิพัฒน์ นวลศรี, นงนุช จตุราบัณฑิต, โอลกา กันธนาณท์, เจษฎา ลายคุณรัฐ, หัทยา กาญจนสมบัติ, อมรา ทองทรงย์และโรม บัวทอง. 2551. การสอบสวนสิ่งแวดล้อมในโรงแรมที่เกิดโรคลิเจียนแพร์ในนักท่องเที่ยวชาวเดนมาร์ก เข้าหลัก ดำเนินคึกคัก จำกัดต่ำกว่าปี จังหวัดพังงา มิถุนายน 2551.
- Achtman, M. 2002. A phylogenetic perspective on molecular epidemiology. Molecular Medical Microbiology. Academic Press. London.

- Alli, O. A. T., Gao, L. Y., Pedersen, L. L., Zink, S., Radulic, M., Doric, M. and Abu Kwaik, Y. 2000. Temporal pore formation-mediated egress from macrophages and alveolar epithelial cells by *Legionella pneumophila*. *Infection and Immunity*. 68: 6431-6440.
- Alli, O. A. T., Zink, S., Katherine von Lackum, N. and Abu-Kwaik, Y. 2003. Comparative assessment of virulence traits in *Legionella* spp. *Microbiology*. 149: 631-641.
- Altorkmany, L. and Nordell, B. 2010. Overview of *Legionella* bacteria infection; control and treatment methods. *Environmental Engineering*. Luleå. Sweden.
- Amemura-Maekawa, J., Kura, F., Chang, B. and Watanaba, H. 2005. *Legionella pneumophila* Serogroup 1 isolate from cooling tower in Japan from distinct genetic cluster. *Microbiology Immunology*. 49(12): 1027-1033.
- Andrews, H. L., Vogal, J. P. and Isberg, R. R. 1998. Identification of linked *Legionella pneumophila* genes essential for intracellular growth and evasion of endocytic pathway. *Infection and Immunity*. 66: 950-958.
- Anonymous 1. 2011. National Biological Information Infrastructure, genetic diversity, RFLP analysis. [Online]. Available : [http://www.ncbi.gov/portal/server.pt /community/genetic\\_analysis\\_in\\_the\\_laboratory/402/rflp\\_analysis/569](http://www.ncbi.gov/portal/server.pt/community/genetic_analysis_in_the_laboratory/402/rflp_analysis/569). [2011, April. 28].
- Bartie, C., Venter, S. N. and Nel, L. H. 2001. Evaluation of detection methods for *Legionella* species using seeded samples. *Water South Africa*. 27: 7-523.
- Bartram, J., Chartier, Y., Lee, J., Pond, K. and Surman-Lee, S. 2007. *Legionella* and the prevention of legionellosis. World Health Organization.
- Benin, A. L., Benson, R. F. and Besser, R. E. 2002. Trends in Legionnaires' disease, 1980-1998: declining mortality and new patterns of diagnosis. *Clinical Infectivity Disease*. 35: 1039-1046.
- Behets, J., Declerck, P., Delaedt, Y., Creemers, B. and Ollevier, F. 2006. Development and evaluation of a Taqman duplex real-time PCR quantification method for reliable enumeration of *Legionella pneumophila* in water sample. *Journal of Microbiological Methods*. 68: 137-144.

- Bellinger-Kawahara, C. and Horwitz, M. A. 1990. Complement component C3 fixes selectively to the major outer membrane protein (MOMP) of *Legionella pneumophila* and mediates phagocytosis of liposome-MOMP complexes by human monocytes. *Journal of Experimental Medicine*. 172: 1201-1210.
- Berger, K. H. and Isberg, R. R. 1993. Two distinct defects in intracellular growth complemented by single genetic locus in *Legionella pneumophila*. *Molecular Microbiology*. 7: 7-19.
- Bopp, C. A., Sumner, J. W., Morris, G. K. and Wells, J. G. 1980. Isolation of *Legionella* spp. from environment water samples by low-pH treatment and use of a selective medium. *Journal of Clinical Microbiology*. 13: 714-719.
- Borella, P., Montagna, T., Romano-Spica, V., Stampi, S., Stancanelli, G., Triassi, M., Neglia, R., Marchesi, I., Fantuzzi, G., Tato, D., Napoli, Ch., Quaranta, G., Laurenti, P., Leoni, E., DeLuca, G., Ossi, C., Moro, M., Ribera, D. and Alcala, G. 2005. *Legionella* Infection Risk From Domestic Hot Water. 10(3): 245-251.
- Brand, B. C., Sadosky, A. B. and Shuman, H. A. 1994. The *Legionella pneumophila icm* locus: a set of genes required for intracellular multiplication in human macrophages. *Molecular Microbiology*. 14: 797-808.
- Brenner, D. J., Steigerwalt, A. G. and McDade, J. E. 1979. Classification of Legionnaires' disease bacterium: *Legionella pneumophila*, Genus Novum, species Nova, of the family Legionellaceae, family Nova. *Annals of Internal Medicine*. 90: 656-658.
- Broadbent, C. 2003. *Legionella* in hot water systems. [Online]. Available : [www.airah.org.au/downloads/2003/4/3.pdf](http://www.airah.org.au/downloads/2003/4/3.pdf). [2011, January. 5].
- Bumbaugh, A. C., McGraw, E. A., Page, K. L., Selander, R. K. and Whittam, T. S. 2001. Sequence polymorphism of *dotA* and *mip* alleles mediating invasion and intracellular replication of *Legionella pneumophila*. *Current Microbiology*. 44: 314-322.
- Chinsembu, K. C., Hakwenye, H. and Uzabakirihoh, J. 2010. Isolation and serotyping of *Legionella pneumophila* from Goreangab Dam and hostel shower heads in Namibia. *African Journal of Microbiology Research*. 4(18): 1890-1896.
- Cianciotto, N. P. and Fields, B. S. 1992. *Legionella pneumophila mip* gene potentiates intracellular infection of protozoa and human macrophages. *Proceeding of the National Academy of Sciences USA*. 89: 5188-5191.

- Cianciotto, N. P., Eisenstein, B. I., Mody, C. H., Toews, G. B. and Engleberg, N. C. 1989a. A *Legionella pneumophila* gene encoding a species-specific surface protein potentiates initiation of intracellular infection. *Infection and Immunity*. 57: 1255-1262.
- Cianciotto, N. P., Eisenstein, B. I. Engleberg, N. C. and Shuman, H. 1989b. Identification of *Legionella pneumophila* Genes Required for growth within and killing of human macrophages. *Molecular Medicine*. 6: 409-424.
- Cianciotto, N. P., Eisenstein, B. I., Mody, C. H. and Engleburg, N. C. 1990. A mutation in the *mip* gene results in an attenuation of *Legionella pneumophila* virulence. *The Journal of Infectious Diseases*. 162: 121-126.
- Ciesielski, C. A., Blaser, M. J. and Wang, W. L. 1985. Serogroup specificity of *Legionella pneumophila* is related to lipopolysaccharide characteristics. *Infection and Immunity*. 51: 397-404.
- Claisse, O., Renouf, V. and Lonvaud-Funel, A. 2007. Differentiation of wine lactic acid bacteria species based on RFLP analysis of a partial sequence of *rpoB* gene. *Journal of Microbiological Methods*. 69: 387-390.
- Cloud, J. L., Carroll, K. C., Pixel, P., Erali, M. and Hillyard, D. R. 2000. Detection Of *Legionella* species in respiratory specimens using PCR with sequencing confirmation. *Journal of Clinical Microbiology*. 38(5): 1709-1712.
- Cooke, R. P. D. 2004. Hazards of water. *Journal of Hospital Infection*. 57: 290-293.
- Delgado-Viscogliosi, P., Simonart, T., Parent, V., Marchand, G., Dobbelaere, M., Pierlot, E., Pierzo, V., Menard-Szczebara, F., Gaudard-Ferveur, E., Delabre, K. and Delattre, J. M. 2005. Rapid method for enumeration of viable *Legionella pneumophila* and other *Legionella* spp. in water. *Applied and Environmental Microbiology*. 71: 4086-4096.
- Desia, R., Welsh, C., Summy, M., Farone, M. and Newsome, A. L. 1999. The potential of in situ hybridization and an immunogold assay to identify *Legionella* associations with other microorganisms. *Journal of Microbiology Methods*. 37: 155-164.
- Doust, R. H., Mobarez, A. M. and Esmailli, D. 2008. Detection of *Legionella* in hospital water supply using *mip* based primer. *Journal of Biological Sciences* 8. 5: 930-934.

- Engleberg, N. C., Carter, C., Weber, D. R., Cianciotto, N. P. and Eisenstein, B. I. 1989. DNA sequence of *mip*, a *Legionella pneumophila* gene associated with macrophage infectivity. *Infection and Immunity*. 57: 1263-1270.
- Edelstein, P. H. 1981. Improved semiselective medium for isolation of *Legionella pneumophila* from contaminated clinical and environment specimens. *Journal of Clinical Microbiology*. 14(3): 298-303.
- Fernandez, J. A., Lopez, P., Orozco, D. and Merino, J. 2002. Clinical study of an outbreak of Legionnaires' disease in Alcoy, Southeastern Spain. *European Journal of Clinical Microbiology and Infectious Diseases*. 21:729-735.
- Fields, B. S., Sanden, G. N., Barbaree, J. M., Morrill, W. E., Wadowsky, R. M., White, E. H. and Feeley, J. C. 1989. Intracellular multiplication of *Legionella pneumophila* in amoeba isolated from hospital hot water tanks. *Current Microbiology*. 18: 131-137.
- Fields, B. S. 1996. Molecular ecology of legionellae. *Trends Microbiology*. 4: 286-290.
- Finlay, B. B. and Cossart, P. 1997. Exploitation of mammalian host cell functions by bacterial pathogens. *Science*. 276: 718-725.
- Fischer, G. and Schmid, F. X. 1990. The mechanism of protein folding. Implications of *in vitro* refolding models for de novo protein folding and translocation in the cell. *Biochemistry*. 29: 2205-2212.
- Fischer, G., Wittmann-Liebold, B., Lang, K., Kieflhaber, T. and Schmid, F. X. 1989. Cyclophilin and peptidyl-prolyl *cis-trans* isomerase are probably identical proteins. *Nature*. 337: 476-478.
- Fischer, G., Bang, H., Ludwig, B., Mann, K. and Hacker, J. 1992. Mip protein of *Legionella pneumophila* exhibits peptidyl-prolyl-cis/trans isomerase (PPIase) activity. *Molecular Microbiology*. 6(10): 1375-1383.
- Fliermans, C. B. 1996. Ecology of *Legionella*: from data to knowledge with a little wisdom. *Microbial Ecology*. 32: 203-228.
- Fry, N. K., Afshar, B., Bellamy, W., Gaia, V., Lück, P. C., Etienne, J. and Harrison, T. G. 2005. Update on the consensus sequence-based epidemiological typing scheme for *Legionella pneumophila*. The 20<sup>th</sup> annual meeting European working group for *Legionella* infections. Rome. Italy.

- Gaia, V., Fry, N. K., Afshar, B., Lück, P. C., Meugnier, H., Etienne, J., Peduzzi, R. and Harrison, T. G. 2005. Consensus sequence-based scheme for epidemiological typing of clinical and environmental isolates of *Legionella pneumophila*. *Journal of Clinical Microbiology*. 43: 2047-2052.
- Gao, L. Y. and Abu Kwaik, Y. 1999. Activation of caspase-3 in *Legionella pneumophila*-induced apoptosis in macrophages. *Infection and Immunity*. 67: 4886-4894.
- Griffiths, A. J. F., Miller, J. H., Suzuki, D. T., Lewontin, D. T., Lewontin, R. C. and Gelbart, W. M. 1996. Recombinant DNA technology problem set from the biology project at the university of Arizona. [Online]. Available : [http://biology.kenyon.edu/courses/biol114/Chap08/Chapter\\_08a.html](http://biology.kenyon.edu/courses/biol114/Chap08/Chapter_08a.html). [2011, April. 28].
- Helbig, J. H., Bernander, M., Castellani-Pastoris, M., Etienne, K., Gaia, V., Lauwers, S., Lindsay, D., Luck, P. C., Marques, T. and Mentura, S. 2002. Pan-European study on culture-proven Legionnaires' disease: distribution of *Legionella pneumophila* serogroups and monoclonal subgroups. *European Journal of Clinical Microbiology and Infection Diseases*. 21: 710-716.
- Hindahl, M. S. and Iglewski, B. H. 1985. Outer membrane protein from *Legionella pneumophila* serogroups and other *Legionella* species. *Infection and Immunity*. 51: 94-101.
- Heuner, K. and Swanson, M. 2008. *Legionella* Molecular Microbiology. Caister Academic Press. Michigan.
- Holt, J. H., Krieg, N. R., Sneath., P. H. A., Staley, J. T. and Williams, S. T. 1994. Bergey's Manual of determinative bacteriology 9<sup>th</sup> edition. Maryland.
- Horwitz, M. A. 1989. Intracellular parasitism. Ed Moulder. Florida. 141-156.
- Horwitz, M. A. and Maxfield, F. R. 1984. *Legionella pneumophila* inhibits acidification of its phagosome in human monocyte. *Journal of Cell Biology*. 99: 1936-1943.
- Horwitz, M. A. 1983. The legionnaires' disease bacterium (*Legionella pneumophila*) inhibits phagosome-lysosome fusion in human monocytes. *Journal of Experimental Medicine*. 158: 2108-2126.
- Jamie, C. Legionnaire's Disease – Worse than those silly hats, post on February 27, 2010. [Online]. Available : <http://diseaseoftheweek.wordpress.com/2010/02/27/legionnaire-%E2%80%99s-disease-%E2%80%93-worse-than-those-silly-hats/>. [2011, July. 26].

- Jaulhac, B., Nowicki, M., Bornstein, N., Meunier, O., Prevost, G., Piemont, Y., Fleurette, J. and Monteil, H. 1991. Detection of *Legionella* spp. in bronchoalveolar lavage fluids by DNA amplification. *Journal of Clinical Microbiology*. 30(4): 920-924.
- Joshi, A. D. and Swanson, M. S. 1999. Comparative analysis of *Legionella pneumophila* and *Legionella micdadei* virulence traits. *Infection and Immunity*. 67: 4134-4142.
- Jürgens, D and Fehrenbach, F. 1995. Cross-reaction lipopolysaccharide antigens in *Legionella pneumophila* serogroups 1-14. *Infection and Immunity*. 63: 2180-2184.
- Kima, B. R., Andersona, J. E., Muellera, S. A., Gainesb, W. A. and Kendallb, A. M. 2002. Literature review-efficacy of various disinfectants against *Legionella* in water systems. *Water Research*. 36: 4433-4444.
- Ko, K. S., Hong, S. K., Lee, K. H., Lee, H. K., Park, M. Y., Miyamoto, H. and Hook, Y. H. 2003. Detection and identification of *Legionella pneumophila* by PCR-restriction fragment length polymorphism analysis of the RNA polymorphism (*rpoB*). *Journal of Microbiological Method*. 54: 325-337.
- Kuiper, M. W., Wullings, B. A., Akkermans, A. D., Beumer, R. R., and Van der Kooij, D. 2004. Intracellular proliferation of *Legionella pneumophila* in *Hartmanella vermiciformis* in aquatic biofilms grown on plasticized polyvinyl chloride. *Applied and Environmental Microbiology*. 70(11): 6826-6833.
- Lang, K., Schmid, F. X. And Fischer, G. 1987. Catalysis of protein folding by prolyl isomerase. *Nature*. 329: 268-270.
- Liu, H., Li, Y., Huang, X., Kawamura, Y. and Ezaki T. 2003. Use of the *dnaJ* gene for the detection and identification of all *Legionella pneumophila* serogroups and description of the primers used to detect 16S rDNA gene sequence of major members of the genus *Legionella*. *Microbiological Immunology*. 47(11) : 859-865.
- Lundemoose, A. G., Kay, J. E. and Pearce, J. H. 1993. *Chlamydia trachomatis* Mip-like protein has peptidyl-prolyl cis/trans isomerase activity that is inhibited by FK506 and is implicated in initiation of chlamydial infection. *Molecular Microbiology*. 7: 777-783.
- Machner, M. P. and Isberg, R. R. 2006. Targeting of host Rab GTPase function by the intravacuolar pathogen *Legionella pneumophila*. *Developmental Cell* . 11:47-56.

- MaDade, J. E., Shepard, C. C., Fraser, D. W., Tsai, T. R., Redus, M. A. and Dowdle, W. R. 1977. Legionnaires' disease isolation of bacterium and demonstration of its role in other respiratory disease. *New angle Medical.* 297: 1197-1293.
- Maki, N., Sekigushi, F., Nishimaki, J., Miwa, K., Hayano, T., Takahashi, N. and Suzuki, M. 1990. Complementary DNA encoding the human T-cell FK 506-binding protein, a peptidyl-prolyl *cis-trans* isomerase distinct from cyclophilin. *Proceedings of the National Academy of Sciences USA.* 37: 5440-5443.
- Mampel, J., Spirig, T., Weber, S. S., Haaggensen, J. A. J., Molin, S. and Hilbi, H. 2006. Planktonic replication is essential for biofilm formation by *Legionella pneumophila* in a complex medium under static and dynamic flow conditions. *Applied and Environmental Microbiology.* 72(4): 2885-2895.
- Merriam, J. J., Mathur, R., Maxfield-Boumil, R. and Isberg, R. R. 1997. Analysis of the *Legionella pneumophila fliI* gene: intracellular growth of a defined mutant defective for flagellum biosynthesis. *Infection and Immunity.* 65: 2497-2501.
- Miquel, P. H. S., Haeghebaert, S., Che, D., Campese, C., Guitard, C., Brigaud, T., Therouanne, M., Panie, G., Jarraud, S. and Hef, D. 2004. Epidemie communautaire de legionellose, Pas-de-Calais, France, Novembre 2003 janvier 2004. *bull epidemiol hebd.* 36-37 : 179-181.
- Molmeret, M. and Abu Kwaik, Y. 2002. How does *Legionella pneumophila* exit the host cell. *Trends in Microbiology.* 10: 60-258.
- Nester, E. W., Anderson, D. G., Robert, C. E. and Nester, M. T. 2007. *Microbiology of a Human Perspective.* 5<sup>th</sup> ed. pp. 595-597. McGraw-Hill. New York.
- Nolte, F. S., Conlin, C. A. and Motley, M. A. 1986. Electrophoretic and serological characterization of the lipopolysaccharide of *Legionella pneumophila*. *Infection and Immunity.* 52: 676-681.
- Pasculle, A. W., Feeley, J. C., Gibson, R. J., Cordes, L. G., Myerowitz, R. L., Patton, C. M., Gorman, G. M., Carmark, C. L., Ezzel, J. M. and Dowling, J. N. 1980. Pittsburgh pneumonia agent: direct isolation from human lung tissue. *Journal of Infection Disease.* 141: 727-731.

- Payne, N. R. and Horwitz, M. A. 1987. Phagocytosis of *Legionella pneumophila* is mediated by human monocyte complement receptors. *Journal of Experimental Medicine*. 1966: 2245-2255.
- Poblet-Mas, N., De la torre, M., Sirvent, J. M. and Garcia-Gil, L. J. 2007. European Society of Clinical Microbiology and Infectious Diseases. ICC Press. Munich. pp. 105.
- Pond, K. 2005. Water recreation and disease plausibility of associated infections: acute effects, sequelae and mortality. World Health Organization (WHO). [Online]. Available : [www.who.int/water\\_sanitation\\_health/bathing/recrea\\_dischap2.pdf](http://www.who.int/water_sanitation_health/bathing/recrea_dischap2.pdf). [2010, December 15].
- Price, E. R., Zydowsky, L. D., Jin, M., Baker, C. H., McKeon, F. D. and Walsh, C. T. 1991. Human cyclophilin gene encodes a peptidyl-prolyl isomerase with a signal sequence. *Proceeding of the National Academy of Sciences USA*. 88: 1903-1907.
- Purcell, M. and Shuman, H. A. 1998. The *Legionella pneumophila* icmGCDJBF genes are required for killing of human macrophages. *Infection and Immunity*. 66: 2245-2255.
- Pugh, R. 2002. Queensland Heath notification diseases report 1997-2001. Brisbane: Queensland Health.
- Rittig, M. G., Schroppel, K., Seack, K. H., Sander, U., Ndiaye, E. N., Maridonneau-Parini, I., Solbach, W. and Bogdan, C. 1998. Coiling phagocytosis of trypanosomatids and fungal cells. *Infection and Immunity*. 66: 4331-4339.
- Rowbotham, T. J. 1986. Current views on the relationships between amoebae, legionellae and man. *Israel Journal of Medicine Sciences*. 22: 678-689.
- Roy, C. R. and Isberg, R. R. 1997. Topology of *Legionella pneumophila* DotA: an inner membrane protein required for replication in macrophages. *Infection and Immunity*. 65: 571-578.
- Roy, C. R., Berger, K. H. and Isberg, R. R. 1998. *Legionella pneumophila* DotA protein is required for early phagosome trafficking decisions that occur within minutes of bacterial uptake. *Molecular Microbiology*. 28: 663-674.
- Sadosky, A. B., Water, L. A. and Shuman, H. A. 1993. Identification of *Legionella pneumophila* genes required for growth within and killing of human macrophages. *Infection and Immunity*. 61: 5361-5373.

- Salloum, G., Meuhnier, H., Reyrolle, M., Grimont, F., Grimont, P. A. D., Etienne, J. and Freney, J. 2002. Identification of *Legionella* species by ribotyping and other molecular methods. Reserch in Microbiology. 153: 679-686.
- Sartory, D. P., Bonnadonna, L., Delattre, J. M., Gosling, P., Janda, M. and Van der Kooij, D. 2002. Guidelines for drinking-water quality. 2<sup>nd</sup> edition Microbiology Agents in drinking water. World Health Organization.
- Schreiber, S. L. 1991. Chemistry and biology of the immunophilins and their immunosuppressive ligands. Science. 251: 283-287.
- Segal, G., Purcell, M. and Shuman, H. A. 1998. Host cell killing and bacterial conjugation require overlapping sets of genes within a 22-kb region of the *Legionella pneumophila* genome. The Proceeding of National Academy of Sciences USA. 95: 1669-1674.
- Segal, G. and Shuman, H. A. 1998. Hoe is the intracellular fate of the *Legionella pneumophila* phagosome determined. Trends in Microbiology. 6: 5057-5066.
- Segal, G. and Shuman, H. A. 1999. *Legionella pneumophila* utilizes the same genes to multiply within *Acanthamoeba castellanii* and human macrophage. Infection and Immunity. 67: 2117-2124.
- Standaert, R. F., Galat, A., Verdine, G. L. And Schreiber, S. L. 1990. Molecular cloning and overexpression of the human FK506-binding protein FKBP. Nature. 346: 671-674.
- Stone, B. J. and Abu Kwaik, Y. 1998. Expression of multiple pili by *Legionella pneumophila*: identification and characterization of a type IV pilin gene and its role in adherence to mammalian and protozoan cells. Infection and Immunity. 66: 1768-1775.
- Stout, J., Yu, V. L., Vickers, R. M. and Shonnard, J. 1982. Potable water supply as the hospital reservoir for Pittsburgh pneumonia agent. Lancet I: 471-472.
- Stout, J. E. and Yu, V. L. 1997. Legionellosis. The New England Journal of Medicine. 337: 682-687.
- Swanson, M. S. and Hammer, B. K. 2000. *Legionella pneumophila* pathogenesis: a fateful journey from amoebae to macrophages. Annual Review of Microbiology. 54: 567-613.
- Tropschung, M., Wacher, E. Mayer, S., Schönbrunner, E. R. and Schmid, F. X. 1990. Isolation and sequence of an FK506-binding protein from *N. crassa* which catalyses protein folding. Nature. 346: 674-677.

- Toze, S. 1999. PCR and the detection of microbial pathogens in water and wastewater. Water Research. 33: 3545-3556.
- Vogel, J. P., Andrews, H. L., Wong, S. K. and Isberg, R. R. 1998. Conjugative transfer by the virulence system of *Legionella pneumophila*. Science. 279: 873-876.
- Wiederrechi, G., Brizuela, L., Elliston, K., Sigai, N. H. And Siekierka, J. J. 1991. FKB1 encodes a nonessential FK506-binding protein in *Saccharomyces cerevisiae* and contains regions suggesting homology to the cyclophilins. Proceeding of the National Academy of Sciences USA. 88: 1029-1033.
- Yu, V. L., Plouffe, J. F., Pastorini, M. C., Stout, J. E., Schousboe, M., Widmer, A., Summerville, J., File, T., Heath, C. M., Paterson, D. L. and Chereshsky, A. 2002. Distribution of *Legionella* species and serogroups isolated by culture in patients with sporadic community-acquired legionellosis: an international collaborative survey. Journal of Infectious Diseases. 186: 127-128.