

เอกสารอ้างอิง

- การประเมินมูลค่าภูมิปัญญาไทย: กรณีศึกษาพันธุ์กรรมข้าวพื้นเมือง. 2554. [ระบบออนไลน์].
แหล่งที่มา <http://www.sri.cmu.ac.th/weblink/rice/index.html> (20 กันยายน 2554)
- กรมการข้าว กระทรวงเกษตรและสหกรณ์. 2554. องค์ความรู้เรื่องข้าว. [ระบบออนไลน์].
แหล่งที่มา http://www.brrd.in.th/rkb/data_002/rice_xx2-03_ricebreed_Hight06.html
(20 กันยายน 2554)
- กรมการข้าว กลุ่มถ่ายทอดวิทยาการผลิตเมล็ดพันธุ์ดี ศูนย์เมล็ดพันธุ์ข้าวขอนแก่น. 2553. ความรู้เกี่ยวกับข้าว-ชาวนา. [ระบบออนไลน์]. แหล่งที่มา
<http://kknrsc.ricethailand.go.th/rice/pedigree/hight02.html> (12 กรกฎาคม 2553).
- กัญญา แซ่เตียว, รักชนก โคโต, สิริรักษ์ ศรวณียารักษ์, สนธิชัย จันทร์เปรม และเสริมศิริ จันทร์เปรม. 2549. การทดสอบความต้านทานต่อสารปฏิชีวนะของ *Stylosanthes hamata* และกล้วยไม้สกุลหวาย พันธุ์เอี้ยสกุลในสภาพปลอดเชื้อเพื่อการถ่ายยีน. ว. วิทย. กษ. 37: 137-144
- นพพร คล้ายพงษ์พันธุ์. 2546. เทคนิคการปรับปรุงพันธุ์พืช. ภาควิชาพืชไร่นา คณะเกษตรศาสตร์มหาวิทยาลัยเกษตรศาสตร์. หน้า 129.
- มิ่งสรรพ ขาวสะอาดและคณะ. 2548. รายงานการวิจัยฉบับสมบูรณ์ การประเมินมูลค่าภูมิปัญญาไทย : กรณีศึกษาพันธุ์กรรมข้าวพื้นเมือง, เชียงใหม่: สถาบันวิจัยสังคม มหาวิทยาลัยเชียงใหม่
- มูลนิธิข้าวไทย ในพระบรมราชูปถัมภ์. 2550. จุดกำเนิดและประวัติข้าวไทย. [ระบบออนไลน์].
แหล่งที่มา http://www.thairice.org/html/aboutrice/about_rice1.htm (7 กรกฎาคม 2553).
- สุรินทร์ ปิยะโชคณากุล. 2548. การถ่ายฝากยีนในพืช. ภาควิชาพันธุศาสตร์ คณะวิทยาศาสตร์มหาวิทยาลัยธรรมศาสตร์. หน้า 173-183.
- วิกิพีเดีย สารานุกรมเสรี. 2554. ข้าว. [ระบบออนไลน์]. <http://th.wikipedia.org/wiki/ข้าว>.
(20 กันยายน 2554)
- Abdullah, R., Thomson, J., Khush, G. S., Kaushik, R. P. and Cocking, E. C. 1989. Protoplast variation in seed progeny of plants regenerated from rice protoplast. *Plant Science*. 65: 97-101.
- Aldemita, R.R. and Hodges, T. K. 1996. *Agrobacterium tumefaciens* mediated transformation of japonica and indica rice varieties. *Planta*. 199: 612-617.

- Anonymous. 2001. pCAMBIA vector release manual version 3.05. [ระบบออนไลน์]
<http://www.cambia.org.au> (10 สิงหาคม 2554)
- Arockiasamy, S. and Ignacimuthu, S. 2007. Regeneration of transgenic plants from two indica rice (*Oryza sativa* L.) cultivars using shoot apex explants. *Plant Cell Report*. 26:1745–1753.
- Ayres, N. M and Park, W. D. 1994. Genetic transformation of rice. *Critical Reviews Plant Science*. 13: 219–239.
- Barton, K. A., Binns, A. N., Matzke, A. J. M. and Chilton, M. D. 1983. Regeneration of intact tobacco plant containing full length copies of genetically engineered T-DNA and transmission of T-DNA to RI progeny. *Cell*. 32: 1033-1043.
- Bourque, D. P., McMillan, P. N., Clingenpeel, W. J. and Naylor, A. W. 1976. Comparative effects of several inhibitors of chloroplast thylakoid membrane synthesis in greening jack bean. *Botanical Gazette*. 137: 279-284.
- Cao, X., Liu, Q., Rowland, L. J. and Hammerschlag, F. A. 1998. GUS expression in blueberry (*Vaccinium* spp.) : factors influencing *Agrobacterium*-mediated gene transfer efficiency. *Plant Cell Reports*. 18: 266-270.
- Chan, M. T., Lee, T. M. and Chang, H. H. 1992. Transformation of indica rice (*Oryza sativa* L.) mediated by *Agrobacterium tumefaciens*. *Plant Cell Physiology*. 33: 577-583.
- Chang, T., Bardenas, E.A. and Rosario, A.C. 1965. The morphology and varietal characteristics of the rice plant. The international rice research institute. *Technical Bulletin*. 4: 1-36.
- Chen, G., Rothnie, H. M., He, X. H., Fohn, T. and Tterer, F. 1996. Efficient transcription from the rice *Tungro Bacilliform Virus* promoter requires elements downstream of the transcription start site. *Journal Virology*. 70: 8411–8421.
- Cheng, M., Fry, J. E., Pang, S., Zhou, H., Hironaka, C. M., Dancan, D. R., Conner, T. W. and Wan, Y. 1997. Genetic Transformation of Wheat Mediated by *Agrobacterium tumefaciens*. *Plant Physiology*. 115: 971-980
- Cheng, X., Sardana, R., Kaplan, H. And Altosaar, I. 1998. *Agrobacterium*-transformed rice plants expressing synthetic *cryIA(b)* and *cryIA(c)* genes are highly toxic to striped stem borer and yellow stem borer. *Proceedings of the National Academy of Science of the United States of America*. 95: 2767-2772

- Cho, M. J., Yano, H. and Okamoto, D. 2004. Stable transformation of rice (*Oryza sativa* L.) via microprojectile bombardment of highly regenerative, green tissues derived from mature seeds. *Plant Cell Report*. 22: 483–489.
- Christou, P., Ford, T. L. and Kofron, M. 1991. Production of transgenic rice (*Oryza sativa* L.) plants from agronomically important indica, and japonica varieties via electric discharge particle acceleration of exogenous DNA into immature zygotic embryos. *Biotechnology* 9: 957-962.
- Creative commons attribution share-alike Tangient LLC. Agrobacterium [Online]. Available <http://bib2011genetik.wikispaces.com/Agrobacterium+tumefaciens> (15 สิงหาคม 2554)
- De cleene, M. and De ley, J. 1976. The host range of crown gall. *Botanical Review*. 42: 389-466.
- Dower, W.J., Miller, J.F. and Ragsdale, C.W. 1988. High efficiency transformation of *E.coli* by high voltage electroporation. *Nucleic Acids Research*. 16: 6127-6145.
- Dowlal, M.A.N., Ahmed, N.U. and Hassan, L. 2008. Optimization of *Agrobacterium*-Mediated Genetic Transformation in *indica* Rice. *Thai Journal of Agricultural Science*. 41(3-4): 127-133.
- Doyle, J. J. and Doyle, J. L. 1990. Isolation of Plant DNA from fresh tissue. *Focus*. 12: 13-15.
- Escandon, A.S. and Hahne, G. 1991. Genotype and composition of culture medium are factors important in the selection of transformed sunflower (*Helianthus annuus*) callus. *Physiologia Plantarum*. 81: 367-376.
- Forkan, M. A., Power, Power, J. B., Anthony, P., Lowe, K. C. and Davey, M. R. 2004. *Agrobacterium*- Mediated transformation of Bangladeshi indica rices. *Celluar & Molecular Biology Letters*. 9: 287-300.
- Francesca, D. M., Patti, T. and Marchetti, S. 2007. Improvement of the pBI121 plant expression vector by leader replacement with a sequence combining a poly(CAA) and a CT motif. *Transgenic Research*. 16: 731–738.
- Gairi, A. and Rashid, A. 2004. TDZ-induced somatic embryogenesis in non-responsive caryopses of rice using a short treatment with 2,4-D. *Plant Cell Tissue and Organ Culture*. 76:29–33.

- Gould, J., Devery, M., Heegawa, O., Ulian, E.C., Peterson, G. and Smith, R.H. 1991. Transformation of *Zea mays* L. using *Agrobacterium tumefaciens* and the shoot apex. *Plant Physiology*. 95: 426-434.
- Goldman, J. J., Hanna, W.W., Fleming, G. and Ozias-Akins, P. 2003. Fertile transgenic pearl millet [*Pennisetum glaucum* (L.) R. Br.] plants recovered through microprojectile bombardment and phosphinothricin selection of apical meristem-, inflorescence-, and immature embryo-derived embryogenic tissues. *Plant Cell Reports*. 21: 999–1009.
- Graves, A. E. and Goldman, S. L. 1986. The transformation of *Zea mays* seedlings with *Agrobacterium tumefaciens*. *Plant Molecular Biology*. 7: 43-50.
- Grist, D. H. 1975. Rice. Longman Inc. New York. USA. pp.3-10.
- Han, K.H., Meilan, R., Ma, C. and Strauss, S. H. 2000. An *Agrobacterium* protocol effective on a variety of cottonwood hybrids (genus *Populus*). *Plant Cell Reports*. 19: 315-320.
- Hauptmann, R. M., Ozias-Akins, P., Vasil, V., Tabaeizadeh, Z., Rogers, S. G., Horsch, R. B., Vasil, I. K. and Fraley, R. T. 1987. Transient expression of electroporated DNA in monocotyledonous and dicotyledonous species. *Plant Cell Reports*. 6: 265–270.
- Hauptmann, R. M., Vasil, V., Ozias-Akin, P., Tabaeizadeh, Z., Roger, G., Fraley, R.T., Horsch, R.B. and Vasil, I.R. 1988. Evaluation of selectable marker for obtaining stable transformations in the Gramineae. *Plant Physiology*. 86: 602-606.
- Hiei, Y., Ohta, S. and Komari, T. 1994. Efficient transformation of rice (*Oryza sativa* L.) mediated by *Agrobacterium* and sequence analysis of the boundaries of the T-DNA. *Plant Journal*. 6: 271-282.
- Hiei, Y., Komari, T. and Kubo, T. 1997. Transformation of rice mediated by *Agrobacterium tumefaciens*. *Plant Molecular Biology*. 35: 205–218.
- Hinchee, M.A.W., Fry, J.E., Sanders, P.R., Armstrong, C.L., Petersen, W.L., Songstad, D. D, Mathis, N.L., Muskopf, Y.M., Barnason, A.R., Layton, J.G., Corbin, D.R., Connorward, D.V. and Horsch, R. B. 1991. Experimental gene transfer systems for plants. Proc. ISPMB Congress Tucson, USA, abstr. 63
- Hirochika, H. 1993. Activation of tobacco retrotransposons during tissue culture. *EMBO J*. 12:2521–2528.

- Hoekema, A., Hirsch, P. R., Hooykaas, P. J. J. and Schilperoort, R. A. 1983. A binary plant vector strategy based on separation of vir- and T-region of the *Agrobacterium tumefaciens* Ti-plasmid. *Nature*.303:179–180.
- Hood, E.E., Helmer, G. C., Fraley, R.T. and Chilton, M. D. 1986. The hypovirulence of *Agrobacterium tumefaciens* A281 is encoded in the region of pTiBo542 outside the T-DNA. *Journal Bacteriology*. 168:1291–1301.
- Hooykaas, P. J. J. and Beijersbergen, A. G. M. 1994. The virulence system of *Agrobacterium tumefaciens*. *Annual Reviews Phytopathology*. 32: 157-179.
- Hoque1, M. E., John, W., Mark, M. and Bennett, H. 2005. *Agrobacterium*-mediated transformation of Indica rice genotypes: an assessment of factors affecting the transformation efficiency *Plant Cell, Tissue and Organ Culture*. 82: 45–55.
- Horsch, R. B., Fry, J. E., Hoffmann, N. L., Eichholtz, D., Rogers, S. D. and Fraley, R. T. 1985. A simple and general method for transferring genes into plants. *Science*. 227:1229–1231.
- Hossain, M. R., Hassan, L., Patwary, A. K. and Ferdous, M. J. 2009. Optimization of *Agrobacterium tumefaciens* mediated genetic transformation protocol for aromatic rice. *Journal Bangladesh Agricultural University*. 7(2): 235–240.
- Ingrid, M. 2006. *Agrobacterium*- Mediated Transformation of Petunia Leaf Discs. *Plant Cell Culture Protocols*. 318: 265-272
- Jefferson, R. A. 1987. Assaying Chimeric genes in plant: the *GUS* gene fusion system. *Plant Molecular Biology Report*. 5: 387-405.
- Jones, J. D. G., Gilbert, D. E., Grady, K. L. and Jorgensen, R. A. 1987. T-DNA structure and gene expression in petunia plants transformed by *A.tumefaciens* C58 derivatives. *Molecular and General Genetics*. 207: 478-485.
- Kumria, R., Waie, B. and Rajam, M. V. 2001. Plant regeneration from transformed embryogenic callus of an elite indica rice via *Agrobacterium*. *Plant Cell Tissue and Organ Culture*. 67: 63-71.

- Labra, M., Savini, C., Brahucchi, N., Colombo, L., Bardini, M. and Sala, F. 2001. Genomic changes in transgenic rice (*Oryza sativa* L.) plants produced by infecting calli with *Agrobacterium tumefaciens*. *Plant Cell Reports*. 20: 325-330.
- Lichtenstein, C. 1986. A bizarre vegetal bestiality. *Nature*. Vol.322.
- Lin, Y. J. and Zhang, Q. 2005. Optimising the tissue culture conditions for high efficiency transformation of indica rice. *Plant Cell Report*. 23:540–547.
- Li, Z., Burow, M. D. and Murai, N. 1990. High frequency generation of fertile transgenic rice plants after PEG-mediated protoplast transformation. *Plant Molecular Biology Reporter*. 4: 276-291.
- Maneewan, K., Bunnag, S., Theerakulpisut, P., Kosittrakun, M. and Suwanagul, A. 2005. Transformation of rice (*Oryza sativa* L.) cv. Chainat 1 using chitinase gene. *Songklanakarin Journal Science Technology*. Vol.27 No.6 Nov. - Dec. 2005
- Maniatis, T., Fritsch, E.F. and Sambrook, J. 1982. Isolation of bacteriophage λ and plasmid DNA. *Molecular Cloning*. New York. Cold Spring Harbor Laboratory: 75-79.
- Mohanty, A., Sarma, N. P. and Tyagi, A. K. 1999. *Agrobacterium*-mediated high frequency transformation of an elite indica rice variety Pusa Basmati 1 and transmission of the transgenes to R2 progeny. *Plant Science*. 147: 127–137.
- Park, S. H., Pinson, S. R. M. and Smith, R. H. 1996. T-DNA integration into genomic DNA of rice following *Agrobacterium* inoculation of isolated shoot apices. *Plant Molecular Biology*. 32:1135–1148.
- Pipatpanukul, T., Bunnag, S., Theerakulpisut, P. and Kosittrakul, M. 2004. Transformation of indica rice (*Oryza sativa* L.) cv. RD6 mediated by *Agrobacterium tumefaciens*. *Songklanakarin Journal Science Technology*. 26(1): 1-13.
- Ratnayake, R. M. L. K. and Hettiarachchi, G. H. C. M. 2010. Development of an Efficient *Agrobacterium* Mediated Transformation Protocol for Sri Lankan Rice Variety - Bg 250. *Tropical Agricultural Research*. 22 (1): 45 – 53.
- Saika, H. and Toki, S. 2009. Visual selection allows immediate identification of transgenic rice calli efficiently accumulating transgene products. *Plant Cell Report*. 28: 619–626.

- Saika, H. and Toki, S. 2010. Mature seed-derived callus of the model indica rice variety Kasalath is highly competent in *Agrobacterium*-mediated transformation. *Plant Cell Report*. 29: 1351–1364.
- Samiphak, K. and Siwarungson, N. 2006. Transformation and Expression of Green Fluorescent Protein and Barley Stress-Induced Embryogenic *hva* 1 Gene in *Indica* Rice KDML 105 by *Agrobacterium tumefaciens* EHA 105. *Journal Science Research Chulalongkorn University*., Vol. 31, No. 1
- Srivatanakul, M., Park, S., Sanders, J., Salas, M. and Smith, R. 2000. Multiple shoot regeneration of kenaf (*Hibiscus cannabinus* L.) from a shoot apex culture system. *Plant Cell Report*. 19: 1165–1170.
- Steven, J. C. and Andrew, F. B. 1998. Floral dip: a simplified method for *Agrobacterium*-mediated transformation of *Arabidopsis thaliana*. *The Plant Journal*. 16: 735-743.
- Terada, R., Asao, H. and Iida, S. 2004. A large-scale *Agrobacterium*-mediated transformation procedure with a strong positive-negative selection for gene targeting in rice (*Oryza sativa* L.). *Plant Cell Reports*. 22: 653-659.
- Toki, S. 1997. Rapid and Efficient *Agrobacterium*-Mediated Transformation in Rice. *Plant Molecular Biology Reporter* . 15: 16-21.
- Toriyama, K., Arimoto, Y., Uchimiya, H. and Hinata, K. 1998. Transgenic plants after direct gene transfer into protoplasts. *Biotechnology*. 6: 1072–1074.
- Twyman, R. M., Stger, E., Kohli, A., Capell, T. And Christou, P. 2002. Selectable and Screenable Markers for Rice Transformation. *Molecular Methods of Plant Analysis*, Vol. 22
- Vijaychandra, K., Palanichelvam, K. and Veluthambi, K. 1995. Rice scutellum induces *Agrobacterium tumefaciens* vir genes and T-strand generation. *Plant Molecular Biology*. 29: 125–133.
- Wanichananan, P., Teerakathiti, T., Roytrakul, S., Kirdmanee, C. and Peyachoknagul, S. 2010. A highly efficient method for *Agrobacterium* mediated transformation in elite rice varieties (*Oryza sativa* L. spp. indica). *African Journal of Biotechnology*. Vol. 9(34), pp. 5488-5495

- Wilmink, A. and Jons, J. J. M. 1993. Selective Agents and Marker Genes for Use in Transformation of Monocotyledonous Plants. *Plant Molecular Biology Reporter* 11: 165-185
- Weide, R., Koornneef, M. and Zabel, P.A. 1989. Simple, nondestructive spraying assay for the detection of an active kanamycin resistance gene in transgenic tomato plants. *Theoretical Applied Genetics*. 78:169-172.
- Yara, A., Otani, M., Kusumi, K., Matsuda, O., Shimada, T. and IBA, K. 2001. Production of Transgenic Japonica Rice (*Oryza sativa*) Cultivar, Taichung 65, by the *Agrobacterium*-Mediated Method. *Plant Biotechnology*. 18: 305-310.
- Yookongkaew, N., Srivatanakul, M. and Narangajavana, J. 2007. Development of genotype-independent regeneration system for transformation of rice (*Oryza sativa* ssp. indica) *Journal Plant Research*. 120:237-245.
- Yoshida, S. 1981. Fundamentals of rice crop science. The international rice research institute (IRRI). P.O. Box 933. Manila. Philippines.
- Zaidi, M. A., Narayanan, M., Sardana, R., Taga, I., Postel, S., John, M., McNutty, M., Mottiar, Y., Mao, J., Loit, E. and Altosaar, I. 2006. Optimizing tissue culture media for efficiency transformation of different indica rice genotypes. *Agronomy research* 4: 563-575.
- Zapata, C., Park, S. H., El-Zik, K. M. and Smith, R. H. 1999. Transformation of a Texas cotton cultivar by using *Agrobacterium* and the shoot apex. *Theoretical and Applied Genetics*. 2:252-256.
- Zhang, H. M., Yang, H., Rech, E. L., Golds, T. J., Davis, A. S., Mulligan, B. J., Cocking, E. C., and Davey, M. R. 1988. Transgenic rice plants produced by electroporation-mediated plasmid uptake into protoplasts. *Plant cell reports*. 6: 379-384.
- Zhang, S., Zhu, L. H., Li, X. Y., Ahlman, A. and Welander, M. 2004. Infection by *Agrobacterium tumefaciens* increased the resistance of leaf explants to selective agents in carnation (*Dianthus caryophyllus* L. and *D. chinensis*). *Plant science*. 168: 137-144.

Zhong, H., Sun, B., Warkentin, D., Zhang, S., Wu, R., Wu, T. and Sticklen, M. B. 1996. The competence of maize shoot meristems for integrative transformation and inherited expression of transgenes. *Plant Physiology*. 110: 1097–1107



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่

Copyright© by Chiang Mai University
All rights reserved