

เอกสารอ้างอิง

- กรมสุขภาพจิต. (2541). *เทคโนโลยีการดูแลญาติผู้ป่วยจิตเภท*. นนทบุรี: กรมสุขภาพจิต กระทรวงสาธารณสุข.
- กรมสุขภาพจิต. (2553). *สถิติรายงาน*. นนทบุรี: ศูนย์สุขภาพจิตและศูนย์สารสนเทศ กรมสุขภาพจิต กระทรวงสาธารณสุข.
- งานเวชระเบียน. (2553). *รายงานสถิติประจำปี*. สุโขทัย: งานเวชระเบียน โรงพยาบาลบ้านด่านลานหอย จังหวัดสุโขทัย.
- จุฑามณี สุทธิสีสังข์. (2538). ยารักษาโรคจิตในกำพล ศรีวัฒนกุล (บรรณาธิการ). *คู่มือการใช้ยา (ฉบับสมบูรณ์)*. (หน้า 341-345). กรุงเทพฯ: บริษัทสยามสปอร์ต ซันดิเคท จำกัด.
- จิรารัตน์ พิมพ์ดีด. (2541). *กระบวนการดูแลตนเองของผู้ที่เป็น โรคจิตเภทที่กลับมารักษซ้ำใน โรงพยาบาลจิตเวชขอนแก่น*. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต, บัณฑิตวิทยาลัย มหาวิทยาลัยขอนแก่น.
- จิตร สิทธิอมร, อนุวัฒน์ ศุภชติกุล, สงวนสิน รัตนเลิศ, และเกียรติศักดิ์ ราชบริรักษ์. (2543). *Clinical practice guidelines: การจัดทำและนำไปใช้*. กรุงเทพฯ: ดีไซน์.
- จินตนา ถีละไกรวรรณ. (2542). *โรคจิตเภท คู่มือสำหรับครอบครัว*. ขอนแก่น: คณะพยาบาลศาสตร์ มหาวิทยาลัยขอนแก่น.
- ฉวีวรรณ ธงชัย. (2548). การพัฒนาแนวปฏิบัติทางคลินิก. *วารสารสภาการพยาบาล*, 20(2), 63-76.
- ทัตทรง ตานะเศรษฐ. (2548). *ความรู้เรื่องโรคและการรักษาด้วยยา ทศนคติต่อการใช้ยาของผู้ป่วย โรคจิตชาวไทยภูเขามารับบริการใน โรงพยาบาลแม่สะเรียง*. พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลสุขภาพจิตและจิตเวช, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.
- ทานตะวัน เข้มบุญเรือง. (2540). *ผลการใช้โปรแกรมก่อนการจำหน่ายสำหรับผู้ป่วยและครอบครัว ผู้ป่วยจิตเวช*. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลศึกษา, บัณฑิตวิทยาลัย จุฬาลงกรณ์มหาวิทยาลัย.
- ทูลภา บุปผาสังข์. (2545). *ภาระและความสามารถในการดูแลของผู้ดูแลกับการกลับเป็นซ้ำของผู้ที่เป็น โรคจิตเภท*. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาสุขภาพจิตและการพยาบาลจิตเวช, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.

- ทัศนีย์ ทิพสูงเนิน. (2544). *ปัจจัยที่มีอิทธิพลต่อการให้ความร่วมมือในการรักษาของผู้ป่วยจิตเภท*
โรงพยาบาลจิตเวชนครราชสีมา. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชา
สุขภาพจิตและการพยาบาลจิตเวช, บัณฑิตวิทยาลัย มหาวิทยาลัยขอนแก่น.
- บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่. (2551). *คู่มือการเขียนวิทยานิพนธ์และการค้นคว้าแบบ*
อิสระ 2551. เชียงใหม่: บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.
- พิกุล นันทชัยพันธ์. (2547, เมษายน). การพัฒนาคุณภาพการพยาบาลตามหลักฐานเชิงประจักษ์.
เอกสารประกอบการอบรมวิชาการของโรงพยาบาลมหาราชนครเชียงใหม่, เชียงใหม่.
- พันธุ์ภา กิตติรัตนไพบูลย์. (2546). *BRIEF PSYCHOTRIC RATING SCALE (BPRS)*.
ไม่ได้ตีพิมพ์.
- เพียรดี เปี่ยมมงคล. (2536). *การพยาบาลจิตเวช*. กรุงเทพฯ: สุพรการพิมพ์.
- ไพบูลย์ เทวรักษ์. (2540). *จิตวิทยาการเรียนรู้*. (พิมพ์ครั้งที่ 2). กรุงเทพฯ: เอส ดี เพรส.
- ภัทรภรณ์ พุ่มปันคำ, สิริลักษณ์ วรรณะพงษ์, ลำเนาว์ เรืองยศ, ปรีทรรศ ศิลปกิจ, และ สุวัฒน์
มหัตนรินทร์กุล. (2548, มิถุนายน). การดูแลผู้ป่วยจิตเวชที่บ้าน: รูปแบบและโปรแกรม
การพัฒนาทักษะของผู้ดูแล. *เอกสารประกอบการประชุมวิชาการ*, เชียงใหม่.
- มานิต ศรีสุรภานนท์, และ จำลอง ดิษยวณิช. (2542). *ตำราจิตเวชศาสตร์*. เชียงใหม่:
- มานิช หล่อตระกูล และปราโมทย์ สุกวนิชย์. (2541). *เกณฑ์การวินิจฉัยโรคทางจิตเวช*
DSM IV ฉบับภาษาไทย (ใช้รหัส ICD-10). กรุงเทพฯ: โรงพิมพ์ชวนพิมพ์.
- มานิช หล่อตระกูล, และปราโมทย์ สุกวนิชย์. (2548). *จิตเวชศาสตร์รามาชิดี*. (พิมพ์ครั้งที่ 2).
กรุงเทพฯ: บียอนด์ เอ็นเทอร์ไพรซ์พิมพ์.
- มูลนิธิโรงพยาบาลศรีธัญญา. (2548). *เอกสารประกอบงาน โครงการรณรงค์เพื่อการเปลี่ยนแปลง*
ทัศนคติและพฤติกรรมสังคม. โรงพยาบาลศรีธัญญา.นนทบุรี.
- ยอดสร้อย วิเวกวรรณ. (2543). *สุขภาพจิตและพฤติกรรมในการดูแลผู้ป่วยโรคจิตเภทของผู้ดูแล*.
วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาสุขภาพจิตและการพยาบาลจิตเวช,
บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล.
- โรงพยาบาลบ้านด่านลานหอย. (2553). *รายงานสถิติประจำปี*. สุโขทัย:
โรงพยาบาลบ้านด่านลานหอย จังหวัดสุโขทัย.
- รัชนิกร อุปเสน. (2541). *การศึกษายาทาบทและการะของญาติผู้ดูแลผู้ป่วยจิตเภทที่บ้าน*.
วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต มหาวิทยาลัยขอนแก่น.

- วิทยา ศรีดามา. (2544). การใช้ Clinical Practice Guideline ใน วิทยา ศรีดามา (บรรณาธิการ)., *Clinical Practice Guideline ทางอายุรกรรม พ.ศ.2544*. (หน้า 15-18). (พิมพ์ครั้งที่ 3). กรุงเทพฯ: โรงพิมพ์แห่งจุฬาลงกรณ์มหาวิทยาลัย.
- สงวนสิน รัตนเลิศ. (2543). Clinical pathway/careMap และการสร้างทีม. ใน จิตร ลิขธิอมร, อนุวัฒน์ ศุภชติกุล, สงวนสิน รัตนเลิศ, และ เกียรติศักดิ์ ราชบริรักษ์ (บรรณาธิการ), *Clinical practice guideline: การจัดทำและนำไปใช้* (หน้า 65-77). กรุงเทพฯ: ดีไซน์.
- สุชีรา สุนตระกูลและ มาลี แจ่มพงษ์. (2532). อิทธิพลของครอบครัวที่มีผลต่อการกลับมารักษาใน โรงพยาบาลและผู้ป่วยจิตเภท: ศึกษาเฉพาะกรณีผู้ป่วยใน โรงพยาบาลสมเด็จพระเจ้าพระยา. กรุงเทพฯ: โรงพยาบาลสมเด็จพระเจ้าพระยา.
- สุตรัก พิละกันทา. (2550). แนวปฏิบัติทางคลินิกสำหรับการส่งเสริมความร่วมมือในการรักษาด้วย ยาของผู้ป่วยจิตเภทแผนกงานการพยาบาลผู้ป่วยนอกและผู้ป่วยฉุกเฉินโรงพยาบาล มหาราชนครเชียงใหม่. การค้นคว้าแบบอิสระพยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลสุขภาพจิตและจิตเวช, บัณฑิตวิทยาลัยมหาวิทยาลัยเชียงใหม่.
- สถิตย์ วงศ์สุรประกิต. (2542). ความต้องการการดูแลที่บ้านของครอบครัวผู้ป่วยจิตเภท. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาสุขภาพจิตและการพยาบาลจิตเวช ,บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.
- สาธิตพร พุ่มขาว. (2541). ปัจจัยที่มีผลต่อความร่วมมือในการรักษาด้วยยาของผู้ป่วยจิตเภท. การค้นคว้าแบบอิสระ พยาบาลศาสตรมหาบัณฑิต สาขาวิชาสุขภาพจิตและการพยาบาล จิตเวช, บัณฑิตวิทยาลัยมหาวิทยาลัยเชียงใหม่.
- สุนันท์ จำรูญสวัสดิ์. (2536). ผลของการสร้างสัมพันธภาพ การสอนสุขภาพและการให้เงื่อนไข ผูกพันต่อความร่วมมือในการรักษาผู้ป่วยโรคจิตเภท โรงพยาบาลประสาทเชียงใหม่. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาสุขภาพจิตและการพยาบาลจิตเวช ,บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.
- สำนักงานสาธารณสุขจังหวัดสุโขทัย. (2553). รายงานสถิติประจำปี. สุโขทัย: สำนักงานสาธารณสุขจังหวัดสุโขทัย จังหวัดสุโขทัย.
- สายรุ้ง จันทร์เส็ง. (2548). ปัจจัยที่เกี่ยวข้องกับความร่วมมือในการรักษาด้วยยาของผู้ที่เป็นโรคจิต เภทในโรงพยาบาลอุดรดิตถ์.การค้นคว้าแบบอิสระพยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลสุขภาพจิตและจิตเวช, บัณฑิตวิทยาลัยมหาวิทยาลัยเชียงใหม่.
- สมภพ เรืองตระกูล. (2542). ตำราจิตเวชศาสตร์ (พิมพ์ครั้งที่ 5). กรุงเทพฯ: เรือนแก้วการพิมพ์.
- สมภพ เรืองตระกูล. (2545). ตำราจิตเวชศาสตร์ (พิมพ์ครั้งที่ 7). กรุงเทพฯ: เรือนแก้วการพิมพ์.

- สมภพ เรืองตระกูล. (2548). *ตำราจิตเวชศาสตร์*. (พิมพ์ครั้งที่ 9). กรุงเทพฯ: เรือนแก้วการพิมพ์
- สรินทร์ เชี่ยวโสธร. (2545). *ผลของการเสริมสร้างพลังอำนาจในผู้ป่วยจิตเภทต่อพฤติกรรมการใช้ยาตามเกณฑ์การรักษา*. วิทยานิพนธ์ปริญญาโทมหาบัณฑิต สาขาการพยาบาลสุขภาพและจิตเวช, บัณฑิตวิทยาลัย จุฬาลงกรณ์มหาวิทยาลัย.
- สวัสดิ์ เทียงธรรม. (2548). *แรงจูงใจและความร่วมมือในการรักษาด้วยยาของผู้ที่เป็นโรคจิตเภท*. การค้นคว้าอิสระพยาบาลศาสตรมหาบัณฑิต สาขาวิชาการสุขภาพจิตและจิตเวช, บัณฑิตวิทยาลัยมหาวิทยาลัยเชียงใหม่.
- อัจฉราวรรณ ตริยวง. (2547). *ผลของกลุ่มจิตศึกษาต่อความเครียดในผู้ดูแลผู้ที่เป็นโรคจิตเภท*. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาสุขภาพจิตและการพยาบาลจิตเวช, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.
- อัญชลี เตมียะประดิษฐ์, และคณะ. (2537). เปรียบเทียบผลการให้ความรู้เรื่องโรคจิตเภทแก่ญาติของผู้ป่วยในโรงพยาบาลประสาทสงขลา. *วารสารสมาคมจิตแพทย์แห่งประเทศไทย*, 39 (1).
- อำภาศรี ศรียศ. (2551). *ประสิทธิผลของการใช้แนวปฏิบัติทางคลินิกสำหรับการส่งเสริมความร่วมมือในการรักษาด้วยยาของผู้ป่วยจิตเภท โรงพยาบาลสมเด็จพระยุพราชนครไทย จังหวัดพิษณุโลก*. การค้นคว้าอิสระพยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลสุขภาพจิตและจิตเวช, บัณฑิตวิทยาลัยมหาวิทยาลัยเชียงใหม่.
- อุมพร ตรังคสมบัติ. (2544). *จิตบำบัดครอบครัวและการให้คำปรึกษาคู่ครอบครัว* (พิมพ์ครั้งที่ 5). กรุงเทพฯ: ชันดีการพิมพ์.
- อรพรรณ ลือบุญรัชชัย. (2549). *การพยาบาลสุขภาพจิตและจิตเวช*. (พิมพ์ครั้งที่ 3). กรุงเทพฯ: สำนักพิมพ์แห่งจุฬาลงกรณ์มหาวิทยาลัย.
- อรุณพร อัฐรัตน์, ปิติ ทฤษฎีกุณ, เพชรน้อย สิงห์ช่างน้อย, สงวน ลือเกียรติบัณฑิต, จินดาพร ภูมิพัฒน์, สุวิภา อึ้งไพบลีย์, และคณะ. (2540). *ความรู้ ทักษะ และการปฏิบัติในการใช้ยาของผู้ป่วยนอกที่มารับบริการจากโรงพยาบาลของรัฐในภาคใต้ของประเทศไทย*. Retrieved, December 24, 2004, from <http://www.medinfo.psu.ac.th/smj2/smj4p1.htm>
- American Psychiatric Association. (APA). (2000). *Diagnostic and statistical manual of mental disorder- IV-TR* (4 th ed.). Washington D.C: Author.
- Bond, W. S., & Hussar, D. A. (1991). Detection method and strategies for improving medication compliance. *American Journal of Hospital Psychiatry*, 48, 1978-1988.

- Byrne, M. K., Deane, F. P., Lambert, G., & Coombs, T. (2004). Enhancing medication adherence: Clinician outcomes from the medication alliance training program. *Australian and New Zealand Journal of Psychiatry*, 38, 246-253.
- Chan, D.W. (1984). Medication compliance in a Chinese psychiatric outpatient setting. *British Journal of Medication Psychology*, 57(pt 1). 81-89.
- Cramer, J. A., & Rosenheck, R. (1998). Compliance with medication regimens for mental and physical disorders. *Psychiatric Service*, 49, 196-201.
- Deanna M Green. (2003). *Patient Attitude, Lack of Insight Significant Reasons for non-Adherence Early Treatment of Schizophrenia*. Retrieved October 18, 2004, from <http://www.docguide.com/news/content.nst/news/8525697700573E1885256D>.
- Di Matteo, M. R., & Di Nicola, D. O. (1982). *Achieving patient compliance: The psychology of the medical practitioner's role*. New York: Pergamon Press.
- Dickerson, F. B., Pratt, F., and Ringel, N. (2000). The relationship among three measures of social functioning in outpatients with schizophrenia. (Electric version). *Journal of Clinical Psychology*, 56, 1509-1519.
- Draine, J. (1997). *The image of madness: Attitude toward psychiatry, psychiatrist and psychiatric treatment*. London: Karger.
- Fleishchacker, W. W., Meise, U., Gunther, V., & Kurz, M. (1994). Compliance with antipsychotic drugs treatment: Influence of side effect. *Acta Psychiatrica Scandinavica*, 89 (suppl. 382), 11-15.
- Graham ID, Harrison MB (2005). Evaluation and adaptation of clinical practice guidelines. *Evidence Based Nursing*, 8(3), 68-72.
- Glasbergen, R. (1998). *Adherence*. Department of Behavioral Science, University of Connecticut Health Center.
- Glatt, S. (2002). *Schizophrenia*. Retrieved August 28, 2006, from <http://www.centeronbehavioralmedicine.com/related%20material/related%20p>
- Gray, R., Wykes, T., and Gournay, K. 2002. From compliance to concordance: a review of the literature on interventions to enhance compliance with antipsychotic medication. *Journal of psychiatric and Mental Nursing* 9: 277-284.

Golin, C. E., Liu, H., Hay, R.D., Miller, L.G., Beck, C.K., Ickovics, J., et al. (2002).

A Prospective Study of Predictors of Adherence to Combination Antiretroviral Medication. Retrieved June 11, 2008, from Psych Central News. htm.

Haynes, R.B., Yao, X., Degani, A., Kripalani, S., Garg, A.X., & McDonald, H.P. (2005).

Intervention for enhancing medication adherence (Review). Retrieved September 4, 2006, from <http://www.mrw.interscience.wiley.com/cochrane/clsysrev/articles/CD000011/pdf.html>

Heneghan, C. J., Glasziou, P., & Perera, R., (2006). *Remainder packaging for improving adherence to self-administered long-term medications (Review)*. Retrieved September 4, 2006,

from <http://www.mrw.interscience.wiley.com/cochrane/clsysrev/articles/CD005025/pdf.html>

Holmes, L. (2003). How long should people with schizophrenia take antipsychotic drug.

Retrieved June 17, 2007, from http://www.mentalhealth.about.com/cs/psychopharmacology/a/antipsy_2.htm

Horne, R., Weinman, J. (1999). Patients' beliefs about Prescribed medications and their role in Adherence to treatment in chronic illness. *Journal of Psychosomatic Research*, 47, 555-567.

Joanna Briggs Institute. (2008). Systematic reviews. *Level of evidence*. Retrieved May 20, 2008, from www.joannabriggs.edu.au.

Kaplan, H. I., & Sadock, B. J. (2000). *Kaplan and Sadock's synopsis of Psychiatric behavioral sciences and clinical psychiatry* (9th ed.). Baltimore: Williams & Wilkins.

Kikkert M. J, Schene A. H., Koeter W.J., Robson D., Born A., Helm H., Nose M., Goss C.,

Thornicroft G. and Gray R. J. (2006) Medication adherence in schizophrenia: Exploring patients', carers' and professionals' view. *Schizophrenia Bulletin* 32 (4), 786-794.

Kripalani, S; Yao, X; & Haynes, R.B. (2007). *Interventions to Enhance Medication Adherence in Chronic Medical Conditions (Review Article)*. Retrieved October 28, 2007,

From <http://www.archinte.ama-assn.org/cgi/content/abstract/167/6/540>.

- Kumar, S. & Sedgmick, P. (2001). Non-compliance to psychotropic medication in eastern India: Clients' perspective part II. *Journal of Mental*, 10(3), 279-284.
- Lacro, J., Dunn L., Dolder C., Leukband, S., & Jeste, D. (2002). *Prevalence of and risk factors for medication nonadherence in patients with schizophrenia: a comprehensive review of recent literature*. Retrieved October 15, 2007, from Pubmed result.htm.
- Leo, R. J., Fassal, K., & Bakhai, Y. D. (2005). Nonadherence with psychopharmacologic treatment among psychiatric patients. *Primary Psychiatry*, 12(5), 33-39.
- Linstrom, E., & Bingefors, K. (2000). Patient compliance with drug therapy in schizophrenia. *Pharmacoeconomics*, 18, 105-124.
- Mallakh, P. E. (1998). Treatment models for clients with co-occurring addictive and mental disorders. *Archives of Psychiatric Nursing*, 12(2), 71-80.
- Maneesakorn, S. (2006). *An RCT of adherence therapy for people with schizophrenia in Chiang Mai, Thailand*. Retrieved January 15, 2007, from. <http://www.blackwellsynergy.com/doi/abs/j.1365-2702.2006.01786.x>
- McDonald, H. P., Haynes, R. B., & Garg, A. X. (2002). Interventions to enhance patients to medication prescriptions. *Journal of American Medical Association*, 11(288), 2868-2879.
- McIntosh, A., Conlon, L., Lawrie, S., & Stanfield, A. (2007). *Compliance therapy for schizophrenia*. Retrieved March 19, 2008, from. <http://www.mrw.interscience.wiley.com>.
- Meijel, B.V., Gaag, M.v., Kahn, R.S., & Gryphonck, M.H. (2003). Relapse Prevention in Patients With Schizophrenia: The Application of an Intervention Protocol in Nursing Practice. *Archives of Psychiatric Nursing*, 17, 165-172.
- Miller, J. F. (1997). Compliance (medicine). Retrieved September, 4, 2007, from http://en.wikipedia.org/wiki/Compliance_%28medicine%29
- Misdrahi, D., Llorca, P. M., & Bayle, F. J. (2002). Compliance in schizophrenia predictive factors, therapeutical consideration and research implication. *Journal of Encephale*, 28(3), 266-272.

Mutsatsa S. H., Joyce E. M., Hutton S.B., Webb E., Gibbins H., Paul S., Barnes T.R.E (2003).

Clinical correlates of early medication adherence: West London first episode schizophrenia study. *Acta Psychiatrica Scandinavica*, 108(6), 439-446.

Narthan, H. A., & Gordon, T. (1998). Evaluation of an instructional program for improving medication compliance for chronically mentally ill outpatients. *Behaviour Research and Therapy*, 36(1998), 849-86

National Health and Medical Research Council (NHMRC). (1998). *A guideline to the development implementation and evaluation of clinical practice guidelines*. Australia.

New Zealand Guideline Group. (2001). *New Zealand guideline handbook*. Retrieved June 15, 2003, from [http:// www.nzgg.org](http://www.nzgg.org)

Nose, M., Barbui, C., & Gray, R. (2003). Clinical interventions for treatment non-adherence in psychosis; meta-analysis. *British Journal of Psychiatry*, 183, 197-206.

Osterberg, L., & Blaschke, T. (2005). Adherence to medication. *The New England Journal of Medicine*, 353, 487-497.

Pearson, A., Field, F., & Jordan, Z. (2007). *Evidence – Based Clinical Practice in Nursing and Health Care: Assimilating research, experience and expertise*. Australia.

Pharoah, F. M., Rathbone, J., Mari, J. J., & Streiner, D. (2003). *Family intervention for schizophrenia(Review)*. Retrieved September 4, 2006, from <http://www.mrw.interscience.wiley.com/cochrane/clsysrev/articles/CD000088/pdf fs.html>

Polit, D. F., & Hanger, B. P. (1999). *Nursing research: Principle and method* (6th ed.). Philadelphia: Lippincott.

Reda, S., & Makhoul, S. (2001). *Prompt to encourage appointment attendance for people with serious mental illness(Review)*. Retrieved September 4, 2006, from <http://www.mrw.interscience.wiley.com/cochrane/clsysrev/articles/CD002085/pdf fs.html>

Registered Nurse Association of Ontario. [RNAD]. (2002). *Nursing best practice guidelineshaping the future of nursing: Assessment & management of pain supplement*. Retrieved August 11, 2007, from [http:// www.rnao.org](http://www.rnao.org)

- Ring, N., Malcolm, C., Coll, A., Murphy-Black, T. & Walteson, A. (2005). Nursing best practice Statement: An exploration of their implement in clinical practice. *Journal of clinical Nursing*, 14, 1048-1049.
- Robert, C., & Heinz, E. L. (2000). Schizophrenia. In H. I. Kaplan & B. J. Sadock (Eds.), *Comprehensive textbook of psychiatry* (7th ed.). Philadelphia: William & Wilkins.
- Sadock, B. J., & Sadock, V. A. (2000). *Kaplan & Sadock's Comprehensive textbook of psychiatry*. (7 th ed.). Philadelphia: Lippincott Williams &Wilkins.
- Salzer, M. S., Tunner, T., & Charney, N.J. (2004). A low-cost, telephone intervention to enhance schizophrenia treatment: a demonstration study. *Schizophrenia Research*, 66 (1), 75-76.
- Schwartz, N. E. (1975). Nutrition knowledge attitude and practices of high school graduated. *Journal of the American Diabetes Association*, 66(1), 28-31.
- Seltzer A, Roncari I, Garfunkel P. Effect on patient education on medication compliance. *Can J Psychiatry* 1980; 25: 638-645.
- Srinivasan, T. N., & Thara, R. (2002). At issue: Mangement of medication noncompliance in schizophrenia by families in India. *Schizophrenia bulletin*, 28(3), 531-535.
- The AGREE collaboration [AGREE]. (2001). *Appraisal of Guidelines for Research & Evaluation Instrument [online]*. Available: <http://www.agreecollaboration.org>. [2004,October 28].
- Toro, M. G., Blanco, C., Gonzalez, A., & Salva, J. (2001). *Psychopathology and the binding problem*. Retrieved June 17, 2007, from <http://www.idealibrary.com>
- Townsend. (2000). *Psychiatric mental health nursing concepts. of care* (3rd ed.). Philadelphia: Davis Company.
- Valenstein, M., Copeland, L., Blow, F., McCarthy, J., Zeber, J.; Gillon, L; et al.(2002). *Pharmacy data identify poorly adherent patients with Schizophrenia at increased risk for admission*. (Abstract). Retrieved June 20, 2007, from. <http://www.ncbi.nlm.nih.gov>.
- Vivian, B. G. (1996). Reconceptualizing compliance in home health care. *Nursing Forum*, 31(2), 5-13.
- Wilson, H.S. & Kniesl, C.R.(1996). *Psychiatric Nursing*, 5th ed. New York: Addison-Wesley.

Wong, P.K. (2003). *ISPOR medication compliance special interest group (med group)*. Retrieved

October 18, 2004, from <http://www.ISPOR medication compliance special interest group.html>

World Health Organization. (1994). *ICD10 International Statistical Classification of diseases and Related Health Problems (Tenth Revision)*. Geneva: Switzerland.

World Health Organization. (1999). *Classification of mental and behavioral disorder: clinical description and diagnostic guideline*. Geneva: WHO.

Zygmunt, A; Olfson, M., Boyer, C.A., & Mechanica, D. (2002). *Intervention to improve medication Adherence in schizophrenia*. Retrieved October 14, 2007, from <http://www.ajp.psychiatryonline.org/cgi/reprint/159/10/1635>



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
 Copyright© by Chiang Mai University
 All rights reserved