

## เอกสารอ้างอิง

- กัลยา พลอยใหม่. (2545). ความพากเพียรทางวิญญาณของเด็กวัยรุ่น. วิทยานิพนธ์พยาบาลศาสตร์ มหาบันทิต สาขาวิชาการพยาบาลศูนย์การเรียนรู้ บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.
- เกสร นันทจิต. (2545). เคมียา: ยาที่ออกฤทธิ์ต่อระบบประสาทส่วนกลาง. เชียงใหม่: คณะเภสัชศาสตร์ มหาวิทยาลัยเชียงใหม่.
- จันทร์เพ็ญ ชูประภาวรรณ. (2539). รายงานการสำรวจสถานะสุขภาพอนามัยของประชาชนไทยด้วย การสอบถามและตรวจร่างกายทั่วประเทศ ครั้งที่ 1 พ.ศ.2534, 2535. กรุงเทพฯ: ไม่ปรากฏสถานที่พิมพ์.
- jinatna สังข์ยา. (2549). เกสัชวิทยา เล่ม 2 ยาที่ออกฤทธิ์ต่อระบบประสาทส่วนกลาง (พิมพ์ครั้งที่ 1). ขอนแก่น: คลังนานาวิทยา.
- จุฑามณี สุทธิสังข์. (2543). ยากันชัก Antiepileptic drugs. ใน จุฑามณี สุทธิสังข์ และ รัชนี เมฆมนณี (บรรณาธิการ), เกสัชวิทยา เล่ม 1 (หน้า 230-274). กรุงเทพฯ: คณะเภสัชศาสตร์ มหาวิทยาลัยมหิดล.
- ชัยชน โลว์เจริญกุล. (2544). วิทยาการ โรคลมชัก. กรุงเทพฯ: จุฬาลงกรณ์มหาวิทยาลัย.
- ชั่นฤทธิ์ คงศักดิ์ตระกูล. (2549). แบบจำลองเชิงสาขาเหตุของพฤติกรรมการดูแลตนเองของวัยรุ่น โรคลมชัก. วิทยานิพนธ์พยาบาลศาสตร์มหาบันทิต สาขาวิชาการพยาบาลเด็ก, บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล.
- ณรงค์ เอื้อวิชญแพทย์. (2551). โรคระบบประสาทที่พบบ่อยในเด็ก (พิมพ์ครั้งที่ 1). ขอนแก่น: คลังนานาวิทยา.
- นิศาดา สารเลื่อนแก้ว. (2546). ความเครียดและวิถีการปรับแก้ของเด็กวัยรุ่น ใน โรงเรียน มัธยมศึกษา จังหวัดน่าน. วิทยานิพนธ์พยาบาลศาสตร์มหาบันทิต สาขาวิชาสุขภาพจิต และการพยาบาลจิตเวช, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.
- วันเพ็ญ บุญปะกอบ. (2547). Critical issues in adolescent development. ใน พัฒนา มหาโชติเดชวัฒนา, สุวรรณा เรืองกาญจน์ศรษฐ์, วิจารณ์ บุญสิทธิ์, และ วิโรจน์ อารีย์กุล (บรรณาธิการ), กลยุทธ์การดูแลและการสร้างเสริมสุขภาพวัยรุ่น (หน้า 25-31). กรุงเทพฯ: ชัยเจริญ.
- วิริยา เชื้อถี, สมศักดิ์ เทียมเก่า, และ สุวรรณा อรุณพงค์ไพบูล. (2548). Survey on quality of life in epileptic patients. วารสารอายุรศาสตร์อีสาน, 4(1), 21-27.

ศรีมนนา นิยมค้า. (2544). การรับรู้สมรรถนะแห่งตน และพฤติกรรมส่างแส乖สุขภาพของผู้ป่วยเด็กวัยรุ่น โรคคลื่นชัก. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลเด็ก, บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล.

สมจิต ศรีอุดมชจร. (2549). Seizure and epilepsy. ใน ศรีศุภลักษณ์ สิงคាលวิษิช, ชัยสิทธิ์ แสงทวีสิน, สมจิต ศรีอุดมชจร, และ สมใจ กาญจนานพวงศ์กุล (บรรณาธิการ), *ปัญหาโรคเด็กที่พบบ่อย* (พิมพ์ครั้งที่ 1) (หน้า 323-338). กรุงเทพฯ: กรุงเทพเวชสาร.

สมาคมโรคคลื่นชักแห่งประเทศไทย. (2549). แนวทางการรักษาโรคคลื่นชัก : Clinical practice guideline. Retrieved August 1, 2009, from <http://www.thaiepilepsysociety.com/node/4.html>

สินีพรรณ ปิyanราพร. (2546). *ปัญหาพฤติกรรมและปัจจัยที่เกี่ยวข้องในเด็กวัยรุ่นตอนต้น (อายุ 12-15 ปี)* ที่ป่วยด้วยโรคคลื่นชัก. วิทยานิพนธ์วิทยาศาสตรมหาบัณฑิต สาขาวิชาสุขภาพจิต, บัณฑิตวิทยาลัย มหาวิทยาลัยจุฬาลงกรณ์.

สุนิ เลิศสินอุดม, กรแก้ว จันทภานยา, สมศักดิ์ เทียมแก้ว, และ อาการน์ ไชยาคำ. (2551). การศึกษาสาเหตุของความไม่ร่วมมือในการใช้ยาของผู้ป่วยโรคคลื่นชัก. วารสารอายุรศาสตร์อีสาน, 7(1), 37-45.

ไสวภารณ์ สุวรรณรักษ์. (2551). *ปัจจัยที่มีผลต่อพฤติกรรมการป้องกันการติดเชื้อของเด็กวัยรุ่นก่อนเข้าสู่สถานศึกษาในพื้นที่ชนบท*. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลกุมารเวชศาสตร์, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.

หน่วยเวชระเบียน โรงพยาบาลศรีนครินทร์. (2551). รายงานสถิติประจำปี. ขอนแก่น: งานเวชระเบียนและสถิติโรงพยาบาลศรีนครินทร์.

หน่วยเวชระเบียน โรงพยาบาลศูนย์ขอนแก่น. (2551). รายงานสถิติประจำปี. ขอนแก่น: งานเวชระเบียนและสถิติโรงพยาบาลศูนย์ขอนแก่น.

หน่วยเวชระเบียน โรงพยาบาลศูนย์อุดรธานี. (2551). รายงานสถิติประจำปี. อุดรธานี: งานเวชระเบียนและสถิติโรงพยาบาลศูนย์อุดรธานี.

Aguiar, B. V. K., Guerreiro, M. M., McBrian, D., & Montenegro, M. A. (2007). Seizure impact on the school attendance in children with epilepsy. *Seizure*, 16, 698-720.

Aird, R. B. (1983) The importance of seizure-inducing factors in the control of refractory forms of epilepsy. *Epilepsia*, 24, 567-583.

Arzimanoglou, A., Guerrini, R., & Aicardi, J. (2004). *Aicardi's epilepsy in children* (3rd ed.). Philadelphia: Wolters Kluwer.

- Austin, J. K. (1989). Comparison of child adaptation to epilepsy and asthma. *Journal of Child & Adolescent Psychiatric & Mental Health Nursing*, 2, 139-144.
- Austin, J. K., Dunn, D. W., Johnson, C. S., & Perkins, S. M. (2004). Behavioral issues involving children and adolescents with epilepsy and the impact of their families: Recent research data. *Epilepsy and Behavior*, 5(Suppl. 3), S33-S41.
- Bandura, A. (1997). *Self-efficacy: The exercise of control*. New York: Freeman.
- Berndt, T. J. (1996). Transition in friendship and friends' influence. In J. A. Graber, J. A. Brooks-Gunn, & A. C. Petersen (Eds.), *Transitions through adolescence: Interpersonal domains and context* (pp. 57-84). Mahwah, NJ: Erlbaum.
- Boice, M. M. (1998). Chronic illness in adolescence. *Adolescence*, 33, 927-939.
- Bowley, C., & Kerr, M. (2000) Epilepsy and intellectual disability. *Journal of Intellectual Disability Research*, 44, 529-543.
- Bryant, R., & Schultz, R. J. (2007). The child with cerebral dysfunction. In M. J. Hockenberry & D. Wilson (Eds.), *Wong's nursing care of infants and children* (8th ed., pp. 1559-1587). Canada, Mosby: Elsevier.
- Buck, D., Jacoby, A., Baker, G. A., & Chadwick, D.W. (1997). Factors influencing compliance with epileptic drug regimens. *Seizure*, 6, 87-95.
- Camfield, C. S., Camfield, P. R., Gordon, K., Wirrel, E., & Dooley, J. M. (1996). Incidence of epilepsy in childhood and adolescents: A population-based study in Nova Scotia from 1977-1985. *Epilepsia*, 37(1), 19-23.
- Caplan, R., Siddarth, P., Gurbani, S., Hanson, R., Sankar, R., & Shields, W. D. (2005). Depression and anxiety disorders in pediatric epilepsy. *Epilepsia*, 46, 720-730.
- Carlton-Ford, S., Miller, R., Nealeigh., & Sanchez, N. (1997). Effects of perceived stigma and psychological over-control on the behavioural problems of children with epilepsy. *Seizure*, 6, 383-391.
- Cauce, A. M., Hannan, K., & Sargeant, M. (1992). Life stress, social support, and locus of control during early adolescence: Interactive effects. *American Journal of Community Psychology*, 20(6), 787-798.
- Chadwick, D. (1994). Epilepsy. *Journal Neurol Neurosurg Psychiatry*, 57, 264-277.

- Craven, R., & Hirnle, C. (1996). *Fundamentals of nursing: Human health and function* (2nd ed.). Philadelphia: Lippincott.
- Crumrine, P. K. (2000). Vagal nerve stimulation in children. *Seminars in Pediatric Neurology*, 7, 216-223.
- Dennis, C. L. (2003). Peer support within a health care context:a concept analysis. *International Journal of Nursing Studies*, 40, 321-332.
- Dickey, S. B., & Deatrick, J. (2000). Autonomy and decision making for health promotion in adolescence. *Journal of Pediatric Nursing*, 26, 461-467.
- Dilorio, C., Faherty, B., & Manteuffel, B. (1992). The development and testing of an instrument to measure self-efficacy in individuals with epilepsy. *Journal of Neuroscience Nursing*, 24(1), 9-13.
- Eklund, P. G., & Sivberg, B. (2003). Adolescent' lived experience of epilepsy. *Journal of Neuroscience Nursing*, 35(1), 40-49.
- Ellis, N., Upton, D., & Thompson P. (2000). Epilepsy and the family: A review of current literature. *Seizure*, 9(1), 22-30.
- Engel, J., Cascino, G. D., & Shileds, W. D. (1997). Surgically remediable syndrome. In J. Engel & T. A. Pedley (Eds.). *Epilepsy: A comprehensive textbook* (pp. 1687-1696). Philadelphia: Lippincott-Raven.
- Erikson, E. H. (1968). *Identity youth crisis*. New york: W.W. Norton.
- Faulkner, M. S., & Chang, L. (2007). Family influence on self-care, quality of life, and metabolic control in school-age children and adolescents with Type 1 diabetes. *Journal of Pediatric Nursing*, 22(1), 59-68.
- Ficker, D. M. (2000). Suddun unexplained death and injury in epilepsy. *Epilepsia*, 41(Suppl. 2), S7-S12.
- Fish, D. R., & Walker, M. C. (2001). Pathophysiology of epilepsy. In H. O. Luder (Ed.), *Epilepsy: Comprehensive review and case discussions* (pp. 13-21). London: Martin Dunitz.
- Fisher, R. S., & Handforth, A. (1999). Reassessment: Vagus nerve stimulation for epilepsy. A report of the therapeutics and technology assessment subcommittee of the American Academy of Neurology. *Neurology*, 53, 666-669.

- Fogel, B., Schiffer, R., & Rao, S. (2000). *Synopsis of neuroopsychiatry*. Philadelphia: Lippincott Williams & Wilkins.
- Frucht, M. M., Quigg, M., Schwaner, C., & Fountain, N. B. (2000). Distribution of seizure precipitants among epilepsy syndromes. *Epilepsia*, 41(12), 1534-1539.
- Fylan, F., Harding, G. F. A., Edson, A. S., & Webb, R. M. (1999). Mechanisms of video-game epilepsy. *Epilepsia*, 40(Suppl. 4), 28-30.
- Gilad, R., Lampl, Y., Gabbay, U., Eshel, Y., & Sorova-Pinhas, I. (1996). Early treatment of a single generalized tonic-clonic seizure to prevent recurrence. *Archives of Neurology*, 53, 1149-1152.
- Gillis, A. J. (1993). Determinants of a health-promoting lifestyle: An integrative review. *Journal of Advanced Nursing*, 18(3), 345-353.
- Gortmaker, S. L., Walker, D. K., Weitzman, M., & Sobol, A. M. (1990). Chronic conditions, socioeconomic risks, and behavioral problems in children and adolescents. *Pediatrics*, 85(3), 267-276.
- Hagberg, J. M. (1994). Physical activities, fitness, health, and aging. In C. Bouchard, R. J. Shephard, & T. Stephen. (Eds.), *Physical activity, fitness, and health: International proceedings and consensus statement* (pp. 993-1005). Champaign: Human Kinetics Books.
- Hanna, K. M., & Guthrie, D. W. (2000). Adolescents' perceived benefits and barriers related to diabetes self-management: Part 1. *Issues in Comprehensive Pediatric Nursing*, 23, 165-174.
- Hauser, W. A., Annegers, J. F., & Kurland, L. T. (1991). Prevalence of epilepsy in Rochester, Minnesota: 1940-1980. *Epilepsia*, 32, 429-444.
- Hout, B. A., Gagnon, D., Souetre, E., Ried, S., Remy, C., Baker, G., et al. (1997). Relationship between seizure frequency and cost and quality of life of outpatients with partial epilepsy in France, Germany, and the United Kingdom. *Epilepsia*, 38(11), 1221-1226.
- Jacoby, A., Johnson, A., & Chadwick, D. (1992). Psychosocial outcomes of antiepileptic drug discontinuation. The Medical Research council antiepileptic drug withdrawal study group. *Epilepsia*, 33, 1123-1131.

- Jalava, M., Sillanpaa, M., Camfield, C., & Camfield, P. (1997). Social adjustment and competence 35 years after onset of childhood epilepsy: A prospective controlled study. *Epilepsia*, 38, 708-715.
- Kothare, S. V., & Kaleyias, J. (2010). Sleep and epilepsy in children and adolescents. *Sleep Medicine*, 11, 674-685.
- Kun, L. N., Ling, L. W., Wah, Y. W., & Lian, T. T. (1999). Epidemiologic study of epilepsy in young Singaporean men. *Epilepsia*, 40(10), 1384-1387.
- Kurtz, A., Tookey, P., & Ross, E. (1998). Epilepsy in young people: 23 year follow up of the British nation child development study. *British Medical Journals*, 316, 339-342.
- Kwiterovich, P. O., Vining, E. P. E., & Pyzik, P. (2003). Effect of a high-fat ketogenic diet on plasma levels of lipid, lipoproteins, and apolipoproteins in children. *American Medical Association*, 20, 912-920.
- Kyngas, H. (2000). Compliance with health regimens of adolescents with epilepsy. *Seizure*, 9, 598-604.
- Kyngas, H., & Rissanen, M. (2001). Support as a crucial predictor of good compliance of adolescents with chronic disease. *Journal of Clinical Nursing*, 10, 767-774.
- La Greca, A. M. (1992). Peer influences in pediatric chronic illness: An update1. *Journal of Pediatric Psychology*, 17(6), 775-784.
- La Greca, A. M., Auslander, W. F., Greco, P., Spetter, D., Fisher, E. B., & Santiago, J. V. (1995). I get by with a little help from my family and friends: Adolescents' support for diabetes care. *Journal of Pediatric Psychology*, 20(4), 449-476.
- Lau, R. R., Quadrel, M. J., & Hartman, K. A. (1990). Development and change of young adulths' preventive health beliefs and behavior: influence from parents and peers. *Journal of Health and Social Behavior*, 31(3), 240-249.
- MacLeod, J. S., & Austin, J. K. (2003). Stigma in the lives of adolescents with epilepsy: A review of the literature. *Epilepsy Behavior*, 4(2), 112-117.
- Maurizio, P., Girardi, P., & Tatarelli, R. (2006). Death from suicide versus mortality from epilepsy in the epilepsies: A meta-analysis. *Epilepsy & Behavior*, 9, 641-648.
- McConnell, H. W., & Snyder, P. J. (1998). *Psychiatric comorbidity on epilepsy: Basic mechanisms, diagnosis, and treatment*. Washinton, DC: American Psychiatric Press.

- McEwen, M. J., Espie, C. A., Metcalfe, J., Brodie, M. J., & Wilson, M. T. (2004). Quality of life and psychosocial development in adolescents with epilepsy a qualitative investigation using focus group methods. *Seizure, 13*, 15-31.
- McNelis, A. M., Buelow, J., Myers, J., & Johnson E. A. (2007). Concerns and needs of children with epilepsy and their parents. *Clinical Nurse Specialist, 21*(4), 195-202.
- Michael, D. H. (2007). The psychological and social impact of epilepsy. *Neurology Asia, 12*(Suppl. 1), 10-12.
- Mitchell, W. G., Shah, N. S., & Neinstein, L. S. (2002). Epilepsy. In L. S. Neinstein (Ed.), *Adolescent health care: A practical guide* (pp. 485-509). Philadelphia: Lippincott Williams & Wilkins.
- Morrel, M. J. (2002). Stigma and epilepsy. *Epilepsy Behavior, 3*, S21-S25.
- Morris, G. L, Mueller, W. M, & Vagus Nerve Stimulation Study Group. (1999). E01-E05: Long term treatment with vagus nerve stimulation in patients with refractory epilepsy. *Neurology, 53*, 1731-1735.
- Nakken, K. O., Solaas, M. H., Kjeldsen, M. J., Friis, M. L., Pellock, J. M., & Corey, L. A. (2005). Which seizure-precipitating factors do patients with epilepsy most frequently report? *Epilepsy & Behavior, 6*, 85-89.
- Nashef, L., Fish, D. R., Sander, J. W., & Shorvon, S. D. (1995). Incidence of sudden unexpected death in an adult outpatient cohort with epilepsy at a tertiary referral centre. *Journal of Neurology, Neurosurgery & Psychiatry, 58*(4), 462-464.
- Neinstein, L., & Zeltzer, L. (1996). Chronic Illness in the adolescent. In L. Neinstein L (Ed.), *Adolescent health care: A practical guide* (pp. 1173-1195). Baltimore: Willam & Wilkins.
- Nordli, D. R., Jr. (2001). Special need of adolescent with epilepsy. *Epilepsia, 42*(Suppl. 8), S10-S17.
- O'Donoghue, M. F., & Sander, J. W. A. S. (1997). Mortality associated with epilepsy, with particular reference to sudden unexpected death: A review. *Epilepsia, 38*(Suppl. 11), S15-S19.
- O'Donohoe, N. V. (1985). *Epilepsies of childhood* (2nd ed.). London: Butler & Tanner.
- Orem, D. E. (2001). *Nursing concepts of practice* (6th ed.) St. Louis: Mosby-Year Book.

- Ozuna, J., & Cammermeyer, M. (1982). Learning needs of the epilepsy patient. In M. G. Van Meter (Ed.). *Neurologic care: A guide for patient education* (pp. 133-151). USA: Appleton Century Crofts.
- Papandreou, D., Pavlou, E., Kalimeri, E., & Mavromichalis, I. (2006). The ketogenic diet in children with epilepsy. *British Journal of Nutrition*, 95, 5-13.
- Pender, N. J., & Stein, K. F. (2002). Social support, the self system, and adolescents health and health behavior. In L. L. Hayman, M. M. Mahoo, & J. R. Turner (Eds.), *Health and behavior in childhood and adolescence* (4th ed., pp. 37-68). New York: Springer.
- Pender, N. J., Murdaugh, C., & Parsons, M. A. (2006). *Health promotion in nursing practice* (4th ed.). New Jersey: Upper Saddle River.
- Piaget, J. (1973). *The child and reality*. New York: Grossman.
- Polit, D. F., & Beck, C. T. (2004). *Nursing research: Principle and methods*. Philadelphia: Lippincott.
- Radhakrishnan, K., Pandian, J. D., Santhoshkumar, T., Thomas, S. V., Deetha, T. D., Sarma, P S., et al. (2000). Prevalence, knowledge, attitude, and pratice of epilepsy in Kerala, South India. *Epilepsia*, 41(8), 1027-1035.
- Radhakrishnan, K., St. Louis, E. K., Johnson, J. A., McClelland, R. L., Westmoreland, B. F., & Klass, D.W. (2005). Pattern-sensitive epilepsy: Electroclinical characteristics, natural history, and delineation of the epileptic syndrome. *Epilepsia*, 46(1), 48-58.
- Rawlins, P. R., Williams, R. S., & Beck, K. C. (1993). *Mental health psychiatric nursing: A holistic life cycle approach* (3rd ed.). St. Louis: Mosby Year Book.
- Sadock, B. J., & Sadock, V. A. (2000). *Kaplan & Sadock's comprehensive textbook of psychiatry* (7th ed.). Philadelphia: Lippincott Williams & Wilkins.
- Salinsky, M. C., Oken, B. S., & Binder, L. M. (1996) . Assessment of drowsiness in epilepsy patients receiving chronic antiepileptic drug therapy. *Epilepsia*, 37(2), 181-187
- Santrcock, J. W. (2001). *Adolescence* (8th ed.) Boston, MA: McGraw-Hill.
- Srof, B. J., & Velsor-Friedrich, B. (2006). Health promotion in adolescents: A review of Pender's Health Promotion Model. *Nursing Science Quarterly*, 19(4), 366-373.
- Thiele, E. A., Gonzalez-Heydrich, J., & Riviello, J., Jr. (1999). Epilepsy in children and adolescent. *Child and Adolescent Psychiatric Clinic of North America*, 8(4), 671-694.

- Thomas, S. V., & Bindu, V. B. (1999). Psychosocial and economic problems of parents of children with epilepsy. *Seizure, 8*(1), 66-69.
- Valencia, I., Holder, D. L., Helmers, S. L., Madsen, J. R., & Riviello, J. J. (2001). Vagus nerve stimulation in pediatric epilepsy: A review. *Pediatric Neurology, 25*(5), 368-376.
- Walker, S. N., Sechrist, K. R., & Pender, N. J. (1995). *The health promoting life style: Profile II*. Omaha, NE: University of Nebraska of Omaha.
- Williams, P. G., Holmbeck, G. N., & Greenley, R. N. (2002). Adolescent Health psychology. *Journal Consult Clinical Psychology, 70*, 828-842.
- Wong, J., & Wirrell, E. (2006). Physical activity in children/teens with epilepsy compared with that in their siblings without epilepsy. *Epilepsia, 47*(3), 631-639.
- World Health Organization. (2007). *Adolescent health and development*. Retrieved August 22, 2009, from [http://www.who.int/child-adolescent-health/overview/AHD/adh\\_over.htm](http://www.who.int/child-adolescent-health/overview/AHD/adh_over.htm)
- Yu, C. G., Lee, A., Wirrell, E., Sherman, E. M. S., & Hamiwka, L. (2008). Health behavior in teens with epilepsy: How do they compare with controls. *Epilepsy Behavior, 13*, 90-95.
- Ziegler, R. G., Erba G, Holden L., & Dennison H. (2000). Coordinated psychosocial and neurologic care if children with seizures and their families. *Epilepsia, 41*, 732-743.