

เอกสารอ้างอิง

- [1] ดวงทอง วัตรจิกฤต และกฤษณะ ไวยมัย. “ดาต้าไมนิ่ง : เทคนิคการสืบค้นรูปแบบลำดับเหตุการณ์บนฐานข้อมูลขนาดใหญ่”
- [2] R. Srikant and R. Agrawal. Mining Sequential Patterns: Generalizations and Performance Improvement. In *Proceedings of the 5th International Conference on Extending Database Technology: Advances in Database Technology*, 1996, Springer-Verlag, London, UK, pp. 3-17.
- [3] M. Sulaiman Khan, F. Coenen, D. Reid, R. Patel and L. Archer. A Sliding Windows based Dual Support Framework for Discovering Emerging Trends from Temporal Data. *Knowledge-Based Systems*, 2010, 23(4), pp. 316-322.
- [4] C. Jensen. *Temporal Database Management*, Ph.D. Thesis, 2000. Department of Computer Science, Aalborg University.
- [5] J. Patel. *Temporal Database System*, Master Thesis, 2003. Department of Computing, Imperial College, University of London.
- [6] X. Zhou, F. Wang, and C. Zaniolo. Efficient Temporal Coalescing Query Support in Relational Database Systems. In *Proceedings of the 17th international conference on Database and Expert Systems Applications (DEXA'06)*, 2006, pp. 676-686.
- [7] F. Wang, C. Zaniolo, and X. Zhou. ArchIS: an XML-based approach to transaction-time temporal database systems. *The VLDB Journal*, 2008, 17(6), pp. 1445-1463.
- [8] F. Özcan, D. Chamberlin, K. Kulkarni, and J.-E. Michels. Integration of SQL and XQuery in IBM DB2. *IBM System Journal*, 2006, 45(2), pp. 245-270