

เอกสารอ้างอิง

- [1] B. Park, D. Bronzino, Ceramic Biomaterials: Biomaterials principles and application , CRC Press LLC , (2003) 21-31.
- [2] R.Z LeGeros, International Symposium on new wave of ceramic for the 21st century at the 40th symposium on basic science of ceramic, Conventional center, Osaka university, (2002)
- [3] C. Barry Carter, M. Grant Norton, Ceramic Materials: Science and Engineering, Publisher: New York ; London : Springer, , (2007).
- [4] F.N. Oktar, Microstructure and mechanical properties of sintered enamel hydroxyapatite, Ceramics International 33, (2007) 1309-1314
- [5] A. Balamurugan , S. Kannan, S. Rajeswari, Synthesis of hydroxyapatite on silica gel surface by usingglycerin as a drying control chemical additive, Materials Letters 57, (2003) 1244– 1250.
- [6] E.Bouyer, M.Gitzhofer, M.I. Boulos, Morphological Study of Hydroxyapatite. Nanocrystal Suspension, Journal of Materials Science: Materials in Medicine 11, (2002) 523-531.
- [7] R.E. Riman, W.L Suchanek, K. Byrappa, C.Chun-Wei, P. Shuk, C.S. Oakes,Solution synthesis of hydroxyapatite designer particulates, Solid State Ionics 151 (2002) 393-402
- [8] A.Ruksudjiarut, K.Pengpat, G.Rujjanagul, T. Tunkasisi, Systhesis and characterization of nanocrystalline hydroxyapatite from natural bovine bone, Current applied physics (2008) 270-272.
- [9] Jensen SS, Anboe M, Pinhold EM,Hjorting Hansen Z, Melsen F, Ruyter IE, Tissue reaction and materials characteristics of four bone substitutes. The International Journal of Oral & Maxillofacial Implants 11, (1996) 55-66.
- [10] C.K. Wang, C.P. Ju, H. Chern Lin, Effect of doped bioactive glass on structure and properties of sintered hydroxyapatite, Materials chemistry and Physics 53, (1998), 138-149.

- [11] S.Ramesh, C.Y. Tan, W.H. Yeo, R. Tolouei, M. Amiriyan, I. Sopyan, W.D. Teng, Effects of bismuth oxide on the sinterability of hydroxyapatite, Ceramics international 37, (2011), 599-606.
- [12] Hiromori Tsutsumi, Yoshiaki Shibasaki, Kenjiro Onimurab, Tsutomu Oishi, Preparation of photo-patterned polymer-hydroxyapatite composites,Polymer 44 , (2003) 6297–6301
- [13] <http://www.nutritionthailand.com/nutrition/nickel>, [อ่อน ใจน์ วันที่ 4 ธันวาคม 2554]
- [14] M. Nieuwenhuizen, J. Bastiaansen, B. Pauw, X. Wang, K. Scholz, J. Reijenga, The versatility of nickel oxide, June 23, (2004)
- [15] <http://www.industrial.cmru.ac.th/Civil/wechsawan/materials/ch07/ch07.htm>, [อ่อน ใจน์ วันที่ 4 ธันวาคม 2554]
- [16] M. Vallet-Regi ', J. Chem. Soc. Dalton Trans, Ceramics for medical applications, (2001) 97.
- [17] P.N. Kumta, C. Sfeir, D.H. Lee, D. Olton, D. Choi, Phosphates for biomedical applications: novel synthesis and characterization, Acta Biomaterialia 1 (2005) 65.
- [18] J.L. Xu, K.A. Khor, Y.W. Gu, R. Kumar, P. Cheang, Radio frequency (rf) plasma spheroidized HA powders: powder characterization and spark plasma sintering behavior, Biomaterials 26,(2005) 2197.
- [19] ชูศักดิ์ เวชแพทย์, สมศรี ดาวฉาย, วัสดุทางการแพทย์และอวัยวะเทียม, Biomaterials and artificial organs, กรุงเทพมหานคร, กรกฎาคม 2528.
- [20] M.V.Regí, J.M.Gonzalez-Callbet, Calcium phoaphate as substitution of bone tissues, Process in solid state chemistry 32, (2004) 1-31.
- [21] W.Suchanek, M.Yashimura, Processing and properties of hydroxyapatite based bioceramic for us hard tissue replacement implants,Journal of Materials Research 13, (1998) 94 - 117.
- [22] สุมิตรา พงษ์ศิริ, การใช้กระดูกเทียมในการศัลยกรรมในช่องปาก, 13-49.
- [23] M. Fabbri, G.C. Celotti, A. Ravaglioli, Hydroxyapatite-based porous aggregates: physico-chemical nature, structure, texture and architecture, Biomaterials 16, (1995) 225-228.

- [24] W.Suchanek, M.Yashima, M. Kakihana, M.Yoshimura, Hydroxyapatite ceramics with selected sintering additives, *Biomaterials* 18, (1997) 923-933.
- [25] S.Langstaff, M.Sayer, T.J.N.Smith, S.M. Pugh, S.A.M. Hesp, W.T. Thompson, Resorbable bioceramics based on stabilized calcium phosphates.Part I: rational design, sample preparation and material characterization, *Biomaterials* 20, (1999) 1727-1741.
- [26] N.O.Engin, A.C,Tas, Preparation of Porous $\text{Ca}_{10}(\text{PO}_4)_6(\text{OH})_2$ and $\beta\text{-Ca}_3(\text{PO}_4)_2$ Bioceramics, *Journal of the American Ceramic Society*,83, (2000) 1581–84 .
- [27] L. Cerroni , R. Filocamo, M. Fabbri , C. Piconi , S. Caropreso , S.G. Condo, Growth of osteoblast-like cells on porous hydroxyapatite ceramics:an in vitro study, *Biomolecular Engineering* 19 ,(2002) 119-124.
- [28] R.Murugan, T.S.Sampath Kumar , K.Panduranga Rao , Fluorinated bovine hydroxyapatite: preparation and characterization, *Materials Letters* 57 ,(2002) 429– 433.
- [29] E.Landi, G.Celotti, G.Logroscino, A.Tampieri, Carbonated hydroxyapatite as bone substitute, *Journal of the European Ceramic Society* 23, (2003) 2931–2937.
- [30] M.A. Lopes, R. F. Silva, F. J. Monteiro, J.D. Santos, Microstructural dependence of Young's and shear moduli of P_2O_5 glass reinforced hydroxyapatite for biomedical applications, *Biomaterials* 21 ,(2000) 749-754.
- [31] M. H. Prado da Silvaa, A. F.Lemosb, J. M. da Fonte Ferreirab, J. D. Santosc, Mechanical Characterisation of Porous Glass Reinforced Hydroxyapatite Ceramics – Bonelike, *Materials research* 6, (2003) 321-325.
- [32] V.S.Komlev, S.M. Barinov, E. Girardin, S.Oscarsson, A.Roesngren, Porous spherical hydroxyapatite and fluorhydroxyapatite granules: processing and characterization, *Science and technology of advance materials* 4, (2003) 503-508.
- [33] X. Miao,Y.Hu, J.Liu, A.P.Wong, Porous Calcium Phosphate Ceramics Prepared by Coating Polyurethane Foams with Calcium Phosphate Cements, *Materials Letters* 58 (2004) 397-402.

- [34] M.A.Lopes, J.C.Knowles, J.D.Santos, Structural insights of glass-reinforced hydroxyapatite composites by Rietveld refinement, *Biomaterials* 21 , (2000) 1905-1910.
- [35] A.Benmarouane, T.Hansen, A.Lodini, Heat treatment of bovine bone preceding spatially resolved texture investigation by neutron diffraction, *Physica B* 350, (2004) 611–614.
- [36] H.Aoki, Mecanical application of hydroxyapatite, Ishiyaku Euro American Inc.,Tokyo, St.Louis:Takayama press, (1994).
- [37] S.Weiner, H.D.Wagner, The materials bone: structure-mechanical function relation, *Annual review of materials science*289, (1998) 271-298.
- [38] I.Deany, Recent advance in ceramics for the density. *Critical Reviews in Oral Biology & Medicine*7, (1996) 134-143.
- [39] O.Schultz, Emerging strategies of bone and joint repair, *Arthritis Research* 2, (2000) 433-436.
- [40] N.A.M. Barakat, M.S. Khil, A.M. Omrad,F. A. Sheikh, H. Y. Kim, Extraction of pure natural hydroxyapatite from the bovine bones bio waste by three different methods, *Journal of materials processing technology* 209, (2009) 3408–3415.
- [41] S.Mazumder, B. Mukberjee, Quantitive determination of amorphous content in bioceramic hydroxyapatite (Hap) using x-ray powder diffraction data, *Materials research bullerin* 30 , (1995) 1439-1445.
- [42] J.D.Santos, P.L.Silva, J.C.Knowles, S.Talal, F.J. Monteiro, Reinforcement of hydroxyapatite by adding P_2O_5 -CaO glasses with Na_2O , K_2O and MgO , *Journal of materials science: materials of medicine* 7, (1996) 187-189.
- [43] J.C.Knowles, S.Talal , J.D. SantosS, Sintering effects in a glass reinforced hydroxyapatite, *Biomaterials* 17 (1996) 1437-1442 •
- [44] M. A. Lopes, F.J. Monteiro, J.D. Santos, Glass-reinforced hydroxyapatite composites: fracture toughness and hardness dependence on microstructural characteristics, *Biomaterials* 20 , (1999) 2085-2090.

- [45] G. Georgiou, J.C. Knowles, Glass reinforced hydroxyapatite for hard tissue surgery Part 1: mechanical properties, *Biomaterials* 22, (2001) 2811-2815.
- [46] O.E. Petrov, E. Dyulgerova, L. Petrov, R. Popova, Characterization of calcium phosphate phases obtained during the preparation of sintered biphasic Ca-P ceramics, *Materials Letters* 48,(2001) 162–167.
- [47] J.Werner, B.L.Krcmar, W.Friess, P.Greil, Mechanical properties and in vitro cell compatibility of hydroxyapatite ceramics with graded pore structure, *Biomaterials* 23 , (2002) 4285–4294.
- [48] F.N. Oktar, G.Goller, Sintering effects on mechanical properties of glass-reinforced hydroxyapatite composites, *Ceramics International* 28, (2002) 617–621.
- [49] G. Goller, H. Demirkiran, F.N. Oktar, E.Demirkesen, Processing and characterization of bioglass reinforced hydroxyapatite composites, *Ceramics International* 29, (2003) 721–724.
- [50] D. Tadic, M. Epple, A thorough physicochemical characterisation of 14 calcium phosphate-based bone substitution materials in comparison to natural bone, *Biomaterials* 25, (2004) 987–994.
- [51] L.M.R.Lorenzo, J.M.F. Ferreira, Development of porous ceramic bodies for applications in tissue engineering and drug delivery systems, *Materials Research Bulletin* 39, (2004) 83–91.
- [52] M.Navarro, S.D.Vallea, S. Martínez, S. Zeppetelli, L. Ambrosio, J.A.Planell, M.P.Ginebra, New macroporous calcium phosphate glass ceramic for guided bone regeneration, *Biomaterials* 25, (2004) 4233–4241.
- [53] M.Hamadouche, M.L. Sedel, Ceramic in orthopaedics, *Journal of bone joint surgery.Br* 82, (2000) 1095-1099.
- [54] T. Kokubo, Bioactive glass ceramic: properties and application, *Biomaterials* 12, (1991) 155-63.

- [55] M. Ogino, T. NaKamura, LL. Hench, Compositional dependence of the formation of calcium phosphate film on bioglass, Journal of Biomedical Materials Research 14, (1980) 55-64.
- [56] T. Kitsugi, T. NaKamura, T. Yamamuro, T. Kokubo, T. Shibuya, M. Takagi, SEM-EPMA obdervation of three types of apatite contatining glass ceramic implanted in bone: the variance of a Ca, P-rich layer, Journal of Biomedical Materials Research 21, (1987) 1255-1271.
- [57] T. Kokubo, C.Ohtsuki, S. Kotani, S. Kotani, T. Kitsugi, T. Yamamuro, Surface structure of bioactive glass-ceramic A-W implanted into sheep and human vertebra, In:G. Heimke, editor, Bioceramic 2, Cologne: German ceramic society, (1990) 113-121.
- [58] T. Kobubo, S. Ito, T. Hayashi, S. Sakka, T. Kitsugi, Ca,P-rich layer formad on high-strength bioactive glass-ceramic A-W, Journal of Biomedical Materials Research 24, (1990) 331-343.
- [59] MR. Filgueiras, GL. Torre, LL. Hench, Solution effects on the surface reaction of bioactive glass, Journal of Biomedical Materials Research 27, (1993) 445-453.
- [60] T. Kitsugi, T. Yamamuro, T Nakamura, T. Kokubo, The bonding of glass ceramic to bone, International Orthopaedics 13, (1989) 199-206.
- [61] C. Ohtsuki, H.Kushitani, T. Kakubo, S. Kotani, T. Yamamuro, Apatite formation on the suface of Ceravital-type glass-ceramic in the body, Journal of Biomedical Materials Research 25, (1991) 1363-1370.
- [62] W. Neuman, M.Neuman, The chemical dynamic of bone mineral. IL: University of Chicago, (1958) 34.

- [63] S. Cho, K. Nakanishi, T. Kokubo, N. Soga, C. Ohtsuki, T. Nakamura, Dependence of apatite formation on silica gel on its structure: effect of heat treatment, *Journal of the American Ceramic Society* 78, (1995) 1769-1974.
- [64] A. Oyane, HM. Kim, T. Furuya, T. Kokubo, T. Miyazaki, T. Nakamura, Preparation and assessment of revised body fluids. *Journal of Biomedical Materials Research* 65, (2003) 188-195.
- [65] A. Oyane, K. Onuma, A. Ito, HM. Kim, T. Kokubo, T. Nakamura, Formation and growth of clusters in conventional and new kinds of simulated body fluids, *Journal of Biomedical Materials Research* 64A, (2003) 339-348.
- [66] H. Takadama, M. Hashimoto, M. Mizuno, T. Kokubo, Round-robin test of SBF for in vitro measurement of apatite-forming ability of synthetic materials, *Phosphorus Research Bulletin* 17, (2004) 119-125.
- [67] HM. Kim, T. Himeno, T. Kokubo, T. Nakamura, Process and kinetics of bonelike apatite formation on sintered hydroxyapatite in Simulated body fluid, *Biomaterials* 26, (2005) 4366-4373.
- [68] I. R. Gibson, S. M. Best, W. Bonfield , Chemical characterization of silicon-substituted hydroxyapatite, *Journal of Biomedical Materials Research* 44, (1999) 422-428.
- [69] C.M. Serre and et.al, Influence of magnesium substitution on a collagen-apatite biomaterial on the production of a calcifying matrix by human osteoblasts, *Journal of biomedical and materials Research* 42(4), (1998) 626-633.
- [70] www.atsdr.cdc.gov/.../tp15-c2.pdf - สหรัฐอเมริกา, [ออนไลน์ วันที่ 25 กรกฎาคม 2555]
- [71] J. Harte, C. Holden, R. Schmeider, C. Shirley, *Toxics A to Z : A Guide to everyday pollution hazards*, press: University of California press, (1939).
- [72] www.crios.be/Nickel/Toxicology.htm, [ออนไลน์ วันที่ 25 กรกฎาคม 2555]
- [73] http://www.oehha.ca.gov/air/chronic_rels/pdf/NiComp.pdf, [ออนไลน์ วันที่ 28 กรกฎาคม 2555]

- [74] www.readperiodicals.com/201012/2349544841.html, [ออนไลน์ วันที่ 28 กรกฎาคม 2555]
- [75] JK. Dunnick, MR. Elwell, AE. Radoxsky, JM. Benson, FF. Hahn, HJ. Nikula, EB. Barr, CH. Hobbs, Comparative carcinogenic effects of nickel subsulfide, nickel oxide, or nickel sulfate hexahydrate chronic exposures in the lung, *Cancer Research* 55, (1995) 5251-5256.
- [76] ศ.ดร. นิธิยา รัตนาปนนท์, รศ.ดร. วิบูลย์ รัตนาปนนท์, สารพิษในอาหาร, พิมพ์ครั้งที่ 2, (2553), สำนักพิมพ์โอดีเยนส์โตร์
- [77] คุณหญิงมหัสดี รุจิรัตน์, จุฑามาศ สัตย์วิวัฒน์, พิยวิทยาสิ่งแวดล้อม, พิมพ์ครั้งที่ 1, (2549), กรุงเทพมหานคร
- [78] D.C Tancred, B.A.O. MacCormack, A.J. Car, A quantitative study of the sintering and mechanical properties of hydroxyapatite/phosphate glass composite, *Biomaterials* 19,(1998), 1735-1743.
- [79] F.H. Lin, C.J. Liao, K. Chen, J.S. Sun, Preparation of a biphasic porous bioceramic by heating bovine cancellous bone with $\text{Na}_4\text{P}_2\text{O}_7 \cdot 10\text{H}_2\text{O}$ addition, *Biomaterials* 20, (1999) 475-484.
- [80] S. Joschek, B.Nies, R. Krotz, A. Gopferich, Chemical and physicochemical characterization of porous hydroxyapatite ceramic made of natural bone, *Biomaterials* 16, (2000) 1648-1658.
- [81] M.R. Saeri, A. Afshar, M. Ghorbani, N. Ehsania, C.C. Sorrell: The wet precipitation process of hydroxyapatite. *Materials Letters* 57, (2003) 4064–4069.
- [82] C.Y. Ooi, M. Hamdi, S. Ramesh, Properties of hydroxyapatite produced by annealing of bovine bone, *Ceramics International* 33, (2007), 1171-1177.
- [83] A. Ruksudjarit, K. Pengpat , G. Rujjanagul, T. Tunkasiri: Synthesis and characterization of nanocrystalline hydroxyapatite from natural bovine bone. *Current Applied Physics* 2008, 8:270–272.
- [84] M.H. Fathi, A. Hanifi, V. Mortazavi, Preparation and bioactivity evaluation of bone-like hydroxyapatite nanopowder, *Journal of materials processing technology* 202, (2008), 563-542.

- [85] Z.Shi, X.Huang, Y.Cai, R.Tang, D.Yang, Size effect of hydroxyapatite nanoparticles on proliferation and apoptosis of osteoblast-like cells, *Acta biomaterials*, (2009) 338-345.
- [86] N. Petchsang , W. Pon-On , J.H. Hodak , I.M. Tang, Magnetic properties of Co-ferrite-doped hydroxyapatite nanoparticles having a core/shell structure, *Journal of Magnetism and Magnetic Materials* 321, (2009) 1990–1995.
- [87] A. Ruksudjarit, K. Pengpat , G. Rujijanagul, T. Tunkasiri, Processing and properties of nanoporous hydroxyapatite ceramics. *Materials and Design* 2010, 31:1658–1660.
- [88] ติพธิพร บุณยนิตย์, ศักดิพล เทียนเสน, อนิรุทธิ์ รักสุจริต, อนุชา รักสันติ, รังสรรค์ คุณวุฒิ, สุรลิทช์ เหล่าสมิวงศ์, กระดูกไขข้อตibia 1 : การผลิตและการทดสอบทางห้องปฏิบัติการ, *Neurological Surgery* 2, (2011).
- [89] ดร. พิชัย □ ลิงห □ ใจ, การวัดขนาดอนุภาคกระดับนาโนโดยใช้ □ เครื่อง DLS และ Zeta Potential Size, คณะวิทยาศาสตร □ มหาวิทยาลัยเชียงใหม่ □, 2008.