

เอกสารอ้างอิง

กฤติกาพร ไยโนนตาด. (2542). ความสัมพันธ์ระหว่างปัจจัยคัดสรร ความรู้สึกมีคุณค่าในตนเอง การสนับสนุนทางสังคม กับพฤติกรรมการคุ้มครองของสตรี โรคเบาหวาน ในการะ หมวดประจำเดือน จังหวัดชัยภูมิ. วิทยานิพนธ์ปริญญาโทสาขาวิชาสตรมบำบัดที่ (สาขาวิชสุขศาสตร์) สาขาวิชาเอกพยาบาลสาธารณสุข บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล.

กนกวรรณ ทาสอน. (2545). ผลของการเรียนรู้แบบมีส่วนร่วมต่อความวิตกกังวลในผู้ป่วยโรค วิตกกังวล. วิทยานิพนธ์ปริญญาพยาบาลศาสตรมบำบัดที่ สาขาวิชาพยาบาลสุขภาพจิต และจิตเวช บัณฑิตวิทยาลัย มหาวิทยาลัยขอนแก่น.

จิราวรรณ นิรนิตภาย. (2551). ปัจจัยส่วนบุคคล ความรู้สึกมีคุณค่าในตนเอง แรงสนับสนุนทาง สังคม และการปรับตัวด้านจิตสังคมของสตรีตั้งครรภ์ที่อายุมาก. วิทยานิพนธ์ พยาบาลศาสตรมบำบัดที่ สาขาวิชาการพยาบาลการดูแลและทารกแรกเกิด บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล.

ดาวารรณ ตีบีนตา. (2534). การลดความวิตกกังวลของพยาบาลประจำการที่ดูแลผู้ป่วยเบ็ดเตล็ดด้วย วิธีการปรับเปลี่ยนความคิดร่วมกับการฝึกสติ. วิทยานิพนธ์ครุศาสตร์ดุษฎีบัณฑิต ภาควิชาจิตวิทยา, บัณฑิตวิทยาลัย จุฬาลงกรณ์มหาวิทยาลัย.

ทรงพร จันทร์พัฒน์. (2543). การพยาบาลภาวะจิตสังคมของหญิงตั้งครรภ์. สงขลา: เทมการพิมพ์. ลาวัลย์ สมบูรณ์ และ เทียมศร ทองสวัสดิ์. (2545). รายงานการวิจัย ภาวะจิตสังคม ในระยะตั้งครรภ์ ของหญิงมีครรภ์. คณะพยาบาลศาสตร์ มหาวิทยาลัยเชียงใหม่.

ศศิธร นามทวีชัยกุล. (2541). ภาวะจิตสังคม ในระยะตั้งครรภ์ของหญิงตั้งครรภ์แรก. วิทยานิพนธ์ พยาบาลศาสตรมบำบัดที่ สาขาวิชาการพยาบาลแม่และเด็ก บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.

สุชาดา รัชชุกุล และ ชุมพูนุช โสภาเจริญ (2544). ความวิตกกังวลของผู้ที่กำลังจะเป็นพ่อแม่ ใน ระหว่างการตั้งครรภ์แรก. คณะพยาบาลศาสตร์ จุฬาลงกรณ์มหาวิทยาลัย.

สุพรรณี สุ่มเล็ก. (2538). รูปแบบเชิงสาเหตุของความสามารถในการดำรงบทบาทการคุ้มครอง ครรภ์แรก. วิทยานิพนธ์ปริญญาพยาบาลศาสตรดุษฎีบัณฑิต บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล.

ສະປປ ອຸນອນຈົກ. (2545). ໂຮງກລວ່າ ໂຮງຢໍາຄິດ ຢໍາກຳແລກຮຽກຂາດໍວຍຕົວອອງ. ນນທບມູຣີ: ພູນື່ຍນ
ຄລືເອຊັ້ນ ຈຳກັດ.

- Alehagen, S., Wijma, K., & Wijma, B. (2001). Fear during labor. *Acta Obstetricia et Gynecologica Scandinavica*, 80(4), 315-320.
- Alehagen, S., Wijma, B., Lundberg, U., & Wijma, B. (2005). Fear, pain and stress hormones during childbirth. *Journal of Psychosomatic Obstetrics & Gynecology*, 26(3), 153-165.
- Alipour, Z., Lamyian, M., Hajizadeh, E., & Vafaei, M. A. (2009). The association between antenatal anxiety and fear of childbirth in nulliparous women: A prospective study. *Iranian Journal of Nursing and Midwifery Research*, 16(2), 1-6.
- Areskog, B., Uddenberg, N., & Kjessler, B. (1983). Experience of delivery in women with and without antenatal fear of childbirth. *Gynecologic and Obstetric Investigation*, 16(1), 1-12.
- Burns, N., Susan, K., & Grove, S. K. (2005). *The practice of nursing research: Conduct, critique, and utilization*. (5th ed.). St. Louis: Elsevier.
- Chuahorm, U., Sripichayakarn, K., Tungpunkom, P., Klunklin, A., & Kennedy, H. P. (2007). Fear and suffering during childbirth among Thai women. *Thai Journal Nursing Research*, 11(1), 49-61.
- Cunningham, F. G., Gant, N. F., Leveno, K. J., Gilstrap, L. C., Hauth, J. C. & Wenstrom, K. D. (2007). *William Obstetrics*. (21st ed.). New York: McGraw-Hill.
- Davies J. L., & Janosik, E. H. (1991). *Mental health and psychiatric nursing: A caring approach*. Boston: Jones and Bartlett.
- Eriksson, C., Westman, G., & Hamberg, K. (2005). Experiential factors associated with childbirth- related fear in Swedish women and men: A population based study. *Journal of Psychosomatic Obstetrics & Gynecology*, 26(1), 63-72.
- Fenwick, J., Gamble, J., Nathan, E., Bayes, S., & Hauck, Y. (2009). Pre and postpartum levels of childbirth fear and the relationship to birth outcomes in a cohort of Australian women. *Journal of Clinical Nursing*, 18(5), 667-677.
- Fisher, C., Hauck, Y., & Fenwick, J. (2006). How social context impacts on women's fear of childbirth: A Western Australian example. *Social Science& Medicine*, 63(1), 64-75.

- Graham, W. J., Hundley, V., McCheyne, A. L., Hall, M. H., Gurney, E., & Milne, J. (1999). An investigation of women's involvement in the decision to deliver by caesarean section. *British Journal of Obstetrics and Gynaecology*, 106(3), 213-220.
- Hall, W. A., Hauck, Y. L., Carty, E. M., Hutton, E. K., Fenwick, J., & Stoll, K. (2009). Childbirth fear, anxiety, fatigue, and sleep deprivation in pregnant women. *The Association of Women's Health, Obstetric and Neonatal Nurses*, 38(5), 567-576.
- Hildingsson, I., Radestad, I., Rupertsson, C., & Waldenstrom, U. (2002). Few women wish to be delivered by caesarean section. *An International Journal of Obstetrics and Gynaecology*, 109(6), 618-623.
- Hofberg, K. & Ward , M. R. (2003) Fear of pregnancy and childbirth. *Postgraduate Medical Journal*, 79, 505-510.
- House, J. S. (1981). Measures and concepts of social support. In S. Cohen & S. Leonard Syme (Eds.), *Social support and health*. Florida: Academic Press
- Johnson, R. & Slade, P.(2002). Does fear of childbirth during pregnancy predict emergency caesarean section? *BJOG: An International Journal of Obstetrics and Gynaecology*, 109(11), 1213-1221.
- Jomeen, J. (2004). The importance of assessing psychological status during pregnancy, childbirth and the postnatal period as a multidimensional construct: A literature review. *Clinical Effectiveness in Nursing* 8(3), 143–155.
- Kantaruksa, K. (2001), *Transition experience of Thai women during their first pregnancy*. Unpublished doctor dissertation, Chiang Mai University, Chiang Mai, Thailand.
- Kjaergaard, H., Wijma, K., Dykes, A. K., & Alehagen, S. (2008). Fear of childbirth in obstetrically low-risk nulliparous women in Sweden and Denmark. *Journal of Reproductive and Infant Psychology*, 26(4), 340-350.
- Korukcu, O., Firat, M. Z., & Kukulu, K. (2010). *Relationship between fear of childbirth and anxiety among Turkish pregnancy women*. Retrieved February 26, 2011, from http://www.sciencedirect.com/science?ob=MImg&_imagekey=B9853-512NGCS-32-1&_cdi=59087&_user=9244538&_origin=gateway&_coverDate=/sdart

- Lapchem, P. (2007). *Relationships between selected factors, uncertainty in illness and parturition, social support and fear of childbirth among high-risk primiparous women.* Unpublished master's thesis, University of Mahidol, Bangkok, Thailand.
- Laursen, M., Hedegaard, M., & Johansen, C. (2008). Fear of childbirth: Predictors and temporal changes among nulliparous women in the Danish Nation birth cohort. *BJOG: An International Journal of Obstetrics and Gynaecology*, 115(3), 354-360.
- Lavender, T., Walkinshaw, S. A., & Walton, I. (1999). A prospective study of women's views of factors contributing to a positive birth experience. *Midwifery* 15(1), 40-46.
- Lederman, R. P. (1996). *Psychosocial adaptation in pregnancy: Assessment of seven dimensions of maternal development.* (2nd ed.). New York: Springer.
- Lowdermilk, D. L., Perry, S. E., Cashion, K., & Alden, K. R. (2012). *Maternity & women's health care* (10th ed.). St. Louis: Mosby
- Lowe, N. K. (2000). Self-efficacy for labor and childbirth fears in nulliparous pregnant women. *Journal of Psychosomatic Obstetrics & Gynecology*, 21(4), 219-224.
- Lowe, N. K. (2002). The nature of labor pain. *American Journal of Obstetric & Gynecology*, 186(5), 16-23.
- Melender, H. L., & Lauri, S. (1999). Fears associated with pregnancy and childbirth-experiences of women who have recently given birth. *Midwifery*, 15(3), 177-182.
- Melender, H. L. (2002a). Fears and coping strategies associated with pregnancy and childbirth in Finland. *Journal of Midwifery & Women's Health*, 47(4), 246-263.
- Melender, H. L. (2002b). Experiences of fears associated with pregnancy and childbirth: A study of 329 pregnant women. *Birth*, 29(2), 101-111.
- Nerum, H., Halvorsen, L., Sorlie, T., & Oian, P. (2006). Maternal request for cesarean section due to fear of birth: Can it be changed through crisis-oriented counseling?. *Birth*, 33(3), 221–228.
- Nilsson, C., & Lundgren, I. (2009). *Women's lived experience of fear of childbirth.* Retrieved February 26, 2011, from http://www.sciencedirect.com/science?_ob=MImg&_imagekey=B6WN9-4NS36H9-1-1&_cdi=6957&_user=sdarticle.pdf
- Pillitteri, A. (2007). *Maternal & child health nursing: Care of the childbearing & Childrearing family.* (5th ed.). Philadelphia : Lippincott Williams & Wilkins.

- Polit, D. F. (2010). *Statistics and data analysis for Nursing research.* (2nd ed.). New Jersey: Pearson Education Inc.
- Potter, P. A., & Perry, A. G. (1995). *Basic nursing: Theory and practice.* (3rd ed.). St. Louis: Mosby.
- Rouhe, H., Salmela-Aro, K., Halmesmaki, E., & Saisto, T. (2008). Fear of childbirth according to parity, gestational age, and obstetric history. *BJOG: An International Journal of Obstetrics and Gynaecology*, 116(1), 67-73.
- Ryding, E. L. (1991). *Psychosocial indication for cesarean section. A retrospective study of 43 cases.* Retrieved February 26, 2011, from <http://informahealthcare.com/doi/pdf/10.3109/00016349109006177>
- Ryding, E. L. (1993). Investigation of 33 women who demanded a cesarean section for personal reasons. *Acta Obstetricia et Gynecologica Scandinavica*, 72(4), 280-285.
- Ryding, E. L., Wijma, B., Wijma, K., & Rydhstrom, H. (1998). Fear of childbirth during pregnancy may increase the risk of emergency cesarean section. *Acta Obstetricia et Gynecologica Scandinavica*, 77(5), 542-547.
- Ryding, E. L., Wirfelt, E., Wangborg, I. B., Sjogren, B., & Edman, G. (2007). Personality and fear of childbirth. *Acta Obstetricia et Gynecologica Scandinavica*, 86(7), 814-820.
- Rofe, Y., Blittner, M. & Lewin, I. (1993). Emotional experiences during the three trimesters of pregnancy. *Journal of Clinical Psychology in Medical Settings*, 49(1), 3-12.
- Saisto, T., Ylikorkala, O., & Halmesmaki, E. (1999). Factor associated with a fear of childbirth in second pregnancies. *Obstetric Gynecology*, 94(5), 679-682.
- Saisto, T. (2001). *Obstetric, Psychosocial, and pain-related background, and treatment of fear of childbirth.* the Medical Faculty of the University of Helsinki, in the Auditorium of the Department of Obstetrics and Gynecology, Helsinki University.
- Saisto, T., Samela-Aro, K., Nurmi, J. E., & Halmesmaki, E. (2001). Psychosocial characteristics of women and their partners fearing vaginal childbirth. *British Journal of Obstetrics and Gynaecology*, 108(5), 492-498.
- Saisto, T., & Halmesmaki, E. (2003). Fear of childbirth: A neglected dilemma. *Acta Obstetricia et Gynecologica Scandinavica*, 82(3), 201-208.

- Salomonsson, B., Wijma, K., & Alehagen, S. (2010). Swedish midwives' perceptions of fear of childbirth. *Midwifery*, 26(3), 327-337.
- Simkin, P. (1996). The experience of maternity in a woman's life. *Journal of Obstetric, Gynecologic and Neonatal Nursing*, 25(3), 247-252.
- Sherwen, L., Scoloveno, M. A., & Weingarten, C. T. (1999). *Nursing care of the childbearing family*. (2nd ed.) Norwalk: Appleton & Lange.
- Shrock, P. (2000). The basis of relaxation. In N. H. Francine & H. S. Sharron (Eds.), *Childbirth education: Practice, research, and theory* (2nd ed., pp. 118-132). Philadelphia: W. B. Saunders Company.
- Sjogren, B. (1997). Reasons for anxiety about childbirth in 100 pregnant women. *Journal of Psychosomatic Obstetric and Gynaecology*, 18(4), 266-272.
- Spice, K., Jones, S. L., Hadjistavropoulos, H. D., Kowalyk, K., & Stewart, S. H. (2009). Prenatal fear of childbirth and anxiety sensitivity. *Journal of Psychosomatic Obstetric and Gynaecology*, 30(3), 168-174.
- Spielberger, C. D., & Sydeman, S. J. (1994). State-trait anxiety inventory and state-trait anger expression inventory. In M. E. Marvish (Ed.). *The use of psychological test for treatment planning and outcome assessment* (pp. 292-321). Hillsdale: LEA.
- Stuart, G. W., & Laraia, M. T. (2005). *Principles and practice of psychiatric nursing*. (8th ed.) St. Louis: Mosby.
- Szeverenyi, P., Poka, R., Hetey, M., & Torok, Z. (1998). Contents of childbirth-related fear among couples wishing the partner's presence at delivery. *Journal of Psychosomatic Obstetric Gynaecology*, 19(1), 38-43.
- Tampawiboon, K. (2005). *Effects of childbirth preparation on fear, labor pain coping behaviors, and childbirth satisfaction in primiparas*. Unpublished master's thesis, University of Mahidol, Bangkok, Thailand.
- Tanglakmankhong, K., Perrin, A. N., & Lowe, K. N. (2010). Childbirth self-efficacy inventory and childbirth attitudes questionnaire: Psychometric properties of Thai language versions. *Journal of Advanced Nursing*, 67(1), 193-203.

- Tsui, M. H., Pang M. W., Melender, H. L., Xu, L., Lau, T. K., & Leung, T. N. (2006). Maternal fear associated with pregnancy and childbirth in Hong Kong Chinese women. *Women Health, 44*(4), 79-92.
- Waldenstrom, U., Hildingsson, I., & Ryding, E. L. (2006). Antenatal fear of childbirth and its association with subsequent caesarean section and experience of childbirth. *An International Journal of Obstetrics and Gynaecology, 113*(6), 638-646.
- Wax, J. R., Cartin, A., Pinette, M. G., & Blackstone, J. (2004). Patient choice cesarean: An evidence-based review. *Obstetrical & Gynecological Survey, 59*(8), 601-616.
- Wijma, K., Alehagen, S., & Wijma, B. (2002a). Development of the Delivery Fear Scale. *Journal of Psychosomatic Obstetric and Gynaecology, 23*(2), 97-107.
- Wijma, K., Ryding, E. L., & Wijma, B. (2002b). Predicting psychological well-being after emergency caesarean section: A preliminary study. *Journal of Reproductive and Infant Psychology, 20*(1), 25-36.
- Wijma, K., Soderquist, J., & Wijma, B. (1997). Posttraumatic stress disorder after childbirth: Across sectional study. *Journal of Anxiety Disorders, 11*(6), 587-597.
- Wijma, K., Wijma, B., & Zar, M. (1998). Psychometric aspects of the W-DEQ: A new questionnaire for the measurement of fear of childbirth. *Journal of Psychosomatic Obstetric and Gynaecology, 19*(2), 84-97.
- Wiklund, I., Edman, G., Ryding, E. L., & Andolf, E. (2008). Expectation and experiences of childbirth in primiparae with caesarean section. *BJOG: An International Journal of Obstetrics and Gynaecology, 115*(3), 324-331.
- Whitley, G. G. (1992). Concept analysis of fear. *Nursing Diagnosis, 3*(4), 155-161.
- Wuitchik, M., Hesson, K., & Bakal, D. A. (1990). Perinatal predictors of pain and distress during labor. *Birth, 17*(4), 189-191.
- Zar, M., Wijma, K., & Wijma, B. (2001). Pre-and post partum fear of childbirth in nulliparous and parous women. *Scandinavian Journal of Behaviour Therapy, 30*(2), 75-84.