

เอกสารอ้างอิง

1. Hashemi, R.H., W.G. Bradley, and C.J. Lisanti, "MRI The Basics". Vol. 2. 2004, Philadelphia: LIPPINCOTT WILLIAMS & WILKINS 17-62.
2. Westbrook, C. and C. Kaut, "MRI in practice". Vol. 2. 1998, London: Blackwell Science. 141-143.
3. Balu, N., et al., Carotid plaque assessment using fast 3D isotropic resolution black-blood MRI. Magnetic resonance in medicine : official journal of the Society of Magnetic Resonance in Medicine / Society of Magnetic Resonance in Medicine, 2011. 65(3): p. 627-37.
4. Bonekamp, D., M. Degaonkar, and P.B. Barker, Quantitative cerebral blood flow in dynamic susceptibility contrast MRI using total cerebral flow from phase contrast magnetic resonance angiography. Magnetic resonance in medicine : official journal of the Society of Magnetic Resonance in Medicine / Society of Magnetic Resonance in Medicine, 2011. 66(1): p. 57-66.
5. van 't Klooster, R., et al., Automated Versus Manual In Vivo Segmentation of Carotid Plaque MRI. AJNR. American journal of neuroradiology, 2012.
6. Wang, J., et al., Improved carotid intraplaque hemorrhage imaging using a slab-selective phase-sensitive inversion-recovery (SPI) sequence. Magnetic resonance in medicine : official journal of the Society of Magnetic Resonance in Medicine / Society of Magnetic Resonance in Medicine, 2010. 64(5): p. 1332-40.
7. Acharya, U.R., et al., Atheromatic: symptomatic vs. asymptomatic classification of carotid ultrasound plaque using a combination of HOS, DWT & texture. Conference proceedings : ... Annual International Conference of the IEEE Engineering in Medicine and Biology Society. IEEE Engineering in Medicine and Biology Society. Conference, 2011. 2011: p. 4489-92.
8. Galkina, E. and K. Ley, Immune and inflammatory mechanisms of atherosclerosis (*). Annu Rev Immunol, 2009. 27: p. 165-97.
9. Petersen, C., et al., The impact of carotid plaque presence and morphology on mortality outcome in cardiological patients. Cardiovasc Ultrasound, 2006. 4: p. 16.

10. Redgrave, J.N., et al., Histological features of symptomatic carotid plaques in patients with impaired glucose tolerance and diabetes (oxford plaque study). *Cerebrovasc Dis*, 2008. 26(1): p. 79-86.
11. Rozie, S., et al., Atherosclerotic plaque volume and composition in symptomatic carotid arteries assessed with multidetector CT angiography; relationship with severity of stenosis and cardiovascular risk factors. *Eur Radiol*, 2009. 19(9): p. 2294-301.
12. Goldstein, L.B., et al., Primary prevention of ischemic stroke: a guideline from the American Heart Association/American Stroke Association Stroke Council: cosponsored by the Atherosclerotic Peripheral Vascular Disease Interdisciplinary Working Group; Cardiovascular Nursing Council; Clinical Cardiology Council; Nutrition, Physical Activity, and Metabolism Council; and the Quality of Care and Outcomes Research Interdisciplinary Working Group. *Circulation*, 2006. 113(24): p. e873-923.
13. Mughal, M.M., et al., Symptomatic and asymptomatic carotid artery plaque. Expert review of cardiovascular therapy, 2011. 9(10): p. 1315-30.
14. Teng, Z., et al., Characterization of healing following atherosclerotic carotid plaque rupture in acutely symptomatic patients: an exploratory study using in vivo cardiovascular magnetic resonance. *Journal of cardiovascular magnetic resonance : official journal of the Society for Cardiovascular Magnetic Resonance*, 2011. 13: p. 64.
15. กิตติพันธ์ ฤกษ์เกษม., พยาธิสรีรวิทยาและการรักษาโรคหลอดเลือดคาโรติดตีบตัน พิมพ์ครั้งที่ 12552, กรุงเทพฯ ปิยอนด์ เอ็นเทอร์ไพรซ์. 2-60.
16. Randall, A., The Origin and Growth of Renal Calculi. *Ann Surg*, 1937. 105(6): p. 1009-27.
17. Rudd, J.H., J.R. Davies, and P.L. Weissberg, Imaging of atherosclerosis -- can we predict plaque rupture? *Trends Cardiovasc Med*, 2005. 15(1): p. 17-24.
18. Shah, P.K., Mechanisms of plaque vulnerability and rupture. *J Am Coll Cardiol*, 2003. 41(4 Suppl S): p. 15S-22S.
19. Virmani, R., et al., Atherosclerotic plaque progression and vulnerability to rupture: angiogenesis as a source of intraplaque hemorrhage. *Arterioscler Thromb Vasc Biol*, 2005. 25(10): p. 2054-61.

20. Bauer, R.W., et al., Noncalcified atherosclerotic plaque burden at coronary CT angiography: a better predictor of ischemia at stress myocardial perfusion imaging than calcium score and stenosis severity. *AJR Am J Roentgenol*, 2009. 193(2): p. 410-8.
21. Redgrave, J.N., J.K. Lovett, and P.M. Rothwell, Histological features of symptomatic carotid plaques in relation to age and smoking: the oxford plaque study. *Stroke; a journal of cerebral circulation*, 2010. 41(10): p. 2288-94.
22. Kwee, R.M., et al., Symptomatic patients with mild and moderate carotid stenosis: plaque features at MRI and association with cardiovascular risk factors and statin use. *Stroke; a journal of cerebral circulation*, 2010. 41(7): p. 1389-93.
23. Rosamond, W., et al., Heart disease and stroke statistics--2008 update: a report from the American Heart Association Statistics Committee and Stroke Statistics Subcommittee. *Circulation*, 2008. 117(4): p. e25-146.
24. Gao, H., et al., Study of carotid arterial plaque stress for symptomatic and asymptomatic patients. *Journal of biomechanics*, 2011. 44(14): p. 2551-7.
25. Redgrave, J.N., et al., Critical cap thickness and rupture in symptomatic carotid plaques: the oxford plaque study. *Stroke; a journal of cerebral circulation*, 2008. 39(6): p. 1722-9.
26. Altaf, N., et al., Plaque hemorrhage is a marker of thromboembolic activity in patients with symptomatic carotid disease. *Radiology*, 2011. 258(2): p. 538-45.
27. Furlan, A.J., J.P. Whisnant, and T.P. Kearns, Unilateral visual loss in bright light. An unusual symptom of carotid artery occlusive disease. *Arch Neurol*, 1979. 36(11): p. 675-6.
28. Homburg, P.J., et al., Atherosclerotic plaque ulceration in the symptomatic internal carotid artery is associated with nonlacunar ischemic stroke. *Stroke; a journal of cerebral circulation*, 2010. 41(6): p. 1151-6.
29. Persoon, S., L.J. Kappelle, and C.J. Klijn, Limb-shaking transient ischaemic attacks in patients with internal carotid artery occlusion: a case-control study. *Brain : a journal of neurology*, 2010. 133(Pt 3): p. 915-22.
30. Kunte, H., et al., Differences in carotid plaque content of macrophages, T cells and MMP-9 between patients with embolic and hemodynamic cerebral ischemia due to symptomatic carotid stenosis. *Atherosclerosis*, 2010. 211(2): p. 456-60.

31. van Leuven, S.I., et al., Mycophenolate mofetil attenuates plaque inflammation in patients with symptomatic carotid artery stenosis. *Atherosclerosis*, 2010. 211(1): p. 231-6.
32. Parmar, J.P., et al., Magnetic resonance imaging of carotid atherosclerotic plaque in clinically suspected acute transient ischemic attack and acute ischemic stroke. *Circulation*, 2010. 122(20): p. 2031-8.
33. Adams, H., Principles of cerebrovascular disease. New York; London: McGraw-Hill Medical, 2007.
34. Gronholdt, M.L., et al., Ultrasonic echolucent carotid plaques predict future strokes. *Circulation*, 2001. 104(1): p. 68-73.
35. Henry, M., et al., Benefits of cerebral protection during carotid stenting with the PercuSurge GuardWire system: midterm results. *J Endovasc Ther*, 2002. 9(1): p. 1-13.
36. Lee, R.T., et al., Computational structural analysis based on intravascular ultrasound imaging before in vitro angioplasty: prediction of plaque fracture locations. *J Am Coll Cardiol*, 1993. 21(3): p. 777-82.
37. Markus, H.S. and A. MacKinnon, Asymptomatic embolization detected by Doppler ultrasound predicts stroke risk in symptomatic carotid artery stenosis. *Stroke*, 2005. 36(5): p. 971-5.
38. Ohki, T., et al., Ex vivo human carotid artery bifurcation stenting: correlation of lesion characteristics with embolic potential. *J Vasc Surg*, 1998. 27(3): p. 463-71.
39. Chaturvedi, S. and P. Rothwell, Carotid artery stenosis: current and emerging treatment. Boca Raton, Fla; London: Taylor & Francis. 2005.
40. Trostdorf, F., et al., Increased endothelial cell apoptosis in symptomatic high-grade carotid artery stenosis: preliminary data. *Eur J Vasc Endovasc Surg*, 2007. 33(1): p. 65-8.
41. บังอร ฉางทรัพย์., ภายวิภาคศาสตร์ 1 พิมพ์ครั้งที่ 12548, กรุงเทพฯ: สำนักพิมพ์แห่งจุฬาลงกรณ์มหาวิทยาลัย. 537-539.
42. Giannoukas, A.D., et al., Association of plaque echostructure and cardiovascular risk factors with symptomatic carotid artery disease. *The Journal of cardiovascular surgery*, 2010. 51(2): p. 245-51.


43. Nicolaides, A.N., et al., Asymptomatic internal carotid artery stenosis and cerebrovascular risk stratification. *Journal of vascular surgery : official publication, the Society for Vascular Surgery [and] International Society for Cardiovascular Surgery, North American Chapter*, 2010. 52(6): p. 1486-1496 e1-5.
44. Tada, S. and J.M. Tarbell, A computational study of flow in a compliant carotid bifurcation-stress phase angle correlation with shear stress. *Ann Biomed Eng*, 2005. 33(9): p. 1202-12.
45. Groen, H.C., et al., High shear stress influences plaque vulnerability Part of the data presented in this paper were published in *Stroke* 2007;38:2379-81. *Neth Heart J*, 2008. 16(7-8): p. 280-3.
46. Malek, A.M., S.L. Alper, and S. Izumo, Hemodynamic shear stress and its role in atherosclerosis. *Jama*, 1999. 282(21): p. 2035-42.
47. สุชาติ โกพันย์., Magnetic Resonance Imaging พิมพ์ครั้งที่ 12553, เชียงใหม่ เจริญพัฒนาการพิมพ์. 115-116.
48. Sitzer, M., et al., Internal carotid artery angle of origin: a novel risk factor for early carotid atherosclerosis. *Stroke*, 2003. 34(4): p. 950-5.
49. Newby, A.C. and A.B. Zaltsman, Molecular mechanisms in intimal hyperplasia. *J Pathol*, 2000. 190(3): p. 300-9.
50. Koga, N., et al., Long-term effects of LDL apheresis on carotid arterial atherosclerosis in familial hypercholesterolaemic patients. *J Intern Med*, 1999. 246(1): p. 35-43.
51. Schoenhagen, P., Plaque burden, plaque morphology, and HDL: can atherosclerosis imaging provide insights into the complex, multifactorial etiology of atherosclerosis progression and vulnerability? *Int J Cardiovasc Imaging*, 2007. 23(3): p. 343-5.
52. Athanasiou, L.S., et al., A novel semiautomated atherosclerotic plaque characterization method using grayscale intravascular ultrasound images: comparison with virtual histology. *IEEE transactions on information technology in biomedicine : a publication of the IEEE Engineering in Medicine and Biology Society*, 2012. 16(3): p. 391-400.
53. Jan G. Kips, P.S., Luc M. Van Bortel, Identifying the vulnerable plaque: A review of invasive and non-invasive imaging modalities. *J artres*, 2008. 2(1): p. 21-34.

54. Katouzian, A., et al., Challenges in atherosclerotic plaque characterization with intravascular ultrasound (IVUS): from data collection to classification. *IEEE Trans Inf Technol Biomed*, 2008. 12(3): p. 315-27.
55. Watanabe, Y., et al., Characterization of atherosclerotic plaque of carotid arteries with histopathological correlation: vascular wall MR imaging vs. color Doppler ultrasonography (US). *J Magn Reson Imaging*, 2008. 28(2): p. 478-85.
56. Hayward, J.K., A.H. Davies, and P.M. Lamont, Carotid plaque morphology: a review. *Eur J Vasc Endovasc Surg*, 1995. 9(4): p. 368-74.
57. Romero, J.M., et al., US of neurovascular occlusive disease: interpretive pearls and pitfalls. *Radiographics*, 2002. 22(5): p. 1165-76.
58. Tahmasebpour, H.R., et al., Sonographic examination of the carotid arteries. *Radiographics*, 2005. 25(6): p. 1561-75.
59. Brobeck, B.R., N.P. Forero, and J.M. Romero, Practical noninvasive neurovascular imaging of the neck arteries in patients with stroke, transient ischemic attack, and suspected arterial disease that may lead to ischemia, infarction, or flow abnormalities. *Semin Ultrasound CT MR*, 2006. 27(3): p. 177-93.
60. Virmani, R., et al., Lessons from sudden coronary death: a comprehensive morphological classification scheme for atherosclerotic lesions. *Arterioscler Thromb Vasc Biol*, 2000. 20(5): p. 1262-75.
61. Harald T. Lutz, H.A.G., *Manual of Diagnostic Ultrasound in Infectious Tropical Diseases*. Springer-Verlag Berlin Heidelberg 2006: p. 1.
62. ten Kate, G.L., et al., Noninvasive imaging of the vulnerable atherosclerotic plaque. *Current problems in cardiology*, 2010. 35(11): p. 556-91.
63. Bhatia, V., et al., Imaging of the vulnerable plaque: new modalities. *Southern medical journal*, 2003. 96(11): p. 1142-7.
64. Cordeiro, M.A. and J.A. Lima, Atherosclerotic plaque characterization by multidetector row computed tomography angiography. *J Am Coll Cardiol*, 2006. 47(8 Suppl): p. C40-7.
65. Cormode, D.P., et al., Atherosclerotic plaque composition: analysis with multicolor CT and targeted gold nanoparticles. *Radiology*, 2010. 256(3): p. 774-82.

66. Crouse, J.R., 3rd, Thematic review series: patient-oriented research. Imaging atherosclerosis: state of the art. *J Lipid Res*, 2006. 47(8): p. 1677-99.
67. Fuster, V., et al., Atherothrombosis and high-risk plaque: Part II: approaches by noninvasive computed tomographic/magnetic resonance imaging. *J Am Coll Cardiol*, 2005. 46(7): p. 1209-18.
68. Leschka, S., et al., Ex vivo evaluation of coronary atherosclerotic plaques: characterization with dual-source CT in comparison with histopathology. *Journal of cardiovascular computed tomography*, 2010. 4(5): p. 301-8.
69. Nederkoorn, P.J., Y. van der Graaf, and M.G. Hunink, Duplex ultrasound and magnetic resonance angiography compared with digital subtraction angiography in carotid artery stenosis: a systematic review. *Stroke*, 2003. 34(5): p. 1324-32.
70. Saba, L., et al., Multidetector-row CT angiography in the study of atherosclerotic carotid arteries. *Neuroradiology*, 2007. 49(8): p. 623-37.
71. Schmermund, A., A. Magedanz, and T. Voigtlander, The role of CT angiography in risk stratification for atherosclerosis. *Curr Atheroscler Rep*, 2009. 11(2): p. 111-7.
72. Calcagno, C., et al., Dynamic contrast enhanced (DCE) magnetic resonance imaging (MRI) of atherosclerotic plaque angiogenesis. *Angiogenesis*, 2010. 13(2): p. 87-99.
73. Chu, B., et al., Magnetic [corrected] resonance imaging [corrected] features of the disruption-prone and the disrupted carotid plaque. *JACC Cardiovasc Imaging*, 2009. 2(7): p. 883-96.
74. JM, U.K.-I., et al., Characterization of carotid plaque hemorrhage: a CT angiography and MR intraplaque hemorrhage study. *Stroke; a journal of cerebral circulation*, 2010. 41(8): p. 1623-9.
75. Takano, K., et al., Characterization of carotid atherosclerosis with black-blood carotid plaque imaging using variable flip-angle 3D turbo spin-echo: comparison with 2D turbo spin-echo sequences. *European journal of radiology*, 2012. 81(3): p. e304-9.
76. Tartari, S., et al., High-resolution MRI of carotid plaque with a neurovascular coil and contrast-enhanced MR angiography: one-stop shopping for the comprehensive assessment of carotid atherosclerosis. *AJR. American journal of roentgenology*, 2011. 196(5): p. 1164-71.

77. Saam, T., et al., The vulnerable, or high-risk, atherosclerotic plaque: noninvasive MR imaging for characterization and assessment. *Radiology*, 2007. 244(1): p. 64-77.
78. van Engelen, A., et al., Multi-feature-based plaque characterization in ex vivo MRI trained by registration to 3D histology. *Physics in medicine and biology*, 2012. 57(1): p. 241-56.
79. Yoshida, K., et al., Characterization of carotid atherosclerosis and detection of soft plaque with use of black-blood MR imaging. *AJNR Am J Neuroradiol*, 2008. 29(5): p. 868-74.
80. Yuan, C., Carotid atherosclerosis and magnetic resonance imaging. *JACC Cardiovasc Imaging*, 2008. 1(1): p. 58-60.
81. Yuan, C., et al., MRI of carotid atherosclerosis. *J Nucl Cardiol*, 2008. 15(2): p. 266-75.
82. Esposito, L., et al., MRI plaque imaging reveals high-risk carotid plaques especially in diabetic patients irrespective of the degree of stenosis. *BMC Med Imaging*, 2010. 10: p. 27.
83. Esposito, L., et al., Detection of unstable carotid artery stenosis using MRI. *J Neurol*, 2007. 254(12): p. 1714-22.
84. Gortler, M., et al., Tissue characterisation of atherosclerotic carotid plaques by MRI. *Neuroradiology*, 1995. 37(8): p. 631-5.
85. Zhao, X., Z.E. Miller, and C. Yuan, Atherosclerotic plaque imaging by carotid MRI. *Curr Cardiol Rep*, 2009. 11(1): p. 70-7.
86. Balu, N., et al., Improvements in carotid plaque imaging using a new eight-element phased array coil at 3T. *J Magn Reson Imaging*, 2009. 30(5): p. 1209-14.
87. Yuan, C., et al., In vivo accuracy of multispectral magnetic resonance imaging for identifying lipid-rich necrotic cores and intraplaque hemorrhage in advanced human carotid plaques. *Circulation*, 2001. 104(17): p. 2051-6.
88. Gold, G.E., et al., Characterization of atherosclerosis with a 1.5-T imaging system. *J Magn Reson Imaging*, 1993. 3(2): p. 399-407.
89. Toussaint, J.F., et al., Magnetic resonance images lipid, fibrous, calcified, hemorrhagic, and thrombotic components of human atherosclerosis in vivo. *Circulation*, 1996. 94(5): p. 932-8.

90. Gulcan, H.G., et al., Lipids of human retina, retinal pigment epithelium, and Bruch's membrane/choroid: comparison of macular and peripheral regions. Invest Ophthalmol Vis Sci, 1993. 34(11): p. 3187-93.
91. Kierszenbaum, A.L., Histology and cell biology an introduction to pathology, 2002.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved