

เอกสารอ้างอิง

1. กองอาชีวอนามัย กรมอนามัย. 2542. “โรคปวดหลังจากการทำงาน.” [ระบบออนไลน์]. แหล่งที่มา http://advisor.anamai.moph.go.th/factsheet/envi4_3.html (25 พฤศจิกายน 2553).
2. ต่อพงศ์ บุญมาประเสริฐ. “Biomechanics of Lumbar Spine”. ใน *โรคกระดูกสันหลังเสื่อม*. หน้า 59-72. เชียงใหม่: หจก.เชียงใหม่ โรงพิมพ์แสงศิลป์, 2550.
3. ผาสุก มหรรฆานุเคราะห์. “หลัง”. ใน *มหากายวิภาคศาสตร์การเคลื่อนไหว*. หน้า 245-269. กรุงเทพฯ: พี.บี. ฟอเรน บุคส์ เซนเตอร์, 2547.
4. ยอดชาย บุญประกอบ. “จลนศาสตร์ของกระดูกสันหลังบริเวณเอว.” ใน *จลนศาสตร์และการตรวจร่างกายทางกายภาพบำบัด*. หน้า 30-57. กรุงเทพฯ: ชุมนุมสหกรณ์การเกษตรแห่งประเทศไทย, 2551.
5. ราชวิทยาลัยแพทยศาสตร์ฟื้นฟูแห่งประเทศไทย. 2548. “แนวทางเวชปฏิบัติ: แนวทางการรักษาและฟื้นฟูสมรรถภาพผู้ป่วยที่มีอาการปวดหลังส่วนล่างเรื้อรัง.” [ระบบออนไลน์]. แหล่งที่มา <http://www.rehabmed.or.th/royal/rctha/trcenter/trcenter10.html> (8 ตุลาคม 2553).
6. วิเชียร เลหาเจริญสมบัติ. “ปวดหลัง ปวดต้นคอ (Back Pain and Neck Pain)”. ใน *ออร์โทปิดิกส์*. หน้า 494-515. กรุงเทพฯ: บริษัท โฮลิสติก ฟัซลิซซิ่ง จำกัด, 2552.
7. สถาบันเวชศาสตร์ผู้สูงอายุ. รายงานการสำรวจและศึกษาภาวะสุขภาพของผู้สูงอายุ 4 ภาคของไทย. พิมพ์ครั้งที่ 1. กรุงเทพฯ: ชุมนุมสหกรณ์การเกษตรแห่งประเทศไทย, พฤศจิกายน 2549.
8. โรงพยาบาลสมเด็จพระสังฆราชญาณสังวรเพื่อผู้สูงอายุ กรมการแพทย์. รายงานประจำปี พ.ศ. 2552. ชลบุรี: โรงพยาบาลสมเด็จพระสังฆราชญาณสังวรเพื่อผู้สูงอายุ, 2552.
9. Adams M, Bogduk N, Burton K, Dolan P. The biomechanics of back pain. 1st London. Churchill Livingstone; 2004.
10. Al-Obaidi S, Anthony J, Al-Shuwai N, Dean E. Differences in back extensor strength between smokers and nonsmokers with and without low back pain. *J Orthop Sports Phys Ther* 2004; 34: 254-60.

11. Balague F, Mannion AF, Pellise F, Cedraschi C. Non-specific low back pain. *Lancet* 2012; 379: 482–91.
12. Becker EB. Aquatic therapy: scientific foundation and clinical rehabilitation applications. *PM&R* 2009; 1: 859-72.
13. Binderup AT, Arendt Nielsen L, Madeleine P. Pressure pain sensitivity map of the neck shoulder and the low back regions in men and women. *BMC Musculoskeletal Disorders* 2010; 11(234): 1-7.
14. Borman P, Keskin D, Bodur H. The efficacy of lumbar traction in the management of patients with low back pain. *Rheumatol Int* 2003; 23: 82–6.
15. Bressel E, Dolny DG, Vandenberg C, Cronin JB. Trunk muscle activity during spine stabilization exercises performed in a pool. *Phys Ther Sport* 2012; 13: 67-72.
16. Brian Mackenzie. 2553. “Hexagonal obstacle test.” [ระบบออนไลน์]. แหล่งที่มา <http://www.brianmac.co.uk/hexagonal.html> (8 ตุลาคม 2553).
17. Bronfort G, Haas M, Evans R, Kawchuk G, Dagenais S. Evidence informed management of chronic low back pain with spinal manipulation and mobilization. *Spine J* 2008; 8: 213-25.
18. Carmeron M. Physical agents in rehabilitation from research to practice. 3th Missouri. Saunders Elsevier; 2009.
19. Chandler TF, Brown LE. Conditioning for strength and human performance. 1st Maryland. Lippincott Williams & Wilkins; 2008.
20. Chou R, Huffman LH. Nonpharmacologic therapies for acute and chronic low back pain: A review of the evidence for an American pain society/American college of physicians clinical practice guideline. *Ann Intern Med* 2007; 147: 492-504.
21. Chou R, Qaseem A, Snow V, Casey D, Cross Jr. T, Shekelle P, et al. Diagnosis and treatment of low back pain: A joint clinical practice guideline from the American college of physicians and the American pain society. *Ann Intern Med* 2007; 147: 478-91.
22. Clarke JA, Van Tulder MW, Blomberg SEI, De Vet HCW, Van Der Heijden G, Brønfort G, Bouter LM. Traction for low back pain with or without sciatica. *Cochrane Database Syst Rev* 2007; 2: Art. No.: CD003010.

23. Dagenais S, Caro J, Haldeman S. A systematic review of low back pain cost of illness studies in the United States and internationally. *Spine J* 2008; 8: 8-20.
24. Diamond S, Borenstein D. Chronic low back pain in a working age adult. *Best Pract Res Clin Rheumatol* 2006; 20(4): 707-20.
25. Dundar U, Solak O, Yigit L, Evcik D, Kavuncu V. Clinical effectiveness of aquatic exercise to treat chronic low back pain: A randomized controlled trial. *Spine* 2009; 34:1436-40.
26. Dzedzic K, Jordan JL, Foster NE. Land and water based exercise therapies for musculoskeletal conditions. *Best Pract Res Clin Rheumatol* 2008; 22(3): 407-18.
27. Ehrlich GE. Low back pain. *Bulletin of the World Health Organization* 2003; 81: 671-76.
28. Fairbank J, Pynsent P. The Oswestry disability index. *Spine* 2000; 22: 2940-53.
29. Gay RE, Brault SJ. Evidence informed management of chronic low back pain with traction therapy. *Spine J* 2008; 8: 234-42.
30. Geytenbeek J. Evidence for effective hydrotherapy. *Physiotherapy* 2002; 88(9): 514-29.
31. Hall J, Swinkels A, Bridton J, McCabe CS. Does aquatic exercise relieve pain in adults with neurologic or musculoskeletal disease: A systematic review and meta-analysis of randomized controlled trials. *Arch Phys Med Rehabil* 2008; 89: 873-83.
32. Harte AA, Baxter GD, Gracey JH. The efficacy of traction for back pain: A systematic review of randomized controlled trials. *Arch Phys Med Rehabil* 2003; 84: 1542-53.
33. Harte AA, Gracey JH, Baxter GD. Current use of lumbar traction in the management of low back pain: results of a survey of physiotherapists in the United Kingdom. *Arch Phys Med Rehabil* 2005; 86:1164-9.
34. Henchoz Y, Kai-Lik So A. Exercise and nonspecific low back pain: A literature review. *Joint Bone Spine* 2008; 75: 533-9.
35. Hoogendoorn WE, Bongers PM, De Vet HCW, Ariens GAM, Van Mechelen W, Bouter LM. High physical work load and low job satisfaction increase the risk of sickness absence due to low back pain: results of a prospective cohort study. *Occup Environ Med* 2002; 59: 323-8.

36. Hoogendoorn WE, Bongers P, De-Vet HCW, Douwes M, Koes BW, Miedema MC, et al. Flexion and rotation of the trunk and lifting at work are risk factors for back pain: results of a prospective cohort study. *Spine* 2000; 25: 3087-92.
37. Hoy D, Brooks P, Blyth F, Buchbinder R. The epidemiology of low back pain. *Best Pract Res Clin Rheumatol* 2010; 24: 769-81.
38. Hoy J, Mubarak N, Nelson S, Sweerts de Landas MS, Magnusson M, Okunribido O, et al. Whole body vibration and posture as risk factors for low back pain among forklift truck drivers. *J Sound Vib* 2004; 284: 933-46.
39. Jansen JP, Morgenstern H, Burdorf A. Dose response relations between occupational exposures to physical and psychosocial factors and the risk of low back pain. *Occup Environ Med* 2004; 61: 972-9.
40. Karahan A, Kav S, Abbasoglu A, Dogan N. Low back pain: prevalence and associated risk factors among hospital staff. *J Adv Nurs* 2009; 65: 516-24.
41. Konrad K, Tatrai T, Hunka A, Vereckei E, Korondi I. Controlled trial of balneotherapy in treatment of low back pain. *Ann Rheum Dis* 1992; 51: 820-2.
42. Krause N, Rugulies R, Ragland DR, Syme SL. Physical workload, ergonomic problems, and incidence of low back injury: A 5 year prospective study of San Francisco transit operators. *Am J Ind Med* 2004; 46: 570-85.
43. Kurutz M. Age sensitivity of time-relate in vivo deformability of human lumbar motion segments and discs in pure centric tension. *J Biomech* 2006; 39: 147-57.
44. Kurutz M. In vivo age and sex related creep of human lumbar motion segments and discs in pure centric tension. *J Biomech* 2006; 39: 1180-90.
45. Kurutz M, Lovas A. In vivo deformability of human lumbar spine segments in pure centric tension measured during traction bath Therapy. *Acta Bioeng Biomech* 2003; 5: 67-95.
46. Kurutz M, Oroszvary L. Finite element analysis of weightbath hydrotraction treatment of degenerated lumbar spine segments in elastic phase. *J Biomech* 2010; 43: 433-41.
47. Last AR, Hulbert K. Chronic low back pain: evaluation and management. *Am Fam Physician*. 2009; 79: 1067-74.

48. Loocke MV, Lyons CG, Simms CK. Viscoelastic properties of passive skeletal muscle in compression: stress-relaxation behaviour and constitutive modeling. *J Biomech* 2008; 41: 1555-66.
49. Marras WS, Davis KG, Jorgensen M. Gender influences on spine loads during complex lifting. *Spine* 2002; 3: 93-9.
50. McIlveen B, Robertson VJ. A randomised controlled study of the outcome of hydrotherapy for subjects with low back or back and leg pain. *Physiotherapy* 1998; 84(1): 17-26.
51. McIntosh G, Hall H. Low back pain (chronic). *Clin Evid* 2008; 10: 1-21.
52. Micheo W, Baerga L, Miranda G. Basic principles regarding strength, flexibility and stability exercises. *PM&R* 2012; 4: 805-811
53. Middelkoop M, Rubinstein S, Verhagen A, Ostelo R, Koes BW, Van Tulder MW. Exercise therapy for chronic nonspecific low back pain. *Best Pract Res Clin Rheumatol* 2010; 24: 193-204.
54. Oláh M, Molnár L, Dobai J, Oláh C, Fehér J, Bender T. The effects of weightbath traction hydrotherapy as a component of complex physical therapy in disorders of the cervical and lumbar spine: A controlled pilot study with follow up. *Rheumatol Int* 2008; 28: 749-56.
55. Puntumetakul R, Chatchawan U, Mackawon S, Sitthikongsak S, Chokkanapitak J, Werawatanatakul Y. Prevalence and risk factors of low back pain in pregnant women who delivered at Srinagarind hospital. *Srinagarind Med J* 1997; 12: 234-41.
56. Rainville J, Hartigan C, Martinez E, Limke J, Jouve C, Finno M. Exercise as a treatment for chronic low back pain. *Spine J* 2004; 4: 106-15.
57. Riddle D. Classification and low back pain: A review of the literature and critical analysis of selected systems. *Phys Ther* 1998; 78: 708-37.
58. Rolland Y, Lauwers-Cances V, Pahor M, Fillaux J, Grandjean H, Vellas B. Muscle strength in obese elderly woman: effect of recreational physical activity in a cross sectional study. *Am J Clin Nutr* 2004; 79: 552-7.
59. Sanjaroensuttikul N. The Oswestry low back pain disability questionnaire (Version 1.0) Thai version. *J Med Assoc Thai* 2007; 90: 1417-22.

60. Sled M, Eccleston C, Beecham J, Knapp M, Jordan A. The economic impact of chronic pain in adolescence: methodological considerations and a preliminary costs-of-illness study. *Pain* 2005; 119: 183-90.
61. Sova R. *Aquatics the complete reference guide for aquatic fitness professionals*. Wisconsin: Port Publications Inc; 2000.
62. Takeshima N, Rogers ME, Watanabe E, Brechue WF, Okada A, Yamada T, et al. Water-based exercise improves health-related aspects of fitness in older women. *Med Sci Sports Exerc* 2002; 33: 544-51.
63. Tiwari RR, Pathak MC, Zodpey SP. Low back pain among textile workers. *Indian J Occup Environ Med* 2003; 7: 27-9.
64. Verhagen AP, Cardoso JR, Bierma-Zeinstra S. Aquatic exercise balneotherapy in musculoskeletal conditions. *Best Pract Res Clin Rheumatol* 2012; 26: 335-43.
65. Waller B, Lambeck J, Daly D. Therapeutic aquatic exercise in the treatment of low back pain: A systematic review. *Clin Rehabil* 2009; 23: 3–14.
66. Westerblad H, Bruton JD, Katz A. Skeletal muscle: energy metabolism, fiber types, fatigue and adaptability. *Experimental cell research* 2010; 316: 3090-99.
67. Wong DA, Transfeldt E. *Macnab's Backache 4th Philadelphia*. Lippincott Williams & Wilkins; 2007.