

เอกสารอ้างอิง

- จิตติมา ภูริทัตกุล. (2547). ความเชื่อด้านสุขภาพและพฤติกรรมสุขภาพของผู้ป่วยโรคหลอดเลือดหัวใจที่มีภาวะไขมันในเลือดผิดปกติ (วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลผู้ใหญ่). บัณฑิตวิทยาลัย, มหาวิทยาลัยเชียงใหม่.
- จิราภรณ์ นาสูงชน. (2552). พฤติกรรมการดูแลตนเองของผู้ป่วยภายหลังขยายหลอดเลือดหัวใจด้วยบอลลูนและขดลวดโครงตาข่าย (วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลผู้ใหญ่). บัณฑิตวิทยาลัย, มหาวิทยาลัยขอนแก่น.
- จิราพร ทองดี. (2547). ปัจจัยทำนายพฤติกรรมส่งเสริมสุขภาพในผู้สูงอายุโรคหลอดเลือดหัวใจ (วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลผู้สูงอายุ). บัณฑิตวิทยาลัย, มหาวิทยาลัยเชียงใหม่.
- ศิรนาช โกวิทเจริญตระกูล. (2542). การดูแลตนเองของผู้ป่วยโรคหลอดเลือดหัวใจที่มีมารับบริการในสำนักงานศูนย์โรคหัวใจสมเด็จพระบรมราชินีนาถ โรงพยาบาลศิริราช (วิทยานิพนธ์การศึกษามหาบัณฑิต สาขาวิชาสุขภาพศึกษา). บัณฑิตวิทยาลัย, มหาวิทยาลัยศรีนครินทรวิโรฒ.
- ชนาภรณ์ แก้วยก. (2554). ผลของโปรแกรมการจัดการตนเองต่ออาการหายใจลำบากและความสามารถในการทำหน้าที่ของร่างกายของผู้ที่มีภาวะหัวใจล้มเหลวเลือดคั่ง. วารสารสมาคมพยาบาลฯ สาขาภาคตะวันออกเฉียงเหนือ, 29(2), 35-41.
- ปภาพสวรี เจริญพัฒนากัก. (2556). ปัจจัยทำนายคุณภาพชีวิตที่สัมพันธ์กับภาวะสุขภาพของผู้ป่วยโรคกล้ามเนื้อหัวใจตายเฉียบพลัน (วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลผู้ใหญ่). บัณฑิตวิทยาลัย, มหาวิทยาลัยบูรพา.
- ปริศนา วรรณนท์. (2541). พฤติกรรมสุขภาพของผู้ป่วยโรคหลอดเลือดหัวใจตีบภายหลังการขยายหลอดเลือดหัวใจ (วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลผู้ใหญ่). บัณฑิตวิทยาลัย, มหาวิทยาลัยมหิดล.
- ปาริชาติ วงศ์ก้อม. (2556). ผลของโปรแกรมการจัดการตนเองต่อภาวะการแข็งตัวของเลือดในผู้ป่วยภายหลังการผ่าตัดเปลี่ยนลิ้นหัวใจ (วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลผู้ใหญ่). บัณฑิตวิทยาลัย, มหาวิทยาลัยขอนแก่น.

เป็น รักเกิด. (2549). การรับรู้การเจ็บป่วยกับการตอบสนองต่อการเจ็บป่วยในผู้ป่วยโรคกล้ามเนื้อหัวใจตายเฉียบพลัน (วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลผู้ใหญ่). บัณฑิตวิทยาลัย, มหาวิทยาลัยสงขลานครินทร์.

ผ่องพรรณ อรุณแสง. (2549). การพยาบาลผู้ป่วยโรคหัวใจและหลอดเลือด. ขอนแก่น: คลังน่านาวิทยา.

พงษ์พินิต ไชยวุฒิ. (2551). ปัจจัยทำนายพฤติกรรมการออกกำลังกายของผู้ป่วยโรคกล้ามเนื้อหัวใจตาย (วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลผู้ใหญ่). บัณฑิตวิทยาลัย, มหาวิทยาลัยบูรพา.

พวงเพชร สมทรัพย์สิน. (2555). ผลของโปรแกรมการจัดการตนเองต่อพฤติกรรมจัดการตนเองในผู้ป่วยที่มีภาวะหัวใจล้มเหลว. วารสารสมาคมพยาบาลฯ สาขาภาคตะวันออกเฉียงเหนือ, 30(4), 88-95.

พิกุล ดินมาศ. (2550). ผลของโปรแกรมการส่งเสริมสมรรถนะแห่งตนและการสนับสนุนทางสังคมต่อพฤติกรรมการรับประทานอาหารของผู้สูงอายุโรคหลอดเลือดหัวใจ (วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลผู้สูงอายุ). บัณฑิตวิทยาลัย, มหาวิทยาลัยเชียงใหม่.

พิมลรัตน์ พิมพ์ดี. (2553). ผลของโปรแกรมการจัดการกับอาการเจ็บอกต่อความสามารถในการจัดการกับอาการเจ็บอก สภาวะการทำหน้าที่ของร่างกายและสภาวะอาการเจ็บอกในผู้ป่วยกลุ่มอาการโรคหัวใจขาดเลือดเฉียบพลัน (วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลผู้ใหญ่). บัณฑิตวิทยาลัย, มหาวิทยาลัยขอนแก่น.

มาลินี มาลาอี. (2549). ผลของโปรแกรมการสนับสนุนทางสังคมจากครอบครัวต่อการรับรู้การสนับสนุนทางสังคมจากครอบครัวและพฤติกรรมส่งเสริมสุขภาพของผู้ป่วยกล้ามเนื้อหัวใจขาดเลือด (วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลครอบครัว). บัณฑิตวิทยาลัย, มหาวิทยาลัยบูรพา.

มาลินี บุญเกิด. (2549). ผลของโปรแกรมการส่งเสริมการเรียนรู้ที่ใช้กระบวนการดูแลเอาใจต่อการปฏิบัติดูแลตนเองและการรับรู้พฤติกรรมดูแลตนเองแบบเอาใจของพยาบาลในผู้ป่วยกล้ามเนื้อหัวใจตายแบบเฉียบพลัน (วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลผู้ใหญ่). บัณฑิตวิทยาลัย, มหาวิทยาลัยขอนแก่น.

มฤดี บุราณ. (2548). ปัจจัยคัดสรรที่มีความสัมพันธ์กับภาวะซึมเศร้าในผู้ป่วยหลังการเกิดกล้ามเนื้อหัวใจขาดเลือดเฉียบพลัน (วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาพยาบาลศาสตร์). บัณฑิตวิทยาลัย, จุฬาลงกรณ์มหาวิทยาลัย.

- เขาลักษณ์ อนุรักษ์, ถนัด ใบยา, สุปราณี ศรีใหญ่, ปวีณา สายสูง, นงรัตน์ จันทิ, สุมาลี ชุขหาญ, จลองชัย สกลวสันต์. (บรรณาธิการ). (2543). *กระบวนการสุศึกษากับการพัฒนาพฤติกรรมสุขภาพ ก้าวสู่ยุค 2000*. (หน้า 21-24). กรุงเทพฯ: ชิกมาดีไซน์ กราฟฟิค.
- วันดี ใจแสน. (2551). *การทบทวนวรรณกรรมอย่างเป็นระบบเกี่ยวกับวิธีการควบคุมโรคในบุคคลที่เป็นเบาหวานชนิดที่2 (วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลผู้ใหญ่)*. บัณฑิตวิทยาลัย, มหาวิทยาลัยเชียงใหม่.
- วิลาวัลย์ แก้วอ่อน. (2552). *การรับรู้เกี่ยวกับการเจ็บป่วยและข้อมูลที่ได้รับเพื่อการดูแลตนเองหลังการเกิดการเจ็บป่วยของผู้ป่วยโรคหลอดเลือดหัวใจที่ได้รับหัตถการหลอดเลือดหัวใจ (วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลผู้ใหญ่)*. บัณฑิตวิทยาลัย, มหาวิทยาลัยขอนแก่น.
- วีรณัฐ ไตรรัตน์ภาส. (2545). *พฤติกรรมส่งเสริมคุณภาพของผู้สูงอายุโรคหลอดเลือดหัวใจตีบแผนกผู้ป่วยนอกโรงพยาบาลราชบุรี (วิทยานิพนธ์การศึกษามหาบัณฑิต สาขาวิชาสุศึกษา)*. บัณฑิตวิทยาลัย, มหาวิทยาลัยศรีนครินทรวิโรฒ.
- ศิริวัฒน์ วงศ์พุทธาน. (2551). *ผลของการจัดการตนเองต่อพฤติกรรมสุขภาพและความดันโลหิตของผู้ป่วยความดันโลหิตสูง (วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลผู้ใหญ่)*. บัณฑิตวิทยาลัย, มหาวิทยาลัยเชียงใหม่.
- ศิริวัฒน์ วัฒนสินธุ์. (2543). *ความพร้อมในการดูแลตนเองในผู้ป่วยโรคหลอดเลือดหัวใจวารสารคณะพยาบาลศาสตร์ มหาวิทยาลัยบูรพา*, 7(3), 58-65.
- ศิริวรรณ ตั้งวิจิตรสกุล. (2550). *ผลของการจัดการตนเองต่อคุณภาพชีวิตของผู้ป่วยภาวะหัวใจล้มเหลว (วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลผู้ใหญ่)*. บัณฑิตวิทยาลัย, มหาวิทยาลัยเชียงใหม่.
- ศิริอร สินธุ, และ ศิริลักษณ์ ศรีประสงค์. (2544). *ภาวะสุขภาพและระดับกิจกรรมของผู้ป่วยกล้ามเนื้อหัวใจตาย ในระยะพักฟื้นภายหลังออกจากโรงพยาบาล. วารสารสภาการพยาบาล*, 16(2), 52-68.
- สกุณตลา รอดไม้. (2548). *ปัจจัยที่มีผลต่อพฤติกรรมการดูแลตนเองของผู้ป่วยโรคหลอดเลือดหัวใจโรงพยาบาลสรรพสิทธิประสงค์จังหวัดอุบลราชธานี (วิทยานิพนธ์การศึกษามหาบัณฑิต สาขาวิชาสุศึกษา)*. บัณฑิตวิทยาลัย, มหาวิทยาลัยศรีนครินทรวิโรฒ.
- สมาคมแพทย์โรคหัวใจแห่งประเทศไทย ในพระบรมราชูปถัมภ์. (ม.ป.ป.). *แนวทางเวชปฏิบัติในการดูแลผู้ป่วยโรคหัวใจขาดเลือด*. Retrieved from http://www.thaiheart.org/images/column_1291454908/CADGuideline.pdf

- สุทิดา สุวรรณศรี. (2548). พฤติกรรมการดูแลตนเองของผู้ป่วยโรคกล้ามเนื้อหัวใจตายในระยะก่อนและหลังจำหน่ายจากโรงพยาบาลผู้ป่วย (วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลผู้ใหญ่). บัณฑิตวิทยาลัย, มหาวิทยาลัยขอนแก่น.
- สุดใจ บุรณพฤกษา. (2549). พฤติกรรมป้องกันการตีบซ้ำของหลอดเลือดหัวใจในผู้ป่วยโรคหลอดเลือดหัวใจตีบหลังการรักษาโดยการขยายหลอดเลือดหัวใจ ณ โรงพยาบาลจุฬาลงกรณ์ (วิทยานิพนธ์วิทยาศาสตรมหาบัณฑิต สาขาวิชาสูติศึกษา). บัณฑิตวิทยาลัย, มหาวิทยาลัยศรีนครินทรวิโรฒ.
- สำนักนโยบายและยุทธศาสตร์ กระทรวงสาธารณสุข. (2553). สรุปรายงานการป่วย พ.ศ. 2552. กรุงเทพฯ: สำนักงานกิจการโรงพิมพ์องค์การสงเคราะห์ทหารผ่านศึกในพระบรมราชูปถัมภ์.
- สำนักโรคไม่ติดต่อ กรมควบคุมโรค กระทรวงสาธารณสุข. (2553). แนวปฏิบัติการปรับเปลี่ยนพฤติกรรมสุขภาพเพื่อลดปัจจัยเสี่ยงโรคหัวใจและหลอดเลือด. กรุงเทพฯ : สำนักงานพระพุทธศาสนาแห่งชาติ.
- สมพร งามวิสัย. (2553). ผลลัพธ์ของโปรแกรมการส่งเสริมสมรรถนะแห่งตนต่อพฤติกรรมด้านเพศสัมพันธ์ของผู้ป่วยโรคหลอดเลือดหัวใจที่โรงพยาบาลบ้านโป่งจังหวัดราชบุรี (วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลผู้ใหญ่ชั้นสูง). บัณฑิตวิทยาลัย, มหาวิทยาลัยคริสเตียน.
- อภิชาติ สุนทรศัพท์. (2543). โรคหลอดเลือดหัวใจโคโรนารี. เชียงใหม่: ไอนด์นิต์กรุ๊ป.
- อรนุช เปียวสะอาด. (2544). ผลของการส่งเสริมสมรรถนะแห่งตนต่อพฤติกรรมสุขภาพของผู้ป่วยโรคหลอดเลือดหัวใจ (วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลผู้ใหญ่). บัณฑิตวิทยาลัย, มหาวิทยาลัยเชียงใหม่.
- อัมมรา บุญมีศรีทรัพย์. (2550). ปัจจัยทำนายพฤติกรรมการรับประทานอาหารเฉพาะโรคของผู้ป่วยหลอดเลือดหัวใจ (วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลผู้ใหญ่). บัณฑิตวิทยาลัย, มหาวิทยาลัยบูรพา.
- Adabag, A. S., Therneau, T. M., Gersh, B. J., Weston, S. A., & Roger, V. L. (2008). Sudden death after myocardial infarction. *Journal of the American Medical Association*, 300(17), 2022-2029. doi:10.1001/jama.2008.553

- Ahumada, M., Cabades, A., Valencia, J., Cebrian, J., Paya, E., Morillas, P., . . . Guardiola, F. (2005). Reinfarction as a complication of acute myocardial infarction: PRIMVAC registry data. *Revista Espanola Cardiologia*, 58(1), 13-19. doi: 10.1016/S1885-5857(06)60229-6
- American College of Sport Medicine. (2010). *ACSM's guidelines for exercise testing and prescription* (8th ed.). Philadelphia: Lippincott Williams and Wilkins.
- Anard, S. S., Islam, S., Rosenger, A., Franzosi, M. G., Steyn, K., Yusufali, A. H., . . . Yusuf, S. (2008). Risk factors for myocardial infarction in women and men: Insights from INTERHEART study. *European Heart Journal*, 29(7), 932-940. doi: 10.1093/eurheartj/ehn018
- Anderson, J. L., Adams, C. D., Antman, E. M., Bridges, C. R., Calif, R. M., Casey, D. E., . . . Riegel, B. (2007). ACC/AHA 2007 guidelines for the management of patients with unstable angina/non ST-elevation myocardial infarction. *Journal of the American college of Cardiology*, 50(7), 1-160. doi:10.1161/CIRCULATIONAHA.107.181940
- Anderson, J. L., Adams, C. D., Antman, E. M., Bridges, C. R., Calif, R. M., Casey, D. E., . . . Wright, R. S. (2011). 2011 ACCF/AHA focused update incorporated into the ACC/AHA 2007 guidelines for management of patients with unstable angina/ non ST-elevation Myocardial infarction. *Circulation*, 123, 426-579. doi: 10.1161/CIR.0b013e318212bb8b
- Antman, E. M., Anbe, D. T., Armstrong, P. W., Bates, E. R., Green, L. A., Hand, M., . . . Ornato, J. P. (2004). ACC/AHA guidelines for the management of patients with ST-elevation myocardial infarction: A report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines. *Circulation*, 110, 588-636. doi: 10.1161/01.CIR.0000134791.68010.FA
- Barlow, J., Wright, C., Sheasby, J., Turner, A., & Hainsworth, J. (2002). Self-management approaches for people with chronic conditions: A review. *Patient Education and Counseling*, 48(2), 177-187. doi: 10.1016/S0738-3991(02)00032-0
- Bartholomew, L. K., Parcel, G. S., Swank, P. R., & Czyzewski, D. I. (1993). Measuring self-efficacy expectations for the self-management of cystic fibrosis. *Chest*, 103, 1524-1530.

- Benowitz, N. L., & Gourlay, S. G. (1997). Cardiovascular toxicity of nicotine: Implications for nicotine replacement therapy. *Journal of the American College of Cardiology*, 29(7), 1422-1431. doi: 10.1016/S0735-1097(97)00079-X
- Bittner, G. L., & Oparill, S. (2002). Hypertension. In P. S. Douglas (Ed.), *Cardiovascular health and disease in woman* (2nd ed., pp. 168-175). Pennsylvania: W. B. Saunders.
- Braunwald, E., Antman, E. M., Bearley, J. W., Calife, R. M., Cheitlin, M. D., Jones, R. H., . . . Smith, S. C. (2002). ACC/AHA guideline update for the management of patients with unstable angina and non-ST-segment elevation myocardial infarction. *Circulation*, 106, 1893-1900. doi: 10.1161/01.CIR.0000037106.76139.53
- Bueno, H., Martinez-Selles, M., Perez-David, E., & Lopez-Palop, R. (2005). Effect of thrombolytic therapy on the risk cardiac rupture and mortality in older patients with first acute myocardial infarction. *European Heart Journal*, 26(17), 1705-1711. doi: 10.1093/eurheartj/ehi284
- Bursi, F., Enriquez-Sarano, M., Jacobson, S. J., & Roger, V. L. (2006). Mitral regurgitation after myocardial infarction: A review. *American Journal of Medicine*, 119(2), 103-112. doi: 10.1016/j.amjmed.2005.08.025
- Bursi, F., Enriquez-Sarano, M., Nkomo, V. T., Jacobsen, S. J., Weston, S. A., Meverden, R. A., & Roger, V. L. (2005). Heart failure and death after myocardial infarction in the community. *Circulation*, 111(3), 295-301. doi: 10.1161/01.CIR.0000151097.30779.04
- Canadian Cardiovascular Society. (2011). *Canadian cardiovascular society grading of angina pectoris*. Retrieved from http://www.ccs.ca/download/position_statements/Grading%20of%20Angina.pdf
- Cherrington, C. C., Moser, D. K., Lennie, T. A., & Kennedy, C. W. (2004). Illness representation after acute myocardial infarction: Implication on in-hospital recovery. *American Journal of Critical Care*, 13(2), 136-145.
- Coull, A. J., Taylor, V. H., Elton, R., Murdoch, P. S., & Hargreaves, A. D. (2004). A randomised controlled trial of senior lay health mentoring in older people with ischemic heart disease: The Braveheart Project. *Age and Ageing*, 33(4), 348-354. doi: 10.1093/ageing/afh098

- Coulson, I., Strang, V., Marino, R., & Minichiello, V. (2004). Knowledge and lifestyle behaviors of healthy older adults related to modifying the onset of vascular dementia. *Archives of Gerontology and Geriatrics*, 39, 43-58. doi: 10.1016/j.archger.2003.12.006
- Creer, T. L. (2000). Self-management of chronic illness. In M. Boekaerts, P. R. Pintrich, & M. Zeidner (Eds.), *Handbook of self-regulation* (pp. 601-629). London: Academic.
- Daugherty, S. L., Ho, P. M., Spertus, J. A., Jones, P. G., Bach, R. G., Krumholz, H. M., . . . Rumsfeld, J. S. (2008). Association of early follow-up after acute myocardial infarction with higher rates of medication use. *Archives of Internal Medicine*, 168(5), 485-491. doi: 10.1001/archinte.168.5.485
- Dongbo, F., Hua, F., McGowan, P., Yi-e, S., Lizhen, Z., Huiqin, Y., . . . Zhihua, W. (2003). Implementation and quantitative evaluation of chronic disease self-management programme in Shanghai, China: Randomized controlled trial. *Bulletin of the World Health Organization*, 81, 174-182. Retrieved from <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2572423/pdf/12764513.pdf>
- Donoiu, I., Istratoaie, O., & Ionescu, D. (2010). Ventricular septal rupture after acute myocardial infarction. *Hellenic Journal of Cardiology*, 51, 374-376. Retrieved from http://www.hellenicjcardiol.com/archive/full_text/2010/4/2010_4_374.pdf
- Foreman, R. D. (2007). Neurological mechanisms of chest pain and cardiac disease. *Cleveland Clinic Journal of Medicine*, 74(1), 30-33. doi: 10.3949/ccjm.74.Suppl_1.S30
- Fox, K., Alonso, M. A., Ardissino, D., Buszman, P., Camici, P. G., Crea, F., . . . Thygesen, K. (2006). Guidelines on the management of stable angina pectoris. *European Heart Journal*, 1-63. doi:10.1093/eurheartj/ehl002
- French, D. P., Cooper, A., & Weinman, J. (2006). Illness perceptions predict attendance at cardiac rehabilitation following acute myocardial infarction: A systematic review with meta-analysis. *Journal of Psychosomatic Research*, 61(6), 757-767. doi: 10.1016/j.jpsychores.2006.07.029

Furuya, R. K., Mata, L. R., Veras, V. S., Appoloni, A. D., Dantas, R. A., Silveira, R. C., & Rossi, L. A.

(2013). Telephone follow-up for patients after myocardial revascularization: a systematic review. *American Journal of Nursing*, 113(5), 28-39.

doi: 10.1097/01.NAJ.0000429756.00008.ca

Furze, G., Cox, H., Morton, V., Chuang, L., Lewin, R. J. P., Nelson, P., . . . Elton, P. (2012).

Randomized controlled trial of a lay-facilitated angina management programme.

Journal of Advanced Nursing, 68(10), 2267-2279.

doi: 10.1111/j.1365-2648.2011.05920.x

Gallacher, J. E., Hopkinson, C. A., Bennett, P., Burr, M. L., & Elwood, P. C. (1997). Effects of

stress management on angina. *Psychology and Health*, 12(4), 523-532.

doi:10.1080/08870449708406728

Glasgow, R. E., Funnell, M. M., Bonomi, A. E., Davis, C., Beckham, V., & Wagner, E. H.

(2002). Self-management aspects of the improving chronic illness care breakthrough

series: Implementation with diabetes and heart failure teams. *Annals of Behavior*

Medical, 24(2), 80-87.

Gupta, M., Tabas, J. A., & Kohn, M. A. (2002). Presenting complaint among patients with

myocardial infarction who present to an urban public hospital emergency Department.

Annals of Emergency Medicine, 40(2), 180-186.

doi: 10.1067/mem.2002.126396

Hellermann, J. P., Jacobsen, S. J., Gersh, B. J., Rodeheffer, R. J., Reeder, G. S., & Roger, V. L.

(2002). Heart failure after myocardial infarction: A review. *The American Journal of*

Medicine, 113(4), 324-330. doi: 10.1016/S0002-9343(02)01185-3

Henkel, D. M., Witt, B. J., Gersh, B. J., Jacobsen, S. J., Weston, S. A., Meverden, R. A., & Roger,

V. L. (2006). Ventricular arrhythmias after acute myocardial infarction: A 20 year

community study. *American Heart Journal*, 151(4), 806-812.

doi: 10.1016/j.ahj.2005.05.015

Hochman, J. S., Buller, C. E., Sleeper, L. A., Boland, J., Dzavik, V., Sanborn, T. A., . . .

LeJemtel, T. (2000). Cardiogenic shock complicating acute myocardial infarction: Etiology, management and outcome: A report from the SHOCK trial registry. *American College of Cardiology*, 36, 1063-1070.
doi:10.1016/S0735-1097(00)00879-2

Holmes, D. R. (2001). In-stent restenosis. *Reviews in cardiovascular medicine*, 2(3), 115-119.

Huether, S. E., & Defriez, C. B. (2006). Pain, temperature, regulation, sleep and sensory function. In K. L. McCance & S. E. Huether (Eds.), *Pathophysiology : The biologic basis for diseases in adults and children* (5th ed. pp. 447-489). St. Louis: Elsevier Mosby.

Jaarsma, T., & Steinke, E. (2007). Sexual counseling of the cardiac patient. *Cardiovascular Prevention and Rehabilitation*, section VII, 330-337.
doi: 10.1007/978-1-84628-502-8_40

Jackson, G. (2000). Sexual intercourse and stable angina pectoris. *American Journal of Cardiology*, 86, 35-37. doi: 10.1016/S0002-9149(00)00890-0

Jokhadar, M., Jacobsen, S. J., Reeder, G. S., Weston, S. A., & Roger, V. L. (2004). Sudden death and recurrent ischemic event after myocardial infarction in the community. *American Journal of Epidemiology*, 159(11), 1040-1046. Retrieved from <http://aje.oxfordjournals.org/content/159/11/1040.long>

Jolliffe, J., Rees, K., Taylor, R. R., Thompson, D. R., Oldridge, N., & Ebrahim, S. (2001). Exercise-based rehabilitation for coronary heart disease. *Cochrane Database Systematic Review* 2001.

Kang, Y., Yang, I., & Kim, N. (2010). Correlates of health behavior in patients with coronary artery disease. *Asian Nursing Research*, 4(1), 45-55.
doi: 10.1016/S1976-1317(10)60005-9

Kaskell, W. L. (2003). Cardiovascular disease prevention and lifestyle intervention. *Journal of Cardiovascular Nursing*, 18(4), 245-255.

Katsilambros, N., & Tentolouris, N. (2003). Type 2 diabetes. In J. C. Pickup & G. Williams (Eds.), *Textbook of diabetes* (3rd ed. pp. 4.1-4.9). Oxford: Blackwell Science.

Katz, D. L. (2001). *Nutrition in clinical practice*. Philadelphia: Lippincott Williams & Wilkins.

- Keresztes, P. A., & Weisel, M. (2009). Management of clients with functional cardiac disorders. In J. M. Black, & J. H. Hawks (Eds.), *Medical-surgical nursing clinical management for positive outcomes* (8th ed. pp. 1410-1449). St. Louis: Saunders Elsevier.
- Kernis, S. J., Harjai, K. J., Stone, G. W., Grines, L. L., Boura, J. A., Yerkey, M. W., . . . Grines, C. L. (2003). The incidence, predictors, and outcomes of early reinfarction after primary angioplasty for acute myocardial infarction. *Journal of the American College of Cardiology*, 42(7), 1173-1177. doi:10.1016/S0735-1097(03)00920-3
- Kimble, L. P., Dunbar, S. B., Weintraub, W. S., McGuire, D. B., Manzo, S. F., & Strickland, O. L. (2011). Symptom clusters and health-related quality of life in people with chronic stable angina. *Journal of Advanced Nursing*, 67(5), 1365-2648. doi: 10.1111/j.1365-2648.2010.05564
- Kimble, L.P., & Kunik, C.L. (2000). Knowledge and use of sublingual nitroglycerin and cardiac-related quality of life in patients with chronic stable angina. *Journal of Pain and Symptom Management*, 19(2), 109–117. doi:10.1016/S0885-3924(99)00155-4
- Lai, H. L., & Good, M. (2005). Music improves sleep quality in older adults. *Journal of Advance Nursing*, 49(3), 234-244. doi: 10.1111/j.1365-2648.2004.03281.x
- Laidlaw, D. W. Homoud, M. K., Weinstock, J., Mark, E., & Link, M. S. (2007). Prognosis and treatment of ventricular arrhythmias following myocardial infarction. *Current Cardiology Reviews*, 3(1), 23-33. doi: 10.2174/157340307779940004
- Lallukka, T., Martikainen, P., Reunanen, A., Roos, E., Sarlio-Lahteenkorva, S., & Lahelma, E. (2006). Associations between working conditions and angina pectoris symptoms among employed women. *Psychosomatic Medicine*, 68(2), 348-354. doi: 10.1097/01.psy.0000204653.92047.0e
- Law, M. R., Wald, N. J., & Rudnicka, A. R. (2003). Quantifying effect of statins on low density lipoprotein cholesterol, ischaemic heart disease, and stroke: Systematic review and meta-analysis. *British Medical Journal*, 326, 1-7. doi: 10.1136/bmj.326.7404.1423

Leander, K., Wiman, B., Hallqvist, J., Andersson, T., Ahlbom, A., & de Faire, U. (2007).

Primary risk factors influence risk of recurrent myocardial infarction/death from coronary heart disease: Results from the Stockholm Heart Epidemiology Program (SHEEP). *European Journal of Preventive Cardiology*, 14(4), 532-537.

doi: 10.1097/HJR.0b013e328012e3cc

Lee, K. A. (1997). An overview of sleep and common sleep problem. *American Nephrology Nurses Association Journal*, 24(6), 614-624.

Lindholm, M. G., Kober, L., Boesgaard, S., Torp-Pederson, C., & Aldershvile, J. (2003).

Cardiogenic shock complicating acute myocardial infarction: Prognostic impact of early and late shock development. *European Heart Journal*, 24(3), 258-265.

doi: 10.1016/S0195-668X(02)00429-3

Lorig, K. R., & Holman, H. R. (2003). Self-management education: History, definition, outcomes, and mechanisms. *Annals of Behavioral Medicine*, 26, 1-7.

Lorig, K. R., Ritter, P. L., Laurent, D. D., & Plant, K. (2006). Internet-based chronic disease self-management: A randomized trial. *Medical Care*, 44(11), 964-971.

doi: 10.1097/01.mlr.0000233678.80203.c1

Lorig, K. R., Sobel, D. S., Ritter, P. L., Laurent, D., & Hobbs, M. (2001). Effect of a self-management program on patients with chronic disease. *Effective Clinical Practice*, 4(6), 256-262.

Maddox, T. M., Reid, K. J., Spertus, J. A., Mittleman, M., Krumholz, H. M., Parashar, S., . . .

Rumfeld, J. S. (2008). Angina at 1 year after myocardial infarction: Prevalence and associated findings. *Archives of Internal Medicine*, 168(12), 1310-1316.

doi: 10.1001/archinte.168.12.1310

Marchionni, N., Fattiroli, F., Fumagalli, S., Oldridge, N., Del Lungo, F., Morosi, L., . . . Masotti, G.

(2003). Improved exercise tolerance and quality of life with cardiac rehabilitation of older patients after myocardial infarction. *Circulation*, 107(16), 2201-2206.

doi: 10.1161/01.CIR.0000066322.21016.4A

Martin, R., Johnsen, E. L., Bunde, J., Bellman, S. B., Rothrock, N. E., Weinrib, A., . . . Lemons, K.

(2005). Gender differences in patients' attributions for myocardial infarction: Implications for adaptive health behaviors. *International Journal of Behavioral Medicine*, 12(1), 39-45. doi: 10.1207/s15327558ijbm1201_6

Martinez, L. G., & Bucher, L. (2007). Nursing assessment coronary artery disease and acute coronary syndrome. In S. L. Lewis, M. M. Heitkemper., S. R. Dirksen., P. C.O'Brien, & L. Bucher (Eds.), *Medical surgical nursing assessment and management of clinical problem* (pp. 784-820). St. Louis: Mosby.

Martinez, L. G., & House-Fancher, M. A. (2000). Nursing management coronary artery disease. In S. M. Lewis, M. M. Heitkemper, & S. R. Dirksen (Eds.), *Medical surgical nursing: Assessment and management of clinical problem* (pp. 841-886). St. Louis: C. V. Mosby.

Milani, R. V., & Lavie, C. J. (2007). Impact of cardiac rehabilitation on depression and its associated mortality. *The American Journal of Medicine*, 120(9), 799-806. doi: 10.1016/j.amjmed.2007.03.026

Mosca, L., Mochari, H., Christian, A., Berra, A., Taubert, K., Mills, T., . . . Simpson, S. L. (2006). National study of women's awareness, preventive action, and barriers to cardiovascular health. *Circulation*, 113, 525-534. doi: 10.1161/CIRCULATIONAHA.105.588103

National Health Service. (2001). *The expert patient: A new approach to chronic disease management for the 21st century*. London: Department of Health.

National Institute for Health and Clinical Excellence. (2012). Management of stable angina.

Retrieved from <http://www.nice.org.uk/nicemedia/live/13549/55660/55660.pdf>

O'Gara, P. T., Kushner, F. G., Ascheim, D. D., Casey, D. E., Chung, M. K., de Lemos, J. A., . . .

Zhao, D. X. (2013). 2013 ACCF/AHA Guideline for the management of ST-elevation myocardial infarction : A report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines. *Circulation*, 127, 362-425. doi: 10.1161/CIR.0b013e3182742cf6

Ohlow, M., Geller, J., Richter, S., Farah, A., Muller, S., Fuhrmann, J. T., & Lauer, B. (2012).

Incidence and predictors of ventricular arrhythmias after ST-segment elevation myocardial infarction. *American Journal of Emergency Medicine*, 30(4), 580-586.
doi: 10.1016/j.ajem.2011.02.029

Palank, C. L. (1991). Determinants of health-promotive behavior: A review of current research.

The Nursing Clinics of North America, 26(4), 815-832.

Pelchovitz, D. J., & Goldberger, J. J. (2011). Caffeine and Cardiac Arrhythmias: A review of the evidence. *The American Journal of Medicine*, 124(4), 284-289.

doi: 10.1016/j.amjmed.2010.10.017

Pender, N. I. (1996). *Health promotion in nursing practice* (3rd ed.). Connecticut: Appleton & Lange.

Polit, D. F., & Beck, C. T. (2004). *Nursing research: Principles and methods* (7th ed.).

Philadelphia: Lippincott Williams & Wilkins.

Pothikanun, N. (2000). *Perceived benefits and barriers of health promoting behaviors in nutrition of coronary heart disease patients* (Unpublished Master thesis). Mahidol University, Bangkok, Thailand.

Riegel, B., Carlson, B., & Glaser, D. (2000). Development and testing of a clinical tool measuring self-management of heart failure. *Heart & Lung*, 29, 4-15.

doi: 10.1016/S0147-9563(00)90033-5

Roger, V. L., Go, A. S., Lloyd-Jones, D. M., Benjamin, E. J., Berry, J. D., Borden, W. B., . . .

Turner, M. B. (2012). Heart disease and stroke statistics 2012 update: A report from the American Heart Association. *Circulation*, 125, 2-220.

doi: 10.1161/CIR.0b013e31823ac046

Rosana, G. M., Vitale, C., Marazzi, G., & Volterrani, M. (2007). Menopause and cardiovascular disease: The evidence. *Climacteric*, 10, 19-24. doi:10.1080/13697130601114917

Rozansky, A., Blumenthal, J. A., Davidson, K. W., Saab, P., & Kubzansky, L. (2005). The epidemiology, pathophysiology, and management of psychosocial risk factors in cardiac practice: The emerging field of behavioral cardiology. *Journal of the American College of Cardiology*, 45(5), 637-651. doi: 10.1016/j.jacc.2004.12.005

- Saito, D., Shiraki, T., Oka, T., Kajiyama, A., & Takamura, T. (2002). Risk factors indicating recurrent myocardial infarction after recovery from acute myocardial infarction. *Circulation Journal*, 66(10), 877-880. doi: 10.1253/circj.66.877
- Sands, J. K., & Wilson, A. (1999). Promoting healthy lifestyle. In W. J. Phipps, J. K. Sands, & J. F. Marex (Eds.), *Medical-surgical nursing concepts & clinical practice* (6th ed., pp. 49-70). St. Louis: Mosby.
- Serruys, P. W., Unger, F., Sousa, E., Jatene, A., Bonnier, H., Schonberger, J., . . . van Hout, B. A. (2001). Comparison of coronary artery bypass surgery and stenting for the treatment of multivessel disease. *The New England Journal of Medicine*, 344(15), 1117-1124. doi: 10.1056/NEJM200104123441502
- Smeltzer, S. C., & Bare, B. G. (2004). *Medical-surgical nursing* (10th ed.). Philadelphia: Lippincott Williams & Wilkins.
- Smith, S. C., Allen, J., Blair, S. N., Bonow, R. O., Brass, L. M., Fonarow, G. C., . . . Taubert, K. A. (2006). AHA/ACC Guidelines for secondary prevention for patients with coronary and other atherosclerotic vascular disease: 2006 update. *Circulation*, 113, 2363-2372. doi: 10.1161/CIRCULATIONAHA.106.174516
- Smith, K. L., Cameron, P. A., Meyer, A., & McNeil, J. J. (2002). Knowledge of heart attack symptoms in a community survey of Victoria. *Emergency Medicine*, 14(3), 255-260.
- Solomon, S. D., Zelenkofske, S., McMurray, J. J., Finn, P. V., Velazquez, E., Ertl, G., . . . Califf, R. M. (2005). Sudden death in patients with myocardial infarction and left ventricular dysfunction, heart failure, or both. *The New England Journal of Medicine*, 352(25), 2581-2588. doi: 10.1056/NEJMoa043938
- Spertus, J. A., Dawson, J., Masoudi, F. A., Krumholz, H. M., Reid, K. J., Peterson, E. D., . . . Rumsfeld, J. S. (2006). Prevalence and predictors of angina pectoris one month after myocardial infarction. *The American Journal of Cardiology*, 98(3), 282-288. doi:10.1016/j.amjcard.2006.01.099

Spertus, J. A., Winder, J. A., Dewhurst, T. A., Deyo, R. A., Prodzinski, J., McDonell, A., . . .

Fihn, S. D. (1995). Development and evaluation of the Seattle Angina Questionnaire: A new functional status measure for coronary artery disease. *Journal of the American College of Cardiology*, 25(2), 333-341. doi: 10.1016/0735-1097(94)00397-9

Swerissen, H., Belfrage, J. Weeks, A., Jordan, L., Walker, C., Furler, J., . . . Peterson, C. (2006). A randomized control trial of a self-management program for people with a chronic illness from Vietnamese, Chinese, Italian and Greek backgrounds. *Patient Education and Counseling*, 64, 360-368. doi:10.1016/j.pec.2006.04.003

Taylor, R. S., Brown, A., Ebrahim, S., Jolliffe, J., Noorani, H., Rees, K., . . . Oldridge, N. (2006). Exercise-based rehabilitation for patients with coronary heart disease: Systematic review and meta-analysis of randomized controlled trials. *American Journal of Medicine*, 116, 682-692. doi: 10.1016/j.amjmed.2004.01.009

Thanavaro, J. L., Moore, S. M., Anthony, M., Narsavage, G., & Delicath, T. (2006). Predictors of health promotion behavior in women without prior history of coronary heart disease. *Applied Nursing Research*, 19, 149-155. doi: 10.1016/j.apnr.2005.07.006

Thanavaro, J. L., Thanavaro, S., & Dalicath, T. (2010). Health promotion behaviors in women with chest pain. *Heart & Lung*, 39(5), 394-403. doi: 10.1016/j.hrtlng.2009.10.016

Timlin, M. T., Shores, K. V., & Reicks, M. (2002). Behavior change outcomes in an outpatient cardiac rehabilitation program. *American Dietetic Association*, 102, 664-671. doi: 10.1016/S0002-8223(02)90152-5

Verrier, R. I. (2002). Cardiac physiology during sleep. In T. L. Lee-Chiong, M. J. Sateia, & M. A. Carskadon (Eds.), *Sleep medicine* (pp. 50-57). Philadelphia: Hanley & Balfus.

Von Korff, M., Gruman, J., Schaefer, J., Curry, S., & Wagner, E. (1997). Collaborative management of chronic illness. *Annals of Internal Medicine*, 127(12), 1097-1102. doi: 10.7326/0003-4819-127-12-199712150-00008

Webb, J. G., Sanborn, T. A., Sleeper, L. A., Carere, R. G., Buller, C. A., Slater, J. N., . . .

Hochman, J. S. (2001). Percutaneous coronary intervention for cardiogenic shock in the SHOCK trial registry. *American Heart Journal*, 141(6), 964-970. doi: 10.1067/mhj.2001.115294

Wright, R. S., Anderson, J. L., Adam, C. D., Bridges, C. R., Casey, D. E., Ettinger, S. M., . . .

Zidar, J. P. (2011). 2011 ACCF/AHA focused update of guidelines for the management of patients with unstable angina/non ST-elevation myocardial infarction. *Journal of the American College of Cardiology*, 57(19), 1920-1959.

doi: 10.1161/CIR.0b013e31820f2f3e

Wu, A. H., Parsons, L., Every, N. R., & Bates, E. R. (2002). Hospital outcomes in patients presenting with congestive heart failure complicating acute myocardial infarction. *Journal of the American College of Cardiology*, 40(8), 1389-1394.

doi: 10.1016/S0735-1097(02)02173-3



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved