

เอกสารอ้างอิง

- ฉวีวรรณ ชงชัย. (2548). การพัฒนาแนวปฏิบัติทางคลินิก. *วารสารสภาการพยาบาล*, 20(2), 63-76. ฟองคำ ดิลกสกุลชัย. (2551). *การปฏิบัติการพยาบาลตามหลักฐานเชิงประจักษ์: หลักการและ วิธีปฏิบัติ* (พิมพ์ครั้งที่ 4). กรุงเทพฯ: พีริ-วัน.
- พงศ์ภารดี เจาทะเกษตริณ, และ ก้องเกียรติ ภูณท์กัณฑ์กร. (2547). *ความปวด ชุดตำราพื้นฐานความปวด* (เล่มที่ 1). กรุงเทพฯ: เมดิมีเดีย (ประเทศไทย) จำกัด.
- บ้งอร น้อยเผ่า. (2547). *ประสิทธิผลของการจัดการอาการปวดหลังผ่าตัดตามมาตรฐานทางคลินิก*. (วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลผู้ใหญ่). บัณฑิตวิทยาลัย, มหาวิทยาลัยเชียงใหม่.
- สถาบันพัฒนาและรับรองคุณภาพโรงพยาบาล. (2549). *มาตรฐานโรงพยาบาลและบริการสุขภาพฉบับเฉลิมพระเกียรติฉลองสิริราชสมบัติ ครบ 60 ปี* (พิมพ์ครั้งที่ 1, หน้า 170-171). กรุงเทพฯ: หน่วยวารสารวิชาการ งานบริการการศึกษา.
- สมบูรณ์ เทียนทอง. (2549). Acute pain service (APS) ในโรงพยาบาลศรีนครินทร์ มหาวิทยาลัยขอนแก่น ใน ศศิกานต์ นิมมานรัชต์ และ ชัชชัย ปรีชาไวย (บรรณาธิการ). *ความปวดและการระงับปวด* (พิมพ์ครั้งที่ 1) (หน้า 99-132). สงขลา: ชานเมืองการพิมพ์.
- สมาคมการศึกษาเรื่องความปวดแห่งประเทศไทย. (2552). *แนวทางพัฒนาการระงับปวดเฉียบพลัน (clinical guidance for acute pain management)*. Retrieved from http://www.pain-tasp.com/cpg/acute_pain.php
- สถิติทะเบียนผู้บาดเจ็บ. (2555). *สถิติทะเบียนผู้มารับบริการหน่วยงานอุบัติเหตุและฉุกเฉิน*. ดาก: หน่วยงานอุบัติเหตุและฉุกเฉิน โรงพยาบาลแม่สอด.
- สัจฉิตี โมรากุล. (2549). Pain control and sedation in ICU. ใน ชัยรัตน์ เพิ่มพิกุล, เอกรินทร์ ภูมิพิเชษฐ, และ คุณิต สถาวร (บรรณาธิการ). *Best Practices in critical care* (พิมพ์ครั้งที่ 1, หน้า 58-69). กรุงเทพฯ: บีคอนเอ็นเทอร์ไพรซ์.
- อนงค์ ประสาธน์วันกิจ, และ ประณีต ส่งวัฒนา. (2550). การพยาบาลเพื่อบรรเทาความปวดในผู้ป่วยวิกฤต. ใน ชัชชัย ปรีชาไวย, อนงค์ ประสาธน์วันกิจ, และ วงจันทร์ เพชรพิเชษฐเชียร (บรรณาธิการ). *ความปวดและการจัดการความปวดในกลุ่มผู้ป่วยที่มีปัญหาพิเศษ* (พิมพ์ครั้งที่ 1, หน้า 31-41). สงขลา: ชานเมืองการพิมพ์.

- อัจฉรา สุคนธรทรัพย์ และสุภารัตน์ วังศรีคุณ. (2554). แนวปฏิบัติสำหรับการประเมินและการจัดการความปวดของสมาคมพยาบาลวิชาชีพแห่งประเทศไทย. คณะพยาบาลศาสตร์, มหาวิทยาลัยเชียงใหม่.
- Abdalahim, M. S., Majali, S. A., & Bergbom, I. (2008). Documentation of postoperative pain by nurse in surgical wards. *Acute Pain, 10*, 73-81.
- Abrams, A. C., Pennington, S. S., & Lammon, C. B. (2009). *Clinical drug therapy: Rationales for nursing practice*. In (9 ed., pp. 79-99). Philadelphia: Lippincott Williams & Wilkins.
- American Pain Society Quality of Care Committee.(1995). Quality improvement guidelines for the treatment of acute pain and cancer pain. *Journal of the American Medical Association, 274*, 1874-1880.
- Appraisal of Guidelines for Research and Evaluation Collaboration. (2001). *Appraisal of guidelines for research and evaluation [AGREE Instrument]*. Retrieved from <http://www.agreecollaboration.org>.
- Australian and New Zealand College of Anaesthetists and Faculty of Pain Medicine. (2007). *Acute pain management: Scientific evidence*. Retrieved from <http://www.anzca.edu.au/publications/acutepain.htm>
- Barletta, J. F, Erstad, B. L., Loew, M. & Keim, S. M. (2000). A prospective study of pain control in the emergency department. *American Journal of Therapy, 7*, 251-255.
- Berben, A. A., Meijs, H. T., Dongen, T. R., Vugt, B. A., Vloet, C. L., Groot, D. M., & Achterberg, V. T. (2008). Pain prevalence and pain relief in trauma patients in the Accident & Emergency department. *International Journal of The Care of The Injured, 39*, 578-585.
- Barben, A. A. S., Schoonhoven, L., Meijs, H. J. M., Achterberg, V. T., & Grunsvan, V. M. (2011). Facilitators and barriers in pain management for trauma patients in the chain of emergency care. doi: 10.1016/j.injury.2011.01.029
- Barben, A. A. S., Schoonhoven, L., Meijs, H. J. M., Vugt, V. V. B & Grunsvan, V. M. (2011). Prevalence and Relief of Pain in Trauma Patients in Emergency Medical Services. *Clinical Journal Pain, 27*(7), 587-592.
- Bozimoski, G. (2010). Patient Perceptions of Pain Management Therapy: A Comparison of Real-Time Assessment of Patient Education and Satisfaction and Registered Nurse Perception. *Pain Management Nursing, 4*(4), 1-8.

- But, A. K., Erdil, F., Yucel, A., Gedik, E., Durmus, M., & Ersoy, M. O. (2007). The effect of single-dose tramadol on post-operative pain and morphine requirement after coronary artery bypass surgery. *Journal of Acta Anesthesiologica Scandinavica*, 51, 601-606.
- Chung, J. W. Y., & Lui, J. C. Z. (2003). Postoperative pain management : Study of patients' level of pain and satisfaction with health care provider' responsiveness to their reports of pain. *Nursing and Health Sciences*, 5, 13-21.
- Craven, R. F. & Hirnle, C. J. (2003). *Fundamentals of Nursing: Human Health and Function*. Philadelphia: Lippincott Williams & Wilkins.
- Deschenes, R. M. (2004). Building a Successful Pain Management Program. *Nurse Reporter*, 1(3), 14-17.
- Dolin, S. J., Cashman, J. N., & Bland, J. M. (2002). Effectiveness of acute postoperative pain management: Evidence from published data. *British Journal of Anesthesia*, 89(3), 409-423.
- Duignan, M. & Dunn, V. (2008). Barriers to Pain management in Emergency Departments. *Emergency Nurse*, 15 (9), 31-34.
- Dunwoody, C.J., Krenzischek, D. A., Pasero, C., Rathmell, J. P., & Polomano, R. C. (2008). Assessment, physiological, monitoring, and consequences of inadequately of treated acute pain. *Pain management nursing*, 19(1), s11-s21.
- Erstad, B. L., Puntillo, K., Gillbert, H. C., Grap, M. J., Li, D., Medina, J., Mularski, R. A.,... Sessler, C. N. (2009). Pain management principle in the critical ill. *Chest*, 135(4), 1075-1086.
- Erwin, I., Dijk, V. M, Achterberg, V. T.(2012). Do implementation strategies increase adherence to pain assessment in hospitals? A systematic review. *International Journal of Nursing Studies*, 50, 552-568.
- Evan, C. J., Trudeau, E., Mertzanis, P., Merquis, P., Pena, B. M., Wong, J., & Mayne, T. (2004). Development and validation of the pain treatment satisfaction scale (ptss): a patient satisfaction questionnaire for use in patients with chronic or acute pain. *Pain*, 112, 254-266.
- Fosnocht, D. E., & Swanson, E. R. (2007). Use of a triage pain protocol in the ED. *Am J Emerg Med*, 25, 791-793.
- Gelinas, C., Fortier, M., Viens, C., Fillion, L., & Puntillo, K. (2004). Pain assessment and management in critically ill intubation patients: A retrospective study. *American journal of critical care*, 13, 126-136.

- Gordon, D. B., June, L. D., Miaskowski, C., McCarberberg, B., Todd, K. H., Paice, J. A.,... Car, B. D. (2005). American pain society recommendations for improving the quality of acute and cancer pain management *Archive of Internal Medicine*, 165, 1574-1580.
- Gunnarsdottir, S., Serlin, R., & Ward, S. (2005). Patient-related barriers to pain management: the Icelandic barriers questionnaire II. *Journal of Pain and Symptom Management*, 29(3), 273-285.
- Harmon, C. C. (2008). Drug for the control of pain. In M. P. Adams, L. N. Holland & P. M. Bostwick (Eds.), *Pharmacology for nurses: A pathophysiologic approach* (pp. 223-243). New Jersey: Pearson Education.
- Helms, J. E., & Barone, C. P. (2008). Physiological and treatment of pain. *Critical Care Nurse*, 28, 38-49.
- Hogan, J. C. (2011). Evidence-Based Medicine for the ED. *Trauma Reports*, 12 (5),1-12.
- Holleran, S. R. (2002). The Problem of Pain in Emergency Care. *Journal of Emergency Nursing*, 37(1), 67-78.
- Horgas, A. L., & McLennon, S. M. (2003). Pain management. In M. Mezey, T. Fulmer, I. Abraham & D.A. Zwicker (Eds.), *Geriatric nursing protocols for best practice* (2nd ed., pp. 229-250). New York: Springer.
- Hutchison, R. W. (2007). Challenge in acute post operative pain management. *American Society of Health-System Pharmacists*, 64, S2-S5.
- Hwang, U., Lynne, R., Elayne, L., Ben, H., Natasha, S., & Morrison, S.R. (2008). Emergency Department Crowding and Decreased Quality of Pain Care. *Academic Emergency Medicine*, 15(12), 1248-1255.
- Hwang, U., Richardson, L. D., Sonuyi, T. O., & Morrison, R. S. (2006). The effect of emergency department crowding on management of pain in older adults with hip fracture. *Journal of American Geriatric Society*, 54(2), 270-275.
- Institute for Clinical Systems Improvement. (2008). *Assessment and management of acute pain*. Retrieved December 19, 2011, from http://www.icsi.org/pain_acute/pain_acute_assessment_and_management_of_3.html

- Jane, T.V., Sonya, C., Jennifer, I., Mary, P. M., Amanda, W., & M., Andrew J. B. (2010). Patient Satisfaction and Documentation of Pain Assessments and Management after Implementing the Adult nonverbal Pain Scale. *American Journal of Critical Care*, 19, (4), 345-354.
- Jensen, M. P., Martin, S. A., & Cheung, R. (2002). The meaning of pain relief in a clinical trial. *The Journal of Pain*, 6(6), 400-406.
- Joint Commission on Accreditation of Healthcare Organization [JACHO]. (2001). JACHO standards for pain management. Retrieved from <http://www.texmed.org>.
- Jones, S. F., & O'Dennell, A. M. (2008). Clinical Pharmacology: traditional NSAIDs and selective COX-2 inhibitors In P. E. Macintyre, S. M. Walker & D. J. Rowbotham (Eds.), *Clinical pain management: Acute pain* (2 ed., pp.68-83). London: Hodder Arnold.
- Joshi, G. P. (2008). Post operative pain management following day surgery. In P. E. Macintyre, S. M., Walker & Rowbotham (Eds.) *Clinical pain management: Acute pain* (2nd ed., pp. 327-342). London: Hodder Arnold.
- Kneene, D. D., Rea, E. W., Aldington, D. (2011). Acute pain management in trauma. *Trauma*, 13(3), 167-179.
- Krause, R. S. (2002). Acute Pain Management in the Emergency Department. Retrieved from <http://www.emedhome.comlarchives>.
- Lee, C., & Porter, K M. (2005). Prehospital management of lower limb fracture [Electronic version]. *Emergency Medical Journal*, 22, 660-663.
- Li, D., Puntillo, K., & Miaskowski, C. (2008). A review of objective pain measures for use with critical care adult patients unable to self-report. *The Journal of Pain*, 9(1), 2-10.
- Lovatsis, D., Jose, J. B., Tufman, A., Drutz, H. P., & Murphy, K. (2007). Assessment of pains satisfaction with postoperative pain management after ambulatory gynecologic laparoscopy. *Journal Obstetrics and Gynaecology Canada*, 29(8), 664-667.
- Macintyre, P. E., & Schug, S. A. (2007). *Acute pain management: A practical guide* (3 ed.). Toronto: Saunders Elsevier.
- Macrae, W. A. (2008). Chronic post-surgical pain: 10 years on. *BJA*, 101, 77-86.
- Minick, P., Clark, C. P., Dalton, A. J., Horne, E., Greene, D., & Brown, M. (2010). Long-Bone Fracture Pain Management in The Emergency Department. Retrieved from <http://www.jenonline.org>. doi : 10.1016/j.jen.2010.11.001


- Morris, J., & Maynard, V. (2007). The value of an evidence based practice module to skill development. *Nurse Education Today*, 27, 534-541.
- Motov, S.M., & Khan, A.N. (2009). Problem and barriers of pain management in the emergency department : Are ever going to get better . *Journal of Pain Research* (2), 5-11.
- National Health and Medical Research Council. (1999). *A guide to the development, implementation and evaluation of clinical practice guideline*. Retrieved from http://www.nhmrc.gov.au/publication/synopses/_file/cp30.pdf.
- National Health and Medical Research Council. (2000). How to put the evidence into practice: Implementation and dissemination strategies. Retrieved from http://www.nhmrc.gov.au/publication/synopses/_file/cp71.pdf.
- Pearson, M., & Carig, J. V. (2002). Evidence-based practice in nursing. In J. V. Craig, & R. L. Smyth (Eds.), *The evidence-based practice manual for nurses* (pp.3-20). New York: Churchill Livingstone.
- Perkin, J.T. (2007). *Fracture management: Effective prehospital splinting techniques*. EMS Responder.com. Web site: <http://www.emsresponder.com>
- Pines, M. J., Hollender, E. J. (2008). Emergency department crowding is associated with poor care for patients with severe pain. *Anal of Emergency Medicine*, 51(1), 1-5.
- Puntillo, K. A., Miaskowski, C., & Summer, G. (2005). Pain. In V. K. Carrieri, A. M. Lindsey & C. M. West (Eds.), *Pathophysiological phenomenon in nursing: Human response to illness* (3 nd ed., pp. 235-254). Philadelphia: W. B. Saunders.
- Rahman, M. H., & Beattie, J. (2005). Managing post-operative pain. *The Pharmaceutical Journal*, 275, 145-148.
- Registered Nurses Association of Ontario [RNAO]. (2007). *Nursing best practice guideline: Assessment and management of pain*. Retrieved <http://www.mao.org>.
- Renn, C. L., & Dorsey, S. G. (2005). The physiology and processing of pain a review. *AACN Critical Issues*, 16(3), 277-290.
- Roth, W., Kling, J., Gockel, I., Rumelin, A., Hessmann, M. H., Meurer, A., Jaje, J. (2005). Dissatisfaction with post operative pain management-A prospective analysis of 1071 patients. *Acute Pain Journal*, 7, 75-83.

- Rupp, T., & Delaney. (2004). Inadequate analgesic in the emergency medicine. *Annals of Emergency Medicine*, 43 (4), 494-503.
- Rustone, T., & Moskowski, C. (2008). The use of guidelines, standards, and quality improvement initiatives in the management of postoperative pain. In H. Breivik, W. I. Campbell & M. K. Nicholas (Eds.), *Clinical pain management practice and procedure* (2 ed., pp.665-676). London: Hodder Arnold.
- Shanon, K., & Bucknall, T. (2003). Pain assessment in critical care: what have we learnt from research. *Intensive and Critical Care Nursing*, 19, 154-162.
- Shen, Q., Sherwood, G. D., McNeill, J. A., & Li, Z. (2008). Postoperative pain management outcome in chinese inpatients. *Western Journal Nursing Research*, 30(8), 975-990.
- Sherwood, D. G., McNeil, A. J., Starck, L. P., & Disnard, G. (2003). *Changing acute pain management outcomes in surgical patients* (Publication). Retrieved from AORN journal: www.Question.com/Journal.
- Silka, A. P., Roth, M. M., Moreno, G., Merrill, L., & Geiderman, M. J. (2004). Pain Scores Improve Analgesic Administration Patterns for Trauma Patients in the Emergency Department. doi: 10.1197/j.aem.2003.09.016
- Sloman, R., Wruble, A. W., Rosen, G., & Rom, M. (2006). Determination of clinically meaningful levels of pain reduction in patients experiencing acute postoperative pain. *Pain Management Nursing*, 7(4), 153-158.
- Smeltzer, S. C., & Bare, B. G. (2004). Concept and challenges in patient management. In S. C. Smeltzer & B. G. Bare (Eds.), *Brunne & Suddarth's, Textbook of medical-surgery nursing* (10th ed., pp. 217-248). Philadelphia: Lippincott.
- So, P. S., Jiang, Y., & Qin, Y. (2008). Touch therapies for pain relief in adults. *Cochrane Database of Systematic Reviews*, 4.
- Stalnikowicz, R., Mahmud, R., Kaspi, S., & Brezis, M.(2005). Undertreatment of acute pain in the emergency department : a challenge. *International journal for Quality in Health Care*, 17(2), 173-176.
- Stephens, J., Laskin, B., Pashos, C., Pena, B.,& Wong, J. (2003). The Burden of acute postoperative pain and the potential role of the cox-2-specific inhibitors. *Rheumatology*, 42 (3), 40-52.

- Tanabe, P., & Buschmann, M. (2000). Emergency nurses' knowledge of pain management principles. *Journal of Emergency Nursing*, 26, 299-305.
- Tanabe, P., Thomas, R., Paice, J., Spiller, M., & Marcontonio, R. (2002). The effect of standard care, ibuprofen, and music on pain relief and patient satisfaction in adult with musculoskeleton trauma. *Journal of Emergency Nursing*, 27(2), 124-131.
- Teanby, S. (2003). A Literature review into pain assessment at triage in accident and emergency departments. *Accident and Emergency Nursing*, 11, 11-12.
- Trudeau-Vanhems, E., Margais, P., Seal, G., & Values, M. (2003). *Patient satisfaction in need for better measurement strategies*. Retrieved from [http:// www.mapi-research-inst.com/pdf/art/gol20_11.pdf](http://www.mapi-research-inst.com/pdf/art/gol20_11.pdf).
- Tsai, F.C., & Tsai, Y.F. (2003). A study of patients' perceptions of pain and satisfaction with pain management in an emergency department. *Chang Gung Nursing*, 14, 133-141.
- Tsai, F. C., Tsai, Y. F., Chien, C. C., & Lin, C. C. (2007). Emergency nurse' knowledge of perceived barriers in pain management in Taiwan. *Journal of Clinical Nursing*, doi: 10.1111/j.1365-2702.2006.01646.x
- Turner, T., Misso, M., Harris, C., & Green, S. (2008). *Development of evidence-based clinical practice guidelines (CPGs): Comparing approaches*. Retrieved from <http://www.implementationscience.com/content/3/1/45>.
- Twaddle, M. L., & Cooke, K. L. (2006). Assessment of pain and common pain syndromes. In J. H. V. Roenn, M. E. Preodor & J. A. Paice (Eds.), *Current diagnosis and treatment of pain* (International ed., pp. 10-20). United States of America: The McGraw-Hill Companies.
- Ulvik, A., Kvale, R., Wentzel-Larsen, T., & Flaatten, H. (2008). Quality of life 2-7 years after major trauma. *Acta Anaesthesiol Scand*, 52, 195-201.
- Wolf, J. S., Heddy, H., Faraday, M. M., Forrest, J. B. (2011). Clinical practice guideline to inform evidence-based clinical practice. Retrieved August 16, 2011, from <http://springerlink3.metapress.com/content/k6538p160706153/resource-secured/?target=fulltext.pdf>.
- World Health Organization. (1986). *Cancer Pain Relief*. Geneva, Switzerland.

Young, J., Siffleet, J., Nikoletti, S., & Shaw, T. (2006). Use of behavioural pain scale to assess pain in ventilated, unconscious and/ or sedated patients. *Intensive and Critical Care Nursing*, 22, 32-39.

Zohar, Z., Eitan, A., Halperin, P., Stoloro, J., Hadid, S., Shermer, J., & Zveibel, R. F. (2001). Pain Relief in Major Trauma Patients : An Israeli Perspective. *The Journal of Trauma Injury, Infection, and Critical Care*, 51(4), 767-77.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่

Copyright© by Chiang Mai University
All rights reserved