

เอกสารอ้างอิง

กฤษฎา สาเขตร์. (2551). ผลการรักษาผู้ป่วยกระดูกสะโพกหักบริเวณ Intertrochanter โดยวิธีผ่าตัด และวิธีอนุรักษ์. พุทธชินราชเวชสาร, 25, 500-508.

จันทนา ทองชื่น. (2545). ผลของระบบการพยาบาลแบบสนับสนุนและให้ความรู้ต่อพฤติกรรม การดูแลตนเองในผู้สูงอายุโรคข้อเข่าเสื่อม. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลผู้สูงอายุ, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.

จันทร์พลอย ถินสุขเสริมฐ. (2541). ภาวะสุขภาพและการดูแลตนเองของผู้สูงอายุจังหวัดเชียงใหม่. การค้นคว้าแบบอิสระสาขารัฐศาสตรมหาบัณฑิต, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.

ชาญยุทธ สุขชาติวงศ์. (2550). กระดูกหักและข้อเคลื่อนที่สะโพกและต้นขา. ใน วิวัฒน์ วังนะวิสิฐ, ภัทรวิทย์ วรรณรัตน์, ชุติศักดิ์ กิจคุณาเสถียร, สุกิจ เลหาเจริญสมบัติ และ สรศักดิ์ สุขผล (บรรณาธิการ), *ออร์โธปิดิกส์* (หน้า 166-180). กรุงเทพฯ: โฮลิสติก แพทย์ซิง.

ชัยชัย ปรีชาไว. (2550). การระงับปวดในผู้ป่วยวิกฤต. ใน ชัยชัย ปรีชาไว, อนงค์ ประสานวันกิจ และ วงจันทร์ เพชรพิเชฐเชียร (บรรณาธิการ), *ความปวดและการจัดการความปวดในกลุ่มผู้ป่วยที่มีปัญหาพิเศษ* (หน้า 155-188). สงขลา: ชานเมืองการพิมพ์.

ทัศนีย์ รวีวรกุล. (2543). ผลของการพยาบาลระบบสนับสนุนและให้ความรู้ต่อความรู้เรื่องการปฏิบัติตัวความไม่สุขสบายจากโรคข้อเข่าเสื่อมและความสามารถในการปฏิบัติเพื่อดูแลตนเองของผู้ป่วยที่ได้รับการผ่าตัดเปลี่ยนข้อเข่าเทียม. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาการพยาบาลสาธารณสุขศาสตร์, บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล.

ธนรัฐ จันทอุปพ. (2546). กระดูกหักรักษา (ตัวเอง) ได้. *วารสารศูนย์บริการวิชาการ*, 11(4), 9-14.

นที เกื้อกูลกิจการ. (2549). การสอนผู้รับบริการในโรงพยาบาล. สงขลา: คณะพยาบาลศาสตร์ มหาวิทยาลัยสงขลาราชนครินทร์.

บุญสิน บุณณะพานิชย์กิจ. (2547). การตามกระดูกหัก. กรุงเทพฯ: บุ๊คเน็ต.

ภาควิชาการพยาบาลศัลยศาสตร์ คณะพยาบาลศาสตร์มหาวิทยาลัยมหิดล. (2552). การแลกเปลี่ยนเรียนรู้บทความวิชาการเรื่อง “Postoperative recovery: a concept analysis” บันทึกการประชุม, 30 กรกฎาคม 2553.

http://www.ns.mahidol.ac.th/english/KM/CRM_sur.htm

- วรรณิ สัตยาวิวัฒน์. (2551). ผลของการจัดการเคลื่อนไหวก. ใน วรรณิ สัตยาวิวัฒน์ (บรรณาธิการ), *การพยาบาลผู้ป่วยออร์ปิดิกส์* (หน้า 51-64). กรุงเทพฯ: เอ็นพีเพรส.
- วิไลวรรณ ทองเจริญ. (2545). การเปลี่ยนแปลงทางกายภาพ สรีรวิทยา จิตสังคม และจิตวิญญาณ ในผู้สูงอายุ. ใน จันทนา รณฤทธิชัย และ วิไลวรรณ ทองเจริญ (บรรณาธิการ), *หลักการพยาบาลผู้สูงอายุ* (หน้า 51-82). กรุงเทพฯ: บุญศิริการพิมพ์.
- ศิริรัตน์ สงวนเชื้อ. (2540). *เรื่องความสัมพันธ์ระหว่างความรู้เกี่ยวกับการดูแลตนเอง ปัจจัยพื้นฐานกับความพร้อมในการดูแลตนเองในผู้ป่วยภายหลังการผ่าตัดเปลี่ยนข้อสะโพกเทียม*. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลผู้ใหญ่, บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล.
- ศศิกันต์ นิมานรัชต์. (2549). Pain physiology and pharmacology in clinical practice: An up date. ใน ศศิกันต์ นิมานรัชต์ และ ชัชชัย ปรีชาไว (บรรณาธิการ), *ความปวดและการระงับปวด* (หน้า 1-25). สงขลา: ชานเมืองการพิมพ์.
- ศูนย์ข้อมูลโรงพยาบาลเชิงราชประชานุเคราะห์. (2556).
- ศูนย์พัฒนาทรัพยากรการศึกษา (CARD) มหาวิทยาลัยมหาสารคาม. (2006). พฤติกรรมสุขภาพและการส่งเสริมสุขภาพ: แนวคิดพื้นฐานเกี่ยวกับพฤติกรรมและพฤติกรรมสุขภาพ. จาก http://www.elearning.msu.ac.th/opencourse/0404202/graphic/lesson1_2.htm
- สมจิต หนูเจริญกุล. (2544). ทฤษฎีการพยาบาลของโอเร็ม. ใน สมจิต หนูเจริญกุล (บรรณาธิการ), *การดูแลตนเอง: ศาสตร์และศิลปะทางการพยาบาล*. (พิมพ์ครั้งที่ 6., หน้า 17-55). กรุงเทพฯ: วี.เจ. พรินติ้ง.
- สมจิต หนูเจริญกุล. (2545). แนวคิดและทฤษฎีทางการพยาบาล. ใน สมจิต หนูเจริญกุล (บรรณาธิการ), *การพยาบาลทางอายุรศาสตร์ เล่ม 1*. (พิมพ์ครั้งที่ 13., หน้า 1-20). กรุงเทพฯ: วี.เจ. พรินติ้ง.
- สมบัติ ธิยาพันธ์. (2552). การสร้างสัมพันธภาพเพื่อการบำบัด: แนวปฏิบัติสำหรับพยาบาลจิตเวช. *วารสารกองการพยาบาล*, 2(36), 68-76.
- สุขจันทร์ พงษ์ประไพ. (2548). การฟื้นฟูสภาพผู้ป่วยหลังผ่าตัดเปลี่ยนข้อสะโพกและข้อเข่าเทียม. *วิจัยยุทธศาสตร์*, 5(32), 40-44.

สุนา แสนมาโนช. (2541). ผลของการส่งเสริมให้ญาติมีส่วนร่วมในการดูแลผู้ป่วยสูงอายุกระดูกสะโพกหักที่ได้รับการผ่าตัดเปลี่ยนข้อสะโพก ต่อการฟื้นฟูสภาพหลังผ่าตัด ความวิตกกังวลของญาติ และความพึงพอใจของผู้ป่วยและญาติ (บทคัดย่อ). วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลผู้ใหญ่, บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล.

สุมาลี ชัดอุโมงค์. (2551). ผลของการพยาบาลตามทฤษฎีความสำเร็จตามจุดมุ่งหมายต่อการฟื้นฟูสภาพหลังผ่าตัดของผู้สูงอายุกระดูกสะโพกหัก. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลผู้ใหญ่, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.

สำนักส่งเสริมและพิทักษ์ผู้สูงอายุ. (2554). การจัดสภาพแวดล้อมที่เหมาะสมกับผู้สูงอายุ. จาก http://www.oppo.opp.go.th/pages/document/document_03.html

ไสว ลีกระจ่าง. (2548). ปัจจัยที่มีความสัมพันธ์กับพฤติกรรมการดูแลตนเองของผู้ป่วยที่มารับบริการแผนกผู้ป่วยนอกโรงพยาบาลเชียงคาน อำเภอเชียงคาน จังหวัดเลย. วิทยานิพนธ์ศิลปศาสตรมหาบัณฑิต มหาวิทยาลัยราชภัฏเลย.

อริษฐาน สุมาลัยเจริญ. (2545). ผลของการสอนญาติด้วยโปรแกรมการดูแลผู้ป่วยสูงอายุกระดูกสะโพกหักหลังผ่าตัดเปลี่ยนข้อสะโพก ต่อการฟื้นฟูสภาพหลังผ่าตัดและความพึงพอใจของผู้ป่วยต่อการพยาบาลที่ได้รับ. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต. (การพยาบาลผู้ใหญ่). มหาวิทยาลัยมหิดล.

Bottle, A., & Aylin, P. (2006). Mortality associated with delay in operation after hip fracture: Observational study, *BMJ*, pp 1-5.

Bhandari, M., Devereaux, P. J., Swiontkowski, M. F., Tornetta III, P., Obrebsky, W., Koval, K. J., et al. (2003). Internal fixation compared with arthroplasty for displaced fractures of the femoral neck. *Journal of Bone and Joint surgery*, 1673-1681.

Bucholz, W. R., Heckman D. J., & Court-Brown, C. (2010). Fracture in adults. (6th ed.). Philadelphia: Saunders Elsevier.

Burns, N., & Grove, S. K. (2005). *The practice of nursing research rehabilitation Conduct, critique & utilization* (5th ed.). Philadelphia: Elsevier Churchill Livingstone.

Culatta, R. (2013). Connectionism (Edward Thorndike). Retrieved from <http://www.instructionaldesign.org/theories/connectionism.html>

Culatta, R. (2013). Operant Conditioning (B.F. Skinner). Retrieved from <http://www.instructionaldesign.org/theories/operant-conditioning.html>

- Davis, P, C. (2013). Urinary tract infection. Retrieved from http://www.medicinenet.com/urine_infection/article.htm
- Degler, M. A. (2004). Health care of the older adult. *Brunner and Suddarth's textbook of medical surgical nursing*, (10th ed., pp. 188–213). Philadelphia: Lippincott.
- Delia-Valle, C, J., Mirzabeigi, E., Zuckerman, J, D., & Koval, K, J. (2002). Thromboembolic prophylaxis for patients with a fracture of the proximal femur. *Am J Orthop*, 31, 16–24.
- Della Valle, C.J., Steiger, D.J., & DiCesare, P.E. (2006). Thromboembolism after hip and knee arthroplasty. Diagnosis and treatment. *Journal of the American Academy of Orthopaedic Surgeons*, 6, 327-336.
- Department of Health. 2005. Self-Care – A Real Choice. DH: London. Online: <http://www.dh.gov.uk/SelfCare>.
- Domjan, M., & Burkhard, B. (1993). *Domjan and Burkhard's The principles of learning and behavior*. 3rd edition. Pacific Grove, Calif: Book/Cole Pub.Co.
- Edelstein, D.M., et al. (2004). Effect of postoperative delirium on outcome after hip fracture. *Clinical Orthopedics*. 422, 195-200.
- Gebuhr, P., Stentzer, K., Thomsen, F., & Levi, N. (2000). Failure of total hip arthroplasty with boneloc bone cement. *Acta Orthopaedica Belgica*, 66(5), 472-476.
- Goldenberg, G., et al. (2006). Predicting post-operative delirium in elderly patients undergoing surgery for hip fracture. *Psychogeriatrics*, 6, 43-48.
- Haleem, S., Heinert, G., & Parker. M. J. (2008). Pressure sore and hip fracture. *International Journal of the Care of the Injured*, 39, 219-223.
- Huyen, N, N., Jullamate, P., & Kangchai, W. (2011). Factors related to Self-care Behaviors among Older Adults with Heart Failure in Thai Nguyen General Hospital, Vietnam
- Janssens, P. J., & Krause, H. K. (2004). Pneumonia in the very old. *The Lancet Infectious Diseases*, 4 , 112-126.
- Kamel, H. K. (2005). The frequency and factors linked to a urinary tract infection coding in patients undergoing hip fracture surgery. *Journal of the American Medical Directors Association*, 6(5), 316-320.

- Khan, R. L., Goldfarb, A. I., Pollack, M., & Peck, A. (1960). Brief objective measure for the determination of mental status in the aged. *American Journal of Psychiatry*, 117, 326-336.
- Lee, A. Y., Chua, B. S., & Howe, T. S. (2007). One-year outcome of hip fracture patients admitted to a Singapore hospital: quality of life post-treatment. *Singapore Medical Journal*, 48(11), 996-999.
- Lenze, E. J., Munin, M. C., Dew, M. A., Rogers, J. C., Seligman, K., Mulsant, B. H. & Reynolds, C. F. (2004). Adverse effects of depression and cognitive impairment on rehabilitation participation and recovery from hip fracture. *International Journal of Geriatric Psychiatry*, 19, 472-478.
- Lenze, E. J., Munin, M. C., Skidmore, E. R., Dew, M. A., Rogers, J. C., Whyte, E. M., et al. (2007). Onset of depression in elderly persons after hip fracture: Implications for prevention and early intervention of late-life depression. *Journal of the American Geriatrics Society*, 55, 81-86.
- Lewis, S. M., Heitkemper, M. M., & Dirksen, S. N. (2004). Pain. In *Medical-surgical nursing: Assessment and management of clinical problems*, (pp. 131-156), St. Louis, MO: Mosby.
- Lindstrom, M. (2009). Marital status, social capital, material conditions and self-rated health: A population-based study. *Health Policy*, 93(2-3), 172-179.
- Morgan, M., Black, J., Bone, F., Fry, C., Harris, S., Hogg, S., et al. (2005). Clinician-led surgical site infection surveillance of orthopaedic procedures: A UK multi-centre pilot study. *Journal of Hospital Infection*, 60, 201-212.
- Myles, P. S., Hunt, J. O., & Moloney, J. T. (1997). Postoperative 'minor' complications. Comparison between men and women. *Anaesthesia*, 52(4), 300-306.
- Nyman, H. M., Johansson, J., Persson, K., & Gustafsson, M. (2011). A prospective study of nosocomial urinary tract infection in hip fracture patients, *Journal of clinical nursing*, 20, 2531-2539.
- Orem, E. D. (2001). *Nursing concepts of practice*. St. Louis: Mosby.

- Ouellet, L. L., Hodgins, H. M., Pond, S., Knorr, S., & Geldart, G. (2003). Post-discharge telephone follow-up for orthopaedic surgical patients: A pilot study. *Journal of Orthopaedic Nursing*, 7, 87–93.
- Parvizi, J., Picinic, E., & Sharkey, P. (2008). Revision total hip arthroplasty for instability: Surgical techniques and principles. *The Journal of Bone and Joint Surgery (American)*, 90, 1134-1142.
- Patanen, J., Syrjala, H., Vahanikkila, H., & Jalovaara, P. (2006). Impact of deep infection after hip fracture surgery on function and mortality. *Journal of Hospital Infection*, 62, 44-49.
- Patel, J., & Bozic, K. (2009). Early complication after total hip arthroplasty. *US Musculoskeletal Review*, 4(1), 62-64.
- Patel, P.D., Potts, A., & Froimson, M. I. (2007). The dislocating hip arthroplasty prevention and treatment. *The Journal of Arthroplasty*, 22(4), 86-90.
- Polit, D. F., & Hungler, B. P. (1999). *Nursing research principles and methods* (6th ed.). Baltimore: Lippincott.
- Potter, A. P., & Perry, G. A. (2005). *Fundamentals of Nursing*. 6th edition. Elsevier: Mosby.
- Remsburg, R., & Carson, B. (2006). Rehabilitation. In I. Lubkin & P. Larsen (Eds.), *Chronic illness: Impact and interventions*, (pp.579-616). Sudbury, MA: Jones and Bartlett Publishers.
- Ridgeway, S., Wilson, J., Charlet, A., Kafatos, G., Pearson, A., & Coello, R. (2005). Infection of the surgical site after arthroplasty of the hip [Abstract]. *Journal of Bone and Joint Surgery (British)*, 87(6), 844-850.
- Rosdahl, C. B., & Kowalski, T. M. (2008). *Textbook of basic nursing*. Lippincott: Williams & Wilkins.
- Self care forum. (2013). The self-care continuum. Retrieved from <http://www.selfcareforum.org/about-us/what-do-we-mean-by-self-care-and-why-is-good-for-people/>
- The Commuter. (2012). *Rehabilitation Nursing: A Specialty In Its Own Right*. Retrieved Jul 02, 2013, from <http://allnurses.com/showthread.php?t=745264>
- The National Cancer Institute. (2007). Rehabilitation. Retrieved from http://www.cancer.gov/Templates/db_alpha.aspx?CdrID=44125e

Veitch, S. W., & Jones, S. A. (2009). Prevention of dislocation in hip arthroplasty. *Orthopaedics and trauma*, 23 (1), 1-39.

Veronica, K. P., & Mohammad, H. R. (2011) An Effective Team Approach to Improve Postoperative Hip Fracture Care, *Journal Orthopedics Trauma*, 25(2), 72-75.

Woo, R. Y., & Morrey, B. F. (2002). Dislocations after total hip arthroplasty. *The Journal of Bone and Joint Surgery*, 64(9), 1295-1306.

World Health Organization. (2006). *Ageing and Health: A health promotion approach for developing countries*. Retrieved July 30 2010, from www.wpro.who.int/NR/rdonlyres/29B340EA-OD98-4338-BD6D-AE13F5E8D34B/O/Ageing_and_Health.pdf.

World Health Organisation. (2009). Self-care in the Context of Primary Health Care. Report of the Regional Consultation, Bangkok, Thailand.

Zeev, A., Reuven, G., Shay, S., & Yitshal, B. (2007). Pain perception during the rehabilitation phase following traumatic hip fracture in the elderly is an important prognostic factor and treatment tool. *Disability and Rehabilitation*, 29(8), 651 – 658.