

## เอกสารอ้างอิง

กระทรวงสาธารณสุข. (2550). นโยบายด้านความปลอดภัยของผู้ป่วยระดับชาติ 2550-2551 (พิมพ์ครั้งที่ 1). กรุงเทพฯ: กระทรวงสาธารณสุข.

กิตานันท์ มลิทอง.(บรรณาธิการ). (2544). ไปสเตอร์และงานกระดาษ ใน สื่อการสอนและฝึกอบรม: จาก สื่อพื้นฐานถึงสื่อคิด自行 (พิมพ์ครั้งที่ 1, หน้า 47-60). กรุงเทพฯ: โรงพิมพ์จุฬาลงกรณ์มหาวิทยาลัย.

กุศลธิดา โสมพงษากุล. (2551). ผลของการส่งเสริมการปฏิบัติตามหลักการป้องกันการแพร่กระจายเชื้อแบบมาตรฐานต่อการปฏิบัติของพยาบาลวิชาชีพแผนกอุบัติเหตุ-ฉุกเฉิน. (วิทยานิพนธ์ พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลด้านการควบคุมการติดเชื้อ). บัณฑิตวิทยาลัย, มหาวิทยาลัยเชียงใหม่.

จันทร์ธิดา ศรีกระจ่าง. (2545). ผลของการแก้ปัญหานโยบายมีส่วนร่วมต่อการปฏิบัติเพื่อป้องกันการถูกเบื้องตัว หรือของมีค่าบุคคลากรพยาบาล โรงพยาบาลเสริมงาม จังหวัดลำปาง. (วิทยานิพนธ์ พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลด้านการควบคุมการติดเชื้อ). บัณฑิตวิทยาลัย, มหาวิทยาลัยเชียงใหม่.

ทัศนีย์ ตันติวงศ์วัฒน์. (2551). ปัจจัยที่มีความสัมพันธ์กับการรับของถุงมือที่ใช้โดยบุคคลากรทางสุขภาพในแผนกอุบัติเหตุฉุกเฉิน. (วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลด้านการควบคุมการติดเชื้อ). บัณฑิตวิทยาลัย, มหาวิทยาลัยเชียงใหม่.

ธนพร กวีวน. (2551). ผลของการเรียนรู้แบบมีส่วนร่วมต่อความรู้ ความเชื่อและการปฏิบัติการทำความสะอาดมือด้วยแอลกอฮอล์ของพยาบาลในโรงพยาบาลชุมชน. (วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลด้านการควบคุมการติดเชื้อ). บัณฑิตวิทยาลัย, มหาวิทยาลัยเชียงใหม่.

พิมพา ปันตน. (2547). การให้ความรู้และการให้ข้อมูลย้อนกลับต่อการปฏิบัติของบุคคลากรพยาบาล ใน การป้องกันการติดเชื้อในโรงพยาบาลของระบบทางเดินปัสสาวะ. (วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลด้านการควบคุมการติดเชื้อ). บัณฑิตวิทยาลัย, มหาวิทยาลัยเชียงใหม่.

ภาควิชา เล็กกุณฑิกร. (2553). ผลของการสอนด้วยสื่อประสมต่อความรู้ และการปฏิบัติของบุคลากรพยาบาล ในการป้องกันปอดอักเสบและอุบัติการณ์การเกิดปอดอักเสบจากการใช้เครื่องช่วยหายใจ. (วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลด้านการควบคุมการติดเชื้อ). บัณฑิตวิทยาลัย, มหาวิทยาลัยเชียงใหม่.

รัชนีกร หาแก้ว. (2550). ผลของการโปรแกรมการส่งเสริมการทำความสะอาดมือต่อความรู้และการปฏิบัติของพยาบาลในโรงพยาบาลชุมชน. (วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลด้านการควบคุมการติดเชื้อ). บัณฑิตวิทยาลัย, มหาวิทยาลัยเชียงใหม่.

วิลาวัณย์ พิเชียรสสีบีร, สมหวัง ด่านชัยวิจิตร, นงเน้า เกษตรภิบาล, วิลาวัณย์ เสนารัตน์, วราภรณ์ เทียนทอง, ประธาน นพคุณ และคณะ. (2552). การพัฒนาการปฏิบัติการทำความสะอาดมือของบุคลากรสุขภาพ กรมควบคุมโรค กระทรวงสาธารณสุข.

วิลาวัณย์ พิเชียรสสีบีร และสมหวัง ด่านชัยวิจิตร.(2548). การพัฒนาการทำความสะอาดมือของบุคลากรพยาบาล ในโรงพยาบาลราษฎรเชียงใหม่. เชียงใหม่: มหาวิทยาลัยเชียงใหม่.

ศรีสุดา อัศวพลังกุล. (2550). ผลของการโปรแกรมการส่งเสริมการใช้มือต่อความรู้และการปฏิบัติของพยาบาลโรงพยาบาลทั่วไป. (วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลด้านการควบคุมการติดเชื้อ). บัณฑิตวิทยาลัย, มหาวิทยาลัยเชียงใหม่.

สมหวัง ด่านชัยวิจิตร.(2544). โรคติดเชื้อในโรงพยาบาล. ในสมหวัง ด่านชัยวิจิตร (บรรณาธิการ). โรคติดเชื้อในโรงพยาบาล (พิมพ์ครั้งที่ 3). กรุงเทพฯ;แอล ที เพรส, 1-16.

อมรพรรณ วรรรณวิไลย.(2549). การพัฒนาโปรแกรมคอมพิวเตอร์ช่วยสอนเรื่องการทำความสะอาดมือสำหรับพยาบาล. (วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลด้านการควบคุมการติดเชื้อ). บัณฑิตวิทยาลัย, มหาวิทยาลัยเชียงใหม่.

Aboelela, S. W., Stone, P. W., & Larson, E. L. (2007). Effectiveness of bundled behavioral intervention of control health care-associated infections a systematic review of the literature. *The Journal of Hospital Infection*, 66(2), 101-8.

Akyol, A., Ulusoy, H., & Ozen, I. (2006). Handwashing: A simple, economical and effective method for preventing nosocomial infections in intensive care units. *Journal of Hospital Infection*, 62(4), 395-405.

Aldeyab, M. A., Baldwin, N., McElnay, M., McNally, M., & Kearney, M. P. (2010). Strategy for improving and maintaining compliance with adequate hospital Hand hygiene practices[Letter to the editor]. *The Journal of Hospital Infection*, 77, 76-92.

- Alemagno, S. A., Guten, S. M., Warthman, S., Young, E., & Mackay, D. S. (2010). Online learning to improve hand hygiene knowledge and compliance among health care worker. *Journal of Continuing education in nursing, 41*(10), 463-71.
- Allegranzi, B., Sax, H., Bengaly, L., Richet, H., Minta, D. K., & Chraiti M. N. (2010). Successful implement of the Wold Health Organization hand hygiene improvement stratigy in a referral hospital in Mali, Africa. *Infection control Hospital Epidemiology, 31*, 133-41.
- Allegranzi, B., & Pittet, D. (2009). Role of hand hygiene in healthcare- associated infection prevention. *Journal of Hospital Infection, 1*-11.
- Allegranzi, B., Bagheri Nejad, S., & Pittet, D. (2011). Inicators of long-term sustainability of hand hygiene improvement and barrier in healthcare setting worldwide. *Biomed central, 5*(suppl 6): P262.
- Allegranzi, B., Sax, H., & Pittet, D. (2013). Hand hygiene and healthcare system change within multimodal promotion: a narrative review. *The Journal of Hospital Infection, 83*(suppl1), S3-S10.
- Al-Tawfiq, J. A., Abed, M. S., Al-Yami, M., & Birrer, R. B. (2013). Promoting and sustaining a hospital-wide, multifaceted hand hygiene program resulted in significant reduction in health care-associated infection. *American Journal of Infection Control, 1*-5.
- Alp, E., Ozturk, A., Guven, M., Celik, I., Doganay, M., & Voss, A.(2011). Importance of structured traing programs and good role models in hand hygiene in developingcountries. *Journal of Infection and Public Health, 4*,80-90.
- Alsubair, S., Maiather, A. B., Alalmaei, W., Al-Shammary, A. D., Tashkandi, M., Somily, A. M.,... Binsaeed, A. A. (1012). Determinant of hand hygiene compliance in intensive care units. *American Journal of Infection Control, 141*(2), 131-5.
- Anderson, G., & Palombo, E. A.(2009). Microbial contamination of computer keyboards in a university setting. *American Journal of Infection Control, 37*, 1-3.
- Arenas, M. D., Sanchez-Paya, J., Barril, G., Garcia-Valdacades, J., Gorri, J. L., Soriano, A., ... Angoso, M. (2005). A multicentric survey of the practice of hand hygiene in hemodialysis unit: factor affecting compliance. *Nephology Dialysis Transplantation, 20*(6), 1164-1171.
- Asare, A., Enwerono-Laryea, C.C., & Newman, M. J. (2009). Hand hygiene practices in a neonatal intensive care unit in Ghana. *Journal of infection developing countries, 3*(5), 352-6.

- Aygun, G., Demmivkiran, O., Utku, T., Mete, B., Urkmez, S., Yilmaz, M.,...Oztürk, R. (2002). Environment contamination during a carbapenem-resistant Acinetobacter baumunii outbreak in an intensive care unit. *Journal of Hospital Infection*, 52(4), 259-62.
- Baker, K. (2006). Microbial Colonization of the Hands of Residents. *Clinical Pediatrics*, 45(4), 341-345.
- Berndt, U., Wigger-Alberti, W., Gabard, B., & Elsner, P. (2000). Efficacy of a barrier cream and its vehicle as protective measures against occupational irritant contact dermatitis. *Contact Dermatitis*, 42(2), 77-80.
- Bhalla, A., Aron, D. C.,& Donskey, C. J.(2007). *Staphylococcus aureus* intestinal colonization is associated with increased frequency of *S. aureus* on skin of hospitalized patients.
- Bittner, M. J., & Rich, E. C. (1998). Surveillance of handwashing episodes in adult intensive-care units by measuring an index of soap and paper towel consumption. *Clinical performance and Quality Health Care*, 6(4).179-82.
- Bittner, M. J., Rich, E. C., Turner, P. D., & Arnold, W. H. (2002). Limited impact of sustained simple feedback on soap and paper towel consumption on the frequency of hand washing in an adult intensive care unit. *Infection Control and Hospital Epidemiology*, 23(3), 120-6
- Boyce, J.M. (2008). Hand hygiene compliance monitoring: current perspectives from the USA. *Journal of Hospital Infection*, 70(S1), 2-7.
- Boyce, J.M., Killiher, S., & Valland, N. (2000). Skin irritation and dryness associated with two hand-hygiene regimens: soap-and-water hand washing versus hand antisepsis with two alcoholic hand gel. *Infection Control and Hospital Epidemiology*, 21(7), 442-448.
- Boyce, J. M., & Pittet, D. (2002). Guideline for hand hygiene in health-care settings: Recommendations of the health infection control practices advisory committee and the HICPAC/AHEA/APIC/IDSA Hand Hygiene Task force. *American Journal of Infection Control*, 30(8), S1-S46.
- Brady, R. R., Mcdermott, C. M., Fraise, A. P., Verran, J., & Gibb, A. P. (2009). Healthcare workers' mobile phone are rarely contaminated by MRSA in the non-clinical environment. *Journal of Hospital Infection*, 1-2.
- Buet, A., Cohen, B., Marine, M., Scully, F., Alper, P., Simpser, E. & Larson, L. (2013). Hand hygiene Opportunities in pediatric extended care facilities. *Journal of Pediatric Nursing*, 28, 72-76.

- Buffet-Bataillon, S., Leng, E., Poisson, M., Michelet, C., Bonnaure-Mallet, M., & Cormier, M.(2010). Influence of job genionity, hand hygiene education and patien-to nurse ratio on hand disinfection compliance. *The Journal of Hospital Infection*, 76, 32-35.
- Camins, B., & Fraser, V. J. (2005). Reducing the risk of health care-associated infections by complying with CDC hand hygiene guidelines. *Joint Commission Journal on Quality and Patient safety*, 31(3), 173-179.
- Caniza, M. A., Maron, G., Moore, E. J., Quintana, Y., & Liu, T. (2007). Effective hand hygiene education with the use of flipcharts in a hospital in El Salvador. *The Journal of Hospital Infection*, 60(1), 32-39.
- Capretti, M. G., Sandri, F., Tridapalli, E., Galletti, S., Petracci, E., & Faldella, G. (2007). Impact of a standardized hand hygiene program on the incidence of nosocomial infection in very low birth weight infants. *American Journal of Infection Control*, 36(6), 430-5.
- Cataño, J. C., Echeverri , L. M. & Szela, C.(2012). Bacterial contamination of clothes and environmental item in a Third-Level hospital in columbia. *Interdisciprinary Perspectives on Infectious Disease*.1-5.
- Center for Disease Control and Prevention. (2007). Guideline for Isolation Precaution: Preventing Tranmission of Infectious Agents in Healthcare Setting 2007. <http://www.cdc.gov/ncidod/dhqp/pdf/isolation2007.pdf>
- Cheng, V. C. C., Tai, J. WM., Chan, J. FW., Hung, K. N., Leung, P. & Yuen, K. Y. (2011). Introduction of and electronic monitoring system for montoring compliance with moments 1 and 4 of the WHO “my 5 moments for hand hygiene” methodology. *British Medical Journal*, 11,151.
- Chigozie, J. U., Annayo, O., Patrick, G. O. & Christian, M. O., (2010). Bacterial contamination on stethoscopes used by health worker: public health implication. *Journal of Infection Deveropment Ctries*.4(7), 436-441.
- Chu, L. K., & Chu, G. S. P. (1991). Feedback and efficiency: a staff development model. *Nursing Management*, 22(2), 28-31.

- Clark, T. A., Slavinski, S. A., Morgan, J., Lott, T., Artington-Skaggs, B. A., Brandt, M. E.,...Haien, R. A. (2004). Epidemiologic and Molecular Characterization of an Outbreak of Candida parapsilosis Bloodstream Infection in a Communication Hospital. *Journal of Clinical Microbiology*, 42(10), 4468-4472.
- Colombo, C. Giger, H., Grote, J., Deplazes, C., Pletscher, W., Luthi, R. et al., (2002). Impact of teaching interventions on nurse compliance with hand disinfection. *Journal of Hospital Infection*, 51, 69-72.
- Costers, M., Viseur, N., Catry, B.,& Simon, A. (2012). Four multifaceted countrywide campaigns to promote hand hygiene in Belgian hospitals between 2005 and 2011: impact on compliance to hand hygiene. *Eurosurveillance*, 17(18), 1-6. Retrieved May 3, 2012, from Sciedirect with Full Text database.
- Cotton, J. L. (1997). Dose employee involvement work?Yes, sometime. *Journal Care Quality*, 12(2), 33-45.
- Davis, C., Advcertpharma, M., & Certcritcare, P. (2009). Blood pressure cuff and pulse oximeter Sensor: A potential source of cross-contamination. *Australasia Emergency Nursing Journal*, 146, 1-6.
- De wandel, D., Maes, L., Labeau, S., Vereecken, C., & Blot, S. (2010). Behavioral determinants of hand hygiene compliance intensive care units. *American Journal of Infection Control*, 19(3), 230-239.
- Dedrick, R. E., Sinkowitz-Cochran,R. L., Cunningham, C., Muder, R. R., Perreian, P., Cordo, D. M. et al., (2007). Hand hygiene practices after brief encounters with patient: an important opportunity for prevention. *Infection Control and Hospital Epidemiology* , 28(3),341-345.
- Dierssen-Sotos, T., Brugos-Llamzares, V., Robles-Garcia, M., Rebollo-Rodrigo, H., Farinas-Alvarez, C., Antolin-Juarez, F. M.,...,Llorca, J. (2009). Evaluating the impact of a hand hygiene campaign on improving adherence. *American Journal of Infection Control*, 38(3), 240-43.
- Drees, M., Suydman, D. R., Schmid, C. H., Barefoot, L., Hansjosten, K., Vue, P. M.,...Golan, Y. (2008). Prior environment contamination the risk of acquisition of Vancomycin resistant enterococci. *Clinical infectious diseases*, 46(5), 678-85.

- Duckro, A. N., Blom, D. W., Lyle, E. A., Weinstein, R. A., & Hayden, M. K. (2005). Transfer of Vancomycin-Resistant Enterococci via health care worker hands. *Archives of International Medicine*, 165, 302-307.
- El Shafie, S. S., Alishaq, M., & Garcia, M. L. (2004). Investigation of an outbreak of multidrug-resistant Acinetobacter baumannii in trauma intensive care unit. *Journal of Hospital Infection*, 56, 101-105.
- Emery, S., Nenning, M., & Gold, D. (2005). Control of a Methicillin-Resistant *Staphylococcus aureus* (MRSA) cluster in critical care by reinforcing hand hygiene and standard precautions. *American Journal of Critical Care*. 33(5), E53-E54.
- Erasmus, V., Brouwer, W., Van Beek, E. F., Oenema, A., AaHa T. J. ,...Brag, J. (2009). A qualitative exploration of reasons for poor hand hygiene among hospital workers: Lack of role models and of convincing evidence that hand hygiene prevents cross-infection. *Infection Control and Hospital Epidemiology* , 30(5),415-419.
- Espinal, P., Martí, S., & Vila, J.(2012). Effect of biofilm formation on the survival of *Acinetobacter baumannii* on dry surface. *Journal of Hospital Infection*, 80(1) 56-60.
- Findik, U. Y., Otkun, M. T., Erkan, T., & Sut, N.(2011). Evaluation of handwashing behavior and analysis of hand flora of intensive care unit nurses. *Asian Nursing Research*, 5(2), 99-107.
- FitzGerald, G., Moore, G., & Wilson, A.P.R. (2010). The five moments for hand hygiene: The frequency failure to perform on hand hygiene on leaving patient area. *Journal of Hospital Infection*, S46. Abstrac retrieved August 10, 2011, from ScieneDirect database.
- FitzGerald, G., Moore, G., & Wilson, A.P.R. (2013). Hand hygiene after touching a patient's surroundings: the opportunityes most commonly missed. *Journal of Hospital Infection*, 8(1), 27-31.
- Flores, A. (2006). Healthcare workers' compliance with glove use and the effect of glove use on hand hygiene compliance. *British Journal of Infection Control*, 7(6), 15-19.
- Flut, D. D. V., & Peterson, T. O. (1994). *Comtemporary management* (3 rd ed.). Boston: Houghton Mifflin.

- Forrester, L. A., Bryce, E. A., & Mediaa, A. K. (2010). Clean hands for life™: results of large multicentre, multifaceted, social marketing hand hygiene campaign. *Journal of Hospital Infection*, 74, 225-231.
- Fukuda, T., Iwakiri, H., & Ozaki, M. (2008). Anesthetists' role in computer keyboard contamination in an operating room. *Journal of Hospital Infection*, 70, 148-153.
- Fuller, C., Michie, S., Savege, J., McAteer, J., Besser, S., Charlett, A.,...Stone, S.(2012). *The feedback intervention tail (FIT)-Improve hand hygiene in UK healthcare worker: A stepped wedge cluster randomized controlled trial*. Retrieved from <http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0041617>
- Eveillard, M., Rabieau, A., Pradelle, M. T., Raynoue, F., Joly-Guillon, M. L., & Brunel, P. (2010). Rate of adherence to hand hygiene glove practices in 2 French rehabilitation hospital by differentiation between single contracts and series of successive contracts with patients or the environment. *Infection Control and Hospital Epidemiology*, 31(8),878-9.
- Garcia-Vazquez, E., Murcia-Paya, J., Allegue, J. M., Canteras, M.,& Gomez, J. (2012). Influence of a multiple intervention program for hand hygiene compliance in ICU. *Medicina intensiva*. 36(2), 69-76.
- Gagné, D., Bédard, G., & Maziade, P. J. (2010). Systematic patients' hand disinfection: impact on meticillin-resistant Staphylococcus aureus infection rates in a community hospital. *Journal of Hospital Infection*, 75, 269-272.
- Gastmeier, P., Samm-Balderjahn, S., Hansen, S., Nitzschke-Tiemann, F., Zuschneid, I., Groneberg, K. et al. (2005). How outbreaks can contribute to prevention of nosocomial infection: Analysis of 1,022 outbreaks. *Infection Control and Hospital Epidemiology* , 28(4),357-361.
- Griffith,C. J., Malik, R., Cooper, R. A., Looker, N., & Michaels, R.(2003). Environmental surface cleanliness and the potential for contamination during handwashing . *American Journal of Infection Control*, 31(2), 93-6.
- Gould, D., Hewitt-Taylor, J., Drey, N. S., Gammon, J., Chudleigh, J., & Weinberg, J. R. (2007). The Clean Your Hands Campaign: critiquing policy and evidence base. *The Journal of Hospital Infection*. 65(2), 95-101.

- Girou, E., Chai, S. H. T., Oppein, F., Legrand, P., Duccellier, D., Cizeau, F.,...Brun-Buisson, C.(2004). Misuse of gloves: The foundation for poor compliance with hand hygiene and potential for microbial transmission? *Journal of Hospital Infection*, 57, 162-169.
- Grayson, M. L., Rusgo, P. L., Cruickshank, M., Bear, J., Gee, C. A., Hughes, C. F., et al.(2011). Outcomes from the first 2 years of the Australian national hand hygiene initiative. *Medical Journal of Australia*, 195(10), 615-619.
- Groth-Marnat, G., Leslie, S., & Renneker, M.(1996). Tobacco control in a traditional Fijian village: indigenous methods of smoking cessation and relapse prevention. *Social Science Medical*, 43, 473-477.
- Haas, J. P., & Lason, E. L. (2008). Impact of wearable alcohol gel dispenser on hand hygiene in an emergency department. *Academic Emergency Medicine*, 15, 393-396.
- Harris, A. D., Samor, M. H., Nafziger, R., DiRosario, K., & Carmeli, Y.(2000). A survey on handwashing practices and opinions of healthcare workers. *The Journal of Hospital Infection*. 65(2), 95- 101.
- Hayden, M. K., Blom, D. W., Lyle, E. A., Van de Vijver, D. A., & Weinstein, R. A. (2006). Reduction in acquisition of *vancomycin-resistant enterococcus* after enforcement of routine environment cleaning measures. *Clinical Infectious Diseases*, 42, 1552-1556.
- Hayden, M. K., Blom, D. W., Lyle, E. A., Moore, C. G., & Weinstein, R. A. (2008). Risk of hand or glove contamination after contact with patient colonized with *Vancomycin-Resistant Enterococcus* or the colonized patient's environment. *Infection Control and Hospital Epidemiology*, 29(2), 149-154.
- Helder, O. K., Brug, J., Van Goudoever, J. B., Loosman, W. C., Kornelisse, R. F. (2010). The impact of an education program on hand hygiene on compliance and nosocomial infection incidence in an urban neonatal intensive care unit: an intervention study with before and after comparison. *International Journal of Nursing Studies*. 47(10), 1245-1252.
- Hilburn, J., Hammond, B. S., Fedler, E. J., & Grozaik, P.A. (2003). Use of alcohol hand sanitizer as an infection control strategy in an acute care facility. *American Journal of Infection Control*, 31(2), 109-116.
- Hugonnet, S., Perneger, T., & Pittet, D. (2002). Alcohol-Based Handrub Improve Compliance With Hand Hygiene in Intensive Care Unit. *Arch Intern Med*, 162, 1037-1043.

- Huskins, W. C., O'Rourke, E. J., Rhinehart, E., & Goldmann, D. A. (1999). Infection control in countries with limited resources. In: Mayhall CG, ed. *Infection Control and Hospital Epidemiology*, 2<sup>nd</sup> ed. Philadelphia, PA, Lippincott Williams & Wilkins, 1484-1513.
- Jamal, A., & Wilkinson, S. (2003). The mechanical and microbiological integrity of surgical gloves. *The Australian and New Zealand Journal of Surgery*, 73, 140-143.
- Jenner, E. A., Jones, F., Flecher, B. C., Miller, L. & Scott, G. M. (2005). Hand hygiene poster: Motivation or mixed messages?. *The Journal of Hospital Infection*, 60(3), 218-225.
- Jeske, H. C., Tiefenthaler, W., Hohlrieder, M., Hinterberger, G., & Benzer, A. (2007). Bacterial contamination of anaesthetists' hand by personal mobile phone and fixed phone use in the operating theatre. *Anaesthesia*, 62(9), 904-906.
- Joshi, S. C., Diwan, V., Tamhankar, A. J., Joshi, R., Shah, H., Sharma, M., ... Stålsby Lundborq, C. (2012). Qualitative study on perceptions of hand hygiene among hospital staff in a rural teaching hospital in India. *The Journal of Hospital Infection*, 80, 340-344.
- Julian, T., Singh, A., Rousseau, J., & Weese, J. S. (2012). Methicillin-resistant staphylococcal contamination of cellular phone of personnel in a veterinary teaching hospital. *Biomed central*, 5, 193.
- Kac, G., Podglajen, I., Gueneret, M., Vaupre, Bissery, A., & Meyer, G. (2005). Microbiological evaluation of two hand hygiene procedures achieved by healthcare worker during routine patient care: randomized study. *The Journal of Hospital Infection*, 60(1), 32-39.
- Kagan, I., Kigli-Shemesh, R., & Tabk, N. (2006). Let me tell you what really think about you' evaluating nursing manager using anonymous feedback. *Journal of Nursing management*, 14(5), 356-65.
- Kampf, G., & Löffler, H. (2007). Prevention of irritant contact dermatitis among health care workers by using evidence-based hand hygiene practices: a review. *Industrial Health*, 45(5), 645-52.
- Kampf, G., Wigger-Alberti, W., Schoder, V., & Wihelm, K. P. (2005). Emollients in a propanol-based hand rub can significantly decrease irritant contact dermatitis. *Contact Dermatitis*, 53(6), 344-9.
- Kawagoe, J. Y., Silva, C. V., Cardoso, M. F., Goncalves, P., Ballalai, M. G., Toniolo, ... Correa, L. (2011). The challenges of hand hygiene improvement: a comparison between inpatient and

- outpatient units. *Biomedcentral*, 5(6), P110. Abstract retrieved March 12,1012, from PubMed database.
- Kaya , I., Ugars, A. A., Sungur. I., Yilmaz, M., Korkmaz, M., & Cetinus, E.(2012). Glove perforation time and frequency in total hip arthroplasty procedures. *Acta orthopaedica et taumatogica turcica journal*, 57,(1), 57-60.
- Khatib, M., Jamaleddine, G., Abdallah, A., & Ibrahim, Y. (1999). Hand washing and gloves use while managing patients receiving mechanical ventilation in the ICU. *CHEST*, 116, 172-175.
- Kim, P. W., Roghmann, M-C., Perencevich, E. N., & Harris, A. D. (2003). Rate of hand disinfection associated with glove use, patient isolation, and changes between exposure to various body sites. *American Journal of Infection Control*, 31(2), 602- 603.
- Korniewicz, D. M., & El-Masri, M. (2008). Exploring the factor associated with hand hygiene compliance of nurses during routine clinical practice. *Applied Nursing Research*. Retrieved July 20, 2009, from [http://www.appliednursingresearch.org/article/S0897-1897\(08\)00050-5/pdf](http://www.appliednursingresearch.org/article/S0897-1897(08)00050-5/pdf)
- Kownatzki, E. (2003). Hand hygiene and skin care. *The Journal of Hospital Infection*, 55, 239-245.
- Kuzu, N. (2005). Compliance with hand hygiene and glove use in a university-affiliated hospital. *Infection Control and Hospital Epidemiology*, 26, 312-315.
- Lam, B. C. C., Lee, J., & Lau, Y. L. (2004). Hand hygiene practices in a neonatal intensive care unit: A multimodal Intervention and Impact on nosocomial infection. *Pediatrics*, 114(5), e565-e571.
- Larson, E., Girard, R., Pessoa-Silva, C. L., Boyce, J. Donaldson, L. & Pittet, D.(2006). The skin reaction related hand hygiene and selection of hand hygiene products. *American Journal of Critical Care*, 34, 627-35.
- Larson, E. L., Albrecht S., & O'Keefe M. (2005). Hand hygiene behavior in a pediatric emergency department and a pediatric intensive care unit: comparison of use of 2 dispenser system. *American Journal of Critical Care*, 14, 304-311.
- Larson, E. L., Bryan, J. L., Adler, L. M., & Blane, C. (1997). A multiface approach to changing hand washing behavior. *American Journal of Infection Control*, 25(1), 3-10.
- Larson, E. L., Cronquist, A. B., Whittier, S., Lai, L., Lyle, C. T., & Latta, P. D. (2000). Differences in skin flora between inpatients and chronically ill outpatients. *Heart and Lung*, 29(4), 298-05

- Larson, E. L., Hughes, C. A. N., Pyrek, J. D., Sparks, S. M., Cagatay, E. U., & Bartkus, J. M. (1998). Changes in bacterial flora associated with skin damage on hands of health care personnel. *American Journal of Infection Control, 26*(5), 513-521.
- Lai, J. Y. F., Guo, Y. P., Or, p.p., & Li, Y. (2011). Comparison of hand contamination rates and environmental contamination levels between two different glove removal method and distances. *American Journal of Infection Control, 39*(2), 104-111.
- Lijima, S., & Ohzeki, T. (2006). Bacterial contamination on the hands of nursing staff in the most basic neonatal care. *Journal of Neonatal Nursing, 12*, 53-55.
- Ling, M. L., & How, K. B. (2012). Impact of a hospital-wide hand hygiene promotion strategy on health care-associated infections. *Antimicrobial Resistance & Infection Control, 1*.
- Luftus, R. W., Muffly, M. K., Brown, J. K., Beach, M. L., Koff, M. D., & Corwin, H. L. (2010). Hand contamination of anesthesia providers is an important risk factor for intraoperative bacterial transmission. *International Anesthesia Research Society, 112*(1), 98-105.
- MacDonald, A., Dinah, F., MacKenzie, D., & Wilson, A. (2004). Performance feedback of hand hygiene, using alcohol gel as the skin decontamination, reduces the number of inpatients newly affected by MRSA and antibiotic costs. *The Journal of Hospital Infection, 56*, 56-63.
- Magiorakos, A. P., Leens, E., Drouvot, V. May-Michelangeli, L., Reichardt, T., Gastmeier, P.,...Simon, A. (2010). Pathways to clean hands: highlights of successful hand implementation strategies in Europe. *Eurosurveillance, 15*(18), 1-5.
- Magiorakos, A.P., Suetens & Boyd, (2009). National Hand hygiene campaigns in Europe, 2000-2009. *Euro Surviellace, 14*(17), pii:19190. Retrieved March 10, 2010, from <http://www.eurosurveillance.org/ViewArticle.aspx?ArticleId=19190>
- Malekmakan, L., Haghpanah, S., Askarian, M., Jowkari, M., & Moalaee, M. (2008). Hand hygiene in Iranian health care workers. *American Journal of Infection Control, 602-603*.
- Marjadi, B., & McLaws, M. L., (2010). Hand hygiene in rural Indonesian health-care worker: barriers beyond sink, hand rubs and in-service training. *The Journal of Hospital Infection, 76*, 256-260.
- Martino, P. D., Ban, K. M., Bartoloni, A., Fowler, K. E., Saint, S., & Mannelli, F. (2011). Assessing the sustainability of hand hygiene adherence prior to patient contact in the emergency

- department: A 1-year postintervention evaluation. *American Journal of Infection Control*, 39, 14-8.
- Mathai, E., Allegranzi, B., Seto, W. H., Chraiti, M. N., Sax, H., & Larson, E. (2010). Education healthcare worker to optimal hand hygiene practices: addressing the need. *Infection*, 38, 349-356.doi: 10.1007/s15010-010-0047-7
- Mathai, A. S., George, S. E., & Abraham, J.(2011). Efficacy of multimodal intervention strategy in improving hand hygiene compliance in a tertiary level intensive care unit. *India Journal of Crinical Care Meddicin*. 15(1), 6-15.
- Mayer, A. J., Dubbert, P. M., miller, M., Burkett, P A., & Chapman, S. W. (1986). Increasing handwashing in an intensive care unit. *Infection Control*, 7(5), 259-262.
- Mazi, W., Senok, A. C., Al-Kanldy, S. & Abullanh, D.(2013). Implementation of the world heal organization hand hygiene improvement strategy in critical care units. *Antimicrobial Resistance and Infection Control*, 2,15.
- McGuckin, M., Toyler, A., Martin, V., Porten, L.,& Salcido, R.(2004). Evaluation of a patient education model for increasing hand hygiene compliance in an inpatient rehabilitation unit, *American Journal of Infection Control*, 32(4), 235-8.
- Mclaws, M., Pantle, A. C., Fitzpatrick, K. R.,& Hughes, C. F.(2009). Improvements in hand hygiene across New South Wales public hospitals: Clean Hand save live, Part III. *Medical Journal of Austria*,191(98), S18-S25.
- Mody, L., McNeil, S. A., Sun, R., Bradley, S. E., & Kauffman, C. A., (2003). Introduction of waterless alcohol-based hand rub in a long- term-care facility. *Infection Control and Hospital Epidemiology*, 24(3),165-71.
- Moret, L., Tequi, B., &Lombrial, P., (2004). Should self-asessment method be use to measure compliance with handwashing recommendation? A study carried out in French university hospital. *American Journal of Infection Control*, 38(7), 384-90.
- Muffly, M. K., Beach, M. L., Tong, Y. C. I., & Yeager, M. P.(2010). Stopcock lumen contamination does not reflect the full burden of bacterial intravenous tubing contamination: Analysis using a novel injection port. *American Journal of Infection Control*, 38, 734-9.
- Naikoba, S., & Hayward, A. (2001). The effectiveness of intervention aimed at increasing Handwashing in healthcare worker-a systematic review. *The Journal of Hospital Infection*, 47, 173-180.

- Ng, P. C., Wong, H. L., Lyon, D. J., So, K. W., Lui, F., Lam, R. K. Y., ... Fok, T. F. (2004). Combined use of alcohol hand rub and gloves reduces the incidence of late onset infection in very low birthweight. *Archives of Disease in Childhood: Fetal and Neonatal Edition*, 89, F336-F340.
- Ng, L. S.Y., The, W. T., Ng, S. K., Eng, L. C., & Tan, T. Y., (2011). Bacterial contamination of hands and environment in a microbiology laboratory. *The Journal of Hospital Infection*, 78(3), 231-3.
- Nicolay, C. R. (2005). Hand hygiene: An evidence-based review for surgeons. *International Journal of Surgery*, 4, 53-56.
- Noritomi, D. T., Chiereg, M., Byl, B., Menestrina, N., Corollo, T., Struelens, T., & Vincent, J. L. (2007). Is compliance with hand disinfection in the intensive care unit related to work experience? *Infection Control and Hospital Epidemiology*, 28, 362-364.
- Novoa, A. M., Pi-Sunyer, T., Molins, E., & Castells, X. (2007). Evaluation of hand hygiene adherence in a tertiary hospital. *American Journal of Infection Control*, 35,(10), 676-83.
- Owusu-Ofori, A., Jennings, R., Burgees, J Prasad, P. A., Acheampong, F., & Conffin, S. E. (2010). Assessing hand hygiene resource and practices at a large African teaching hospital. *Infection Control and Hospital Epidemiology*, 31(8), 802-808.
- Patarakul, K., Tan-khum, A. Kanha, S., Padungpean D., & Jaichaiyapum, O. (2005). Cross- sectional survey of hand-hygiene compliance and attitudes of health care workers and visitors intensive care units at King Chulalongkorn memorial Hospital. *Journal of the Medical Association of Thailand*, 88(4), S281- S187.
- Paul, R., Das, N. K., Dutta, R., Bandyopadhyay, R., & Banerjee, A. K. (2011). Bacterial contamination of the hands of doctors: A study in the medicine and dermatology wards. *Indian Journal of Dermatology, Venereology and Leprology*, 77(3). 307-313.
- Pessoa-Silva, C. L., Dharam, S., Hugonnet, S., Touveneau, S., Posfay-Barbe, K., R., Pfister, R., ... Pittet, D. (2004). Dynamics of Bacterial Hand Contamination During Routine Neonatal Care. *Infection Control and Hospital Epidemiology*, 25(3), 192-197.
- Pessoa-Silva, C. L., Hugonnet, S., Pfister, R., Touveneau, S., Dharam, S., Posfay-Barbe, K., (2007). Reduction of health care-associated infection risk in neonates by successful hand hygiene promotion. *Pediatrics*, 120(2), e382-e390.

- Pettinger, A. & Nettleman, M. D. (1991). Epidemiology of isolation precautions. *Infection Control and Hospital Epidemiology*, 12, 303-307.
- Picheansathian, W., Pearson, A., & Sucaxaya, S. (2008). The effectiveness of a promotion programme on hand hygiene compliance and nosocomial infection in a neonatal intensive care unit. *International Journal of Nursing Practice*, 14, 315-321.
- Pittet, D. (2001). Compliance with hand disinfection and its impact on hospital-acquired infections. *Journal of Hospital Infection*, 48, S40-S46.
- Pittet, D. (2000). Improving compliance with hand hygiene in hospitals. *Infection Control and Hospital Epidemiology*, 21(6), 381-386.
- Pittet, D., & Boyce, J. M. (2001). Hand hygiene and patient care: pursuing the Semmelweis legacy. *Lancet Infectious Diseases*, 9-12.
- Pittet, D., Dharan, S., Touveneau, S., Sauvan, V., & Perneger, T. V. (1999). Bacterial contamination of the hands of hospital staff during routine patient care. *Archives of Internal Medicine*, 159(26), 821-826.
- Pittet, D., Hugonnet, S., Harbarth, S., Mourouga, P., Sauvan V., Touveneau, S.,...Pernequer, T. (2000). Effectiveness of hospital-wide programme to improve compliance with hand hygiene. *The Lancet*, 356, 1307-1312.
- Poutanen, S. M., Vearncombe, M., Mcgeer,A. J., Gardam,M., Large, G., & Simor, A. E. (2005). Nosocomial Acquisition of Methcillin-Resistant Staphylococcus Aureus During an outbreak of Severe Acute Respiratory Syndrome. *Infection Control and Hospital Epidemiology*, 26(2), 134-137.
- Premkumar, K., (2004). *The massage connection anatomy and physiology*. (2<sup>nd</sup> ed.).Philadelphia, United States of America: Wolters Kluwer.
- Po, J. L., Burke, R., Sulis, C., & Carling, P. C. (2009). Dangerous cows: An analysis of disinfection cleaning of computer keyboard on wheels. *American Journal of Infection Control*, 1-3.
- Polit, D. F., & Beck, C. T. (2004). Assessing data quality. *In Nursing Research: Principle and Methods*. Philadelphia: Lippincott William & Wilkins.
- Raskind C, H., Worley, S., Vinski, J., & Goldfarb, J. (2007). Hand hygiene compliance rate after an educational in neonatal intensive care unit. *Infection Control and Hospital Epidemiology*, 28, 1096-1098.

- Rosenthal, V. D., McCormick, R. D., Guzman, S., Villamayor, C., & Orellano, P.W. (2003). Effect of education and performance feedback on handwashing: The benefit of administrative support in Argentinean hospitals. *American Journal of Infection Control*, 31(2), 85-92.
- Poutanen, S. M., Vearncombe, M., Mcgeer,A. J., Gardam,M., Large, G., & Simor, A. E. (2005). Nosocomial Acquisition of *Methcillin-Resistant Staphylococcus Aureus* During an outbreak of Severe Acute Respiratory Syndrome. *Infection Control and Hospital Epidemiology*, 26(2), 134-137.
- Rupp, M. E., Fitzgerald, T., Puunala, S., Anderson, J. R., Craig, R., Iwen, P. C .,...Smith, V. (2008). Prospective, controlled, cross-over trial of alcohol-based hand gel in critical care units. *Infection Control and Hospital Epidemiology*, 29, 8-15.
- Saint, S., Conti, A., Bortoloni, A., Virgili, G., Mannelli, F., & Fumagalli, S.(2009). Improving healthcare worker hand hygiene adherence before patient contact: a before-and –after five-unit multimodal intervention in Tuscany. *Quality & Safety in Health care*, 18(16), 429-33.
- Salama, M. F., Jamal, W. Y., Mousa, H. A., Al-AbdulGhani, K. A., & Rotimi, V. O.(2013). The effect of hand hygiene compliance on hospital-acquired infections in an ICU setting in a Kuwaiti teaching hospital. *Journal of Infection and Public Health*, 6, 27-34.
- Salmon, S., Nguyen, V. H., McLaws, M-L., Pittet, P., Kilpatrick, C., Le, T. A. T.,...Truong, A.T. (2011). Hand hygiene campaigns in a low resource context: Vietnam perspective. *British Medical Journal*, 5(supp6) Abstract retrieved March 12, 1012, from PubMed database.
- Santana, S. L., Furtado, G. H. C., Coutinho, A. P., & Medeiros, E. A. S. (2007). Assessment of healthcare professionals' adherence to hand hygiene after alcohol-based hand rub introduction at an intensive care unit in Sao Paulo, Brazil. *Infection Control and Hospital Epidemiology*, 28(3), 365-367.
- Sax, H., Allegranzi, B., Chraiti, M. N., Boycd, J., Lason, E., & Pittet, D.(2009). The world Health Organization hand hygiene observation medthod. *American Journal of InfectionControl*, 37, 827-834.
- Scheithauer, S., Rosarius, A., Rex, S., Post, P., Heisel, H., Schulze-Röbbecke, V.,..., Lemmen, S. (2013). Improving hand hygiene compliance in the anesthesia working room work area: More than just more hand rubs [Abstract]. *American Journal of Infection Control*, doi: 10.2016/j:aic. 201302.004

- Schweon , S. J., Edmond, S. L., Kirk, J., Roeland, D. Y., & Acosta, C.(2013). Effectiveness of a comprehensive hand hygiene for reduction infection rate in long-term care facility.*American Journal of Infection Control, 41*, 39-44.
- Sharek, P. J., Benitz W. E., Abel N. J., Freeburn M. J., Mayer, M. L., & Bergman, D. A. (2002). Effect of an evidence-based hand washing policy on hand washing rates and false positive *coagulase negative staphylococcus* blood and cerebrospinal fluid cultures rate in a level III NICU. *Journal of Perinatol, 22*, 137-143.
- Siegel, J. D., Rhinehart, E., Jackson, M., Chiarello, L., &Chiarello, L. the Healthcare Infection Control .(2007) Advisory Committee. (2007). Guideline for isolation precautions: Preventing transmission of infection agents in healthcare setting 2007.
- Simon, A., C., & Costers, M. (2011). Impact of three multimodal countrywide campaigns to promote hand hygiene in Belgian hospitals. *Biomedcentral, 5*(Suppl 6), Abstract retrieved March 12,1012, from Pubmed database.
- Sjöberg, M., & Eriksson, M.(2010). Hand disinfectant practice: the impact of an education intervention.*The open nursing journal, 4*, 20-24.
- Smith, D. R., Adachi, Y., Mihashi, M., Kawano, S., & Ishitake, T.(2006). Hand dermatitis risk factors among clinical nurses in Japan. *Clinical Nursing Research, 15*(3). 197- 208.
- Smith-Vaughan, H., Crichton, F., Beissbarth, J., Morris, P.,& Leach, A. J. (2008). Survival of *Pneumococcus* on hands and fomites.Retrieved November 18, 2008, from *Biomed central* with Full Text database.
- Sohn, S., Eagan, j., & Sepkowitz, K.(2005). Improving hand hygiene compliance with comprehensive intervention over time[Abstract]. *American Journal of Critical care, 56*(2), E129.
- Ston, S. P., Fuller, C., Savage, J., Cookson, B., Hayward, A., Cooper, B.,...Charlett, A. (2012). EVauation of the national cleanyourhands campaign to reduce *Staphyococcus aureus* bacteremia and *Clostidium difficile* infection in hospital in Englang and Wales by improved hand hygiene : four year, prospective, ecological, interrupted time series study. Retrieved May 3, 2012, from BMJ with Full Text database.
- Suchita, J. B., & Lakshmi, D., N.(2007). Impact of education on knowledge, attitudes and practices among various categories of health care worker on nosocomial infections. *Indian Journal of Medical Microbiology, 25*, 181-187.

- Szila'gyi, L., Haidegger, T., Lehotsky, A., Nagy, M., Csonka, E., Sun, X., ... Fisher, D. (2013). A Large-scale assessment of hand hygiene quality and the effectiveness of the "WHO 6-steps". *Biomedcentral*, 13, 249.
- Tappen, R. M. (Ed.). (2001). Individual evaluation procedures. In *Nursing leadership and management: Concepts and practice* (4<sup>th</sup> ed., pp.272-294). Philadelphia: F. A. Davis.
- Teng, S. O., Lee, W. S., Ou, Y. C., Hsieh, Y. C., Lee, W. H., & Lin, Y. C. (2008). Bacterial contamination of patient's charts in a surgical ward and the intensive care unit: impact on nosocomial infections. *Journal Microbiol Immunol Infect*, 42, 86-91.
- Tenoio, A. R., (2001). Effectiveness on glove in the prevention of hand carriage of vancomycin-resistant Enterococcus species by health care worker after patient care. *Clinical Infectious Disease*, 32(5), 826-9. From <http://cid.oxfordjournals.org/content/32/5/826.long>
- Tibballs, J. (1996). Teaching hospital medical staff to handwash. *The medical Journal of Australia*, 164(7), 395-8
- Thomson, B. L., Dwyer, D. M., Ussery, X. T., Denman, S., Vacek, P., & Schwartz, B. (1997). Handwashing and glove use in a long-term care facility. *Infection Control and Hospital Epidemiology*, 18(2), 97-103.
- Treakle, A. M., Kerri, A., Thom, K. A., Fuluno, J. P., Strauss, S. M., Harris, A. D., Perencevich, E. N., & Perencevich, E. N. (2009). Bacterial contamination of health care workers' white coats. *American Journal of Infection Control*, 37, 101-105.
- Trick, W. E., Venon, M. O., Hayes, R. A., Nathan, C., Rice, T. W., Peterson, B. J., ... Weinstein, R. A. (2003). Impact of ring wearing on hand contamination and comparison of hand hygiene agents in a hospital. *Clinical Infectious Disease*, 36(11), 1389-1390.
- Tvedt, C., & Bukholm, G. (2005). Alcohol-based hand disinfection: a more robust hand-hygiene method in an intensive care unit. *The Journal of Hospital Infection*, 59, 229-234.
- Uneke, C. J., Ogbonna, A., Oyibo & Onu, C. M. (2010). Bacterial contamination of stethoscopes used by health worker: public health implications. *Journal of infection in developing countries*, 4(7), 436-41.
- Van Fleet, D., & Peterson, T. O. (1994). *Contemporary management* (3<sup>rd</sup> ed.). Boston: Houghto Mifflin.
- Van Knippenberg-Gordebeke, G. G. (2011). Dutch survey bedpan management (1990-2010): progress in correct use of washer disinfector. *Biomedical center*, 5(suppl 6), p308.

- Venkateshesh, A. K., Lankford, M. G., Rooney, D. M., Blachford, T., Watts, C. M., & Noskin G. A. (2007). Use of electronic alerts to enhance hand hygiene compliance and decrease transmission of vancomycin-resistant Enterococcus in a hematology unit. *American Journal of Infection Control*, 36(3), 199-204.
- Whitby, M., McLaw, M. L., Slater, K., Tong, E., & Johnson, B. (2008). There successful interventions in health care worker that improve compliance with hand : is sustained replication possible? *American Journal of Infection Control*, 36, 349-55.
- Whitting, A. M., Whitlow, G., Hewson, D., Thomas, C., & Brett, S. J. (2009). Bacterial contamination of stethoscopes on the intensive care unit. *Anaesthesia*, 64(6), 620-624.
- Wisniewski, M. F., Kim, S., Trick, W. E., Welbel, S. F., & Weinstein, R. A. (2007). Effect of Education on Hand Hygiene Beliefs and Practices: A 5-Years Program. *Infection Control and Hospital Epidemiology*, 28(1), 88-91.
- Won, S. P., Chou, H. C., Hsie, W. S., Chen, Huang, S. M., Tsou, K. I., ... Tsao, P. N. (2004). Handwashing program for the prevention of nosocomial infection in a neonatal intensive care unit. *Infection Control and Hospital Epidemiology*, 25(9), 742-746.
- Wood, M. W., Lund, R. C., & Stevenson, K. B. (2007). Bacterial contamination of stethoscopes with antimicrobial diaphragm covers. *American Journal of Infection Control*, 35, 263-266.
- World Health Organization. (2006). *WHO guidelines on hand hygiene in health care (Advanced draft)*. Retrieved April 1, 2007, from <http://www.who.int/patientsafety.html>
- World Health Organization. (2009). *WHO guidelines on hand hygiene in healthcare first safety challenge clean care is safer care*. Retrieved July 1, 2009, from <http://www.who.int/publication/2009/9789241597906eng.pdf>.
- Wright, B., Turner, J. G., & Daffin, P. (1997). Effectiveness of computer-assisted instruction in increasing the rate of universal precaution-related behaviors. *American Journal of Infection Control*, 25, 426-429.
- Yee-Chun, C., Wang-Huei, S., Jann-Tay, W., Shan-Chwen, C., Hui-Chi, L., Kuei-Lien, T., & Kuei-Lien, T. (2011). Effectiveness and Limitations of hand hygiene promotion on decreasing healthcare-associated infections. *Plos one*, 11(6), e27163
- Yuan, C. T., Dembry, L. M., Higa, B., Fu, M., Wang, H., & Bradley, E. H. (2008). Perception of hand hygiene practices in China. *Journal of Hospital Infection*, 71, 157-162.

Zawacki, A., O'Rourke, E., Potter-Bynoe, G., Macone, A., Harbart, S., & Goldmann, D. (2004). An outbreak of *Pseudomonas aeruginosa* pneumonia and bloodstream infection associated with intermittent otitis external in healthcare worker. *Infection Control and Hospital Epidemiology*, 22(9), 560-564.



บริษัทมหาวิทยาลัยเชียงใหม่  
Copyright © by Chiang Mai University  
All rights reserved