

เอกสารอ้างอิง

- กรมสุขภาพจิต กระทรวงสาธารณสุข. (2553). ตารางแสดงจำนวนและอัตราผู้ป่วยสุขภาพจิตต่อประชากร 100,000 คน ปี พ.ศ. 2551-2552 หน่วยนับ: คน. สืบค้นเมื่อวันที่ 25 มกราคม 2556, จาก <http://www.plan.dmh.go.th/FormRptDmh/view.asp?id=131>
- กรมสุขภาพจิต กระทรวงสาธารณสุข. (2554). แนวทางการดูแลผู้ป่วยโรคซึมเศร้าระดับจังหวัด (ฉบับปรับปรุงครั้งที่ 2). กรุงเทพฯ: ศิริธรรมออฟเซต
- หมัยพร จันทรศิริ. (2553). ประสิทธิภาพของการใช้โปรแกรมการฝึกอบรมผู้ดูแลเกี่ยวกับการปรับพฤติกรรมเด็กสมาธิสั้น โรงพยาบาลสวนปรุง จังหวัดเชียงใหม่. การค้นคว้าแบบอิสระ. พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลสุขภาพจิตและจิตเวช, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.
- คาราวรรณ ต๊ะปันตา. (2555). ภาวะซึมเศร้า: การบำบัดและการให้การปรึกษาโดยการปรับความคิด และพฤติกรรม (พิมพ์ครั้งที่ 1). เชียงใหม่: วนิดาการพิมพ์.
- ดีกฝ่ายคำ โรงพยาบาลสวนปรุง. (2554). สถิติผู้ป่วยฆ่าตัวตายสำเร็จ ระหว่าง พ.ศ. 2552 - 2554. เชียงใหม่: ผู้เขียน.
- ธรณินทร์ กองสุข และคณะ. (2549). องค์ความรู้โรคซึมเศร้า: ผลการทบทวนหลักฐานทางวิชาการ. อุบลราชธานี: ศิริธรรมออฟเซต.
- ธรณินทร์ กองสุข, สุวรรณ อรุณพงศ์ไพศาล, เกษราภรณ์ เคนบุปผา, สุพัตรา สุขาวท, รุ่งมณี ยิ่งยง, ศักดา ขำคม, ศิริจันทร์ สุขใจ และจินตนา ลิ้มเพิ่มพูน (2550, พฤศจิกายน). การพัฒนาและความเที่ยงตรงของแบบประเมินโรคซึมเศร้า 9 คำถาม ภาษาอีสาน. การประชุมวิชาการสุขภาพจิตนานาชาติครั้งที่ 6 ประจำปี 2550, กรุงเทพฯ.
- บัณฑิต ศรีไพศาล, จุฑาภรณ์ แก้วมุงคุณ และกมลลา วัฒนพร. (2553). รายงานสถานการณ์สุราประจำปี พ.ศ. 2553. กรุงเทพฯ: ศูนย์วิจัยปัญหาสุรา.
- บัณฑิต ศรีไพศาล, จุฑาภรณ์ แก้วมุงคุณ, กมลลา วัฒนพร, ไสกิต นาสืบ, แหวดาว พิมพ์พันธ์ดี และกณณพนธ์ ภักดีเศรษฐกุล. (2551). รายงานสถานการณ์สุราประจำปี พ.ศ. 2551. กรุงเทพฯ: ศูนย์วิจัยปัญหาสุรา.
- บัณฑิต ศรีไพศาล, จุฑาภรณ์ แก้วมุงคุณ, ดวงกมล ไชยพุทธ, กมลลา วัฒนพร, ไสกิต นาสืบ, คารินทร์ กำแพงเพชรและคณะ. (2549). รายงานสถานการณ์สุราประจำปี 2549. กรุงเทพฯ: ศูนย์วิจัยปัญหาสุรา (สวส).

- ประวิล ชัยยะเกิด. (2549). *ความคาดหวังในการดื่มแอลกอฮอล์ของผู้ติดสุราที่เข้ารับการรักษาในโรงพยาบาลสวนปรง*. การค้นคว้าแบบอิสระพยาบาลศาสตรมหาบัณฑิต สาขาวิชาสุขภาพจิตและการพยาบาลจิตเวช, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.
- บุญยาภา คำบุญเรือง. (2552). *ผลของการบำบัดโดยการแก้ปัญหาคือภาวะซึมเศร้าในผู้ป่วยโรคติดสุรา*. โรงพยาบาลสวนปรง จังหวัดเชียงใหม่. การค้นคว้าแบบอิสระพยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลสุขภาพจิตและจิตเวช, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.
- แผนงานการพัฒนาระบบ รูปแบบ และวิธีการบำบัดรักษาผู้มีปัญหาการบริโภคสุราแบบบูรณาการ (พรส.). (2553). *คู่มือสำหรับผู้อบรม การดูแลผู้มีปัญหาการดื่มสุราเบื้องต้นสำหรับบุคลากรสุขภาพ*. เชียงใหม่: วนิดาการพิมพ์.
- พันธุณา กิตติรัตนไพบูลย์ และหทัยชนนี บุญเจริญ (บรรณาธิการ). (2549). *แนวเวชปฏิบัติการให้คำปรึกษาผู้ที่มีปัญหาสุขภาพจิตจากแอลกอฮอล์ในโรงพยาบาลจิตเวช*. เชียงใหม่: ไอแอมออแกไนเซอร์แอนด์เอ็ดเวอร์ไทซิง.
- พิชัย แสงชาญชัย, พงศธร เนตราคม และนพพร หิรัญวิวัฒน์กุล (บรรณาธิการ). (2549). *ตำราจิตเวชศาสตร์การคิดสารเสพติด*. กรุงเทพฯ: สำนักงานงบประมาณความช่วยเหลือด้านการป้องกันและปราบปรามยาเสพติด (NAS).
- มนตร์ธม์ ถาวรทรัพย์, ยศ ศีระวัฒนานนท์, อุษา ฉายเกล็ดแก้ว, ชนิตา เลิศพิทักษ์พงศ์, จอมขวัญ โยธาสุมุท, กรรณิการ์ จิตินุญสุวรรณ และคณะ. (2551). *การศึกษาด้านทุนผลกระทบทางสังคม สุขภาพและเศรษฐกิจของการบริโภคเครื่องดื่มแอลกอฮอล์ในประเทศไทย*. นนทบุรี: โครงการประเมินเทคโนโลยีและนโยบายด้านสุขภาพ.
- มานิช หล่อตระกูล และปราโมทย์ สุคนิชย์. (2552). *จิตเวชศาสตร์รามาธิบดี (พิมพ์ครั้งที่ 3)*. กรุงเทพฯ: ภาควิชาจิตเวชศาสตร์ คณะแพทยศาสตร์โรงพยาบาลรามาธิบดี มหาวิทยาลัยมหิดล.
- โรงพยาบาลสวนปรง. (2554). *สถิติผู้รับบริการประเภท F 10 ระหว่าง พ.ศ. 2552 - 2554*. เชียงใหม่: ผู้เขียน.
- โรงพยาบาลสวนปรง. (2555ก). *CPG และ Care map: Clinical tracer การดูแลผู้มีปัญหาสุขภาพจิตจากสุรา*. เชียงใหม่: ผู้เขียน.
- โรงพยาบาลสวนปรง. (2555ข). *รายงานปฏิบัติการแผนโรงพยาบาลสวนปรง จังหวัดเชียงใหม่ระหว่าง พ.ศ. 2553 - 2555*. เชียงใหม่: ผู้เขียน.

- เวนิช ศรีบุรินทร์. (2553). การวิเคราะห์สถานการณ์การดูแลผู้ที่เป็นโรคติดสุราที่มีโรคซึมเศร้า
โรงพยาบาลสวนปรุง จังหวัดเชียงใหม่. การค้นคว้าแบบอิสระพยาบาลศาสตรมหาบัณฑิต
สาขาวิชาการพยาบาลสุขภาพจิตและจิตเวช, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.
สมภพ เรืองตระกูล. (2553). จิตเวชศาสตร์พื้นฐานและโรคทางจิตเวช (พิมพ์ครั้งที่ 2).
กรุงเทพฯ: เรือนแก้วการพิมพ์.
- สุวนีย์ เกี้ยวกิ่งแก้ว. (2554). การพยาบาลจิตเวช (พิมพ์ครั้งที่ 2). กรุงเทพฯ: คณะพยาบาลศาสตร์
มหาวิทยาลัยธรรมศาสตร์.
- อุบล ก้องแก้ว. (2547). ภาวะซึมเศร้าของผู้เสพติดสุราในคลินิกสุขภาพจิต โรงพยาบาลเครือข่าย
สุขภาพจิตและจิตเวช จังหวัดลำพูน. การค้นคว้าแบบอิสระพยาบาลศาสตรมหาบัณฑิต
สาขาวิชาสุขภาพจิตและการพยาบาลจิตเวช, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.
- เอี่ยมเดือน เนตรเขม. (2541). ความคิดอัตโนมัติด้านลบกับความซึมเศร้าในผู้เสพติดสุราเรื้อรัง.
วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาสุขภาพจิตและการพยาบาลจิตเวช,
บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.
- Agarwal, R. & Prasad, J. (1997). The Role of Innovation Characteristics and Perceived
Voluntariness in the Acceptance of Information Technologies. *Decision Sciences*,
28(3), 557-582.
- Alexopoulos, G.S., Raue, P.J., Kanellopoulos, D., Mackin, S., & Arean, P.A. (2008). Problem
solving therapy for the depression-executive dysfunction syndrome of late life.
International Journal of Geriatric Psychiatry, 23(8), 782-788.
- American Psychiatric Association. (2005). *Diagnostic criteria from DSM-IV* (5th ed).
Washington, DC: Author.
- Bailey, K.P., Sauer, C. D., & Herrel, C. (2002). Mood disorders. In A.M. Boyd (Ed.), *Psychiatric
nursing contemporary practice* (pp. 410-426). Philadelphia: Lippincott.
- Barnes, M. P., & Ward, A. B. (2000). Textbook of rehabilitation medicine. New York: Oxford.
- Barnett, N. P., Borsari, B., Hustad, J. T., Tevyaw, T. O., Colby, S. M., Kahler, C. W. et al. (2008).
Profiles of College Students Mandated to Alcohol Intervention. *Journal of studies on
alcohol and drugs*, 69(5), 684-694.
- Barrick, C. & Connors, G. J. (2002). Relapse prevention and maintaining abstinence in older
adult with alcohol use disorder. *Drug Aging*, 19(8), 583-594.

- Beck, A. T., Rush, A. J., Shaw, B. F., & Emery, G. (1979). *Cognitive therapy of depression*. New York: Guilford Press.
- Berman, R. M. & Charney, D. S. (1999). Models of antidepressant action. *Journal of Clinical Psychiatry*, 60(14), 16-20.
- Cornelius, J. R., Salloum, I.M., Ehler, J.G., Jarrett, P.J., Cornelius, M. D., Perel, J. M., et al. (1997). Fluoxetine in depressed alcoholics: A double-blind, placebo-controlled trial. *Archives of general of psychiatry*, 54(8),700-705.
- Cornelius, J.R., Bukstein, O., Salloum, I. & Clark, D. (2003). Alcohol and psychiatric comorbidity. *Recent Developments in Alcoholism*, 16, 361-374.
- D, Zurilla,T.J. (1988). Problem-solving therapies. In K.S. Dobson (Ed), *Handbook of cognition-behavioral therapies* (pp. 85-135). London: Hutchinson.
- Dennis, M., Godley, S.H., Diamond, G., Tims, F.M., Babor, T.,Donaldson, J. et al. (2004). The Cannabis Youth Treatment (CYT) study: Main findings from two randomized trials. *Journal of substance abuse treatment*, 27(3), 197-213.
- Ebersole, P., & Hess, P. (1998). *Toward health aging* (5th ed.). St. Louis: Mosby.
- Edwards, A. C., Sihvola, E., Korhonen, T., Pulkkinen, L., Moilanen, I., Kaprio, J., et al. (2011). Depressive symptoms and alcohol use are genetically and environmentally correlated across adolescence. *Behavior Genetics*, 41(4), 476-487.
- Feldstein Ewing S. W., Filbey, F. M., Chandler, L. D., & Hutchison, K. E. (2010). Exploring the relationship between depressive and anxiety symptoms and neuronal response to alcohol cues. *Alcoholism: Clinical and Experimental Research*, 34(3), 396-403.
- Garrett, S. B., Higa, D. H., Phares, M. M., Peterson, P. L., Wells, E. A. & Baer, J. S. (2009). Homeless Youths' Perceptions of Services and Transitions to stable Housing. *Eval Program Plann*, 31(4), 436-444.
- Gask, L. (2006). Problem-solving treatment for anxiety and depression: A practical guide. *The British Journal of Psychiatry*, 189, 287-288.
- Getachew, B., Hauser, S. R., Taylor, R. E., & Tizabi, Y. (2010). Alcohol-induced depressive-like behavior is associated with cortical norepinephrine reduction. *Pharmacology Biochemistry Behavior*, 96(4), 395-401.

Hatcher, S., Sharon, C., & Collins, N., (2012). *Problem Solving Therapy Training: The Rationale*.

Retrieved September 1, 2012, from

<http://www.problemsolvingtherapy.ac.nz/index.php?p=home>

Heinz, A., Lober, S., Georgi, A., Wrase, J., Hermann D, Rey, E. R., et al. (2003). Reward craving and withdrawal relief craving: assessment of different motivational pathways to alcohol intake. *Alcohol & Alcoholism*, 38(1), 35-39.

Kranzler, H.R., Mueller, T., Cornelius, J., Pettinati, H.M., Moak, D., Martin, P.R. et al.

(2006). Sertraline treatment of co-occurring alcohol dependence and major depression. *Journal of clinical psychopharmacology*, 26(1), 13-20.

Lerner, P., Goodwin, F. K., van Kammen, D. P., Post, R. M., Major, L. F., Ballenger, J. C., et al.

(1978). Dopamine-beta-hydroxylase in the cerebrospinal fluid of psychiatric patients. *Biological Psychiatry*, 13(6), 685-694.

Lundblad, J.P. (2003). A review and critique of Rogers' diffusion of innovation theory as it applies to organizations. *Organizational Development Journal*, 21(4), 50-64.

Nezu, A. M. (1986). Efficacy of a social problem-solving therapy approach for unipolar depression. *Journal of Consulting and Clinical Psychology*, 54(2), 196-202.

Nezu, A.M., & Nezu, C.M. (2008). *Problem Solving Therapy for depression: PST for depression*. workshop 2nd Asian CBT conference-2008. Bangkok.

Nezu, A.M., & Wilkins, V.M. (2005). Problem-solving therapy for depression. In A. Freeman, A.M. Nezu, C.M. Nezu, M. Reinecke, L.C. Sobell, L.C., & A. Wells (Eds.), *International encyclopedia of cognitive behavior therapy*. New York: Kluwer Academic/Plenum Publishers.

NSW Department of Health. (2007). *Drug and alcohol treatment guidelines for residential setting*.

Available from http://www0.health.nsw.gov.au/pubs/2007/pdf/drug_a_guidelines.pdf

Nunes, E.V., McGrath, P.J., Quitkin, F.M., Stewart, J.P., Harrison, W., Tricamo, E. et al. (1993).

Imipramine treatment of alcoholism with comorbid depression. *The American journal of Psychiatry*, 150(6), 963-965.

Pettinati, H. M., Silverman, B. L., Battisti, J. J., Forman, R., Schweizer, E., & Gastfriend, D. R.

(2011). Efficacy of extended-release naltrexone in patients with relatively higher severity of alcohol dependence. *Alcoholism: Clinical & Experimental Research*, 35(10), 1804-1811.

Polit, D.F., & Hungler, B. P. (2001). *Nursing research: Principle and Methods*. (6th ed.).

Philadelphia: Lippincott.

Ramsey, S.E., Engler, P.A. & Stein, M.D. (2005). Alcohol use among depressed patient: the need for assessment and intervention: Professional Psychology, *Research and practice*, 36(2), 203-207.

Rogers, E. M. (2003). *Diffusion of innovations Fifth edition*. New York: Free Press.

Samantha James. (2008). *How Alcohol Causes Depression*. Retrieved December 5, 2012, from

<http://ezinearticles.com/?How-Alcohol-Causes-Depression&id=1294741>

Schiffman, L. & Kanuk, L. L. (2004). *Consumer behavior* (8th ed.). Upper Saddle River, NJ: Prentice Hall.

Shih, T. Y. & Fang, K. (2004). The Use Of A Decomposed Theory Of Planned Behavior To Study Internet Banking. *Internet Research*, 14(3), 213–223.

Substance Abuse and Mental Health Services Administration. (2005). *A Treatment Improvement Protocol: TIP 42 Substance Abuse Treatment for Persons With Co-Occurring Disorder*. Choke Cherry Road: Rockville.

The Thai working group on burden of diseases and injuries. (2002). *Burden of disease and injuries in Thailand: Priority setting for policy*. Bureau of health policy and planning, Ministry of public health.

Torrens, M., Fonseca, F., Mateu, G. & Farre, M. (2005). Efficacy of antidepressants in substance use disorders with and without comorbid depression: A systematic review and meta-analysis. *Drug and alcohol dependence*, 78(1), 1-22.

Trevisan, L.A., Boutros. N.B., Petrakis, I., & Krystal, J. H. (1998). Complication of Alcohol

Withdraw: Pathological Insight. *Alcohol Health & Research*, 22, 61-66.

Westermeyer, J. J., Weiss, R. D., & Ziedonis, D.M. (2003). *Integrated treatment for mood and substance use disorders*. Baltimore: John Hopkins University Press.

World Health Organization. (2012a). *Dependence syndrome*. Retrieved September 27, 2012, from

http://www.who.int/substance_abuse/terminology/definition1/en/

World Health Organization. (2012b). *Depression*. Retrieved 27 September 2012, from

http://www.who.int/mental_health/management/depression/en/

Zung, W.W. (1965). A Self-rating Depression Scale. *Archives of General Psychiatry*, 12(1), 63-70.