

## เอกสารอ้างอิง

- [1] A. Bosch, A. Zisserman, and X. Munoz, "Representing shape with a spatial pyramid kernel," ACM International Conference on Image and Video Retrieval, 2007, pp. 401-408.
- [2] A. Psyllos, C. N. Anagnostopoulos, E. Kayafas, "Vehicle model recognition from frontal view image measurements," Computer Standard & Interfaces, 2011, vol. 33, pp. 142-151.
- [3] A. Psyllos, C. N. Anagnostopoulos, E. Kayafas, "The vehicle logo recognition using a SIFT based enhance matching scheme" IEEE Transactions Intelligent Transportation Systems, 2010, pp. 322-328.
- [45] B. Li, B. Tian, Q. Yao and K. Wang, "A Vehicle License Plate Recognition System Based on Analysis of Maximally Stable Extremal Regions," IEEE International Conference on Networking, Sensing and Control, 2012, pp. 399-404.
- [5] C. N. Anagnostopoulos, I. Anagnostopoulos, V. Loumos, E. Kayafas, "A license plate recognition algorithm for intelligent transportation system applications," IEEE Transactions Intelligent Transportation Systems, 2006, pp. 377-392.
- [6] D. Santos, P. L. Correia, "Car recognition based on back lights and rear view features," Workshop on Image Analysis for Multimedia Interactive Services, 2009, pp. 137-140.
- [7] H. Bay, T. Tuytelaars, and L. Van Gool, "Speeded Up Robust Features," European Conference on Computer Vision, 2006, pp. 404-417.
- [8] H. W. Lim and Y.H. Tay, "Detection of License Plate Character in Natural Scene with MSER and SIFT unigram Classifier," Proceeding of IEEE Conference on Sustainable Utilization and Development in Engineering and Technology Universiti Tunku Abdul Rahman, 2010, pp. 95-98.

- [9] J. Canny, "A Computational Approach to Edge Detection," IEEE Transactions on Pattern Analysis and Machine Intelligence, 1986, pp. 679-698.
- [10] J. Harel, C. Koch, and P. Perona, "Graph-Based Visual Saliency," Conference Advances in Neural Information Processing System, 2007, pp. 545-552.
- [11] J. Matas, O. Chum, M. Urban, and T. Pajdla, "Robust Wide Baseline Stereo from Maximally Stable Extremal Regions," British Machine Vision Conference, 2002, pp. 384-393.
- [12] K. Sam and X. Tian, "Vehicle Logo Recognition Using Modest AdaBoost and Radial Tchebichef Moments," International Proceedings of computer Science and Information Technology (IACSIT), 2012, vol.25, pp. 91-95.
- [13] K. Zheng, Y. Zhao, J. Gu, and Q. Hu, "License plate detection using Haar-like features and histogram of oriented gradients," IEEE International Symposium Industrial Electronics, 2012, pp. 1502-1505.
- [14] L. Itti, C. Koch, and E. Niebur, "A Model of Saliency-based Visual Attention for Rapid Scene Analysis," IEEE Transactions on Pattern Analysis and Machine Intelligence, 1998, vol. 20, pp. 1254-1259.
- [15] L. Sirovich and M. Kirby, "Low-dimensional procedural for the characterization of human faces," Journal of the Optical Society of America, 1987, vol.4, pp. 519-524.
- [16] M. Tunk, and A. Pentland, "Face recognition using eigenfaces," IEEE Computer Society Conference, 1991, pp. 586-591.
- [17] N. Butko, L. Zhang, G. Cottrell, and J. Movellan, "Visual Saliency Model for Robot Cameras", IEEE International Conference Robotics and Automation, 2008, pp. 2398-2403.
- [18] N. Dalal and B. Triggs, "Histograms of oriented gradient for human detection," IEEE Computer Society Conference, 2005, vol.1, pp. 886-893.

- [19] P. Kovese, "Image features from phase congruency," *Videre: A Journal of Computer Vision Research*, MIT Press 1 (3) (1999) 1-27.
- [20] S. Hommel, D. Malysiak, and U. Handmann, "Model of human clothes based on saliency maps", *IEEE International Symposium Computational Intelligence and Informatics*, 2013, pp. 551-556.
- [21] T. Anakavej, A. Kawewong, and K. Patanukhom, "Internet-Vision Based Vehicle Model Query System Using Eigenfaces and Pyramid of Histogram of Oriented Gradients," In proceeding of international conference on Signal Image Technology & Internet Based Systems, 2013.
- [22] V. Petrovic and T. Cootes, "Analysis of features for rigid structure vehicle type recognition," *British Machine Vision Conference*, 2004, vol.2, pp. 587-596.
- [23] W. Yunqiong, L. Zhifang, and X. Fei, "Fast Coarse-to-Fine Vehicle Logo Detection and Recognition Method," *IEEE International Conference on Robotics and Biomimetics*, 2007, pp. 691-696.
- [24] X. Yin, X. C. Yin, H. W. Hao, and K. Iqbal, "Effective text localization in natural scene images with MSER, geometry-based grouping and AdaBoost," *IEEE International Conference on Pattern Recognition*, 2012, pp. 725-728.
- [25] [www.onetwocar.com](http://www.onetwocar.com) View 16 August 2013.
- [26] [www.medialab.ntua.gr/research/LPRdatabase.html](http://www.medialab.ntua.gr/research/LPRdatabase.html). View 16 August 2013.