


เอกสารอ้างอิง

- [1] Barker JL, Garden AS, Ang KK, Daniel JC, Wang H, Court LE, et al. Quantification of volumetric and geometric changes occurring during fractionated radiotherapy for head-and-neck cancer using an integrated CT/linear accelerator system. *Int J Radiat Oncol Biol Phys.* 2004;59:960-970.
- [2] พญ. อนุสรณ์ ส่องทอง. มะเร็งหลังโพรงจมูก (Nasopharyngeal carcinoma). [Internet]. [cited 2012 January 8]. Available from: http://www.chulacancer.net/uploads/articles_attc/1392727537.pdf
- [3] Hansen EK, Bucci MK, Quivey JM, Weinberg V, Xia P. Repeat CT imaging and replanning during the course of IMRT for head-and-neck cancer. *Int J Radiat Oncol Biol Phys.* 2006;64:355-362.
- [4] Varadhan R, Hui S, Way S, Nisi K. Assessing prostate, bladder and rectal doses during image guided radiation therapy. *J Clin Med Phys.* 2009;10:56-74.
- [5] Lee N, Puri DR, Blanco AI, Chao KS. Intensity-modulated radiation therapy in head and neck cancer: an update. *Head Neck.* 2007;29:387-400.
- [6] Ezzell GA, Galvin JM, Low D, Palta JR, Rosen I, Sharpe MB, et al. Guidance document on delivery, treatment planning, and clinical implementation of IMRT: Report of the IMRT subcommittee of the AAPM radiation therapy committee. *Med Phys.* 2003;30:2089-2114.
- [7] Mackie TR. History of tomotherapy. *Phys Med Biol.* 2006;51:427-453.

- [8] Houghton F, Benson RJ, Tudor GSJ, Fairfoul J, Gemmill J, Dean JC, et al. An assessment of action levels in imaging strategies in head and neck cancer using tomotherapy. Are our margins adequate in the absence of image guidance. Clin Oncol. 2009;21:720-727.
- [9] Han C, Chen YJ, Liu A, Schultheiss TE, Jeffrey YC. Actual dose variation of parotid glands and spinal cord for nasopharyngeal cancer patients during radiotherapy. Int J Radiat Oncol Biol Phys. 2008;70:1256-1262.
- [10] Lee C, Langen KM, Lu W, Haimerl J, Schnarr E, Kenneth J, et al. Assessment of parotid gland dose changes during head and neck cancer radiotherapy using daily megavoltage computed tomography and deformable image registration. Int J Radiat Oncol Biol Phys. 2008;71:1563-1571.
- [11] Woodford C, Yartsev S, Dar AR, Bauman G, Dyk JV. Adaptive radiotherapy planning on decreasing gross tumor volume as seen on megavoltage computed tomography images. Int J Radiat Oncol Biol Phys. 2007;69:1316-1322.
- [12] Langen KM, Meeks SL, Poole DO, Wagner TH, Willoughby TR, Kupelian PA. et al. The use of megavoltage CT (MVCT) images for dose recomputations. Phys Med Biol. 2005;50:4259-4276.
- [13] Schirm M, Yartsev S, Bauman G, Battista J, Dyk JV. Consistency check of planned adaptive option on helical tomotherapy. Technol Canc Res Treat. 2008;6:425-32.
- [14] Crop F, Bernard A, Reynaert N. Improving dose calculations on TomoTherapy MVCT images. J Appl Clin Med Phys. 2012;13:241-253.
- [15] Morin O, Chen J, Aubin M, Gillis A, Aubry JF, Bose S, et al. Dose calculation using megavoltage cone-beam CT. Int J Radiat Oncol Biol Phys. 2010;67:1201-1210.

- [16] Mackie TR, Holmes T, Swerdloff S, Reckwerdt P, Deasy JO, Yang J, et al. Tomotherapy: A new concept for delivery of dynamic conformal radiotherapy. *Med Phys*. 1993;20:1709-1719.
- [17] Roberts MT. Comparison of TLD dose and reconstructed dose for post-mastectomy radiation therapy with tomotherapy. [Internet]. [cited 2013 April 8]. Available from: http://etd.lsu.edu/docs/available/etd-08042011-180939/unrestricted/roberts_thesis.pdf.
- [18] Langen KM, Papanikolaou N, Balog J, et al. QA for helical tomotherapy: report of the AAPM radiation therapy committee task group 148. *Med Phys*. 2010;37:4817-4853.
- [19] Keller H, Glass M, Hinderer R, Ruchala K, Jeraj R, Olivera G, et al. Monte Carlo study of a highly efficient gas ionization detector for megavoltage imaging and image-guided radiotherapy. *Med Phys*. 2002;29:165-175.
- [20] Ruchala K, Olivera G, Schloesser E, Hinderer R, Mackie TR. Calibration of a tomotherapeutic MVCT system. *Phys Med Biol*. 2000;45:27-36.
- [21] Kapatoes JM, Olivera GH, Reckwerdt PJ, Fitchard EE, Schloesser EA and Mackie TR. Delivery verification in sequential and helical tomotherapy. *Phys Med Biol*. 1999;44:1815-1814.
- [22] Jacobs S. Adaptive radiotherapy. [Internet]. [cited 2012 September 12]. Available from: <https://www.medicaldosimetry.org/pub/39758175-2354-d714-5136-e6e03944e474>.
- [23] Jerry J, Boyer AL, Kappas C, Klein E, Mackie TR, Sharpe M, et al. Inhomogeneity corrections for megavoltage photon beams: report of the AAPM radiation therapy committee task group 65. *Med Phys* 2004.
- [24] Louisiana State University. Dose calculation and verification for tomotherapy. [Internet]. [cited 2013 April 8]. Available from: <http://www.aapm.org/meetings/amos2/pdf/34-8140-57218-327.pdf>.

- [25] Ruchla KJ, Olivera GH, Schloesser EA and Mackie TR. Megavoltage CT on a tomotherapy system. *Phys Med Biol.* 1999;44:2597-2621.
- [26] Pukala J, Meeks SL, Bova FJ and Langen KM. The effect of temporal HU variations on the uncertainty of dose recalculations performed on MVCT images. *Phys Med Biol.* 2011;56:7829-7841.
- [27] Shah AP, Langen KM, Ruchala KJ, Cox A, Kupelian PA and Meeks SL. Patient dose from megavoltage computed tomography imaging. *Int J Radiat Oncol Biol Phys.* 2008;70:1579-1587.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved