

## เอกสารอ้างอิง

เอกสารอ้างอิงที่มีเครื่องหมายดอกจัน (\*) หมายถึง เอกสารหรืองานวิจัยที่ใช้ในการทบทวนอย่างเป็นระบบ

กาญจนา ปิ่นแก้ว. (2547). ความเหนื่อยล้าในระยะคลอดและปัจจัยที่เกี่ยวข้องในผู้คลอด (วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลสตรี). บัณฑิตวิทยาลัย, มหาวิทยาลัยเชียงใหม่.

ทัศนัวรรณ ศิระพรหม. (2549). ความเหนื่อยล้าในสตรีมีครรภ์ (วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลสตรี). บัณฑิตวิทยาลัย, มหาวิทยาลัยเชียงใหม่.

พริษา ศุภศรี. (2549). การสนับสนุนทางการพยาบาลในระยะคลอด. วารสารคณะพยาบาลศาสตร์ มหาวิทยาลัยบูรพา, 14(1), 1-7.

มยุรี พางาม. (2555). อาการเหนื่อยล้าของสตรีในระยะคลอดและปัจจัยที่เกี่ยวข้อง (วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการผดุงครรภ์ขั้นสูง). บัณฑิตวิทยาลัย, มหาวิทยาลัยเชียงใหม่.

\*สุภาพ ไทยแท้. (2554). ผลของโปรแกรมการจัดการความเหนื่อยล้าในระยะคลอดต่อระดับความเหนื่อยล้าของผู้คลอดครรภ์แรก. วารสารกองการพยาบาล, 38(2), 21-32.

\*อริชฐาน แต่แดงเพชร, นิลุบล รุจิรประเสริฐ, และ วิชุดา ไชยศิวิมมงคล. (2555). ผลของวิธีแบ่งคลอดต่อผลลัพธ์การคลอด และความเหนื่อยล้าในระยะหลังคลอดของมารดาที่คลอดครั้งแรก. วารสารสมาคมพยาบาลแห่งประเทศไทย สาขาภาคตะวันออกเฉียงเหนือ, 30(1), 22-31.

อำพร โอนอ่อน, วัชรวิทย์ วนเกียรติ, พรทิพย์ รongเลื่อน, เนตรนภา เหมเปา, และสุวิมล ทิศา. (2550). การจัดทำต่อระยะเวลาของการคลอดและสภาวะของทารกแรกเกิด. วารสารพยาบาลศิริราช, 1, 25-36.

- Aaronson, L. S., Teel, C. S., Cassmeyer, V., Neuberger, G. B., Pallikkathayil, L., Pierce, J., ... Wingate, A. (1999). Defining and measuring fatigue. *Image: The Journal of Nursing Scholarship*, 31, 45-50. doi:10.1111/j.1547-5069.1999.tb00420.x
- Abasi, Z., & Abedian, Z. (2009). Study of the effect of massage therapy on the intensity of labor fatigue. *International Journal of Gynecology and Obstetrics*, 107, S471
- Aistars, J. (1987). Fatigue in the cancer patient: A conceptual approach to clinical problem. *Oncology Nursing forum*, 14(6), 25-30.
- American College of Obstetricians and Gynecologists. (2005). *Your pregnancy and birth* (4th ed.). Washington, DC: Author.
- Baird, S. B. (1988). *Decision making oncology nursing*. Philadelphia: B.C. Decker.
- Blacklow, R. S. (1980). Nervousness and fatigue. In C. M. MacBryde & S. Blacklow (Eds.), *Signs and symptoms* (5th ed., p. 637). Philadelphia: Lippincott.
- Bozoky, I., & Corwin, E. J. (2002). Fatigue as a predictor of postpartum depression. *Journal of Obstetric, Gynecologic, & Neonatal Nursing*, 31(4), 436-443.
- Carpenito, L. J. (1997). *Nursing diagnosis application to clinical practice* (7th ed.). Philadelphia: Lippincott.
- \*Chang, S. C., Chou, M. M., Lin, K. C., Lin, Y. L., & Kuo, S. C. (2011). Effects of a pushing intervention on pain, fatigue and birthing experiences among Taiwanese women during the second stage of labour. *Journal of Midwifery*, 27(3), 825-831. doi:10.1016/j.midw.2010.08.009
- Chien, L. Y., & Ko, Y. L. (2004). Fatigue during pregnancy predicts caesarean deliveries. *Journal of Advanced Nursing*, 45, 487-494. doi:10.1046/j.1365-2648.2003.02931.x
- Cunningham, F. G., Levono, K. J., Bloom, S. L., Hauth, J. C., Rouse, D. J., & Spong, C. Y. (2010). *William obstetrics* (3rd ed.). New York: McGraw-Hill.

- De Jonge, A., & Largo-Janssen, A. L. M. (2004). Birthing position: A qualitative study into the view of women about various birthing position. *Journal of Psychosomatic Obstetrics and Gynecology*, 25, 47-55.
- Dittner, A. J., Wessely, S. C., & Broman, R. G. (2004). The assessment of fatigue: A practical guide for clinicians and researchers. *Journal of Psychosomatic Research*, 56, 157-170.
- Ebrahimzadeh, S., Golmakani, N., Kabirian, M., & Shakeri, M. T. (2012). Study of correlation between maternal fatigue and uterine contraction pattern in the active phase of labour. *Journal of Clinical Nursing*, 21(11-12), 1563-1569. doi:10.1111/j.1365-2702.2012.04084.x
- Ferrell, B. R., Grant, M., Dean, G. E., Funk, B., & Ly, J. (1996). Born tired: The experience of fatigue and its impact on quality of life. *Oncology Nurse Forum*, 23(2), 1539-1547.
- \*Fraser, W. D., Marcoux, S., Krauss, I., Douglas, J., Goulet, C., & Boulvain, M. (2000). Multicenter, randomized, controlled trial of delayed pushing for nulliparous women in the second stage of labor with continuous epidural analgesia. *American Journal of Obstetrics and Gynecology*, 182(5), 1165-1172. doi:10.1067/mob.2000.105197
- Frey, H. A., Tuuli, M. G., Cortez, S., Odibo, A. O., Roehl, K. A., Shanks, A. L., ... Cahill, A. G. (2012). Does delayed pushing in the second stage of labor impact perinatal outcomes? *American Journal of Perinatology*, 29(10), 807-814. doi:10.1055/s-0032-1316448
- \*Fulton, K. B. (2005). *The effects of music therapy on physiological measures, perceived pain, and perceived fatigue of women in early labor* (Master's thesis, The Florida State University). Retrieved from <http://diginole.lib.fsu.edu/etd/4376>
- Gardner, K. (1979). Supportive nursing: A critical review of the literature. *Journal of Psychiatric Nursing and Mental Health Services*, 17(10), 10-16.
- Gay, C. L., Lee, K. A., & Lee, S. Y. (2004). Sleep patterns and fatigue in new mothers and fathers. *Biological Research for Nursing*, 5(4), 311-318. doi:10.1177/1099800403262142

- Gupta, J. K., Hofmeyr, G. J., & Shehmar, M. (2012). Position in the second stage of labour for women without epidural anaesthesia. *Cochrane Database of Systematic Reviews* 2012, 5, CD002006. doi:10.1002/14651858.CD002006.pub3
- \*Hansen, S., Clark, S., & Foster, J. (2002). Active pushing versus passive fetal descent in the second stage of labor: A randomized controlled trial. *Obstetrics & Gynecology*, 99(1), 29-34.
- Hart, L., Freel, M., & Milde, F. (1990). Fatigue. *Nursing Clinics of North America*, 25, 967-976.
- Herdman, T. H. (2009). *NANDA international nursing diagnosis: Definition & classification*. Oxford: Wiley-Blackwell.
- Joanna Briggs Institute. (2011). *Joanna Briggs Institute reviewer's manual: 2011 edition*. Retrieved from <http://www.joannabriggs.edu.au/Documents/sumari/ReviewersManual-2011.pdf>
- Joanna Briggs Institute. (2014). *Joanna Briggs Institute reviewer's manual: 2014 edition*. Retrieved from <http://www.joannabriggs.org/assets/docs/samuri/ReviewersManual-2014.pdf>
- \*Kelly, M., Johnson, E., Lee, V., Massey, L., Purser, D., Ring, K., ... Wood, D. (2010). Delayed versus immediate pushing in second stage of labor. *American Journal of Maternal Child Nursing*, 35(2), 81-88. doi:10.1097/NMC.0b013e3181cae7ad
- \*Lai, M. L., Lin, K. C., Li, H. Y., Shey, K. S., & Gau, M. L. (2009). Effects of delayed pushing during the second stage of labour on postpartum fatigue and birth outcome in nulliparous women. *Journal of Nursing Research*, 17(1), 62-71. doi:10.1097/JNR.0b013e3181999e78
- \*Lam, C. C., & McDonald, S. J. (2010). Comparison of pushing techniques use in the second stage of labour for their effect on maternal perception of fatigue in the early postpartum period among Chinese women. *Hong Kong Journal of Gynaecology, Obstetrics and Midwifery*, 10(1), 13-21.
- Lee, K. A., & Gay C. L. (2004). Sleep in late pregnancy predicts length of labor and type of delivery. *American Journal of Obstetrics and Gynecology*, 191(6), 2041-2046.

- London, M. L., Ladewig, P. W., Ball, J. W., & Bindler, R. C. M. (2003). *Maternal-newborn & child nursing*. New Jersey: Pearson Education.
- Long, L. (2006). Redefining the second stage of labour could help to promote normal birth. *Journal of Midwifery, 14*(2), 104-106.
- Lowdermilk, D. L., Perry, S. E., Cashion, K., & Alden, K. R. (2012). *Maternity and women's health care* (10th ed.). St. Louis: Mosby.
- MacDonald, P. C., Gant, N. F., Levono, K. J., & Gilstnap, L. C. (1997). *Williams obstetrics* (19th ed.). Stamford: Appleton & Lange.
- \*Mayberry, L. J., Gennaro, S., Strange, L., Williams, M., & De, A. (1999). Maternal fatigue: Implications of second stage labor nursing care. *Journal of Obstetrics Gynecology and Neonatal Nursing, 28*(1), 175-181.
- McGovern, P., Dagher, R. K., Rice, H. R., Gjerdingen, D., Dowd, B., Ukestad, I. K., & Lundberg, U. (2011). A longitudinal analysis of total workload and women's health after childbirth. *Journal of Occupational Environmental Medicine, 53*(5), 497-505.  
doi:10.1097/JOM.0b013e318217197b
- Milligan, R. A. (1989). Maternal fatigue during the first three months of the postpartum period. *Dissertation Abstracts International, 50*(2), 1-10.
- Milligan, R. A., Parks, L. C., & Lenz, E. R. (1990). An analysis of postpartum fatigue over the first three months of the postpartum period. In J. Wang, P. Simoni, & C. Nath (Eds), *Vision of excellence: The decade of the nineties* (pp. 245-251). Charleston, WV: West Virginia Nurses Association Research Conference Group.
- Parks, P. L., Lenz, E. R., Milligan, R. A., & Han, H. R. (1999). What happens when fatigue lingers for 18 months after delivery? *Journal of Obstetric, Gynecologic, & Neonatal Nursing, 28*, 87-93. doi:10.1111/j.1552-6909.1999.tb01969.x

- Phumdoung, S., & Good, M. (2003). Music reduces sensation and distress of labor pain. *Pain Manage Nurse*, 4(2), 54-61.
- Pillitteri, A. (2007). *Maternal and child health nursing* (5th ed.). Philadelphia: Lippincott William & Wilkins.
- Piper, B. F. (1986). Fatigue. In V. K. Carrieri, A. M. Lindsey, & C. W. West (Eds.), *Pathophysiological phenomena nursing: Human responses to illness* (pp. 219-234). Philadelphia: W.B. Saunders.
- Piper, B. F. (1993). Fatigue. In V. C. Kohlman, A. M. Lindsey, & C. M. West (Eds.), *Pathophysiological phenomena nursing: Human responses to illness* (pp. 279-301). Philadelphia: W.B. Saunders.
- Piper, B. F., Dibble, S. L., Dodd, M. J., Weiss, M. C., Slaughter, R. E., & Paul, S. M. (1998). The revised Piper Fatigue Scale: Psychometric evaluation in women with breast cancer. *Oncology Nursing Forum*, 25(4), 677-684.
- Piper, B. F., Riger, C. T., Heuber, D., Hood, L. E., & Lyver, A. (1989). Recent advance in the management of biotherapy-related side effects: Fatigue. *Oncology Nursing Forum*, 14(6), 25-30.
- Pugh, L. C. (1990). Psychophysiological correlates of fatigue during childbirth. *Dissertation Abstracts International*, 51(1), 1-10.
- Pugh, L. C., & Milligan, R. A. (1993). A framework for the study of childbearing fatigue. *Advances in Nursing Science*, 15(3), 60-70.
- Pugh, L. C., & Milligan, R. A. (1995). Pattern of fatigue during childbearing. *Applied Nursing Research*, 8(3), 140-146.
- Pugh, L. C., Milligan, R. A., Gray, S., & Strickland O. L. (1998). First stage labor management: An examination of patterned breathing and fatigue. *Birth*, 25(4), 241-245.

- Pugh, L. C., Milligan, R. A., Park, P. L., Lenze, E. R., & Kitzman, H. (1999). Clinical approaches in the assessment of childbearing fatigue. *Journal of Obstetric, Gynecologic, & Neonatal Nursing, 28*(1), 74-80.
- Roberts, J. E. (2003). A new understanding of the second stage of labor: implications for nursing care. *Journal of Obstetric, Gynecologic, & Neonatal Nursing, 32*(6), 794-801.
- Roberts, J. E., & Hanson, L. (2007). Best practices in second stage labor care: Maternal bearing down and positioning. *Journal of Midwifery & Women's Health, 52*(3), 238-245.
- Roberts, J. E., & Woolley, D. (1996). A second look at the second stage of labor. *Journal of Obstetric, Gynecologic, & Neonatal Nursing, 25*(5), 415-221.
- Rodriguez, A., Bohlin, G., & Lindmark, G. (2001). Symptoms across pregnancy in relation to psychosocial and biomedical factors. *Acta Obstetrica et Gynecologica Scandinavica, 80*(3), 213-223. doi:10.1034/j.1600-0412.2001.080003213.x
- Schaefer, C., Coyne, J. C., & Lazarus, R. S. (1981). The health-related functions of social support. *Journal of Behavioral Medicine, 4*(4), 381-406.
- Shermer, R. H., & Raines, D. A. (1997). Positioning during the second stage of labour: moving back to basics. *Journal of Obstetric, Gynecologic, and Neonatal Nursing, 26*, 727-734.
- Simkin, P. (1995). Reducing pain and enhancing progress in labor: A guide to nonpharmacologic methods for maternity caregiver. *Birth, 22*, 161-171.
- Simkin, P. (2002). Support care during labor: A guide for busy nurses. *Journal of Obstetric, Gynecologic, & Neonatal Nursing, 31*(6), 721-732.
- Simkin, P., & Bolding, A. (2004). Update on nonpharmacologic approaches to relieve labor pain and prevent suffering. *Journal of Midwifery & Women's Health, 49*(6), 489-504.

- So, W. K. W., Dodgson, J., & Tai, J. W. M. (2003). Fatigue and quality of life among Chinese patient with hematologic malignancy after bone marrow transplantation. *Cancer Nursing*, 26(3), 211-219.
- Theerakulchai, J. (2004). *Factors related to fatigue and fatigue management among Thai postpartum women* (Unpublished doctoral dissertation). Chiang Mai University, Thailand.
- Thomas, C. K., Enoka, R. M., Gandevia, S. C., McComas, A. J., & Stuart, D. G. (1995). The scientific contributions of Brenda biglang-ritchie. *Advances in Experimental Medicine and Biology*, 38(4), 11-25.
- Thomson, A. M. (1993). Pushing techniques in the second stage of labour. *Journal of Advanced Nursing*, 18(2), 171-177.
- Thomson, A. M. (1995). Maternal behavior during spontaneous and directed pushing in the second stage of labour. *Journal of Advanced Nursing*, 22(6), 1027-1034.
- Troy, N. W., & Dalgas-Pelish, P. (2003). The effective of a self-care intervention for the management of postpartum fatigue. *Applied Nursing Research*, 6(1), 126-141.  
doi:10.1053/apnr.2003.50001
- Tzeng, Y. L., Chao, Y. Y., Kuo, S. Y., & Teng, Y. K. (2008). Childbirth-related fatigue trajectories during labour. *Journal of Advanced Nursing*, 63(3), 240-249.
- \*Yurachai, M., Ratinthorn, A., Serisathien, Y., & Sinsuksa, N. (2009). The effects of directed versus spontaneous pushing on postpartum fatigue, perineal pain and childbirth satisfaction. *Journal of Nursing Science (Supplement 2)*, 27(3), 27-36.