

เอกสารอ้างอิง

- บุปผา จันทรจรัส. (2546). การพัฒนาแบบประเมินภาวะเสี่ยงต่อการหกล้มในผู้ป่วยออร์โธปิดิกส์. (วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาการพยาบาลผู้ใหญ่). บัณฑิตวิทยาลัย, มหาวิทยาลัยเชียงใหม่.
- ปุ่นณฤกษ์ ทองเจริญ, และพันธุ์ศักดิ์ ลักษณะบุญสูง. (มปป). *Coronary artery bypass grafting (CABG)*. สืบค้นจาก www.thaiheart.org/images/sub_1296823951/coronary%20artery%20bypass%20grafting.pdf.
- ผ่องพรรณ อรุณแสง. (2551). การพยาบาลผู้ป่วยโรคหัวใจและหลอดเลือด (พิมพ์ครั้งที่ 5, หน้า 173-210). ขอนแก่น: คลังนานาวิทยา.
- พันธุ์ศักดิ์ ลักษณะบุญสูง. (2551). Patient selection for coronary surgery. ใน เกียรติชัย ประสงค์, สุกาญจน์ และวีระชัย นาวารวงศ์ (บรรณาธิการ), *Decision making in cardiothoracic surgery* (พิมพ์ครั้งที่ 1, หน้า 70-96). กรุงเทพฯ: บียอนเอ็นเทอร์ไพรซ์.
- วีระชัย นาวารวงศ์. (2553). New development in coronary artery surgery. ใน อภิชาติ สุคนธสรพร. (บรรณาธิการ), *Coronary artery disease: The new frontiers* (พิมพ์ครั้งที่ 1, หน้า 239-245). เชียงใหม่: ทริคซิงค์.
- สำนักโรคไม่ติดต่อ กรมควบคุมโรค. (2555). จำนวนและอัตราการตายด้วยโรคหัวใจขาดเลือดในปี 2544-2555 อัตราต่อแสนประชากร. [ระบบออนไลน์]. สืบค้นจาก http://thaincd.com/information_statistic/non-communicable_disease-data.php.
- สมาคมแพทย์โรคหัวใจแห่งประเทศไทย. (2557). แนวทางเวชปฏิบัติในการดูแลผู้ป่วยโรคหัวใจขาดเลือดในประเทศไทย. สืบค้นจาก http://www.thaiheart.Org/images/column_1291454908/Guideline%20for%20Ischemic%20Disease%2020104.pdf
- สมาคมศัลยแพทย์ทรวงอกแห่งประเทศไทย. (2549-2551). รายงานสถิติการผ่าตัดทำทางเบี่ยงหลอดเลือดหัวใจ. กรุงเทพฯ: สมาคมศัลยแพทย์ทรวงอกแห่งประเทศไทย.

สุจันทร พงษ์ประไพ. 2545. “การปฏิบัติตัวอย่างไรหลังทำ...ผ่าตัดบายพาสเส้นเลือดหัวใจในระยะ 3 เดือนแรก” [ระบบออนไลน์]. สืบค้นจาก [http://www.vichaiyut.co.th/ Jul/21_01_2545/ 21_01_2545_p70_72.pdf](http://www.vichaiyut.co.th/Jul/21_01_2545/21_01_2545_p70_72.pdf).

หอผู้ป่วยหนักศัลยกรรมทรวงอก หัวใจและหลอดเลือด. (2553-2555). รายงานสถิติการผ่าตัดหัวใจ ประจำปี. เชียงใหม่: หอผู้ป่วยหนักศัลยกรรมหัวใจ ทรวงอก และหลอดเลือด คณะแพทยศาสตร์ มหาวิทยาลัยเชียงใหม่.

อภิชาติ สุขนครทรัพย์. (2553), *Coronary artery disease: The new frontiers* (พิมพ์ครั้งที่ 1). เชียงใหม่: ทริคธิงส์.

American College of Cardiology and the American Heart Association. (2005). Guideline update for the diagnosis and management of chronic heart failure in adult. *Circulation* , 112, e154-e235. doi: 10.1161/CIRCULATIONAHA.105.167586

American Heart Association. (2010). Heart disease and stroke statistics-2010 update a report from the American heart association. *Circulation*, 121, e46-e215. doi: 10.1161.CIRCULATIONAHA.109.192667

American Heart Association. (2013). *Heart failure*. Retrieved from [http://www.heart.org/heartorg/conditions/heart failure/symptomsdiagnosisofheartfailure/ejection-fraction-heart-failure-measurement_ucm_306339_article.jsp](http://www.heart.org/heartorg/conditions/heart%20failure/symptomsdiagnosisofheartfailure/ejection-fraction-heart-failure-measurement_ucm_306339_article.jsp)

Artinian, N.T., Duggan, C., Miller, P. (1993). Age differences in patient recovery patterns following coronary artery bypass surgery. *American Journal of Critical Care*, 2, 453-461.

Blumenthal, J. A., Left, H. S., Babyak, M. A., White, W., Smith, P. K., Mark, D. B.,...Newman, M. F. (2003). Depression as a risk factor for mortality after coronary artery bypass surgery. *The Lancet*, 362(23), 604-609. doi: 10.1016/ S0140-6736(03)14190-6

Brennan, P. F., Moore, S. M., Bjornsdottir, G., Josette, J., Visovsky, C., & Roger, M. (2001). Heartcare: An internet-based information and support system for patient home recovery coronary artery bypass graft (CABG) surgery. *Journal of Advanced Nursing*, 35(5), 699-708. Doi: 10.1046/j.1365-2648.2001.01902.x

- Burn, N., & Grove, S. K. (2005). *The practice of nursing research: conduct, critique and utilization* (5 th ed.). St. Louis, MO: Elsevier/ Saunders.
- Chong, A. Y., Clarke, C. E., Dimitri, W. R., & Lip, G. Y. H. (2003). Brachial plexus injury as an unusual complication of coronary artery bypass graft surgery. *Postgraduate Medical Journal*, 79, 84-87. doi: 10.1136/pmj.79.928.84
- Dial, S., Delabays, E., Albert, M., Gonzales, A., Camarda, J., Law, A., & Menzies, D., (2005). Hemodilution and surgical hemostatis contribute significantly to transfusion requirements in patient undergoing coronary artery bypass. *The Journal of Thoracic and Cardiovascular Surgery*. 130, 654-661. doi: 10.1016/j.jtcvs.2005.02.025
- Eagle, K. A., Guyton, R. A., Davidoff, R., Edwards, F. H., Ewy, G. A., Gardner, T. J., ... Ornato, J. P. (1999). ACC/AHA guideline for coronary artery bypass graft surgery: a report of the American College of Cardiology/ American Heart Association. Task force on practice guidelines (committee to revise the 1991 guidelines for coronary artery bypass graft surgery). American College of Cardiology/ American Heart Association. *Journal of the American College of Cardiology*, 34(5), 1262-1347. doi: 10.1016/S0735-1097(99)00389-7
- Eagle, K. A., Guyton, R. A., Davidoff, R., Edwards, F. H., Ewy, G. A., Gardner, T. J., ...Ornato, J. P. (2004). ACC/AHA 2004 guideline update for coronary artery bypass graft surgery: summary article a report of the American College of Cardiology/ American Heart Association .Task force on practice guidelines (committee to update the 1999 guidelines for coronary artery bypass graft surgery). *Journal of the American College of Cardiology*, 4(5), 1146-1154. doi: 10.1016/j.jacc.2004.07.021
- Echahidi, N., Pibarot, P., O'Hara, G., & Mathieu, P. (2008). Mechanisms prevention and treatment of atrial fibrillation after cardiac surgery. *Journal of the American College of Cardiology*, 51(8), 793-801. doi: 10.1016/j.jacc.2007.10.043
- Gallagher, R., & Mckinley, S. (2009). Anxiety, depression and perceived control in patients having coronary artery bypass. *Journal of Advanced Nursing*, 65(11), 2386-2396. doi: 10.1111/j. 1365 - 2648. 2009.05101.x

- Gallagher, R., Mckinley, S., & Dracup, K. (2004). Post discharge problems in women recovery from coronary artery bypass graft surgery. *Australian Critical Care*, 17(4), 160-165. doi: 10.1016/S1036-7314(04)80021-3
- Gallo, G. (2004). Operations research and ethics: responsibility, sharing and cooperation. *European Journal of Operation Research*, 153, 468-476. doi: 101016/S0377-2217(03)00167-x
- Gardner, P. & Altman, G. (2005). Pathophysiology of acute coronary syndromes. In Wood, S. L., Froelicher, E. S., Motzer, S. A., & Brige, E. J. (Ed.). *Cardiac Nursing* (5th ed., pp. 541-549). Philadelphia: Lippincott Williams & Wilkins.
- Goodman, H. (2008). Patients' perceptions of their education needs in the first six weeks following discharge after cardiac surgery. *Journal of Advanced Nursing*, 25(6), 1241-1251. doi: 10.1046/j.1365-2648.1997.19970251241.x
- Hartford, K., Wong, C., & Zakaria, D. (2002). Randomized controlled trial of a telephone intervention by nurses to provide information and support to patients and partners after elective coronary artery bypass graft surgery: effects of anxiety. *Heart and Lung*, 31(3), 199-206. Retrieved from <http://www.ncbi.nlm.gov/pubmed/12011810>
- Heart Rhythm Society. (2014). *Ejection fraction*. Retrieved from <http://www.hrsonline.org/patient-resources/the-normal-heart-ejection-fraction#9xzz32gpkhh5>
- Heye, M. L. (1999). Pain and discomfort after coronary artery bypass surgery. *Cardiovascular Nursing*, 27(4), 19-23.
- Hillis, L. D., Smith, P. K., Anderson, J. L., Bittl, J. A., Bridges, C. R., Byrne, J. G.,... Winniford, M. D. (2011). ACCF/AHA practice guideline 2011 ACCF/AHA guideline for coronary artery bypass graft surgery a report of the American College of Cardiology Foundation / American Heart Association task force on practice guidelines. *Circulation*, 124, e652-e735. doi: 10.1161/CIR.0b013e31823c074e
- Holloway, N. M. (2004). *Medical-surgical care planning* (4th ed.). Philadelphia: Williams & Wilkins Lippincott.

- Ignatavicius, D. D., & Workman, M. L. (2010). *Medical-Surgical nursing: Patient-centered collaborative care* (6th ed.). ST. Louis, MO: Saunders.
- Joanna Briggs Institute [JBI]. (2011, April, 19). *Joanna Briggs Institute reviewers' manual 2011 edition*. Retrieved from http://www.joannabriggs.au/.../sumari/reviewer%20manual_2011.pdf
- Kaireviciute, D., Aidietis, A., & Lip, G. Y. (2009). Atrial fibrillation following cardiac surgery: clinical features and preventive strategies. *European Heart Journal*, 30, 410-425. doi: 10.1093/eurheartj/ehn609
- Kan, E. Z. (2009). Perceptions of recovery, physical health, personal meaning, role function, and social support after first-time coronary artery bypass graft surgery. *Dimensions of Critical Care Nursing*, 28(4), 189-195. doi: 10.1097/DCC.0b013e3181a471eb
- Khonsari, S., & Sintex, C. F. (2008). *Cardiac surgery* (4th ed., pp.141-175). Philadelphia: Williams & Wilkins Lippincott.
- Kouchoukos, N.T., Blackstone, E.H., Doty, D. B., Hanley, F. L., & Karp, R.B. (2003). *Cardiac Surgery* (3rd ed., pp.365-435). USA: Churchill levingstone.
- Ledoux, D., & Luikart, H. (2005). Cardiac Surgery. In S. L. Wood, E. S. Froelicher, S. U Motzer, & E. J. Bridges (Eds.), *Cardiac Surgery* (5th ed., pp. 628-658). USA : Lippicott William & Wilkins Publishers.
- Lindquist, R., Dupuis, G., Terrin, M. L., Hoogwerf, B., Czajkowski, S., Herd, J.A.,...Knatterud, G. L. (2003). Comparison of health-related quality of life outcomes of men and women after coronary artery bypass surgery through 1 year: findings from the post CABG biobehavioral study. *American Heart Journal*, 146(6), 1038-1044. doi: 10.1016/S0002-8703(03)00451-4
- Lopez, V., Ying, C.S., Poon, C.Y., & Wai, Y. (2006). Physical, psychological and social recovery patterns after coronary artery bypass graft surgery: A prospective repeated measures questionnaire survey. *International Journal of Nursing Studies*, 44, 1304-1315. doi: 10.1016/j.ijnurstu.2006.06.005


- Mahler, H. I., Kulik, J. A., & Tarazi, R. Y. (1999). Effect of a videotape information intervention at discharge on diet and exercise compliance after coronary bypass surgery. *Journal of Cardiopulmonary Rehabilitation, 19*, 170-177. Retrieved from [http:// www.ncbi. nlm.nih. gov/pubmed/10361648](http://www.ncbi.nlm.nih.gov/pubmed/10361648)
- McAlister, B. S., Davis, S. C., Whitcomb, J. J., Patel, S. C. (2012). Amiodarone use to prevent postoperative atrial fibrillation after cardiac surgery. *Dimensions of Critical Care Nursing, 31*(1), 7-12. doi: 10.1097/DCC.0b013e31823a52bb
- Mehta, R. H., Grab, J. D., O'Brien, S. M., Bridge, C. K., Gammie, J. S., Hann, C. K.,...Peterson, E. D. (2006). Bedside tool for predicting the risk of postoperative dialysis in patients undergoing cardiac surgery. *Circulation, 114*, 2208-2216. doi: 10.1161/CIRCULATION.AHA.106.635573
- Mohammed, A. A., Agnihotri, A.K., Van Kimmenade, R. R. J., Martinez-Rumayor, A., Green, S. M., Quiroz, R., & Januzzi, J. L. (2009). Prospective, compressive assessment of cardiac Troponin T testing after coronary artery bypass graft surgery. *Circulation, 120*, 843-850. doi: 10.1161/CIRCULATIONAHA.108.837378
- Moore, S. M. & Dolansky, M. A. (2001). Randomized trail of a home recovery intervention following coronary artery bypass surgery . *Research in Nursing & Health, 24* (2), 93-104. doi: 10.1002/nur.1012
- Mueller, X. M., Tinguely, F., Tevaearai, H. T., Revelly, J. P., Chiolero, R., & Von Segesser, L. K. (2000). Pain location distribution and intensity after cardiac surgery. *Chest, 118*(2), 391-396. doi: 10.1378/chest.118.2.391
- Mullen-Fortino, M., & O'Brien, N., (2008). *Caring for a patient after coronary artery bypass graft surgery*. Retrieved from <http://www.nursing2008.com>
- Parry, M., Watt-Watson, J., Hodnett, E., Tranmer, J., Dennis, C., & Brooks, D. (2010). Pain experiences of men and women after coronary artery bypass graft surgery. *Journal of cardiovascular nursing, 25*(3), e9-e15. doi: 10.1097/JCN.0b013e3181cd66be
- Potter, P. A., & Perry, A. G. (2003). *Basic nursing: essentials for practice* (5 th ed.). St. Louis: Mosby.

- Risnes, L., Abdelnoor, M., Almdahl, S. M., & Svennevig, J. L. (2010). Mediastinitis after coronary artery bypass grafting risk factors and long-term survival. *The Annals of Thoracic Surgery*, 89, 1502-1510. doi: 10.1016/j.athoracsur.2010.02.038
- Ruel, M., & Sellke, F. W. (2005). Coronary artery bypass grafting. In F. W. Sellke, P. J. Del-Nido, & S. J. Swanson (Eds.), *Sabiston & Spencer Surgery of the Chest* (7th ed., pp. 1459-1524). USA: Elsevier Saunders.
- Schulz, P. S., Zimmerman, L., Pozehl, B., Barnason, S., & Nieveen, J. (2011). Symptom management strategies used by elderly patients after coronary artery bypass surgery. *Applied Nursing Research*, 24(2011), 65-73. Doi: 10.1016/j.apnr.2009.03.001
- Stetler, C. B. (1994). Refinement of the stetler/ marram model for application of research findings to practice. *Nursing Outlook*, 42, 15-25. doi: 10.1016/0029-6554(94)90067-1
- Stetler, C. B. (2001). Updating the stetler model of research utilization to facilitate evidence-based practice. *Nursing Outlook*. 49, 272-279. doi: 10.1067/mno.2001.120517
- Theobald, K., & McMurray, A. (2004). Coronary artery bypass graft surgery: discharge planning for successful recovery. *Journal of Advanced Nursing*, 47(5), 483-491. doi: 10.1111/j.1365-2648.004.03127.x
- Titler, M., (2002). Use of research in practice in LoBiondo-Wood, G., & Haber, J. (Eds.), *Nursing research: methods, critical appraisal and utilization* (5th ed). St.Louis, Missouri: Mosby.
- Toumpoulis, I. K., Anagnostopoulos, C. E., Derose, J. J., & Swistel, D.G. (2005). The impact of deep sternal wound infection on long-term survival after coronary artery bypass grafting. *Chest*, 127(2), 464-471. doi: 10.1378/chest.127.2.464
- Tully, P. J., Baker, R. A., & Knight, J. L. (2008). Anxiety and depression as risk factors for mortality after coronary artery bypass surgery. *Journal psychosomatic research*, 64(3), 285-290. doi: 10.1016/j.jpsychores.2007.09.007

Utriyaprasit, K., Moore, S. M., & Chaiseri, P. (2010). Recovery after coronary artery bypass surgery: Effect of an audiotape information programme. *Journal of Advanced Nursing*, 66(8), 1747-1759. doi: 10.1111/j.1365-2648.2010.05334.x

Zimmerman, L., Barnason, S., Nieveen, J. & Schmaderer, M. (2004). Symptom management intervention in elderly coronary artery bypass graft patients. *Outcome Management*, 8(1), 5-12.

Zimmerman, L., Barnason, S., Young, L., Tu, C., Schulz, P., & Abbott, A.A. (2010). Symptom profiles of coronary artery bypass surgery. *Journal of Cardiovascular Nursing*, 25(4), 292-300. doi: 10.1097/JCN.0b013e3181cfba00



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved