

เอกสารอ้างอิง

- กรมสุขภาพจิต. (2544). *สุขภาพจิตคนไทย พ.ศ.2543-2544*. กรุงเทพฯ: องค์การรับส่งสินค้าและพัสดุภัณฑ์
- ดารารวรรณ ต๊ะปิ่นตา. (2534). *การลดความวิตกกังวลของพยาบาลประจำการที่ดูแลผู้ป่วยโรคเอดส์ด้วยวิธีการปรับเปลี่ยนความคิดร่วมกับการฝึกสติ* (วิทยานิพนธ์ครุศาสตรดุษฎีบัณฑิต). บัณฑิตวิทยาลัย, จุฬาลงกรณ์มหาวิทยาลัย.
- ธนา นิลชัยโกวิทย์, มาโนช หล่อตระกูล, และ อุมารณณ์ ไพศาลสุทธิเดช (2539). การพัฒนาแบบสอบถาม Hospital anxiety and depression scale ฉบับภาษาไทยในผู้ป่วยโรคมะเร็ง. *วารสารสมาคมจิตแพทย์แห่งประเทศไทย*, 41(1), 18-30.
- ลัดดา แสนสีหา. (2536). *ความซึมเศร้าและความคิดอัตโนมัติทางลบของวัยรุ่นตอนปลาย* (วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาสุขภาพจิตและการพยาบาลจิตเวช). บัณฑิตวิทยาลัย, มหาวิทยาลัยเชียงใหม่.
- วรรณวรางค์ วงศ์เจริญ. (2553). Implantable cardioverter defibrillator after myocardial infarction. ใน *อภิชาติ สุคนธสรพ์ (บรรณาธิการ), Coronary artery disease the new frontiers* (หน้า 399-404). เชียงใหม่: ทรिक ชิงค์.
- อุมพร ตรังคสมบัติ, วชิระ ลาภบุญทรัพย์, และ ปิยะลัมภรณ์ หะวานนท์. (2540). การใช้ CES-D ในการคัดกรองภาวะซึมเศร้าในวัยรุ่น. *วารสารสมาคมจิตแพทย์แห่งประเทศไทย*, 42(1), 2-13.
- Alberte, C., & Zipes, D. P. (2003). Use of nonantiarrhythmic drugs for prevention of sudden cardiac death. *Journal of Cardiovascular Electrophysiology*, 14(Suppl. 9), S87-S95.
- Angelidou, D. (2008). Counseling patients with implanted cardiac devices: The nurse's role. *Hopital Chronicles*, 3(Suppl. 1), S23-S29.

- Antiarrhythmic versus Implantable Defibrillators Investigators. (1997). A comparison of antiarrhythmic-drug therapy with implantable defibrillators in patients resuscitated from near-fatal ventricular arrhythmias. *The New England Journal of Medicine*, 337(22), 1576-1583.
- Arber, S., & Ginn, J. (1993). Gender and inequalities in health in later life. *Social Science and Medicine*, 36(1), 33-46.
- Atwater, B. D., & Daubert, J. P. (2012). Implantable cardioverter defibrillators: Risks accompany the life-saving benefits. *Heart (British Cardiac Society)*, 98(10), 764-772.
doi:10.1136/heartjnl-2012-301853
- Bardy, G. H., Lee, K. L., Mark, D. B., Poole, J. E., Packer, D. L., Boineau, R., . . . Ip, J. H. (2005). Amiodarone or an implantable cardioverter-defibrillator for congestive heart failure. *The New England Journal of Medicine*, 352(3), 225-237.
- Beck, A. (1967). *Depression clinical experimental and theoretical aspects*. New York: The Guilford Press.
- Beck, A. T., Rush, A. J., Shaw, B. F., & Emery, G. (1979). *Cognitive therapy of depression*. New York: The Guilford Press.
- Beck, A. T., Epstein, N., Brown, G., & Steer, R. A. (1988). An inventory for measuring clinical anxiety: Psychometric properties. *Journal of Consulting and Clinical Psychology*, 56, 893-897.
- Beck, A. T., Steer, R. A. & Brown, G. K. (2000). *BDI-FastScreen for Medical Patients Manual*. San Antonio (TX): The Psychological Corporation.
- Berkman, L. F., Seeman, T. E. Albert, M., Blazer, D., Kahn, R., & Mohs, R., . . . McClearn, G. (1993). High usual and impaired functioning in community-dwelling older men and women: Finding from the MacArthur Foundation Research Network on successful aging. *Journal of Clinical Epidemiology*, 46(10), 1129-1140. doi:10.1016/0895-4356(93)90112-e

- Bhatia, A., Cooley, R., Berger, M., Blanck, Z., Dhala, A., Sra, J., . . . Akhtar, M. (2004). The implantable cardioverter defibrillator: Technology, indications, and impact on cardiovascular survival. *Current Problems in Cardiology*, 29(6), 303-356. doi:10.1016/j.cpcardiol.2004.02.003
- Bilge, A. K., Ozben, B., Demircan, S., Cinar, M., Yilmaz, E., & Adalet, K. (2006). Depression and anxiety status of patients with implantable cardioverter defibrillator and precipitating factors. *Pacing and clinical Electrophysiology*, 29(6), 619-626. doi:10.1111/j.1540-8159.2006.00409.x
- Boerwinkle, E., Ellworth, D. L., Hallman, D. M., & Biddinger, A. (1996). Genetic analysis of atherosclerosis: A research paradigm for the common chronic diseases. *Human Molecular Genetics*, 5, 1405-1410.
- Bruce, M. L., Seeman, T. E., Merrill, S. S., & Blazer, D. G. (1994). The impact of depressive symptomatology on physical disability: MacArthur studies of successful aging. *American Journal of Public Health*, 84(11), 1796-1799. doi:10.2105/AJPH.84.11.1796
- Brugada, P., & Brugada, J. (1992). Right bundle branch block, persistent ST segment elevation and sudden cardiac death: A distinct clinical and electrocardiographic syndrome. A multicenter report. *Journal of the American College of Cardiology*, 20(6), 1391-1396. doi:10.1016/0735-1097(92)90253-J
- Brugada, J., Brugada, R., & Brugada, P. (2003). Determinants of sudden cardiac death in individuals with electrocardiographic pattern of Brugada syndrome and no previous cardiac arrest. *Circulation*, 108(25), 3092-3096. doi:10.1161/01.CIR.0000104568.13957.4F
- Burke, A. P., Farb, A., Malcom, G. T., Liang, Y., Smialek, J. E., & Vermani, R. (1999). Plaque rupture and sudden death related to exertion in men with coronary artery disease. *Journal of the American Medical Association*, 281(10), 921-926. doi:10.1001/jama.281.10.921
- Carroll, D., & Hamilton, G. A. (2008). Long-term effect of implanted cardioverter defibrillator on health status, quality of life, and psychological state. *American Journal of Critical Care*, 17(3), 222-230.

- Cattell, R. B. (1966). *Handbook of multivariate experimental scale*. Chicago: Rand McNally.
- Chaudhry, G. M. & Haffajee, C. I. (2000). Antiarrhythmic agents and Proarrhythmia. *Critical Care of Medicine*, 28(10), N158-N164.
- Chevalier, P., Verrier, P., Kirkorian, G., Touboul, P., & Cottroux, J. (1996). Improved appraisal of the quality of life in patients with automatic implantable cardioverter defibrillator: A psychometric study. *Psychotherapy and Psychosomatics*, 65(1), 49-56.
- Christensen, H., Jorm, A. F., Mackinnon, A. J., Korten, A. E., Jacomb, P. A., Hendersen, A. S., . . . Rodgers, B. (1999). Age differences in depression and anxiety symptoms: A structural equation modelling analysis of data from a general population sample. *Psychological Medicine*, 29, 325-339.
- Clark, D. O. (1996). The effect of walking on lower body disability among older blacks and whites. *American Journal of Public Health*, 86(1), 57-61.
- Cohen, M. E., & Marino, R. J. (2000). The tools of disability outcomes research functional status measures. *Achieve Physical Medical Rehabilitation*, 81(Suppl. 12), S21-S29.
doi:10.1053/apmr.2000.20620
- Connolly, S. J., Gent, M., Robert, R. S., Dorian, P., Roy, D., Sheldon, R. S., . . . O'Brien, B. (2000). Canadian implantable defibrillator study (CIDS): A randomized trial of the implantable cardioverter defibrillator against amiodarone. *Circulation*, 101(11), 1297-1302.
doi:10.1161/01.CIR.101.11.1297
- Corrado, D., Fontaine, G., Marcus, F. I., McKenna, W. J., Nava, A., Thiene, G., & Wichter, T. (2000). Arrhythmogenic right ventricular dysplasia/cardiomyopathy: Need for an international registry. Study Group on arrhythmogenic right ventricular dysplasia/cardiomyopathy of the working groups on myocardial and pericardial disease and arrhythmia of the European Society of Cardiology and of the Scientific council on Cardiomyopathies of the World Heart Federation. *Circulation*, 101(11), E101-E106.

- David, J. S., McPherson, C. A., Earley, C., Batsford, W. P., & Lampert, R. (2005). Benefits of cardiac rehabilitation in patients with implantable cardioverter defibrillators: A patients survey. *Archieve of Physical Medicine and Rehabilitation*, 86(10), 1924-1928.
doi:10.1016/j.apmr.2005.04.009
- Dickerson, S. S. (2002). Redefining life while forestalling death:living with an implantable cardioverter defibrillator after a sudden cardiac death experience. *Qualitative Health Reserch*, 12(3), 360-372.
- Dougherty, C. M. (1995). Psychological reactions and family adjustment in shock versus no shock groups after implantation of internal cardioverter defibrillator. *Heart & Lung*, 24(4), 281-291.
- Dougherty, C. M., Benoliel, J. Q., & Bellin, C. (2000). Domains of nursing intervention after sudden cardiac arrest and automatic internal cardioverter defibrillator implantation. *Heart & Lung*, 29(2), 79-86.
- Dunbar, S. B. (2005). Psychosogical issue of patients with implantable cardioverter defibrillators. *American Journal of Critical Care*, 14(4), 294-303.
- Dunbar, S. B., Dougherty, C. M., Sears, S. F., Carroll, D. L., Goldstein, N. E., Mark, D. B., . . . Zeigler, V. L. (2012). Educational and psychological interventions to improve outcomes for recipients of implantable cardioverter defibrillators and their families a scientific statement. *Circulation*, 126(17), 2146-2127. doi:10.1611/CIR.0b013e31825d59fd
- Dunbar, S. B., Warner, C. D., & Purcell, J. A. (1993). Internal cardioverter defibrillator device discharge: Experiences of patients and family members. *Heart & Lung*, 22(6), 494-501.

Ebstein, A. E., DiMao, P., Ellenbogen, K. A., Estes, M., Freedman, R., Gettes, L. S., . . . Sweeney, M. O. (2013). 2012 ACCF/AHA/HRS focused update incorporated into the ACCF/AHA/HRS 2008 guidelines for device-based therapy of cardiac rhythm abnormalities: A report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines and the Heart Rhythm Society. *Circulation*, *127*(3), e283-e352. doi:10.1161/CIR.0b013e318276ce9b

Essebag, V., & Eisenberg, M. J. (2003). Expanding indications for defibrillators after myocardial infarction: Risk stratification and cost effectiveness. *Cardiac Electrophysiology Review*, *7*, 43-48.

Flemme, I., Johansson, I., & Stromberg, A. (2012). Living with life-saving technology-coping strategies in implantable cardioverter defibrillators recipients. *Journal of Clinical Nursing*, *21*(3-4), 311-321. doi:10.1111/j.1365-2702.2011.03847.x

Francis, J., Sankar, V., Nair, V. K., & Priori, S. G. (2005). Catecholaminergic polymorphic ventricular tachycardia. *Heart Rhythm*, *2*(5), 550-554.

Freidman, E., Thomas, S. A., Inquito, P., Kao, C. W., Metcalf, M., & Kelly, F. S. (2006). Quality of life and psychological status of patients with implantable cardioverter defibrillator. *Journal of Inrventional Cardiac Electrophysiology*, *17*(1), 65-72.

Gallo, J. J., Rabins, P. V., Lyketsos, C. G. Tien, A. Y., Anthony, J. C. (1997). Depression without sadness: Functional outcomes of nondysporic depression in later life. *Journal of the American Geriatrics Society*, *45*(5), 570-578.

Gill, T. M., Williams, C. S., Richardson, E. D., Berkman, L. F., & Tinetti, M. E. (1997). A predictive model for ADL dependence in community-living older adults based on a reduced set of cognitive status items. *Journal of the American Geriatrics Society*, *45*(4), 441-445.

- Goldberg, D., Bridges, K., Duncan-Jones, P., & Grayson, D. (1988). Detecting anxiety and depression in general medical setting. *British Medical Journal*, *297*(6653), 897-899.
doi:10.1136/bmj.297.6653.897
- Graham, L. E., & Conley, E. M. (1971). Evaluation of anxiety and fear in adult surgical patients. *Nursing Research*, *20*(2), 113-122.
- Greenberg, H., Case, R. B., Moss, A. J., Brown, M. W., Carroll, E. R., & Andrews, M. L. (2004). Analysis of mortality events in the Multicenter Automatic Defibrillator Implantation Trial (MADIT-II). *Journal of the American College of Cardiology*, *43*(8), 1459-1465.
- Gresham, G. E., Phillips, T. F., & Labi, M. L. C. (1980). ADL status in stroke: Relative merits of three standard indexes. *Archives of Physical Medicine and Rehabilitation*, *61*(8), 355-358.
- Guralnik, J. M., LaCroix, A. Z., Abbott, R. D., Berkman, L. F., Satterfield, S., Evan, D. A., & Wallace, R. B. (1993). Maintaining mobility in late life. I. Demographic characteristics and chronic conditions. *American Journal of Epidemiology*, *137*(8), 845-857.
- Hamilton, M. (1959). The assessment of anxiety states by rating. *British Journal of Medical Psychology*, *32*, 50-55.
- Hickey, J. V. (2003). *The clinical practice of neurological and neurological nursing* (5th ed.). Philadelphia: Lippincott.
- Homberg, M., Homberg, S., & Herlitz, J. (2000). Incidence, duration and survival of ventricular fibrillation in out-of-hospital cardiac arrest patients in Sweden. *Resuscitation*, *44*, 7-17.
- Jette, A. M., & Cleary, P. D. (1987). Functional disability assessment. *Physical Therapy*, *67*(12), 1854-1859.
- Jette, A. M., Davies, A. R., Cleary, P. D., Calkins, D. R., Rubenstein, L. V., Fink, A., . . . Delbanco, T. L. (1986). The Functional Status Questionnaire: Reliability and validity when used in primary care. *Journal of General Internal Medicine*, *1*(3), 143-149.

- Julian, D. G., Camm, A. J., Frangin, G., Janse, M. J., Munoz, A., Schwartz, P. J., & Simon, P. (1997). Randomised trial of effect of amiodarone on mortality in patients with left-ventricular dysfunction after recent myocardial infarction: EMIAT. European Myocardial Infarct Amiodarone Trial Investigators. *Lancet*, *349*(9053), 667-674.
- Kamphuis, H. C., Verhoeven, N. M., Leeuw, R., Derksen, R., Hauer, R. N., & Winnubst, J. A. (2004). ICD: A qualitative study of patient experience the first year after implantation. *Journal of Clinical Nursing*, *13*(8), 1008-1016.
- Kantor, L., Endler, N., Heslegrave, R. J., & Kocovski, N. (2001). Validating self-report measures of state and trait anxiety against a physiological measure, *Current Psychology*, *20*(3), 207-215.
- Katz, S., Ford, A. B., Moskowitz, R. W., Jackson, R. B., & Jeffe, M. W. (1963). Studies of illness in the aged. The Index of ADL: A standardized measure of biological and psychosocial function. *Journal of the American Medical Association*, *185*, 914-916.
- Kim, J. S, Pressler, S. J., Welch, J. L., Damush, T., Sloan, R. S., Wu, J., & Groh, W. J. (2009). Physical function of patients with implantable cardioverter-defibrillators. *Journal of Cardiovascular Nursing*, *24*(5), 398-409. doi:10.1097/JCN.0b013e3181aa216c
- Kogan, J. N., Edelstein, B. A., & McKee, D. R. (2000). Assessment of Anxiety in Older Adults: Current Status. *Journal of anxiety disorder*, *14*(2), 109-132.
- Kong, M. H., Fonarow, G. C., Peterson, E., Curtis, A. B., Hernandez, A. F., Sanders, G. D., . . . Al-Khatib, S. M. (2011). Systematic review of the incidence of sudden cardiac death in the United States. *Journal of the American College of Cardiology*, *57*(7), 794-801. doi:10.1016/j.jacc.2010.09.064
- Kroenke, K., Spitzer, R. L., & Williams, J. B. (2001). The PHQ-9: Validity of a brief depression severity measure. *Journal of General Internal Medicine*, *16*(9), 606-613.

- Krohne, H. W., & Hock, M. (2011). Anxiety, coping strategies, and the processing of threatening information: Investigations with cognitive-experimental paradigms. *Personality and Individual Differences, 50*(7), 916-925.
- Kuch, K. H., Cappato, R., Siebel, J., & Ruppel, R. (2000). Randomized comparison of antiarrhythmic drug therapy with implantable defibrillators in patients resuscitated from cardiac arrest: The Cardiac Arrest Study Hamburg (CASH). *Circulation, 102*(7), 748-754.
- Kuhl, E. A., Sears, S. F., Vazquez, L. D., & Conti, J. B. (2009). Patient-assisted computerized education for recipients of implantable cardioverter defibrillators: A randomized controlled trial of the PACER program. *Journal of Cardiovascular Nursing, 24*(3), 225-231.
doi:10.1097/JCN.0b013e31819c143d
- LaCroix, A. Z., Guralnik, J. M., Berkman, L. F., Wallace, R. B., & Satterfield, S. (1993). Maintaining mobility in late life. II. Smoking, alcohol consumption, physical activity and body mass index. *American Journal of Epidemiology, 137*(8), 858-869.
- Launer, L. J., Harris, T., Rumpel, C., & Madans, J. (1994). Body mass index, weight change and risk of mobility disability in middle-aged and older women. The epidemiologic follow-up study of NHANES I. *Journal of the American Medical Association, 271*(14), 1093-1098.
doi:10.1001/jama.271.14.1093
- Leenhardt, A., Lucet, V., Denjoy, I., Grau, F., Ngoc, D. D., & Coumel, P. (1995). Catecholaminergic polymorphic ventricular tachycardia. In children. A 7-year follow up of 21 patients. *Circulation, 91*(5), 1512-1519.
- Leidy, N. K. (1994). Functional status and the forward progress of merry-go-rounds: Toward a coherent analytic framework. *Nursing Research, 43*(4), 196-202. doi:10.1097/00006199-199407000-00002

- Lewis, A. (1970). The ambiguous word "anxiety". *International Journal of Psychiatry*, 9, 62-79.
- Liu, X., Liang, L., Muramatsu, N., & Sugisawa, H. (1995). Transitions in functional status and active life expectancy among older people in Japan. *Journal of Gerontology Series B, Psychological Sciences and Social Sciences*, 50(6), S383-S394.
- Lovibond, S. H., & Lovibond, P. F. (1995). *Manual for the Depression Anxiety Stress Scales* (2nd ed.). Sydney: Psychology Foundation.
- Luderitz, B., Jung, W., Deister, A., Manneros, A., & Manz, M. (1993). Patients acceptance of the implantable cardioverter defibrillator in ventricular tachyarrhythmias. *Pacing and Clinical Electrophysiology: PACE*, 16(9), 1815-11821.
- Luyster, F. S., Hughes, J. W., Waechter, D., & Josephson, R. (2006). Resource loss predicts depression and anxiety among patients treated with an implantable cardioverter defibrillator. *Psychosomatic Medicine*, 68(5), 794-800. doi:10.1097/01.psy.0000227722.92307.35
- Magyar-Russell, G., Thombs, B. D., Cai, J. D., Beveja, T., Kuhl, E. A., Singh, P. P., . . . Ziegelstein, R. C. (2011). The prevalence of anxiety and depression in adults with implantable cardioverter defibrillators: A systematic review. *Journal of Psychosomatic Research*, 71(4), 223-231. doi:10.1016/j.jpsychores.2011.02.014
- Mahoney, F. I. & Barthel, D. W. (1965). Functional evaluation: the Barthel Index. *Maryland State Medical Journal*, 14, 61-65.
- Maron, B. J., Shen, W. K., Link, M. S., Epstein, A. E., Almquist, A. K., Daubert, J. P., . . . Spirito, P. (2000). Efficacy of implantable cardioverter defibrillators for prevention of sudden cardiac death in patients with hypertrophic cardiomyopathy. *The New England Journal of Medicine*, 342(6), 365-373.
- Mayers, G. M., & James, G. D. (2008). Social support, anxiety, and support group participation in patients with an implantable cardioverter defibrillator. *Progress Cardiovascular Nursing*, 23(4), 160-167. doi:10.1111/j.1751-7117.2008.00009.x

- Moritz, D. J., Kasl, S. L., & Berkman, L. F. (1995). Cognitive functioning and the incidence of limitations in activities of daily living in an elderly community sample. *American Journal of Epidemiology*, *141*(1), 41-49.
- Morken, D. K., Severinsson, E., & Karlsen, B. (2009). Reconstructing unpredictability: Experiences of living with an implantable cardioverter defibrillator over time. *Journal of Clinical Nursing*, *19*(3-4), 537-546. doi:10.1111/j.1365-2702.2009.02898.x
- Moser, D. K., & Dracup, K. (1995). Psychosocial recovery from a cardiac event: The influence of perceived control. *Heart & Lung*, *24*(4), 273-280.
- Moss, A. J., Hall, W. J., Cannom, D. S., Daubert, J. P., Higgins, S. L., Klein, H., . . . Heo, M. (1996). Improved survival with an implanted defibrillator in patients with coronary disease at high risk for ventricular arrhythmia. Multicenter Automatic Defibrillator Implantation Trial Investigators. *The New England Journal of Medicine*, *335*(26), 1993-1940.
- Ottenbacher, K. J., Hsu, Y., Granger, C. V., & Fiedler, R. C. (1996). The reliability of the functional Independence Measure: A quantitative review. *Archives of Physical Medicine and Rehabilitation*, *77*(12), 1226-1232.
- Palacios-Cena, D., Losa-Iglesia, M. E., Alvarez-Lopez, C., Cachon-Perez, M., Reyes, R. A., Savadores-Fuentes, P., & Fernandez-de-Las-Penas, C. (2011). Patients, intimate partners and family experiences of implantable cardioverter defibrillators: Qualitative systematic review. *Journal of Advanced Nursing*, *67*(12), 2537-2550. doi:10.1111/j.1365-2648.2011.05694.x
- Pedersen, S. S., den Broek, K. C., Theuns, D. A., Erdman, R. A., Alings, M., Meijer, A., . . . Denollet, J. (2011). Risk of chronic anxiety in implantable cardioverter defibrillator patients: A multi-center study. *Internal Medicine Journal of Cardiology*, *147*(3), 420-423. doi:10.1016/j.ijcard.2009.09.549

- Penninx, B. W., Guralnik, J. M., Ferruci, L., Simonsick, E. M., Deeg, D. J., & Wallace, R. B. (1998). Depressive symptoms and physical decline in community-dwelling older persons. *Journal of the American Medical Association, 279*(21), 1720-1726.
- Roger, V. L., Go, A. S., Lloyd-Jones, D. M., Adams, R. J., Berry, J. D., Brown, T. M., . . . Wylie-Rosett, J. (2011). Heart disease and stroke statistic-2011 update: A report from the American Heart Association. *Circulation, 123*(4), e18-e209. doi:10.1161/CIR.0b013e3182009701
- Rubart, M., & Zipes, D. P. (2005). Mechanism of sudden cardiac death. *The Journal of Clinical Investigation, 115*(9), 2305-2315.
- Saksena, S., & Madan, N. (2002). Management of patient with an implantable cardioverter-defibrillator in the third millenium. *Circulation, 106*(21), 2642-2646. doi:10.1161/.CIR.0000041503.01975.6A
- Saumarez, R. C., Chojnowska, L., Derksen, R., Pytkowski, M., Sterlinski, M., Huang, C. L.-H., . . . Grace, A. A. (2003). Sudden death in noncoronary heart disease is associated with delayed paced ventricular activation. *Circulation, 107*, 2595-2560. doi:10.1161/01.CIR.0000068342.96569.A1
- Schatzkin, A., Cupples, L. A., Heeren, T., Morelock, S., Mucatel, M., & Kannel, W. B. (1984). The epidemiology of sudden unexpected death: Risk factors for men and woman in the Framingham Heart Study. *American Heart Journal, 107*(6), 1300-1306.
- Schron, E. B., Exner, D. V., Yao, Q., Jenkins, L. S., Steinberg, J. S., Cook, J. R., . . . Powell, J. (2002). Quality of life in the antiarrhythmics versus implantable defibrillators trial: Impact of therapy and influence of adverse symptoms and defibrillator shocks. *Circulation, 105*(5), 589-594.
- Schwartz, P. J., Priori, S. G., Spazzolini, C., Moss, A. J., Vincent, G. M., Napolitano, C., . . . Bloise, R. (2001). Genotype-phenotype correlation in the long-QT syndrome: Gene-specific triggers for life-threatening arrhythmias. *Circulation, 103*(1), 89-95.

- Sear, S. F., Burns, J. L., Handberg, E., Solite, W. M., & Conti, J. B. (2001). Young at heart: Understanding the unique psychosocial adjustment of young implantable cardioverter defibrillator recipients. *Pacing and Clinical Electrophysiology: PACE*, *24*(7), 1113-1117.
- Sears, S. F., & Conti, J. B. (2002). Quality of life and psychological functioning of ICD patients. *Heart*, *87*(5), 488-493. doi:10.1136/heart.87.5.488
- Sears, S. F., Lewis, T. S., Kuhl, E. A., & Conti, J. B. (2005). Predictors of quality of life in patients with implantable cardioverter defibrillators. *Psychosomatics*, *46*(5), 451-457.
- Sears, S. F., Todaro, J. F., Lewis, T. S., Sotile, W., & Conti J. B. (1999). Examining the psychosocial impact of implantable cardioverter defibrillators: A literature review. *Clinical Cardiology*, *22*(7), 481-489.
- Seeman, T. E., Berkman, L. F., Charpentier, P. A., Blazer, D. G., Albert, M. S., & Tinetti, M. E. (1995). Behavioral and psychological predictors of physical performance: MacArthur studies of successful aging. *The Journals of Gerontology. Series A, Biological Sciences and Medical Sciences*, *50*(4), M177-M183.
- Shea, J. B. (2004). Quality of life in patients with implantable cardioverter defibrillators driving, occupation, and recreation. *American Association of Critical Care Nurse Clinical Issues*, *15*(3), 478-489.
- Shiga, T., Suzuki, T., & Nishimura, K. (2013). Psychological distress in patients with an implantable cardioverter defibrillator. *Journal of Arrhythmia*, *29*(6), 310-313. doi:10.1016/j.joa.2013.05.006
- Smarr, K. L. (2003). Measures of depression and depressive symptoms: The Beck Depressive Inventory (BDI), Center for Epidemiological Studies Depressive Scale (CES-D), Geriatric Depression Scale (GDS), Hospital Anxiety and Depression Scale (HADS), and Primary Care Evaluation of Mental Disorder Mood Module (PRIME-MD). *Arthritis Care & Research*, *49*(5), s134-s146. doi:10.1002/art.11410

- Spielberger, C. D. (Ed.). (1972). Anxiety as an emotional state. In *Anxiety: Current trends in theory and research* (pp. 23-49). New York: Academic.
- Spielberger, C. D. (1983). *Manual for the State-Trait Anxiety Inventory (Form V)*. Palo Alto, CA: Consulting Psychologists Press.
- Spielberger, C. D., Gorsuch, R. L., Lushene, R., Vagg, P. R., & Jacobs, G. A. (1983). *Manual for the State-Trait Anxiety Inventory (Form Y self-evaluation questionnaire)*. Palo Alto, CA: Consulting Psychologists Press.
- Strawbridge, W. J., Kaplan, G. A., Camacho, T., & Cohen, R. D. (1992). The dynamics of disability and functional change in an elderly cohort: results from the Alameda County Study. *Journal of the American Geriatrics Society*, 40(8), 799-806.
- Street, H., Sheeran, P., & Orbell, S. (1999). Conceptualizing Depression: An Integration of 27 theories. *Clinical Psychological and Psychotherapy*, 6, 175-193.
- Stuart, G. W., & Sundeen, S. J. (1987). *Principle and practice of psychiatric nursing* (2nd ed.). St. Louis: C.V. Mosby.
- Stuck, A. E., Walthert, J. M., Nikolaus, T., Bula, C. J., Hohmann, C., & Beck, J. C. (1999). Risk factors for functional status decline in community living elderly people: A systematic literature review. *Social Science & Medicine*, 48(4), 445-469.
- Tagney, J., James, J. E., & Albarran, J. W. (2003). Exploring the patient's experiences of learning to live with an implantable cardioverter defibrillator (ICD) from one UK centre: A qualitative study. *European Journal of Cardiovascular Nursing*, 2(3), 195-203.
- Therrien, Z. & Hunsley, J. (2011). Assessment of anxiety in older adults: A Systematic review of commonly used measures. *Aging & Mental Health*, 16(1), 1-16.
doi:10.1080/13607863.2011.602960

- Thomas, S. A., Friedmann, E., Kao, C. W., Inguito, P., Metcalf, M., Kelley, F. J., & Gottlieb, S. S. (2006). Quality of life and psychological status of patients with implantable cardioverter defibrillators. *American Journal of Critical Care, 15*(4), 389-398.
- Tinetti, M. E., Inouye, S. K., Gill, T. M., & Doucette, J. T. (1995). Shared risk factors for falls, incontinence and functional dependence. Unifying the approach to geriatric syndromes. *Journal of the American Medical Association, 273*(17), 1348-1353.
- Turakhia, M., & Tseng, Z. H. (2007). Sudden cardiac death: Epidemiology, mechanisms, and therapy. *Current Problems in Cardiology, 32*(9), 501-546.
- Van den Broek, K. C., Nyklicek, I., Van der Voort, P. H., Alings, M., & Denollet, J. (2008). Shocks, Personality, and anxiety in patients with an implantable defibrillator. *Pacing and Clinical Electrophysiology: PACE, 31*(7), 850-857 doi: 10.1111/j.1540-8159.2008.01099.x.
- Waldo, A. L., Camm, A. J., deRuyter, H., Freidman, P. L, MacNeil, D. J., Pauls, J. F., . . . Veltri, E. P. (1996). Effect of d-sotalol on mortality in patients with left ventricular dysfunction after recent and remote myocardial infarction. The SWORD Investigators. Survival With Oral d-Sotalol. *Lancet, 348*(9019), 7-12.
- Wetherell, J. L., & Arean, P. A. (1997). Psychometric evaluation of the Beck Anxiety Inventory with older medical patients. *Psychological Assessment, 9*, 136-144.
- Wheeler, E. C., Pretzer-Adoff, I., Hardie, T., Disabatino, A., Saylor, J., & Lucey, R. (2009). Psychological impact of implantable cardioverter defibrillator on their recipients. *Dimension of Critical Care Nursing, 28*(4), 176-181. doi: 10.1097/DCC.0b013e3181a4743b
- White, M. M. (2002). Psychosocial impact of the implantable cardioverter defibrillator: nursing implications. *The Journal of Cardiovascular Nursing, 16*(3), 53-61.
- Whiteley, G. (1994). Expert validation and differentiation of the nursing diagnoses anxiety and fear. *Nursing Diagnosis, 5*(4), 143-150.

- Wittchen, H. U., Zhao, S., Kessler, R. C., & Eaton, W. W. (1994). DSM-III-R generalized anxiety disorder in the National Comorbidity Survey. *Archives of General Psychiatry*, 51(5), 355-364.
- Yab, Y. G., & Camm, A. J. (2003). Drug induced QT prolongation and torsades de pointes. *Heart*, 89(11), 1363-1372.
- Zigmond, A. S., & Snaith, R. P. (1983). The hospital anxiety depression scale. *Acta Psychiatrica Scandinavica*, 67(6), 361-370.
- Zipes, D. P., & Wellens, H. J. (1998). Sudden cardiac death. *Circulation*, 98(21), 2334-2351. doi:10.1161/01.CIR.98.21.2334
- Zipes, D. P., Camm, A. J., Borggrefe, M., Buxton, A. E., Chaitman, B., Former, M., . . . Zamorano, J. L. (2006). ACC/AHA/ESC 2006 guidelines for management of patients with ventricular arrhythmias and the prevention of sudden cardiac death: A report of the American College of cardiology/American Heart Association task force and the European Society of Cardiology Committee for practice guidelines (writing committee to develop guidelines for management of patients with ventricular arrhythmias and the prevention of sudden cardiac death). *Journal of American College Cardiology*, 48(5), e247-e346.