

## เอกสารอ้างอิง

คณาจารย์ ภาควิชาเภสัชวิทยา คณะแพทยศาสตร์ จุฬาลงกรณ์มหาวิทยาลัย. (2550). *เภสัชวิทยา*.

กรุงเทพฯ : โรงพิมพ์แห่งจุฬาลงกรณ์มหาวิทยาลัย.

งานโรคไม่ติดต่อ สำนักงานสาธารณสุขจังหวัดเชียงใหม่.(2554). *รายงานสถิติประจำปี เชียงใหม่*:

สำนักงานสาธารณสุข เขต 1 จังหวัดเชียงใหม่.

งานโรคไม่ติดต่อ สำนักงานสาธารณสุขจังหวัดเชียงใหม่. (2555). *รายงานสถิติประจำปี เชียงใหม่*:

สำนักงานสาธารณสุข เขต 1 จังหวัดเชียงใหม่.

งานเวชระเบียน โรงพยาบาลดอยเต่า. (2552-2554). *รายงานโรคไม่ติดต่อประจำปี 2553-2554*. เชียงใหม่:

งานเวชระเบียน โรงพยาบาลดอยเต่า.

งานเวชระเบียน โรงพยาบาลดอยเต่า. (2552-2554). *สถิติผู้สูงอายุโรคความดันโลหิตสูง*. เชียงใหม่:

งานเวชระเบียน โรงพยาบาลดอยเต่า.

ฉวีวรรณ ชงชัย. (2547). *การประเมินคุณภาพแนวปฏิบัติทางคลินิก*. Retrieved March, 2, 2007, From

[www.agreetrust.org/docs/AGree\\_Instrument\\_Translations/AGREE\\_Instrument\\_Thai.pdf](http://www.agreetrust.org/docs/AGree_Instrument_Translations/AGREE_Instrument_Thai.pdf).html

รักษ์ชนก ทองศิลป์. (2554). *ประสิทธิผลของการใช้แนวปฏิบัติทางคลินิกสำหรับการส่งเสริมความ*

*ร่วมมือในการรักษาด้วยยาในผู้สูงอายุที่เป็น โรคความดันโลหิตสูง โรงพยาบาลเวียงป่าเป้า*

*จังหวัดเชียงราย*.วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาการพยาบาลผู้สูงอายุ, บัณฑิต

วิทยาลัย มหาวิทยาลัยเชียงใหม่.

ฉวีวรรณ อุณนาภิรักษ์. (2552). *พยาธิสรีวิทยาทางการพยาบาล*.พิมพ์ครั้งที่ 8 กรุงเทพฯ: บุญศิริการพิมพ์.

ศุทธิพร สร้อยแก้ว. (2553). *การพัฒนาแนวปฏิบัติทางคลินิกสำหรับการส่งเสริมความร่วมมือในการรักษา*

*ด้วยยาของผู้สูงอายุโรคความดันโลหิตสูง โรงพยาบาลแม่สาย จังหวัดเชียงราย*.วิทยานิพนธ์

*พยาบาลศาสตรมหาบัณฑิต สาขาการพยาบาลผู้สูงอายุ, บัณฑิตวิทยาลัย*

*มหาวิทยาลัยเชียงใหม่*.

สมชาย วรกิจเกษมสกุล. (2553ข). *ระเบียบวิธีการวิจัยทางพฤติกรรมศาสตร์และสังคมศาสตร์*. พิมพ์ครั้งที่ 3 อุดรธานี: โรงพิมพ์อักษรศิลป์.

สมาคมความดันโลหิตสูงแห่งประเทศไทย. (2555). *แนวทางการรักษาโรคความดันโลหิตสูงในเวชปฏิบัติทั่วไป*. Retrieved February 28, 2012, from <http://thaihypertension.org/index.php>

สำนักงานสถิติแห่งชาติ. (2545). *รายงานสำรวจประชากรผู้สูงอายุในประเทศไทย พ.ศ. 2545*. กรุงเทพฯ: สำนักงานสถิติเศรษฐกิจสังคมและประชาชาติ.

สำนักงานสถิติแห่งชาติ. (2550). *รายงานสำรวจประชากรผู้สูงอายุในประเทศไทย พ.ศ. 2550*. กรุงเทพฯ: สำนักงานสถิติเศรษฐกิจสังคมและประชาชาติ.

อรพินท์ สมบัติวัฒนาถาวร. (2551). *ประสิทธิผลการใช้แนวปฏิบัติทางคลินิกสำหรับส่งเสริมความร่วมมือในการรักษาด้วยยาของผู้ที่เป็นโรคซึมเศร้า แขนกผู้ป่วยนอก โรงพยาบาลพุทธชินราช จังหวัดพิษณุโลก*. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาการพยาบาลผู้สูงอายุ, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.

Beck, L. H. (2000). The aging kidney. Defending a delicate balance of fluid and electrolytes. *Geriatrics*, 55(4), 26-28, 31-22.

Drenjancevic-Peric, I., Jelakovic, B., Lombard, J. H., Kunert, M. P., Kibel, A., & Gros, M. (2011). High-salt diet and hypertension: focus on the renin-angiotensin system. *Kidney Blood Press Res*, 34(1), 1-11. doi: 10.1159/000320387

Fantin, F., Rossi, A., Morgante, S., Soave, D., Bissoli, L., Cazzadori, M., . . . Zamboni, M. (2012). Supervised walking groups to increase physical activity in elderly women with and without hypertension: effect on pulse wave velocity. *Hypertens Res*, 35(10), 988-993. doi: 10.1038/hr.2012.85

Feinberg, L.J., Sheiton, P., & Lery, B.H. (2006). *Improving Medication Adherence in older adults*. Retrieved June 30, 2014, from <http://www.seniorcarepharmacy.org>.

Haynes, R.B., Ackloo, E., Sahota, N., McDonald, H.P., & Yao, X. (2008). *Interventions for enhancing Medication adherence (Review)*. Retrieved June 30, 2014, from <http://www.thecochranlibrary.com>.

Jimmy & Jose. (2011). *Patient Medication Adherence: Measures in Daily Practice*. Retrieved, February, 2013 From <http://www.ncbi.nlm.nih.gov/pmc/articles/pdf>

Joint National Committee on Prevention, Detection, Evaluation, and Treatment of High Blood Pressure: *The seventh report of the Joint National Committee on prevention detection, evaluation, and Treatment of High Blood Pressure (JNC VI)*. From <http://www.nhlbi.nih.gov/guidelines/hypertension/jnc7full.pdf>

Kotani, K., Adachi, S., Tsuzaki, K., Sakane, N., & Gugliucci, A. (2010). The association between resistin, high-density lipoprotein cholesterol and carotid atherosclerosis in elderly women with hypertension. *Int J Cardiol*, 141(2), 193-194. doi: 10.1016/j.ijcard.2008.11.066

Lee, H. S., Park, Y. M., Kwon, H. S., Lee, J. H., Yoon, K. H., Son, H. Y., . . . Lee, W. C. (2010). Factors associated with control of blood pressure among elderly people diagnosed with hypertension in a rural area of South Korea: the Chungju Metabolic Disease Cohort Study (CMC study). *Blood Press*, 19(1), 31-39. doi: 10.3109/08037050903424117

Lee, K. J., Grace, A. K., & Taylor, J. A. (2006). *Effect of a pharmacy care program on medication adherence and persistence, blood pressure, and low-density lipoprotein cholesterol*. *Journal of American Medical Association*, 296(21), 2563-2571.

Leuzzi, C., & Modena, M. (2011). Hypertension in Postmenopausal Women. *High Blood Pressure & Cardiovascular Prevention*, 18(1), 13.

Meland, E., & Aamland, A. (2009). Salt restriction among hypertensive patients: Modest blood pressure effect and no adverse effects. *Scandinavian Journal of Primary Health Care*, 27(2), 97-103. doi: 10.1080/02813430802661798

Mukamal, K. J. (2006). The effects of smoking and drinking on cardiovascular disease and risk factors. *Alcohol Research & Health*, 29(3), 199-202.

National Council on Patient Information and Education. (2007). *Enhancing prescription medicine adherence: An actional action plan*. Retrieved April 10, 2009, from [http://www.ncpie.net/documents/enhancing\\_prescription\\_medicine\\_adherence.pdf](http://www.ncpie.net/documents/enhancing_prescription_medicine_adherence.pdf)

National Health and Medical Research Council. (1999). *A guideline to the development, implementation and evaluation of clinical practice guideline*. Retrieved July 20, 2007, From <http://www.health.gov.au/nhmrc/publication/pdf/cp.30pdf>

National Institutes of health. (2003). *The seventh report of the joint national committee: Prevent, detection evaluation and treatment of high blood press [JNC7]*. Retrieved August 19, 2008, from <http://www.nhlbj.nih.gov/guidlindes/hypertension/express.pdf>

Osterbert, L, & Blaschke T. (2005). Adherence to medication. *The New England Journal of Medicine*, 353, 487-497.

Pedrinelli, R., Ballo, P., Fiorentini, C., Denti, S., Galderisi, M., Ganau, A., . . . Gruppo di Studio Iperensione e Cuore, S. I. d. C. (2012). Hypertension and acute myocardial infarction: an overview. *J Cardiovasc Med (Hagerstown)*, 13(3), 194-202. doi: 10.2459/JCM.0b013e3283511ee2

Registered Nurse Association of Ontario. (2012). *Toolkit: Implementation of Best Practice Guidelines*. Retrieved September, 2012, From <http://www.rnao.org>

Robinson, K. (2007). Trends in health status and health care use among older women. *Aging Trends*(7), 1-12.

Sahoo, R., Krishna, M. V., Subrahmaniyan, D. K., Dutta, T. K., & Elangovan, S. (2009). Common carotid intima-media thickness in acute ischemic stroke: A case control study. *Neurology India*, 57(5), 627-630. doi: 10.4103/0028-3886.57822

Simons, L. A., Simons, J., McCallum, J., & Friedlander, Y. (2005). Impact of smoking, diabetes and hypertension on survival time in the elderly: the Dubbo Study. *Med J Aust*, 182(5), 219-222.

Tien, Y. W., & Paul, M. (2004). Hypertensive Retinopathy. *The New England Journal of Medicine*, 351(22), 2310.

Wong et al. (2013). *Effectiveness of a pharmacist-led drug counseling on enhancing antihypertensive adherence and blood pressure control: a randomized controlled trial*. Retrieved July, 2013, From <http://www.ncbi.nlm.nih.gov/pubmed/>

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่  
Copyright © by Chiang Mai University  
All rights reserved