

เอกสารอ้างอิง

- กนกพร โอพารัตนชัย, กนกวรรณ วัชรศักดิ์ศิลป์, เกรียงศักดิ์ ลิ้มพัฒนาน, ไกรศรี จันทรา, ธนัฐ วาณิชพงศ์, ธัญญา นรเศรษฐ์ธาดา, และคณะ. (2553). *โรคหลอดเลือดสมอง*. เชียงใหม่: คณะแพทยศาสตร์ มหาวิทยาลัยเชียงใหม่.
- กฤษณา ปิระเวช, ปิยะภัทร เดชพระธรรม, พชรวิมล คุปต์นิวัติศัยกุล, วิษณุ กัมมรทิพย์, อาริรัตน์ สุพุทธิธาดา, วสุวัฒน์ กิตติสมประยูรกุล, และคณะ. (2548). *การบำบัดฟื้นฟูผู้ป่วยโรคหลอดเลือดสมอง*. กรุงเทพฯ: อัดร่า ฟร้นดิง.
- จรัสวรรณ เทียนประกาศ และพัชร ดันสิริ. (2536). *การพยาบาลผู้สูงอายุ*. กรุงเทพฯ: รุ่งเรืองธรรม
- จิตร สิทธิอมร, อนุวัฒน์ สุขขุดิกุล, สวงนลิน รัตนอมรเลิศ, และ ศักดิ์ ราชบริรักษ์. (2543). *Clinical practice guidelines: การจัดทำและการนำไปใช้*. กรุงเทพฯ: ดีไซน์.
- ฉวีวรรณ ชงชัย. (2548). การพัฒนาแนวปฏิบัติทางคลินิก (Clinical practice guidelines development). *วารสารสภาการพยาบาล*, 20(2), 63-74.
- ธิดารัตน์ อภิญา, นิตยา พันธุเวช. (2554). *ประเด็นสารธรรมรงค์วันอัมพาตโลก ปี 2554*. สืบค้นจาก [www.thaincd.com/document/file/news/announcement/strokeday_54_update 27sep54 .pdf](http://www.thaincd.com/document/file/news/announcement/strokeday_54_update_27sep54.pdf).
- นิตยา พันธุเวช, ธิดารัตน์ อภิญา และนริศรา ธนากิจ. (2555). *ประเด็นสารธรรมรงค์วันอัมพาตโลก ปี 2555*. สืบค้นจาก <http://thaincd.com/document/file/news/announcement/ประเด็นสารอัมพาต.pdf>
- นิพนธ์ พวงวรินทร์. (2544). *โรคหลอดเลือดสมอง (พิมพ์ครั้งที่ 2)*. กรุงเทพฯ: เรือนแก้วการพิมพ์.
- นุศรา ศรีคำเวียง, ผ่องพรรณ อรุณแสง และ วิลาวรรณ พันธุ์พฤษ. (2554). *ปัจจัยที่มีผลต่อความสามารถในการทำหน้าที่ของผู้สูงอายุที่เข้ารับการรักษาในโรงพยาบาล*. วิทยานิพนธ์ปริญญาพยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลผู้สูงอายุ บัณฑิตวิทยาลัย มหาวิทยาลัยขอนแก่น.

- ปิยะภัทร พัชราวิวัฒนพงษ์. (2550). *เวชศาสตร์ฟื้นฟูสำหรับเวชปฏิบัติทั่วไป* (พิมพ์ครั้งที่ 2). กรุงเทพฯ: เอ็นพีเพรส.
- พิกุล นันทชัยพันธ์. (2549). *เอกสารประกอบการบรรยายการพัฒนาคุณภาพการพยาบาล โดยอาศัยหลักฐานความรู้เชิงประจักษ์*. เชียงใหม่: คณะพยาบาลศาสตร์ มหาวิทยาลัยเชียงใหม่.
- ยูติ เกตสัมพันธ์. (2541). *Clinical practice guidelines*. กรุงเทพฯ: ดีไซน์.
- สำนักโรคบาดविทยา กรมควบคุมโรค กระทรวงสาธารณสุข. (2555). รายงานการเฝ้าระวังโรคไม่ติดต่อเรื้อรัง พ.ศ. 2553. รายงานการเฝ้าระวังทางระบาดวิทยาประจำสัปดาห์, 48(17), 257-264.
สืบค้นจาก http://203.157.15.4/wesr/file/y56/F56171_1355.pdf
- สำนักงานปลัดกระทรวงสาธารณสุข (2555). *จำนวนและอัตราการตายด้วยโรคหลอดเลือดสมองใหญ่ ปี พ.ศ. 2544-2555 อัตราต่อแสนประชากร*. สืบค้นจาก <http://www.thaincd.com/information-statistic/non-communicable-disease-data.php>
- สถาบันประสาทวิทยา. (2550). *แนวทางการฟื้นฟูสภาพผู้ป่วยโรคหลอดเลือดสมอง*. กรุงเทพฯ: สถาบันประสาทวิทยา กรมการแพทย์ กระทรวงสาธารณสุข.
- สมนึก สกุดหงส์โสภณ, สิริวรรณ อนันตโชค และกฤษฎิ์ โหลสกุล. (2554). ปัจจัยบางประการความสามารถในกิจวัตรประจำวันและภาวะแทรกซ้อนในผู้ป่วยอัมพาตจากหลอดเลือดสมองที่บ้าน. *วารสารการพยาบาลและการศึกษา*. 4(2), 36-52.
- สุทธิชัย จิตะพันธ์กุล. (2549). *หลักสำคัญของเวชศาสตร์ผู้สูงอายุ* (พิมพ์ครั้งที่3). กรุงเทพฯ: จุฬาลงกรณ์มหาวิทยาลัย.
- Astrom, M., Asplund, K., & Astrom, T. (1992). Psychosocial function and life satisfaction after stroke. *Stroke*, 23(4), 527-531. Retrieved from <http://stroke.ahajournals.org/content/23/4/527.full.pdf+html>.
- Bernhardt, J., Dewey, H., & Thrift, A. (2008). A very early rehabilitation trial for stroke (AVERT) phaseII safety and feasibility. *Stroke Journal of the American heart association*, 39(2), 390-396. Retrieved from <https://stroke.ahajournals.org/content/39/2/390.full>
- Bowsher, D. (2001). Stroke and central poststroke pain in an elderly population. *The Journal of Pain*, 2(5), 258-261.

- Bronstein, K. S. (1991). Psychosocial components in stroke: Implications for adaptation. *Nursing Clinics of North America*, 26(4), 1007–1017.
- Chen, R. L., Balami, J. S., Esiri, M. M., Chen, L. K., & Buchan, A. M. (2010). Ischemic stroke in the elderly: An overview of evidence. *Nature Reviews Neurology*, 6(5), 256-265.
- De Silva, D. A., Pey, H. B., Wong, M. C., Chang, H. M., & Chen, C. P. (2006). Deep vein thrombosis following ischemic stroke among asians. *Cerebrovascular Diseases*, 22(4), 245-250.
- Dromerick, A. W., & Edwards, D. F. (2003). Relation of postvoid residual to urinary tract infection during stroke rehabilitation. *Archives of Physical Medicine and Rehabilitation*, 84(9), 1369-1372.
- Farzan, D. T. (1991). Reintegration for stroke survivors: Home and community considerations. *Nursing Clinics of North America*, 26(3), 1037–1047
- Granger, C. V., Hamilton, B. B., Gresham, G. E., et al. (1989). The stroke rehabilitation outcome study: Part II Relative merits of the total Barthel index score and a four-item subscore in predicting patient outcomes. *Archives of physical medicine and rehabilitation*, 70(2), 100-103.
- Han, B., & Haley, W. E. (1999). Family caregiving for patients with stroke review and analysis. *Stroke*, 30(7), 1478-1485.
- Indredavik, B., Rohweder, G., Naalsund, E., & Lydersen, S. (2008). Medical complications in a comprehensive stroke unit and an early supported discharge service. *Stroke*, 39(2), 414-420. Retrieved from <http://stroke.ahajournals.org/content/39/2/414.full>
- Kwan, J., & Wood, E. (2010). *Antiepileptic drugs for the primary and secondary prevention of seizures after stroke*. Retrieved from <http://onlinelibrary.wiley.com/doi/10.1002/14651858.CD005398.pub2/abstract>
- Kumar, S., Selim, M. H., & Caplan, L. R. (2010). Medical complications after stroke. *The Lancet Neurology*, 9(1), 105-118.

- Lamay, C., Domigo, V., Semah, F., Arquizan, C., Trystram, D., Coste, J., & Mas, J. L. (2003). Early and late seizures after cryptogenic ischemic stroke in young adults. *Neurology*, 60(3), 400-404.
- Langhorne, P., Bernhardt, J., & Kwakkel, G. (2011). *Stroke care 2 Stroke rehabilitation*. Retrieved from <http://211.144.68.84:9998/91keshi/Public/File/36/377-9778/pdf/1-s2.0-S0140673611603255-main.pdf>
- Levack, W. M., Taylor, K., Siegert, R. J., Dean, S. G., McPherson, K. M., & Weatherall, M. (2006). Is goal planning in rehabilitation effective? A systematic review. *Clinical Rehabilitation*, 0(9), 739-755.
- Michael, K. M., & Shaughnessy, M. (2006). Stroke prevention and management in older adults. *Journal of Cardiovascular Nursing*, 21(5), S21-S26.
- National Health and Medical Research Council [NHMRC]. (1999). *A guide to the development and evaluation of clinical practice guidelines*. Retrieved from <https://www.nhmrc.gov.au/guidelines/publications/cp30>
- National Institute of Neurological Disorders and Stroke (NINDS). (2007). *What is stroke?*. Retrieved from <http://www.ninds.nih.gov/disorders/stroke.htm>.
- National Stroke Foundation. (2010). *Clinical Guideline for Stroke Management*. Retrieved from <http://www.strokefoundation.com.au/index2.php?option=com>.
- Registered Nurses Association of Ontario [RNAO]. (2005). *Stroke Assessment Across the Continuum of Care*. Retrieved from <http://www.rnao.org>
- Reinhard, S. C. (1994). Perspectives on the family's caregiving experience in mental illness. *The Journal of Nursing Scholarship*, 26(1), 70-74.
- Roth, E. J., Lovell, L., Harvey, R. L., Heinemann, A. W., Semik, P., & Diaz, S. (2001). Incidence of and risk factors for medical complications during stroke rehabilitation. *Stroke*, 32(2), 523-529.
- Shah, M. V. (2006). Rehabilitation of the older adult with stroke. *Clinics in Geriatric Medicine*, 22(2), 469-489.

- Sherman, D. G., Albers, G. W., Bladin, C., Fieschi, C., Gabbai, A. A., Kase, C. S., ... & Pineo, G. F. (2007). The efficacy and safety of enoxaparin versus unfractionated heparin for the prevention of venous thromboembolism after acute ischaemic stroke (PREVAIL Study): An open-label randomised comparison. *The Lancet*, 369(9570), 1347-1355.
- Su, Y., Zhang, X., Zeng, J., Pei, Z., Cheung, R. T. F., Zhou, Q. P., ... & Zhang, Z. (2009). New-onset constipation at acute stage after first stroke incidence, risk factors, and impact on the stroke outcome. *Stroke*, 40(4), 1304-1309.
- Turner, T., Misso, M., Harris, C., Green, S. (2008). Development of evidence-based clinical practice guidelines (CPGs): Comparing approaches. *Implementation Science*, 3(45), 1-8. Retrieved from <http://www.Implementationscience.com/content/3/1/45>
- Joanna Briggs Institute. (1999). Constipation in older adults. *Best Practice: Evidence Based Practice Information Sheets for Health Professionals*, 3(1), 1-6. Retrieved from <http://www.jbiconnectplus.org/ViewSourceFile.aspx?0=4308>
- Teasell, R., & Foley, N. (2008). *Managing the Stroke Rehabilitation Triage Process*. Retrieved from http://www.ebrsr.com/sites/default/files/Chapter4_Triage_FINAL_16ed.pdf
- The Joanna Briggs Institute. (2004). *Systematic reviews: Level of evidence and grade of recommendations*. Retrieved from <http://www.joannabriggs.edu.au/pubs/approach.php>
- William, F. (1985). *Rehabilitation in the aging* (2nd). New York: Ravens Press.
- World Health Organization [WHO]. (2002). *The World health report 2002: Reducing the risks, promoting healthy life*. Retrieved from <http://www.who.int/whr/2002/en/>