

เอกสารอ้างอิง

- กฤติกา ชูวงศ์. (2547). ผลของการใช้โปรแกรมเดินออกกำลังกายที่บ้านต่อความสามารถในการออกกำลังกายและคุณภาพชีวิตในผู้ป่วยโรคหัวใจล้มเหลวเรื้อรัง. เชียงใหม่: คณะพยาบาลศาสตร์ มหาวิทยาลัยเชียงใหม่.
- จิตติมา จรูญสิทธิ์. (2545). ผลของโปรแกรมการจัดการตนเองต่อการควบคุมระดับน้ำตาลในเลือดและคุณภาพชีวิตของผู้ป่วยเบาหวาน (วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลผู้ใหญ่). บัณฑิตวิทยาลัย, จุฬาลงกรณ์มหาวิทยาลัย.
- จินตนา บัวทองจันทร์. (2548). ผลของโปรแกรมการจัดการตนเองต่ออาการหายใจลำบากในผู้ป่วยโรคปอดอุดกั้นเรื้อรัง เขตภาคใต้ตอนล่าง (วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลผู้ใหญ่). บัณฑิตวิทยาลัย จุฬาลงกรณ์มหาวิทยาลัย.
- จิราภรณ์ ใจสบาย, พรสุข หุ่นนิรันดร์, และ ทรงพล ต่อนี่. (2553). พฤติกรรมการดูแลตนเองและคุณภาพชีวิตของผู้สูงอายุในชมรมผู้สูงอายุเขตบางกอกน้อย กรุงเทพมหานคร (วิทยานิพนธ์มหาบัณฑิต สาขาวิชาสุขศึกษา). บัณฑิตวิทยาลัย, มหาวิทยาลัยศรีนครินทรวิโรฒประสานมิตร.
- ชดช้อย วัฒนา. (2549). ผลของโปรแกรมการจัดการตนเองเกี่ยวกับโรคเบาหวานต่อความรู้เกี่ยวกับโรคเบาหวาน การควบคุมระดับน้ำตาลในเลือด ภาวะเสี่ยงต่อโรคหัวใจและหลอดเลือดและคุณภาพชีวิตของผู้ที่เป็นโรคเบาหวาน (วิทยานิพนธ์พยาบาลศาสตรดุษฎีบัณฑิต). บัณฑิตวิทยาลัย, มหาวิทยาลัยเชียงใหม่.
- ชุตินธร เรียนแพง. (2548). การจัดการตนเองและความผาสุกในผู้ป่วยภาวะหัวใจล้มเหลว (วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลผู้ใหญ่). บัณฑิตวิทยาลัย, มหาวิทยาลัยเชียงใหม่.
- ชูชีพ โพชะจา. (2550). ผลการใช้กระบวนการกลุ่มต่อพฤติกรรมสุขภาพของผู้ที่เป็นเบาหวานชนิดที่ 2 โรงพยาบาลจังหวัดลำพูน (การค้นคว้าแบบอิสระพยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลผู้ใหญ่). บัณฑิตวิทยาลัย, มหาวิทยาลัยเชียงใหม่.

- ทรงเดช ยศจำรัส, และ ปารีชา นิพพานนท์. (2556). ผลการพัฒนาความสามารถของตนเองและการตั้งเป้าหมายเพื่อเปรียบเทียบการปรับเปลี่ยนพฤติกรรมการควบคุมระดับน้ำตาลในเลือดของผู้ป่วยเบาหวานชนิดที่ 2 ในโรงพยาบาลชุมชนแพ อำเภอมะนัง จังหวัดขอนแก่น. *วารสารวิจัยสาธารณสุขศาสตร์ มหาวิทยาลัยขอนแก่น*, 6(3), 23-30.
- ปรววรรณ วิทย์วานุกุล, และ ชนกพร จิตปัญญา. (2552). ผลของโปรแกรมส่งเสริมการรับรู้สมรรถนะแห่งตนและความคาดหวังในผลลัพธ์ของการออกกำลังกายต่อความสามารถในการทำหน้าที่ของผู้ป่วยที่มีภาวะหัวใจล้มเหลว. *วารสารโรคหัวใจและทรวงอก*, 2(20).
- ผ่องพรรณ อรุณแสง. (2551). *การพยาบาลผู้ป่วยโรคหัวใจและหลอดเลือด* (พิมพ์ครั้งที่ 4). ขอนแก่น: คลังนานาวิทยา.
- พัชรี อ่างบุญตา. (2554). *ผลของโปรแกรมการส่งเสริมการจัดการตนเองต่อพฤติกรรมจัดการตนเองและระดับฮีโมโกลบินเอวันซีของผู้สูงอายุที่เป็นโรคเบาหวานชนิดที่ 2* (วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลผู้สูงอายุ). บัณฑิตวิทยาลัย, มหาวิทยาลัยเชียงใหม่.
- มณฑาทิพย์ รุ่งศิลป์, สุชาดา สุรพันธ์, จุราพร พงศ์เวชรักษ์, และ โปยม วงศ์ภูวรักษ์. (2551). ผลของการให้การบริบาลทางเภสัชกรรมในผู้ป่วยกลุ่มอาการโรคหลอดเลือดหัวใจเฉียบพลันและมีคอเลสเตอรอลในเลือดสูง ณ โรงพยาบาลพัทลุง. *สงขลานครินทร์เวชสาร*, 26(3), 263-272.
- เขาวภา บุญเที่ยง. (2545). *การสนับสนุนทางสังคม พฤติกรรมสุขภาพ และการกลับเข้าพักรักษาในโรงพยาบาลของผู้สูงอายุหัวใจวายเลือดคั่ง* (วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลผู้สูงอายุ). บัณฑิตวิทยาลัย, มหาวิทยาลัยเชียงใหม่.
- รพีพันธุ์ สุ่มหิรัญ. (2552). *การทบทวนงานวิจัยเกี่ยวกับการจัดการเพื่อลดการกลับเข้ามารักษาซ้ำในโรงพยาบาลของผู้ป่วยภาวะหัวใจล้มเหลว*. กรุงเทพฯ: โรงพยาบาลตากสิน.
- รังสฤษฎ์ กาญจนะวนิชย์. (2547). Heart failure management programme. ใน อภิชาติ สุคนธสรณ์ และ รังสฤษฎ์ กาญจนะวนิชย์ (บรรณาธิการ), *Heart failure* (หน้า 218-230). เชียงใหม่: ไอแอม ออแกไนซ์เซอร์แอนด์แอดเวอ์ไทซิ่ง.
- ราชบัณฑิตยสถาน. (2525). *พจนานุกรมฉบับราชบัณฑิตยสถาน*. กรุงเทพฯ: อักษรเจริญทัศน์.

- ฤทัยชนก กุลสืบ, และ วรรณญา เชื้อทอง. (2553). พฤติกรรมการดูแลสุขภาพตนเองของประชาชนใน ตำบลห้วยกระเจา อำเภอห้วยกระเจา จังหวัดกาญจนบุรี (วิทยานิพนธ์วิทยาศาสตร์บัณฑิต สาขาวิชาสาธารณสุขชุมชน). คณะวิทยาศาสตร์และเทคโนโลยี, มหาวิทยาลัยราชภัฏนครปฐม.
- ลดาวลัย ฤทธิกล้า. (2552). ประสิทธิภาพของ โปรแกรมส่งเสริมการจัดการตนเองต่อภาวะหายใจลำบาก การกลับเข้ารับการรักษาซ้ำด้วยอาการกำเริบและคุณภาพชีวิต (วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลผู้ใหญ่) บัณฑิตวิทยาลัย, มหาวิทยาลัยธรรมศาสตร์.
- วันเพ็ญ สายัญต์ศิกนก. (2550). การศึกษาการกลับมาตรวจรักษาซ้ำของผู้ป่วยสูงอายุที่มีภาวะเจ็บป่วย เรื้อรังที่หน่วยอุบัติเหตุ-ฉุกเฉิน (วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาพยาบาล ศาสตร์). บัณฑิตวิทยาลัย, จุฬาลงกรณ์มหาวิทยาลัย.
- วาริ กังใจ. (2549). ประสิทธิภาพของ โปรแกรมส่งเสริมการจัดการด้วยตนเองสำหรับผู้สูงอายุสตรีที่มี ภาวะกลืนปัสสาวะไม่อยู่ (วิทยานิพนธ์คุณวุฒิบัณฑิต พยาบาลศาสตร์ มหาวิทยาลัยมหิดล.
- วิไลพร ขำวงษ์, จตุพร หนูสวัสดิ์, วรรัตน์ ประทานวโรปัญญา, และ จิดาภา ศิริปัญญา. (2554). ปัจจัยที่ มีความสัมพันธ์กับคุณภาพชีวิตของผู้สูงอายุ. วารสารวิจัยทางวิทยาศาสตร์สุขภาพ, 5(2), 32-40.
- ศิริวรรณ ตั้งวิจิตรสกุล. (2550). ผลของ โปรแกรมการจัดการตนเองต่อคุณภาพชีวิตของผู้ป่วยภาวะ หัวใจล้มเหลว (วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลผู้ใหญ่). บัณฑิตวิทยาลัย, มหาวิทยาลัยเชียงใหม่.
- สมาคมแพทย์โรคหัวใจแห่งประเทศไทย. (2552). แนวทางการปฏิบัติมาตรฐานเพื่อการวินิจฉัยและ การดูแลรักษาผู้ป่วยภาวะหัวใจล้มเหลว. กรุงเทพฯ: สมาคมแพทย์โรคหัวใจแห่งประเทศไทย ใน พระบรมราชูปถัมภ์ร่วมกับชมรมหัวใจล้มเหลวแห่งประเทศไทย.
- สำนักงานสนับสนุนการสร้างเสริมสุขภาพ. (2554). สำนักงานสนับสนุนการสร้างเสริมสุขภาพ (สสส.): ความเป็นมาและแนวทางการดำเนินงาน. กรุงเทพฯ: เกษมอนันต์พริ้นติ้ง.
- สำนักนโยบายและยุทธศาสตร์ สำนักงานปลัดกระทรวงสาธารณสุข. (2557). จำนวนและอัตราการ ป่วยต่อประชากร 100,000 คน. นนทบุรี: ผู้เขียน.

อนัญญา บำรุงพันธ์, วันดี บุญเกิด, และ พัชรี ประภาสิต. (2554). ผลการใช้รูปแบบการจัดการตนเองต่อระดับคุณภาพชีวิตของผู้ป่วยเบาหวานชนิดที่สองที่มีภาวะแทรกซ้อนระยะสั้น โรงพยาบาลพระปกเกล้า. *วารสารกองการพยาบาล*, 38(1), 42-51.

อมรรัตน์ สมมิตร, ชมนาด วรรณพรศิริ, และ สุชาลินี ธรรมอารี. (2554). ผลของโปรแกรมการพยาบาลแบบสนับสนุนและให้ความรู้ต่อความสามารถในการดูแลตนเองของผู้ป่วยภาวะหัวใจล้มเหลว. *วารสารการพยาบาลและสุขภาพ*, 5(2), 55-60.

อรัญญ์ เจษฎาญาณเมธา. (2554). *หลักการพยาบาลโรคหัวใจล้มเหลวเรื้อรัง. เอกสารประกอบการสอนประจำปี 2554. พิษณุโลก: คณะเภสัชศาสตร์ มหาวิทยาลัยนเรศวร.*

Albert, A., Trochelman, K., Li, L., & Lin, S. (2010). Sign and symptom of heart failure: Are you asking the right questions? *American Journal Of Critical Care*, 19(5), 443-451.
doi:10.4037/ajcc2009314

Bandura, A. (1997). *Self-efficacy: The exercise of control*. New York: W.H. Freeman.

Barlow, J. H., Wright C. C., Turner A. P., & Bancroft, G. V. (2005). 12-month follow-up study of self-management training for people with chronic disease: Are changes maintained over time? *British Journal of Health Psychology*, 10, 589-599.

Bekelman, D. B., Dy, S. M., Becker, D. M., Wittstein, I. S., Hendricks, D. E., Yamashita T. E., & Gottlieb, S. H. (2007). Spiritual well-being and depression in patients with heart failure. *Journal of General Internal Medicine*, 22(4), 470-477.

Berry, C., Murdoch D. R., & McMurray, J. V. (2001). Economics of chronic heart failure. *European Journal of Heart Failure*, 3(3), 283-291.

Bursi, F., Weston, S. A., Redfield, M. M., Jacobsen, S. J., Pakhomov, S., Nkomo, V. T., . . . Roger, V. L. (2006). Systolic and diastolic heart failure in the community. *The Journal of the American Medical Association*, 296(18), 2209-2216.

- Centers for Disease Control and Prevention. (2000). *Measuring healthy days population assessment of health-related quality of life*. National Center for Chronic Disease Prevention and Health Promotion Division of Adult and Community Health. Retrieved from <http://www.cdc.gov/hrqol/pdfs/mhd.pdf>
- Centers for Disease Control and Prevention. (2003). *Public health and aging: Trends in aging US and Worldwide*. Retrieved from www.cdc.gov/mmwr/preview/mmwrhtml/mm5206a2.htm
- Centers for Disease Control and Prevention. (2011). Million hearts: Strategies to reduce the prevalence of leading cardiovascular disease risk factors. *Morbidity and Mortality Weekly Report*, 60(36), 1248-1251.
- Centers Medicare & Medicaid Services. (2011). *Outcome measures*. Retrieved from <http://www.cms.gov/Medicare/Quality-Initiatives-Patient-Assessment-Instruments/HospitalQualityInits/OutcomeMeasures.html>
- Creer, T. L. (2000). Self management of chronic illness. In M. Bovkaert, P. R. Pintrich, & M. Zeidner (Eds), *Handbook of self-regulation* (pp. 601-629). New York: Academic Press.
- Cronbach, L. J. (1970). *Essentials of psychology testing* (3rd ed.). New York: Harper and Row.
- Curtin, R. B., Bultman, D. C., Thomas-Hawkins, C., Walters, B. A., & Schatell, D. (2002). Hemodialysis patients' symptom experiences: Effects on physical and mental functioning. *Nephrology Nursing Journal*, 29(6), 562-574.
- DeWalt, D. A., Malone, R. M., Bryant, M. E., Kosnar, M. C., Corr, K. E., Rothman, R. L., . . . Pignone, M. P. (2006). A heart failure self-management program for patients of all literacy levels: A randomized controlled trial. *BMC Health Services Research*, 6, 1-10.
- Ditewing, J. B., Blok, H., Havers, J., & van Veenendaal, H. (2010). Effectiveness of self-management interventions on mortality, hospital readmissions, chronic heart failure hospitalization rate and quality of life in patients with chronic heart failure: A systematic review. *Patient Education and Counseling*, 78(3), 297-315. doi:10.1016/j.pec.2010.01.016

- Dunderdale, K., Thompson, D. R., Miles J. N., Beer, S. F., & Furze, G. (2005). Quality-of-life measurement in chronic heart failure: Do we take account of the patient perspective. *The European Journal of Heart Failure*, 7(4), 572-582.
- Falk, K., Patel, H., Swedberg, K., & Ekman, I. (2009). Fatigue in patients with chronic heart failure: A burden associated with emotional and symptom distress. *European Journal of Cardiovascular Nursing*, 8(2), 91-96. doi:10.1016/j.ejcnurse.2008.07.002
- Fu, D., Fu, H., McGowan, P., Shen, Y. E., Zhu, L., Yang H, . . . Wei, Z. (2003). Implementation and quantitative evaluation of chronic disease self-management programme in Shanghai, China: Randomized controlled trial. *Bulletin of the World Health Organization*, 81(3), 174-182.
- Gardetto, N. J. (2011). Self-management in heart failure: where have we been and where should we go? *Journal of Multidisciplinary Healthcare*, 4, 39-51. doi:10.2147/JMDH.S8174
- Granger, B., Moser, D., Germino, B., Harrell, J., & Ekman, I. (2006). Caring for patients with chronic heart failure: The Trajectory Model. *European Journal of Cardiovascular Nursing*, 5(3), 222-227.
- Grigioni, F., Carigi, S., Grandi, S., Potena, L., Coccolo, F., Bacchi-Reggiani, L., . . . Branzi, A. (2003). A. Distance between patients' subjective perceptions and objectively evaluated disease severity in chronic heart failure. *Psychotherapy and Psychosomatics*, 72(3), 166-170.
- Gulati, S. K. (2012). Reducing readmission rates and empowering heart failure patients. *The Sanger Report*, 3(2). Retrieved from <http://www.carolinashealthcare.org/documents/sanger/pdf/the-sanger-report-summer-2012.pdf>
- Heidenreich, P. A., Spertus, J. A., Jones, P. G., Weintraub, W. S., Rumsfeld, J. S., Rathore, S. S., . . . Williams, R. E. (2006). Health status identifies heart failure outpatients at risk for hospitalization or death. *Journal of the American College of Cardiology*, 47(4), 752-756. doi:10.1016/j.jacc.2005.11.021

- Heo, S., Lennie, T. A., Okoli, C., & Moser, D. K. (2009). Quality of life in patients with heart failure: Ask the patients. *Heart & Lung, 38*(2), 100-108. doi:10.1016/j.hrtlng.2008.04.002
- Hunt, S. A., Abraham, W. T., Chin, M. H., Feldman, A. M., Francis, G. S., Ganiats, T. G., . . . Riegel, B. (2005). ACC/AHA 2005 Guideline update for the diagnosis and management of chronic heart failure in the adult: A report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Writing Committee to Update the 2001 Guidelines for the Evaluation and Management of Heart Failure): Developed in collaboration with the American College of Chest Physicians and the International Society for Heart and Lung Transplantation: Endorsed by the Heart Rhythm Society. *Circulation, 112*(12), e154-e235. doi:10.1161/CIRCULATIONAHA.105.167586
- Hwang, B., Fleischmann, K. E., Esquivé, J., Stotts, N., & Dracup, K. (2011). Caregiving for patients with heart failure: Impact on patients' families. *American journal of critical care, 20*(6), 431-441.
- Institute for Healthcare Improvement. (2009). *Effective interventions to reduce rehospitalizations: A survey of the published evidence*. Retrieved from [http://www.ihc.org/offerings/Initiatives/STAAR/Documents/STAAR A Survey of the Published Evidence.pdf](http://www.ihc.org/offerings/Initiatives/STAAR/Documents/STAAR_A_Survey_of_the_Published_Evidence.pdf)
- Jeon, Y. H., Kraus, S. G., Jowsey, T., & Glasgow, N. J. (2010). The experience of living with chronic heart failure: A narrative review of qualitative studies. *BMC Health Services Research, 10*, 77. doi:10.1186/1472-6963-10-77
- Jessup, M., Abraham, W. T., Casey, D. E., Feldman, A. M., Francis, G. S., Ganiats, T. G., . . . Yancy, C. W. (2009). 2009 focused update: ACCF/AHA guidelines for diagnosis and management of heart failure in adults. A report of the American College of Cardiology Foundation/American Heart Association task force on practice guidelines: Developed in collaboration with the International Society for Heart and Lung Transplantation. *Circulation, 119*(14), 1977-2016. doi:10.1161/CIRCULATIONAHA.109.192064

- Jones, F., & Riazi, A. (2011). Self-efficacy and self-management after stroke: A systematic review. *Disability and Rehabilitation*, 33(10), 797-810. doi:10.3109/09638288.2010.511415
- Jovicic, A., Holroyd-Leduc, J. M., & Straus, S. E. (2006). Effects of self-management intervention on health outcomes of patients with heart failure: A systematic review of randomized controlled trials. *BMC Cardiovascular Disorders*, 6, 43. doi:10.1186/1471-2261-6-43
- Juenger, J., Schellberg, D., Kraemer, S., Haunstetter, A., Zugck, C., Herzog, W., & Haass, M. (2002). Health-related quality of life in patients with congestive heart failure: Comparison with other chronic diseases and relation to functional. *Heart*, 87(3), 235-241.
- Kanfer, F. H., & Goldstein, A. P. (1991). Self-management methods. In *Helping people changes: Textbook of methods* (pp. 305-360). New York: Pergamon.
- Khan, H. (2009b). Rheumatic heart disease. *Professional Medical Journal*, 16(1), 100-104.
- Kochanek, K. D., Xu, J., Murphy, S. L., Minino, A. M., & Kung, H.-C. (2011). Deaths: Final data for 2009. *National Vital Statistics Reports*, 60(3), 36.
- Konstam, V., Moser, D. K., & De Jong, M. J. (2005). Depression and anxiety in heart failure. *Journal of Cardiac Failure*, 11(6), 455-466.
- Lamberts, M., Lip, G. Y., Ruwald, M. H., Hanson, M. L., Ozcan, C., Kristensen, S. L., . . . Gislason, G. H. (2014). Antithrombotic treatment in patients with heart failure and associated atrial fibrillation and vascular disease. *Journal of the American College of Cardiology*, 63(24), 2689-2698. doi:10.1016/j.jacc.2014.03.039
- Laonigro, I., Correale, M., Di Biase, M., & Altomare, E. (2010). Alcohol abuse and heart failure. *European Journal of Heart Failure*, 11(5), 453-462. doi:10.1093/eurjhf/hfp037

- Lloyd-Jones, D., Adams, R. J., Brown, T. M., Carnethon, M., Dai, S., De Simone, G., . . .
Wylie-Rosett, J. (2010). Heart disease and stroke statistics--2010 update: A report from
the American Heart Association. *Circulation*, *121*(7), e46-e215.
doi:10.1161/CIRCULATIONAHA.109.192667
- Lorig, K. R., & Holman, H. R. (1993). Arthritis self-management studies: A twelve-year review.
Health Education Quarterly, *20*(1), 17-28.
- Lorig, K. R., & Holman, H. R. (2003). Self-management education: History, Definition, outcomes,
and mechanisms. *Annals of Behavioral Medicine*, *26*(1), 1-7.
- Lorig, K. R., Ritter, P., Stewart, A. L., Sobel, D. S., Brown, B. W. Jr., Bandura, A., . . . Holman,
H. R. (2001). Chronic disease self-management program: 2-year health status and health care
utilization outcomes. *Medical Care*, *39*(11), 1217-1223.
- Lorig, K. R., Sobel, D. S., Ritter, P. L., Laurent, D., & Hobbs, M. (2001). Effect of a self-management
program on patients with chronic disease. *Effective Clinical Practice*, *4*(6), 256-262.
- Lorig, K. R., Sobel, D. S., Stewart, A. L., Brown, B. W., Jr., Bandura, A., Ritter, P. L., . . . Holman,
H. R. (1999). Evidence suggesting that a chronic disease selfmanagement program can
improve health status while reducing utilization and costs: A randomized trial. *Medical Care*,
37(1), 5-14.
- Lorig, K. R., Stewart, A., Ritter, P., Gonzalez, V. M., Laurent, D., & Lynch, J. (1996). *Outcome
measures for health education and other health care interventions*. San Francisco, CA: Sage.
- McAllister, M., Dunn, G., Payne, K., Davies, L., & Todd, C. (2012). Patient empowerment: The
need to consider it as a measurable patient-reported outcome for chronic conditions. *BMC
Health Services Research*, *12*, 157. doi:10.1186/1472-6963-12-157
- Michie, S., van Stralen, M. M., & West, R. (2011). The behaviour change wheel: A new method for
characterising and designing behaviour change interventions. *Implementation Science*, *6*, 42.
doi:10.1186/1748-5908-6-42

- Murberg, T. A., Brn, E., Aarsland, T., & Svebak, S. (1998). Functional status and depression among men and women with congestive heart failure. *International Journal Psychiatry in Medicine*, 28(3), 273-291.
- Nanda, U., & Andresen, E. M. (1998). Health-related quality of life: A guide for the health professional. *Evaluation and the Health Professions*, 21(2), 179-215.
- National Institute for Health and Clinical Excellence. (2010). *Management of chronic heart failure in adults in primary and secondary care*. Retrieved from <http://www.nice.org.uk/nicemedia/live/13099/50526/50526.pdf>
- National Institute for Health and Clinical Excellence. (2013). *Cardiac rehabilitation services*. Retrieved from <http://www.nice.org.uk/guidance/cm40>
- Ogale, S. S., Blake, S. G., Biglane, G. C., & Medon, P. J. (2008). An economic analysis of congestive heart failure. *Value in Health*, 4(2), 97-98. doi:10.1046/j.1524-4733.2001.40202-83.x
- Ojeda, S., Anguita, M., Delgado, M., Atienza, F., Rus, C., Granados, A. L., . . . Velasco, J. A. (2005). Short- and long-term results of a programme for the prevention of readmissions and mortality in patients with heart failure: Are effects maintained after stopping the programme? *The European Journal of Heart Failure*, 7(5), 921-926.
- Oxenham, H., & Sharpe, N. (2003). Cardiovascular aging and heart failure. *The European Journal of Heart Failure*, 5, 427-434.
- Polit, D. F., & Hungler, B. P. (1999). *Nursing research: Principles and methods* (6th ed.). Philadelphia: J.B. Lippincott.
- Rector, T. S., Anand, I. S., & Cohn, J. N. (2005). Relationships between clinical assessments and patients' perceptions of the effects of heart failure on their quality of life. *Journal of Cardiac Failure*, 12(2), 87-92. doi:10.1016/j.cardfail.2005.10.002

- Rector, T. S., Kubo, S. H., & Cohn, J. N. (1987). Patients' self-assessment of their congestive heart failure. Part 2: Content, reliability and validity of a new measure, the Minnesota Living with Heart Failure questionnaire. *Heart Failure*, 3, 198-209.
- Redman, B. K. (2004). *Patient self-management of chronic disease: The health care provider's challenge*. Sudbury, MA: Jones & Bartlett.
- Riedinger, M. S., Dracup, K. A., Brecht, M. L., Padilla, G., Sarna, L., & Ganz, P. A. (2001). Quality of life in patients with heart failure: Do gender differences exist? *Heart & Lung*, 30(2), 105-116.
- Rothberg, M. B., & Sivalingam, S. K. (2010). The new heart failure diet: Less salt restriction, more micronutrients. *Journal of General Internal Medicine*, 25(10), 1136-1137.
doi:10.1007/s11606-010-1254-8
- Scottish Intercollegiate Guidelines Network. (2007). *Management of chronic heart failure*. A national clinical guideline. Retrieved from <http://www.sign.ac.uk/pdf/sign95.pdf>
- Silow-Carroll, S., Edwards, J. N., & Lashbrook, A. (2011). *Reducing hospital readmissions: Lessons from Top-Performing Hospitals*. The Commonwealth Fund. Retrieved from <http://www.commonwealthfund.org/Publications/Case-Studies/2011/Apr/Reducing-Hospital-Readmissions.aspx>
- Stams, T. R., Bourgonje, V. J., Vos, M. A., & van der Heyden, M. A. (2012). Verapamil as an antiarrhythmic agent in congestive heart failure: Hopping from rabbit to human? *British Journal of Pharmacology*, 166(2), 554-556. doi:10.1111/j.1476-5381.2011.01818.x
- Szady, A. D., & Hill, J. A. (2009). Diuretics in heart failure: A critical appraisal of efficacy and tolerability. *Drugs*, 69(17), 2451-2461. doi:10.2165/11319920-000000000-00000
- Welsh, D., Lennie, T. A., Marcinek, R., Biddle, M. J., Abshire, D., Bentley, B., & Moser, D. K. (2013). Low-sodium diet self-management intervention in heart failure: Pilot study result. *European Journal of Cardiovascular Nursing*, 12(1), 87-95. doi:10.1177/1474515111435604

Westlake, C., Dracup, K., Creaser, J., Livingston, N., Heywood, J. T., Huiskes, B. L., . . . Hamilton, M. (2002). Correlates of health-related quality of life in patients with heart failure. *Heart & Lung, 31*(2), 85-93.

World Health Organization. (1998). Development of the World Health Organization. WHOQOL-BREF quality of life assessment. *Psychological Medicine, 28*(3), 551-558.

World Health Organization. (2011). *Global status report on noncommunicable diseases 2010*. Retrieved from <http://www.who.int/mediacentre/factsheets/fs317/en/>

World Heart Federation. (2012). *State of heart-cardiovascular disease report*. from <http://www.world-heart-federation.org/fileadmin/user/upload/documents/WHD2010/FINALStateoftheHeartCVDReport121010.pdf>

Zafir, B., & Amir, O. (2012). Beta blocker therapy, decompensated heart failure, and inotropic interactions: Current perspectives. *The Israel Medical Association Journal, 14*(3), 184-189.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved