

บรรณานุกรม

- [1] Eric PHL, Jeong HM, Belk R, Kimura J, Bahl S. **Skin lightening and beauty in four Asian cultures.** *Advance in Consumer Research.* 2008, 35: 444-448.
- [2] Jenifer C, Stephie CM, Abhishri SB, Shalini BU. **A review on skin whitening property of plant extracts.** *International Journal of Bioscience.* 2012, 3(4): B332-B347.
- [3] Chang TS. **An update review of tyrosinase inhibitors.** *International Journal of Molecular Sciences.* 2009, 10: 2440-2475.
- [4] พิมพ์ ลีลาพรพิสูฐ: เครื่องสำอางสำหรับผิวหนัง (Cosmetic for skin), Revised edn; 2551.
- [5] กิตติศักดิ์ ลิขิตวิทยาภัต: มะหาด: ประโยชน์ทางยา เครื่องสำอาง และการเกษตร, 1 edn. กรุงเทพฯ: โรงพิมพ์แห่งจุฬาลงกรณ์มหาวิทยาลัย; 2551.
- [6] **Skin whiteners.** Available from: <http://www.makingcosmetics.com/Skin-Lightening-Agents-c36/>. [last cited on 2012].
- [7] Fitton A, Goa KL. **Azelaic acid. A review of its pharmacological properties and therapeutic efficacy in acne and hyperpigmentary skin disorders.** *Drugs.* 1991, 41(5): 780-798.
- [8] Davis EC, Callender VD. **Post inflammatory hyperpigmentation.** *Journal of Clinical and Aesthetic Dermatology.* 2010, 3(7): 20-31.
- [9] Calixto JB. **Efficacy, safety, quality control, marketing and regulatory guidelines for herbal medicines (phytotherapeutic agents).** *Brazilian Journal of Medical and Biological Research.* 2000, 33: 179-189.

- [10] Li-wei X, Jang C, Huan-yang Q, Yan-ping S. **Phytochemicals and their biological activities of plants in *Tagetes* L.** *Chinese Herbal Medicines*. 2012, 4(2): 103-117.
- [11] Jiang L, Hu F, Tai Y, Yang X , Yu D , Li D, Yuan Y. **Study on the extraction process and tyrosinase inhibition property of cichoric acid in *Echinacea purpurea* L.** *Journal of Medicinal Plants Research*. 2012, 6(40): 5317-5321.
- [12] Kang JR, Lee MK, Kang SM. **Anti-oxidant property and tyrosinase inhibition activity of various extracts from plants in compositae plants.** *Journal of Korean Society Applied Biological Chemistry*. 2008, 51 (4): 321-328.
- [13] Phrutivorapongkul A, Kiattisin K, Jantrawut P, Chansakaow S, Vejabhikul S, Leelapornpisid L. **Appraisal of biological activities and identification of phenolic compound of african marigold (*Tagetes erecta*) flower extract.** *Pakistan Journal of Pharmaceutical Science*. 2013, 26(5): 1071-1076.
- [14] Yamamoto NG, Mori K, Numata M, Koyama K, Kitayama M. **Effects of temperature and water regimes on flavonoid contents and composition in the skin of red-wine grapes.** *Journal International Science*. 2010: 75-80.
- [15] Ramešová S, Sokolová R, Degano I, Bulíčková J, Zabka J, Gál M. **On the stability of the bioactive flavonoids quercetin and luteolin under oxygen-free conditions.** *Analytical and Bioanalytical Chemistry* 2012, 402(2): 975-982.
- [16] Heigl D, Franz G. **Stability testing on typical flavonoid containing herbal drugs.** *Pharmazie*. 2003, 58(12): 881-885.
- [17] วราภรณ์ จารยาประเสริฐ: นานาเทคโนโลยี: การนำส่างยาและเครื่องสำอางทางผิวหนัง, 1 edn. กรุงเทพฯ: บริษัท ประชานน จำกัด; 2552.
- [18] Sharma N, Agarwal G, Rana AC, Ali BZ, Kumar D. **A review: transdermal drug delivery system: a tool for novel drug delivery system.** *International Journal of Drug Development and Research*. 2011, 3(3): 70-84.

- [19] Baroni A, Buommino E, Gregorio VD, Ruocco E, Ruocco V, Wolf R. **Structure and function of the epidermis related to barrier properties.** *Clinics in Dermatology*. 2012, 30: 2577-262.
- [20] **Structure of skin.** Available from: <http://encyclopedia.lubopitko-bg.com/structureofskin.html>. [last cited on 2012].
- [21] Suhonen TM, Bouwstra JA, Urtti A. **Chemical enhancement of percutaneous absorption in relation to stratum corneum structural alterations.** *Journal of Controlled Release*. 1999, 59: 149-161.
- [22] Prasanthi D, Lakshmi PK. **Vesicles-mechanism of transdermal permeation: a review.** *Asian Journal of Pharmaceutical and Clinical Research*. 2012, 5: 18-25.
- [23] **Dermal absorption of pesticides - evaluation of variability and prevention.** Available from: http://www2.mst.dk/common/Udgivramme/Frame.asp?http://www2.mst.dk/udgiv/publications/2009/978-87-7052-980-8/html/helepubl_eng.htm. [last cited on 2012].
- [24] Orazio JD, Jarrett S, Ortz AA, Scott T. **Review:UV radiation and the skin.** *International Journal of Molecular Sciences*. 2013, 14: 12222-12248.
- [25] **Skin color.** Available from: http://www.physioweb.org/integumentary/skin_color.html. [last cited on 2014].
- [26] Chang TS. **Review: Natural melanogenesis inhibitors acting through the down-regulation of tyrosinase activity.** *Materials*. 2012, 5: 1661-1685.
- [27] Lin JW, Chiand HM, Lin YC, Wen KC. **Natural products with skin whitening effects.** *Journal of Food and Drug Analysis*. 2008, 16(2): 1-10.
- [28] Thomas C, Hantash BS, Hantash BM. **Cosmeceutical agents: A comprehensive review of the literature.** *Clinical Medicine Dermatology*. 2008, 1: 1-20.

- [29] Sandhar HK, Kumar B, Prasher S, Tiwari P, Salhan M, Sharma P. **A review of phytochemistry and pharmacology of flavonoids.** *Internationale Pharmaceutica Sciencia*. 2001, 1(1): 25-41.
- [30] **File: Quercetagrin.PNG.** Available from: <http://commons.wikimedia.org/wiki/File:Quercetagrin.PNG>. [last cited on 2014].
- [31] **Chromone.** Available from: <http://en.wikipedia.org/wiki/Chromone>. [last cited on 2014].
- [32] Haghbeen K, Tan EW. **Direct spectrophotometric assay of monooxygenase and oxidase activities of mushroom tyrosinase in the presence of synthetic and natural substrates.** *Analytical Biochemistry*. 2003, 312: 23-32.
- [33] Lee SH , Choi SY, Kim H, HwangJS, Lee BG , Gao JJ, Kima SY. **Mulberroside F isolated from the leaves of *Morus alba* inhibits melanin biosynthesis.** *Biological and Pharmaceutical Bulletin* 2001, 25(8): 1045-1048.
- [34] Kim JH, Baek SH, Kim DH, Choi TY, Yoon TJ, Hwang JS, Kim MR, Kwon HJ, Lee CH. **Downregulation of melanin synthesis by Haginin A and its application to *In vivo* lightening model.** *Journal of Investigative Dermatology*. 2007 , 128(5): 1227-1235.
- [35] Yang CH, Shen SC, Lee JC, Wu PC, Hsueh SF, Lu CY, Meng CT, Hong HS, Yang LC. **Seeing the gene therapy: application of gene gun technique to transfect and decolour pigmented rat skin with human agouti signalling protein cDNA.** *Gene Therapy*. 2004, 11(13): 1033-1039.
- [36] Zhu W, Gao J. **The use of botanical extracts as topical skin-lightening agents for the improvement of skin pigmentation disorders.** *Journal of Investigative Dermatology*. 2008, 13(1): 20-24.
- [37] Choi S, Lee SK, Kim JE, Chung MH, Park YI. **Aloesin inhibits hyperpigmentation induced by UV radiation.** *Clinical and Experimental Dermatology*. 2002, 27(6): 513-515.

- [38] ไทยเกณฑ์มาตรฐานวิชาความรู้ด้านการเกษตรของไทย. สมุนไพรจากไม้ดอก: ดาวเรือง. Available from: <http://www.thaikasettsart.com/> สมุนไพรจากไม้ดอก ดาวเรือง. [last cited on 2012].
- [39] สมุนไพร ไม้พื้นบ้าน 2. กรุงเทพฯ: โรงพิมพ์ประชาจำกัด; 2541.
- [40] Priyanka D, Shalini T, Navneet VK, **A brief study on marigold (*Tagetes* species): a review.** *International Research Journal of Pharmacy.* 2013, 4(1): 43-47.
- [41] Rahman AHMM, Anisuzzaman M, Ahmed F, Naderuzzaman ATM, Islam AKMR. **A floristic study in Graveyards of Rajshahi city.** *American Journal of Life Science.* 2007, 3(6): 670-675.
- [42] นิจพิริ เรื่องรังษี และ นวัชชัย มังคละคุปต์: **สมุนไพรไทย (Thai herbs),** 1 edn. กรุงเทพฯ: บริษัท ฐานการพิมพ์ จำกัด; 2547.
- [43] Rui-hua H, Dong-yan H, Tie-chun L, Xiao-yuan L, Quan-ping D. **Comparison of volatile components in different parts of *Tagetes erecta* L.** *Chinese Journal of Analysis Laboratory.* 2009, 28(7): 54-57.
- [44] Rosa MPG, Heliodoro HL, Sergio HG. **Antioxidant activity of *Tagetes erecta* essential oil.** *Journal of the Chilean Chemical Society.* 2006, 51(2): 883-886.
- [45] Kaisoon O, Konczak I, Siriamornpun S. **Potential health enhancing properties of edible flowers from Thailand.** *Food Research International.* 2011, 10: 758-3768.
- [46] Patrick SR, Marijo C, Sandra R, Andres L, Neil T, John TA, Mingmin L, Jo-Anne RD. **Antimicrobial activity of flavonoids from *Piper lanceaeifolium* and other Colombian medicinal plants against antibiotic susceptible and resistant strains of *Neisseria gonorrhoeae.*** *Sexually Transmitted Diseases.* 2011, 38(2): 81-88.
- [47] Gopi G, Flumalai A, Jayasri P. **A concise review on *Tagetes erecta.*** *International Journal of Phytopharmacy Research.* 2012, 3: 16-19.

- [48] Nikkon F, Rowshanul MH, Alam ZS, Rezaul MK. ***Tagetes erecta* Linn. and its mosquitocidal potency against *Culex quinquefasciatus*.** *Asia Pacific Journal of Tropical Biomedicine.* 2011, 11: 186-188.
- [49] Chivde VB, Biradar VK, Rajabhai SS, Manoj VK. **In-vitro antioxidant activity studies on the flowers of *Tagetes erecta* L. (Compositae).** *International Journal of Pharmacy and Biological Sciences.* 2011, 2(3): 223-229.
- [50] Li W, Gao Y, Zhao J, Ang WQ. **Phenolic, flavonoid and lutein ester content and antioxidant activity of 11 cultivars of Chinese marigold.** *Journal of Agricultural and Food Chemistry.* 2007, 55: 8478-8484.
- [51] Nikkon F, Rowshanul MH, Rezaul MK, Ferdousi Z, Motiur MR, Ekramul MH. **Insecticidal activity of flower of *Tagetes erecta* L. against *Tribolium castaneum* (Herbst).** *Research Journal of Agriculture and Biological Sciences.* 2009, 5(5): 748-753.
- [52] Kiranmai M, Kazim SM, Ibrahim M. **Combined wound healing activity of *Gymnema sylvestre* and *Tagetes erecta* Linn.** *International Journal of Pharmaceutical Applications.* 2011, 2(2): 135-140.
- [53] Vallisuta O, Nukoolkarn V, Sinchaipanid N, Sarisuta N, Leelaporntpisid P, Phrutivorapongkul A, Mitrevej A. **In vitro studies on cytotoxicity, elastase and tyrosinase inhibitory activities of marigold (*Tagetes erecta* L.) flower extracts.** *Journal of Tropical Biomedicine.* 2012; 1-24.
- [54] Nikkon F, Habib MR, Saud ZA, Karim R, Roy AK, Zaman S. **Toxicological evaluation of chloroform fraction of flower of *Tagetes erecta* on rats.** *International Journal of Drug Development and Research.* 2009, 1(1): 161-165.
- [55] สำนักงานข้อมูลสมุนไพร คณะเภสัชศาสตร์ มหาวิทยาลัยมหิดล.ผลการศึกษาความเป็นพิษของพืช 13 ต้น ที่เป็นพืชอยู่ในบัญชีรายชื่อวัตถุอันตราย. Available from: <http://www.medplant.mahidol.ac.th/document/13plants.asp>. [last cited on 2012].

- [56] Muller RH, Petersen RD, Hommoss A, Pardeik J. **Nanostructured lipid carriers (NLC) in cosmetic dermal products.** *Advance Drug Delivery Reviews.* 2007; 59: 522-530.
- [57] Riangianapatee P, Okonoki S. **Effect of surfactant on lycopene-loaded nanostructured lipid carriers.** *Drug Discoveries and Therapeutics.* 2012; 6(3): 163-168.
- [58] Pardeike L, Hommoss A, Muller RH. **Lipid nanoparticle (SLN, NLC) in cosmetic and pharmaceutical dermal products.** *International Journal of Pharmaceuticals.* 2009; 366: 170-189.
- [59] วันดี รังสิวิจิตรประภา: อนุภาคนาโนไขมันแพ็งขนาดนาโนเมตร เพื่อการนำส่งยาและเครื่องสำอาง, 1 edn. อุบลราชธานี: โรงพิมพ์มหาวิทยาลัยอุบลราชธานี; 2554.
- [60] Bajai S, Singla D, Sakhuja N. **Stability testing of pharmaceutical products.** *Journal of pharmaceutical science.* 2012; 2(3): 129-138.
- [61] The European Cosmetic Toiletry and Perfumery Association (COLIPA). **Guide lines on stability testing of cosmetic products.** 2004.
- [62] ยาและผลิตภัณฑ์จากธรรมชาติ, 1 edn. กรุงเทพฯ: ภาควิชาเภสัชวินิจฉัยคณะเภสัชศาสตร์ มหาวิทยาลัยมหิดล; 2534.
- [63] Senthikumar M, Veerappa NS. **Development and validation of GC-MS methods for determination of leaf and root of *Delonic electa* (L.) gamble.** *International Journal of Advanced Research in Biological Sciences.* 2014; 1(2): 93-107.
- [64] Rohman A. **Antioxidant activity, total phenolic, and total flavonoid of extracts and fractions of red fruit (*Pandanus conoideus* Lam).** *International Food Research Journal.* 2010; 17: 97-106.
- [65] Likhitwitayawuid K, Sornsute A, Sritularak B, Ploypradith P. **Chemical transformations of oxyresveratrol (*trans*-2,4,3',5'-tetrahydroxystilbene) into a**

potent tyrosinase inhibitor and a strong cytotoxic agent. *Bioorganic and Medicinal Chemistry Letters*. 2006, 16: 5650-5653.

- [66] Junyaprasert VB, Teerananchaideekul V. **Q₁₀- loaded NLC versus nanoemulsions: stability, rheology and *in vitro* skin permeation.** *International Journal of Pharmaceutics*. 2009, 377: 207-214.
- [67] Klang V, Matsko N, Zimmermann AM, Vojnikovic E, Valenta C. **Enhancement of stability and skin permeation by sucrose stearate and cyclodextrins in progesterone nanoemulsions.** *International Journal of Pharmaceutics*. 2010, 393: 152-160.
- [68] Ng SF, Rouse J, Sanderson D, Eccleston G. **A comparative study of transmembrane diffusion and permeation of Ibuprofen across synthetic membranes using Franz diffusion cells.** *Pharmaceutics*. 2010, 2:209-223.
- [69] **In Vitro Release Testing Methods for Semisolid Formulations.** Available from: <http://www.particlessciences.com/news/technical-briefs/2009/in-vitro-release-testing-methods.html>. [last cited on 2014].
- [70] Trademark of ICI Americas Inc. **The HLB system: a time saving guide to emulsifier selection**, Revised edn. Chemmunique: USA: ICI Americans Inc.; 1980.
- [71] Kragnov A, Muller TE. **Concepts for the stabilization of metal nanoparticles in ionic liquids.** *Applications of Ionic Liquids in Science and Technology*. 2011, 235-260.
- [72] Delmas T, Couffin AC, Bayle PA, Crecy FD, Neumann E, Vinet F, Bardet M, Bibette J, Texier I. **Preparation and characterization of highly stable lipid nanoparticles with amorphous core of tuneable viscosity.** *Journal of Colloid and Interface Science*. 2011, 360: 471-481.

รายการสิ่งพิมพ์เผยแพร่

- 1) Rattanayawan T, Phrutivorapongkul A, Leelapornpisid P. **Flavonoid content and tyrosinase inhibitory effect of *Tagetes erecta* flowers extracts.** *International Graduate Research Conference 2013.* 2013, HS 203-208.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved