

เอกสารอ้างอิง

1. Beneduce L, Galetti TP, Gallotta A, Betto G, Pagano F, Fassina G, et al. Detection of prostate-specific antigen coupled to immunoglobulin M in prostate cancer patients. *Cancer Detection and Prevention*. 2007;31(5):402-7.
2. Wettendorff M, Iliopoulos D, Schmoll E, Koprowski H, Herlyn D. Specific detection of antibodies in cancer patients following immunotherapy with anti-idiotypic. *Journal of Immunological Methods*. 1989;116(1):105-15.
3. Won JY, Choi JW, Min J. Micro-fluidic chip platform for the characterization of breast cancer cells using aptamer-assisted immunohistochemistry. *Biosensors and Bioelectronics*. 2012;40(1):161-6.
4. Daniels TR, Bernabeu E, Rodriguez JA, Patel S, Kozman M, Chiappetta DA, et al. The transferrin receptor and the targeted delivery of therapeutic agents against cancer. *Biochimica et Biophysica Acta*. 2012;1820(3):291-317.
5. Deckers R, Moonen CTW. Ultrasound triggered, image guided, local drug delivery. *Journal of Controlled Release*. 2010;148(1):25-33.
6. Miller DL. Overview of experimental studies of biological effects of medical ultrasound caused by gas body activation and inertial cavitation. *Progress in Biophysics and Molecular Biology*. 2007;93(1-3):314-30.
7. Pisani E, Tsapis N, Paris J, Nicolas V, Cattel L, Fattal E. Polymeric Nano/Microcapsules of Liquid Perfluorocarbons for Ultrasonic Imaging: Physical Characterization. *American Chemical Society*. 2006;22(9):4397-402.
8. Hadinoto K. Mechanical stability of hollow spherical nano-aggregates as ultrasound contrast agent. *International Journal of Pharmaceutics*. 2009;374:153-61.

9. Lopez RD, Tsapis N, Santin M, Bridal SL, Nicolas V, Jaillard D, et al. The performance of PEGylated nanocapsules of perfluorooctyl bromide as an ultrasound contrast agent. *Biomaterials*. 2010;31(7):1723-31.
10. Xing Z, Ke H, Wang J, Zhao B, Yue X, Dai Z, et al. Novel ultrasound contrast agent based on microbubbles generated from surfactant mixtures of Span 60 and polyoxyethylene 40 stearate. *Acta Biomaterialia*. 2010;6(9):3542-9.
11. Wang D, Yang K, Gao YH, Tan KB, Liu Z. Preparation and characterization of a nanoscale ultrasound contrast agent. *Clinical Imaging*. 2010;34(4):288-92.
12. Marxer EJ, Brub ler J, Becker A, Schummelfeder J, Schubert R, Nimsky C, et al. Development and characterization of new nanoscaled ultrasound active lipid dispersions as contrast agents. *European Journal of Pharmaceutics and Biopharmaceutics*. 2011;77(3):430-7.
13. Liu P, Wang X, Zhou S, Hua X, Liu Z, Gao Y. Effects of a novel ultrasound contrast agent with long persistence on right ventricular pressure: Comparison with SonoVue. *Ultrasonics*. 2011;51(2):210-4.
14. Wang CH, Kang ST, Lee YH, Luo YL, Huang YF, Yeh CK. Aptamer-conjugated and drug-loaded acoustic droplets for ultrasound theranosis. *Biomaterials*. 2012;33(6):1939-47.
15. Lattin JR, Belnap DM, Pitt WG. Formation of eLiposomes as a drug delivery vehicle. *Colloids and Surfaces B: Biointerfaces*. 2012;89:93-100.
16. Leighton TG. What is ultrasound? *Progress in Biophysics and Molecular Biology*. 2007;93(1-3):3-83.
17. Schuster A, Schwab T, Bischof M, Klotz M, Lemor R, Degel C, et al. Cell specific ultrasound effects are dose and frequency dependent. *Annals of Anatomy - Anatomischer Anzeiger*. 2013;195(1):57-67.
18. Riaz M. Liposomes preparation methods. *Pakistan journal of pharmaceutical sciences*. 1996;9(1):65-77.
19. Madelmont CG, Lesieur S, Ollivon M. Characterization of loaded liposomes by size exclusion chromatography. *Journal of Biochemical and Biophysical Methods*. 2003;56(1-3):189-217.

20. Vemuri S, Rhodes CT. Preparation and characterization of liposomes as therapeutic delivery systems: a review. *Pharmaceutica Acta Helvetiae*. 1995;70(2):95-111.
21. Anosov AA, Barabanenkov YN, Kazanskij AS, Less YA, Sharakshane AS. Thermal acoustic radiation from multilamellar vesicles in lipid phase transition. *Chemistry and Physics of Lipids*. 2008;153(2):81-4.
22. Imai T, Nakazawa H, Kato S. Thermal phase transition behavior of lipid layers on a single human corneocyte cell. *Chemistry and Physics of Lipids*. 2013;174(10):24-31.
23. van der Heide UA, van Ginkel G, Levine YK. DPH is localised in two distinct populations in lipid vesicles. *Chemical Physics Letters*. 1996;253(1-2):118-22.
24. Konopasek I, Kvasnicka P, Herman P, Linnertz H, Obsil T, Vecer J, et al. The origin of the diphenylhexatriene short lifetime component in membranes and solvents. *Chemical Physics Letters*. 1998;293(5-6):429-35.
25. Konopasek I, VecerTM J, Strzalka K, Amler E. Short-lived fluorescence component of DPH reports on lipid-water interface of biological membranes. *Chemistry and Physics of Lipids*. 2004;130(2):135-44.
26. Brehm Stecher B, Batt CA, Tortorello, Lou M. Flow Cytometry. *Encyclopedia of Food Microbiology (Second Edition)*. Oxford: Academic Press; 2014. p. 943-53.
27. ศูนย์นาโนเทคโนโลยีแห่งชาติ. 2556. "Dynamic Light Scattering (DLS)". [ระบบออนไลน์];แหล่งที่มา http://www.nanotec.or.th/th/?page_id=554 (25 มีนาคม 2557).
28. Kim RS, LaBella FS. Comparison of analytical methods for monitoring autoxidation profiles of authentic lipids. *Journal of Lipid Research*. 1987;28(9):1110-7.