

เอกสารอ้างอิง

- [กัลทิมา, 2554] กัลทิมา พิชัย. 2554. การศึกษาการใช้สารสกัดพืชสมุนไพรบางชนิดในการยับยั้งการเจริญของเชื้อราสาเหตุโรคพืชที่สำคัญในพื้นที่สละวง อ.แม่ริม จ.เชียงใหม่ เพื่อพัฒนาเป็นผลิตภัณฑ์ท้องถิ่น, รายงานวิจัยมหาวิทยาลัยราชภัฏเชียงใหม่. เชียงใหม่, ประเทศไทย
- [ณัฐกร, 2554] ณัฐกร เพชรชา. 2554. การประเมินดีเอ็นเอในพลาสติกบริเวณ *rpoC1* และ *rpoB* ในการใช้เป็น DNA barcode และกรณีศึกษาในพืชสกุล *Alpinia* Roxb. (Zingiberaceae). วิทยานิพนธ์ปริญญาวิทยาศาสตรมหาบัณฑิต สาขาวิชาชีววิทยา บัณฑิตวิทยาลัยมหาวิทยาลัยขอนแก่น.
- [วิชัย, 2552] วิชัย ไชสิตรัตน. 2552. แท่งรหัสดีเอ็นเอ (DNA Barcode): รหัสจำแนกสิ่งมีชีวิต. ข่าวสารเทคโนโลยีชีวภาพเกษตร AG-BIO 1(3): 14-15.
- [วุฒิพงศ์, 2554] วุฒิพงศ์ มหาคำ. 2554. DNA barcodes ของพืช: หลักการพื้นฐานการประยุกต์ใช้และข้อจำกัด. วารสารพฤกษศาสตร์ไทย 3 (1): 1-30. 2554.
- [อรุณรัตน์, 2552] อรุณรัตน์ จีวราช. 2552. อนุกรมวิธานระดับโมเลกุลของพืช. คณะวิทยาศาสตร์ มหาวิทยาลัยขอนแก่น, ขอนแก่น, ประเทศไทย
- [Areekit *et al.*, 2009] Areekit, S., Kanjanavas, P., Pakpitchareon, A., Khawsak, P., Khuchareontaworn, S., Sriyaphai, T. and Chansiri, K. 2009. High Resolution Melting Real-Time PCR for Rapid Discrimination between *Brugia malayi* and *Brugia Pahangi*. Journal of the Medical Association of Thailand 92: S24-8.

- [Casiraghi *et al.*, 2010] Casiraghi, M., Labra, M., Ferri, E., Galimberti, A. and De Mattia, F. 2010. DNA barcoding: a six-question tour to improve users' awareness about the method. *Briefings in Bioinformatics* 11: 440-453.
- [Casiraghi *et al.*, 2010] Casiraghi, M., Labra, M., Ferri, E., Galimberti, A. and De Mattia, F. 2010. DNA barcoding: a sixquestion tour to improve users' awareness about the method. *Briefings in Bioinformatics* 11: 440-453.
- [CBOL Plant working Group, 2009] CBOL Plant working Group. 2009. A DNA barcode for land plants. *Proceedings of the National Academy of Science of the United States of America* 106: 12794-12797.
- [Chen *et al.*, 2010] Chen, S., Yao, H., Han, J., Liu, C., Song, J., Shi, L., Zhu, Y., Ma, X., Gao, T., Pang, X., Luo, K., Li, Y., Li, X., Jia, X., Lin, Y. and Leon, C. 2010. Validation of the ITS2 region as a novel DNA barcode for identifying medicinal plant species. *PLoS ONE* 5: e8613.
- [Chase *et al.*, 2009] Chase, M.W. and Fay, M.F. 2009. Barcoding of plants and fungi. *Science* 325: 682-683.
- [Chase *et al.*, 2007] Chase, M.W., Cowan, R.S., Hollingsworth, P.M., van den Berg, C., Madriñan, S., Petersen, G., Seberg, O., Jørgensen, T., Cameron, K.M., Carine, M., Pedersen, N., Hedderson, T.A.J., Conrad, F., Salazar, G.A., Richardson, J.E., Hollingsworth, M.L., Barraclough, T.G., Kelly, L. and Wilkinson, M. 2007. A proposal for a standardized protocol to barcode all land plants. *Taxon* 56: 295-299.
- [Cho *et al.*, 2004] Cho, Y., J., Mower, P., Qiu, Y.L. and Palmer J. D. 2004. Mitochondrial substitution rates are extraordinarily

- elevated and variable in a genus of flowering plants. *Proc. Natl. Acad. Sci. USA.* 101: 17741–17746.
- [Ebihara *et al.*, 2010] Ebihara, A., Nitta, J.H. and Ito, M. 2010. Molecular species identification with rich floristic sampling: DNA barcoding the pteridophyte flora of Japan. *PLoS ONE* 5: e15136.
- [Ekrem *et al.*, 2007] Ekrem, T., Willassen, E. and Stur, E. 2007. A comprehensive DNA library is essential for identification with DNA barcodes. *Molecular Phylogenetics and Evolution* 43: 530-542.
- [Fazekas *et al.*, 2008] Fazekas, A.J., Burgess, K.S., Kesanakurti, P.R., Graham, S.W., Newmaster, S.G., Husband, B.C., Percy, D.M., Hajibabaei, M. and Barrett, S.C.H. 2008. Multiple multilocus DNA barcodes from the plastid genome discriminate plant species equally well. *PLoS ONE* 3: e2802.
- [Ford *et al.*, 2009] Ford, C.S., Ayres, K.L., Toomey, N., Haider, N., Van Alphen Stahl, J., Kelly, L.J., Wikstrom, N., Hollingsworth, P.M., Duff, R.J., Hoot, S.B., Cowan, R.S., Chase, M.W. and Wilkinson, M.J. 2009. Selection of candidate coding DNA barcoding regions for use on land plants. *Botanical Journal of the Linnean Society* 159: 1-11.
- [Ganopoulos *et al.*, 2013] Ganopoulos, I., Bazakos, C., Madesis, P., Kalaitzis, P., and Tsaftaris, A. 2013. Barcode-DNA High Resolution Melting (Bar-HRM) analysis as a novel closetubed and accurate tool for olive oil forensic use. *Journal of the Science of Food and Agriculture* 93: 2281–2286.

- [Ganopoulos *et al.*, 2012] Ganopoulos, I., Madesis, P., Darzentas, N., Argiriou, A. and Tsaftaris A. 2012. Barcode High Resolution Melting (Bar-HRM) analysis for detection and quantification of PDO “Fava Santorinis” (*Lathyrus clymenum*) adulterants. Food Chemistry.
- [Goldstein *et al.*, 2010] Goldstein, P.Z. and DeSalle, R. 2010. Integrating DNA barcode data and taxonomic practice: determination, discovery, and description. *Bioessays* 33: 135-147.
- [Gonzalez *et al.*, 2009] Gonzalez, M.A., Baraloto, C., Engel, J., Mori, S.A., Pétronelli, P., Riéra, B., Roger, A., Thébaud, C. and Chave, J. 2009. Identification of Amazonian trees with DNA barcodes. *PloS ONE* 4: e7483.
- [Harris, 2003] Harris, D.J. 2003. Can you bank on GenBank? *Trends in Ecology and Evolution* 18: 317-319.
- [Hebert *et al.*, 2003] Hebert, P. D. N., Cywinska, A., Ball, S. L. and De Waard, J. R. 2003. Biological identifications through DNA barcodes. *Proceedings of the Royal Society of London B* 270: 313–322.
- [Hebert *et al.*, 2004] Hebert, P.D.N., Stoeckle, M.Y., Zemplak, T.S. and Francis, C.M. 2004. Identification of birds through DNA barcodes. *PLoS Biology* 2: e312.
- [Hilu *et al.*, 1997] Hilu, K.W. and Liang, H. 1997. The matK gene: sequence variation and application in plant systematics. *American Journal of Botany* 84: 830-839.
- [Hollingsworth *et al.*, 2009] Hollingsworth, M.L., Clark, A.A., Forrest, L.L., Richardson, J., Pennington, R.T., Long, D.G., Cowan, R., Chase, M.W., Gaudeul, M. and Hollingsworth, P.M. 2009. Selecting barcoding loci for plants: evaluation of

- seven candidate loci with species-level sampling in three divergent groups of land plants. *Molecular Ecology Resources* 9: 439-457.
- [International Barcode of Life, 2011] International Barcode of Life. 2011. International Barcode of Life. [Cited 15 Oct 2014.] Available from URL: <http://ibol.org/>
- [Jaakola *et al.*, 2010] Jaakola, L., Suokas, M., and Häggman, H. 2010. Novel approaches based on DNA barcoding and high-resolution melting of amplicons for authenticity analyses of berry species. *Food Chemistry*, 123(2): 494–500.
- [Kaewsri *et al.*, 2006] Kaewsri, W. and Paisooksantivatana, Y. 2006. The Morphological and Palynological Study of Thai *Amomum* Roxb. (Zingiberaceae). 4th International Symposium on the family Zingiberaceae. Programme & Abstracts. Singapore Botanic Gardens.
- [Kalivas *et al.*, 2014] Kalivas, A., Ganopoulos, I., Xanthopoulou, I., Chatzopoulou, P., Tsaftaris, A. and Madesis, P. 2014. DNA barcode ITS2 coupled with high resolution melting (HRM) analysis for taxonomic identification of *Sideritis* species growing in Greece. *Mol Biol Rep* 41: 5147–5155.
- [Karp *et al.*, 1998] Karp, A., Isaac, P.G. and Ingram, D.S. 1998. Molecular tools for screening biodiversity: plants and animals. Chapman and Hall, London. 498 pp.
- [Kress *et al.*, 2001] Kress, J. and Larsen, K. 2001. *Smithatris*, a new genus of Zingiberaceae from Southeast Asia. *Systematic Botany* 26: 226-230.
- [Kress *et al.*, 2007] Kress, W.J. and Erickson, D.L. 2007. A two-locus global DNA barcode for land plants: the coding *rbcL* gene

complements the non-coding region trnH-psbA spacer region. PLoS ONE 2: e508.

- [Kress *et al.*, 2005] Kress, W.J., Wurdack, K.J., Zimmer, E.A., Weigt, L.A. and Janzen, D.H. 2005. Use of DNA barcodes to identify flowering plants. Proceeding of the National Academy of Sciences of the United States of America 102: 8369-8374.
- [Lahaye *et al.*, 2008] Lahaye, R., van der Bank, M., Bogarin, D., Warner, J., Papulin, F., Gigot, G., Maurin, O., Duthoit, S., Barraclough, T.G. and Savolainen, V. 2008. DNA barcoding the floras of biodiversity hotspots. Proceeding of the National Academy of Sciences of the United States of America 105: 2923-2928.
- [Larsen, 1964] Larsen, K. 1964. Studies on Zingiberaceae IV. Caulokaempferia, a new genus. Botanisk Tidsskrift 60: 165-179.
- [Larsen, 2002] Larsen, K. 2002. The Zingiberaceae in flora of Thailand, p. 6. In the 3 rd Symposium on the Family Zingiberaceae. Khon Kaen, Thailand.
- [Lim *et al.*, 2009] Lim, J., Kim, S., Kim, S., Eo, H., Kim, C., Paek, W.K., Kim, W. and Bhak, J. 2009. BioBarcode: a general DNA barcoding database and sever platform for Asian biodiversity resources. BMC Genomics 10 (Supplement 3): S8.
- [Madesis *et al.*, 2011] Madesis, P., Ganopoulos, I., Anagnostis, A. and Tsaftaris, A. 2011. The application of Bar-HRM (Barcode DNA-High Resolution Melting) analysis for authenticity testing and quantitative detection of bean crops (Leguminosae)

- without prior DNA purification. PLoS Biology 3: 2229-2238.
- [Madesis *et al.*, 2012] Madesis, P., Ganopoulos, I., Anagnostis, A. and Tsaftaris, A. 2012. The application of Bar-HRM (Barcode DNA-High Resolution Melting) analysis for authenticity testing and quantitative detection of bean crops (Leguminosae) without prior DNA purification. Food Control 25: 576–582.
- [Madesis *et al.*, 2013] Madesis, P., Ganopoulos, I., Bosmali, I. and Tsaftaris, A. 2013. Barcode High Resolution Melting analysis for forensic uses in nuts: A case study on allergenic hazelnuts (*Corylus avellana*). Food Research International 50: 351–360.
- [Maknoi, 2006] Maknoi, C. 2006. Taxonomy and phylogeny of the genus *Curcuma* L. (Zingiberaceae) with particular Reference to its occurrence in Thailand: Thesis for the degree of Doctor of Philosophy in Biology, Prince of Songkla University.
- [Meier *et al.*, 2006] Meier, R., Shiyang, K., Vaidya, G. and Ng, P.K. 2006. DNA barcoding and taxonomy in Diptera: a tale of high intraspecific variability and low identification success. Systematic Biology 55: 715-728.
- [Meyer *et al.*, 2005] Meyer, C.P. and Paulay, G. 2005. DNA barcoding: error rates based on comprehensive sampling. PLoS Biology 3: 2229-2238.
- [Newmaster *et al.*, 2008] Newmaster, S.G., Fazekas, A.J., Steeves, R.A.D. and Janovec, J. 2008. Testing candidate plant barcode regions

- in the Myristicaceae. *Molecular Ecology Resources* 8: 480-490.
- [Ouellette, 2001] Ouellette, F. 2001. Users must help to keep public databases correct. *Nature* 409: 452.
- [Padial *et al.*, 2007] Padial, J.M. and Riva, I.D. 2007. Integrative taxonomists should use and produce DNA barcodes. *Zootaxa* 1586: 67-68.
- [Pennisi, 2007] Pennisi, E. 2007. Wanted: a barcode for plants. *Science* 318: 190-191.
- [Reed *et al.*, 2004] Reed, G. H., and Wittwer, C. T. 2004. Sensitivity and specificity of single-nucleotide polymorphism scanning by high-resolution melting analysis. *Clinical Chemistry*, 50 (10): 1748-1754.
- [Saensouk, 2006] Saensouk, S. 2006. Taxonomy and Biology of the genus *Alpinia* Roxb. (ingiberaceae) in Thailand: Thesis for the degree of Doctor of Philosophy. Khon Kaen University.
- [Sass *et al.*, 2007] Sass, C., Little, D.P., Stevenson, D.M. and Specht, C.D. 2007. DNA barcoding in the Cycadales: testing the potential of proposed barcoding makers for species identification of cycads. *PLoS ONE* 2: e1154.
- [Seberg *et al.*, 2009] Seberg, O. and Petersen, G. 2009. How many loci does it take to DNA barcode a crocus? *PLoS ONE* 4: e4598.
- [Selvaraj *et al.*, 2008] Selvaraj, D., Sarma, R.K. and Sathishkumar, R. 2008. Phylogenetic analysis of chloroplast matK gene from Zingiberaceae for plant DNA barcoding. *Bioinformation* 3: 24-27.

- [Shaw *et al.*, 2005] Shaw, J., Lickey, E.B., Beck, J.T., Farmer, S.B., Liu, W., Miller, J., Siripun, K.C., Winder, C.T., Schilling, E.E. and Small, R.L. 2005. The tortoise and the hare II: relatively utility of 21 noncoding chloroplast DNA sequences for phylogenetic analysis. *American Journal of Botany* 92: 142-166.
- [Shearer *et al.*, 2008] Shearer, T.L. and Coffroth, M.A. 2008. Barcoding corals: limited by interspecific divergence, not intraspecific variation. *Molecular Ecology Resources* 8: 247-255.
- [Shneyer, 2009] Shneyer, V.S. 2009. DNA barcoding is a new approach in comparative genomics of plants. *Russian Journal of Genetics* 45: 1267-1278.
- [Shokralla *et al.*, 2010] Shokralla, S., Singer, G.A.C. and Hajibabaei, M. 2010. Direct PCR amplification and sequencing of specimens' DNA from preservative ethanol. *BioTechniques* 48: 233-234.
- [Sirirugsa *et al.*, 1995] Sirirugsa, P. and Larsen, K. 1995. The genus *Hedychium* (Zingiberaceae) in Thailand. *Nordic Journal of Botany* 15: 301-410.
- [Soltis *et al.*, 1998] Soltis, D.E. and Soltis, P.S. 1998. Choosing an approach and an appropriate gene for phylogenetic analysis. In: *Molecular Systematics of Plants II: DNA Sequencing*. D.E., Soltis, P.S. Soltis and J.J. Doyle (Eds.), pp.1-42.
- [Spooner, 2009] Spooner, D.M. 2009. DNA barcoding will frequently fail in complicated groups: an example in wild potatoes. *American Journal of Botany* 96: 1177-1189.
- [Taberlet *et al.*, 1991] Taberlet, P., Gielly, L. and Bouvet, J. 1991. Universal primers for amplification of three non-coding regions of

- chloroplast DNA. *Plant Molecular Biology* 17: 1105-1109.
- [Thomas, 2009] Thomas, C. 2009. Plant bar code soon to become reality. *Science* 325: 526.
- [Valentini *et al.*, 2009] Valentini, A., Pompanon, F. and Taberlet, P. 2009. DNA barcoding for ecologists. *Trends in Ecology and Evolution* 24: 110-117.
- [Triboun, 2006] Triboun, P. 2006. Biogeography and Biodiversity of the genus *Zingiber* in Thailand. Thesis for the degree of Doctor of Philosophy, Khon Kaen University.
- [Vilgalis, 2003] Vilgalis, R. 2003. Taxonomic misidentification in public databases. *New Phytologist* 160: 4-5.
- [Waugh, 2007] Waugh, J. 2007. DNA barcoding in animal species: progress, potential and pitfalls. *Bioessays* 29: 188-197.
- [Zhang *et al.*, 2010] Zhang, A.B., He, L.J., Crozier, R.H., Muster, C. and Zhu, C.D. 2010. Estimating sample sizes for DNA barcoding. *Molecular Phylogenetics and Evolution* 54: 1035-1039.
- [Zhang *et al.*, 2014] Zhang, D., Duan, L. and Zhou, N. 2014. Application of DNA barcoding in *Roscoeia* (Zingiberaceae) and a primary discussion on taxonomic status of *Roscoeia cautleoides* var. *pubescens*. *Biochemical Systematics and Ecology* 52: 14–19.
- [Zhang *et al.*, 1997] Zhang, W., Wendel, J.F. and Clark, L.G. 1997. Bamboozled again! Inadvertent isolation of fungal rDNA sequences from bamboos (Poaceae: Bambusoideae). *Molecular Phylogenetics and Evolution* 8: 205-217.