

เอกสารอ้างอิง

- ประรัชกรณ์ สาธิตคุณ (2546). การกำจัดสีในน้ำเสียจากโรงงานเยื่อกระดาษโดยใช้ซีโอไลต์ /ประรัชกรณ์ สาธิตคุณ.
- มันสิน ตันฑุลเวศม์ (2539). วิศวกรรมการประปา เล่ม 2 .โรงพิมพ์แห่งจุฬาลงกรณ์ มหาวิทยาลัย. พิมพ์ครั้งที่2. กรุงเทพมหานคร
- มันสิน ตันฑุลเวศม์.2542. วิศวกรรมการประปา เล่ม 1 .โรงพิมพ์แห่งจุฬาลงกรณ์ มหาวิทยาลัย. พิมพ์ครั้งที่3. กรุงเทพมหานคร
- Anselme, C. & Jacobs, E. P. (1996) Ultrafiltration. In: Water Treatment Membrane Processes, Mallevialle, J., et al. (eds.), McGraw-Hill, New York, pp. 10.1–10.88.
- Archer, A. D. and P. C. Singer (2006). “An Evaluation of the Relationship between SUVA and NOM Coagulation Using the ICR Database.” American Water Works Association 98(7).
- Ashbolt and J. Nicholas (2004). “Risk analysis of drinking water microbial contamination versus disinfection by-products (DBPs).” Toxicology 198(1–3): 255-262.
- Bieroza, M., Baker, A. & Bridgeman, J. (2009). “Relating freshwater organic matter fluorescence to organic carbon removal efficiency in drinking water treatment.” Science of the Total Environment, Vol. 407, No. 5, pp. 1765-1774, ISSN 0048-9697.
- Bond, T., E. H. Goslan, S. A. Parsons and B. Jefferson (2011). “Treatment of disinfection by-product precursors.” Environmental Technology 32(1): 1-25.
- Bond, T., Goslan, E. H., Jefferson, B., Roddick, F., Fan, L., & Parsons, S. A. (2009). “Chemical and biological oxidation of NOM surrogates and effect on HAA formation.” Water Res, 43(10), 2615-2622.

- Chen, D., Weavers, L. K., Walker, H. W. & Lenhart, J. J. 2006 “Ultrasonic control of ceramic membrane fouling caused by natural organic matter and silica particles”. *J. Membr. Sci.* 276, 135–144.
- Chen, W., Westerhoff, P., Leenheer, J. A., & Booksh, K. (2003). “Fluorescence Excitation–Emission Matrix Regional Integration to Quantify Spectra for Dissolved Organic Matter.” *Environmental Science & Technology*, 37(24), 5701-5710.
- Cheryan M (1998) *Ultrafiltration and Microfiltration Handbook*, pp. 71-112. Lancaster, United States: Technomic Publishing Company.
- Cho, J., Amy, G., & Pellegrino, J. (2000). “Membrane filtration of natural organic matter: factors and mechanisms affecting rejection and flux decline with charged ultrafiltration (UF) membrane.” *Journal of Membrane Science*, 164(1–2), 89-110.
- Chu, W., Gao, N., Deng, Y., Templeton, M. R., & Yin, D. (2011). “Impacts of drinking water pretreatments on the formation of nitrogenous disinfection by-products.” *Bioresource Technology*, 102(24), 11161-11166.
- Coble, P.G. (1996). “Characterisation of marine and terrestrial dissolved organic matter in seawater using excitation-emission matrix spectroscopy.” *Marine Chemistry*, Vol. 51, No.4, pp. 325-346, ISSN 0304-4203.
- Costa, E., Calleja, G., Marijuan, L., 1988. *Adsorption Sci. Technol.* 5 (3), 213.
- Danielsson, L. G. (1982). “On the use of filters for distinguishing between dissolved and particulate fractions in natural waters.” *Water Research* 16(2): 179-182.
- Delpla, I., Jung, A. V., Bares, E., Clement, M., & Thomas, O. (2009). “Impacts of climate change on surface water quality in relation to drinking water production.” *Environment International*, 35(8), 1225-1233.

- Department of Environmental and Labour. Water Resources Management Division. 2000. Trihalomethanes Level in Public Water Supplies of Newfoundland and Labrador. Available: <http://www.hc-sc.gc.ca>
- Dong, Y.C., Chen, S.F., Zhang, X.B., Yang, J.K., Liu, X.Q., Meng, G.Y., 2006. "Fabrication and characterization of low cost tubular mineralbased ceramic membranes for micro-filtration from natural zeolite." *J. Membrane Sci.* 281(1-2), 529–599.
- Dotson, A., P. Westerhoff and S. W. Krasner (2009). "Nitrogen enriched dissolved organic matter (DOM) isolates and their affinity to form emerging disinfection by-products." *Water Sci Technol* 60(1): 135-143.
- Eaton, A. (1995). Measuring UV-Absorbing Organic: A Standard Method. *Journal American Water Works Association*, 2, 86-90.
- Edzwald, J. K. and J. E. Tobiasson (1999). "Enhanced coagulation: US requirements and a broader view." *Water Science and Technology* 40(9): 63-70.
- Edzwald, J. K., Becker, W. C., & Wattier, K. (1985). "Surrogate Parameters for Monitoring Organic Matter and THM Precursors." *Journal American Water Works Association*(4), 122-132.
- Evans, C. D., Monteith, D. T., & Cooper, D. M. (2005). "Long-term increases in surface water dissolved organic carbon: Observations, possible causes and environmental impacts." *Environmental Pollution*, 137(1), 55-71.
- Fabris, R., C. W. K. Chow, M. Drikas and B. Eikebrokk (2008). "Comparison of NOM character in selected Australian and Norwegian drinking waters." *Water Research* 42(15): 4188-4196.
- Ferrari, G.M., Dowell, M.D., Grossi, S. & Targa C. (1996). "Relationship between the optical properties of chromophoric dissolved organic matter and total concentration of dissolved

- organic carbon in the southern Baltic Sea region.” *Marine Chemistry*, Vol. 55, No. 3-4, pp. 299-316, ISSN: 0304-4203.
- Fielding, M. and H. Horth (1986) “Formation of mutagens and chemicals during water treatment chlorination.” *Water Supply*, 4, 103-126.
- Haarhoff, J., M. Kubare, B. Mamba, R. Krause, T. Nkambule, B. Matsebula and J. Menge (2010). “NOM characterization and removal at six Southern African water treatment plants.” *Drinking Water Engineering and Science* 3: 53-61.
- Harman, B. I., Koseoglu, H., Yigit, N. O., Sayilgan, E., Beyhan, M., & Kitis, M. (2010). “The removal of disinfection by-product precursors from water with ceramic membranes.” *Water Sci Technol*, 62(3), 547-555.
- Hata, A., Katayama, H., Wattanachira, S., Sethy, S., Masago, Y., Honda, R. et al., 2009. “Removal of microbes from highly turbid surface water in Southeast Asia using ceramic membrane filters.” In: *Proceedings of the 7th International Symposium on Southeast Asian Water Environment*. Bangkok, Thailand, pp. 267–274.
- Ho, L. and G. Newcombe (2005). “Effect of NOM, turbidity and floc size on the PAC adsorption of MIB during alum coagulation.” *Water Research* 39(15): 3668-3674.
- Ho, Y.S., 2004. Citation review of Lagergren kinetic rate equation on adsorption reactions. *Scientometrics*, 59(1): 171-177.
- Homklin, S. (2004). “Removal of Hydrophilic and Hydrophobic Dissolved Organic Matters in Natural Waters by Alum Coagulation. Master's Degree Thesis, Chiang Mai University.
- Hua, G., & Reckhow, D. A. (2007). “Characterization of Disinfection Byproduct Precursors Based on Hydrophobicity and Molecular Size.” *Environmental Science & Technology*, 41(9), 3309-3315.

- Hudson, N., Baker, A. & Reynolds, D. (2007). "Fluorescence analysis of dissolved organic matter in natural, waste and polluted waters—a review." *River Research and Applications*, Vol. 23, No. 6, pp. 631–649, ISSN 1535-1467.
- Hudson, N., Baker, A., Ward, D., Reynolds, D.M., Brunson, C., Carliell-Marquet, C. & Browning, S. (2008). "Can fluorescence spectrometry be used as a surrogate for the biochemical oxygen demand (BOD) test in water quality assessment? An example from South West England." *Science of the Total Environment*, Vol. 391, No. 1, pp. 149– 158, ISSN 0048-9697.
- Imai, A., Matsushige, K., & Nagai, T. (2003). "Trihalomethane formation potential of dissolved organic matter in a shallow eutrophic lake." *Water Research*, 37(17), 4284-4294.
- Jacangelo, J.G., DeMacro, J., Owen, D.M., Randtke, S.J., 1995. "Selected processes for removing NOM: An overview." *Amer. Water Works Associat.* 87(1), 64–77.
- Jarvis, P., J. Banks, R. Molinder, T. Stephenson, S. Parsons and B. Jefferson (2008). "Processes for enhanced NOM removal: beyond Fe and Al coagulation." *Water Science and Technology* 8: 709-716.
- Juntatipatai, B. (2013). *REMOVAL OF DISSOLVED ORGANIC MATTER IN SHALLOW WELL LOCATED NEAR ABANDON LANDFILL BY POWDER ACTIVATED CARBON WITH CERAMIC MEMBRANE. Master's Degree Thesis, Chulalongkorn University.*
- Kasuga, I., Nakajima, F. & Furumai, H. (2003) "Analysis of dissolved organic matter and bacterial community in degradation of algal bloom by EEMs and PCR-DGGE." *J. Japan Society on Water Environment.* 26 (3), 171- 174.
- Krasner, S. W. (2009). "The formation and control of emerging disinfection by-products of health concern." *Philos Trans A Math Phys Eng Sci* 367(1904): 4077-4095.

- Krasner, S. W., H. S. Weinberg, S. D. Richardson, S. J. Pastor, R. Chinn, M. J. Scilimenti, G. D. Onstad and A. D. Thruston (2006). "Occurrence of a New Generation of Disinfection Byproducts." *Environmental Science & Technology* 40(23): 7175-7185.
- Krasner, S. W.; McQuire, M. J.; Jacangelo, J. C.; Patania, N. L.; Reagan, K. M.; Aieta, E. M. (1989). "The occurrence of disinfection byproducts in U.S. drinking water." *J. Am. Water Works Assoc.*, 81, 41-53.
- Krutklom, N. (2013). Dissolved Organic Matter Reduction Using Ceramic Membrane Combined with Alum. Master's Degree Thesis, Chiang Mai University.
- Lagergren, S., 1898. "About the theory of so-called adsorption of soluble substances. *Kungliga Svenska Vetenskapsakademiens.*" *Handlingar*, 24(4):1-39.
- Laine, J., 1990. "Ultrafiltration of lake water: Effect of pretreatment on the partitioning of organics, THMFP, and flux." *American Water Works Association* 82: 12-82.
- Lakowicz, J.R. (2006). *Principles of Fluorescence Spectroscopy*. Third edition, Publisher Springer New York.
- Le Curieux, F., D. Marzin and F. Erb (1994) "Study of the genotoxic activity of five chlorinated propanones using the SOS chromotest, the Ames-fluctuation test and the newt micronucleus test." *Mutation Res.*, 361, 1-15.
- Lee, W., P. Westerhoff and J.-P. Croué (2007). "Dissolved Organic Nitrogen as a Precursor for Chloroform, Dichloroacetonitrile, N-Nitrosodimethylamine, and Trichloronitromethane." *Environmental Science & Technology* 41(15): 5485-5490.
- Leenheer, J. A. and J.-P. Croué (2003). "Peer Reviewed: Characterizing Aquatic Dissolved Organic Matter." *Environmental Science & Technology* 37(1): 18A-26A.

- Leenheer, J. A. and T. I. Noyes (1984). "A Filtration and Column-Adsorption or System for Onsite Concentration and Fractionation of Organic Substances from Large Volume of Water." U.S. Geological Survey Water Supply Paper 2230, U.S. Govt. Printing Office Washington, D.C.
- Leenheer, J. A., T. I. Noyes and H. A. Stuber (1982). "Determination of polar organic solutes in oil-shale retort water." *Environmental Science & Technology* 16(10): 714-723.
- Lou, J.C., Jung, M.J., Yang, H.W., Han, J.Y., Huang, W.H., 2011. "Removal of dissolved organic matter (DOM) from raw water by single-walled carbon nanotubes (SWCNTs)." *J. Environ. Sci. Health, Part A* 47(10), 1478–1485.
- Luque S., Gomez D., and Alvarez J.R. 2008. "Industrial application of porous ceramic membranes (Pressure- driven processes)." *Membrane Science and Technology*. 13: 177-215.
- M. Siddiqui; G. Amy, (1993), "Factors affecting DBP formation during ozone-bromide reactions", *J. Am. Water Works Assoc.* 85(1):63
- Manno, P., Moulin, P., Rouch, J. C., Clifton, M. & Aptel, A. (1998) "Mass transfer improvement in helically wound hollow fibre ultrafiltration modules yeast suspensions." *Sep. Purif. Technol.* 14, 175–182.
- Marhaba, T. F., & Van, D. (2000). "The variation of mass and disinfection by-product formation potential of dissolved organic matter fractions along a conventional surface water treatment plant." *Journal of Hazardous Materials*, 74(3), 133-147.
- Marhaba, T. F., Y. Pu and K. Bengraine (2003). "Modified dissolved organic matter fractionation technique for natural water." *Journal of Hazardous Materials* 101(1): 43-53.
- McKnight, D.M., Boyer, E.W., Doran, P., Westerhoff, P.K., Kulbe, T. & Andersen, D.T. (2001). "Spectrofluorometric characterization of dissolved organic matter for indication of precursor organic material and aromaticity." *Limnology and Oceanography*, Vol. 46, No. 1, pp. 38-48, ISSN 1939-5590.

- Meier, J.R., H.P. Ringhand, W.E. Coleman, J.W. Munch, R.P. Streicher, W.H. Kaylor and K.M. Schenck (1985). "Identification of mutagenic compounds formed during chlorination of humic acid." *Mutation Res.*, 157, 111-122.
- Mitch, W. A. and I. M. Schreiber (2008). "Degradation of tertiary alkylamines during chlorination/chloramination: implications for formation of aldehydes, nitriles, halonitroalkanes, and nitrosamines." *Environ Sci Technol* 42(13): 4811-4817.
- Mo, L., Huang, X., Wu, J.L., 2002. "Effect of operational conditions on membrane permeability in a coagulation-microfiltration process for water purification." *J. Environ. Sci. Health, Part A*, 37(2), 273–285.
- Moreno-Castillo, C., Fontecha-Camara, M.A., Alvarez-Merino, M.A., Lopez-Ramon, .V., Carrasco-Marin, F., 2011. *Adsorption*. 17, 413.
- Moza, S. and M. Tomaszewska (2004). "Treatment of surface water using hybrid processes adsorption on PAC and ultrafiltration." *Desalination* 162(0): 23-31.
- Muellner, M. G., E. D. Wagner, K. McCalla, S. D. Richardson, Y.-T. Woo and M. J. Plewa (2007). "Haloacetonitriles vs. Regulated Haloacetic Acids: Are Nitrogen-Containing DBPs More Toxic?" *Environmental Science & Technology* 41(2): 645-651.
- Muttamara, S., C. I. Sales and Z. Gazali (1995). "The Formation of Trihalomethane from Chemical Disinfectants and Humic Substances in Drinking Water." *Water Supply* 13(2): 105-117.
- Narong, P. & James, A. E. (2008) "Efficiency of ultrafiltration in the separation of whey suspensions using a tubular zirconia membrane." *Desalination* 219, 348–357.
- Nkambule, T., R. Krause, J. Haarhoff and B. Mamba (2012). "A three step approach for removing organic matter from South African water sources and treatment plants." *Physics and Chemistry of the Earth* 50-52: 132-139.

- Oh, H., M. Yu, S. Takizawa and S. Ohgaki (2006). "Evaluation of PAC behavior and fouling formation in an integrated PAC-UF membrane for surface water treatment." *Desalination* 192(1-3): 54-62.
- Owen, D. M., M. Pirnie and Z. K. Chowdhury (1993). "Characterization of natural organic matter and its relationship to treatability." AWWARF.
- P. Roccaro, H.S. Chang, F.G.A. Vagliasindi, G.V. Korshin (2014). "Modeling bromide effects on yields and speciation of dihaloacetonitriles formed in chlorinated drinking water." *Journal of Water Supply: Research and Technology-AQUA* 63(1): pp 21-30.
- Patra, D. and A. K. Mishra (2002). "Recent developments in multi-component synchronous fluorescence scan analysis." *TrAC Trends in Analytical Chemistry* 21(12): 787-798.
- Pehlivanoglu-Mantas, E., Sedlak, D.L., (2008). "Measurement of dissolved organic nitrogen forms in wastewater effluents: concentrations, size distribution and NDMA formation potential." *Water Res.* 42, 3890-3898.
- Phumpaisanchai, A. (2005). Removal of Hydrophobic and Hydrophilic Natural Organic Matters in Reservoirs by Alum Coagulation. Master, Chiang Mai University.
- Plewa, M. J., M. G. Muellner, S. D. Richardson, F. Fasano, K. M. Buettner, Y.-T. Woo, A. B. McKague and E. D. Wagner (2008). "Occurrence, Synthesis, and Mammalian Cell Cytotoxicity and Genotoxicity of Haloacetamides: An Emerging Class of Nitrogenous Drinking Water Disinfection Byproducts." *Environmental Science & Technology* 42(3): 955-961.
- Rakruam, P. (2014). *Trihalomethane formation potential of DOM fractions in water production by in-line coagulation ceramic membrane microfiltration*. Doctoral's Degree Thesis, Chulalongkorn University.

- Ramavandi, B., Farjadfard, S., Ardjmand, M., & Dobaradaran, S. (2015). "Effect of water quality and operational parameters on trihalomethanes formation potential in Dez River water, Iran." *Water Resources and Industry*, 11, 1-12.
- Ramavandi, B., S. Farjadfard, M. Ardjmand and S. Dobaradaran (2015). "Effect of water quality and operational parameters on trihalomethanes formation potential in Dez River water, Iran." *Water Resources and Industry* 11: 1-12.
- Reckhow, D. A.; Singer, P. C.; Malcolm, R. L. (1990) "Chlorination of humic materials: Byproduct formation and chemical interpretations." *Environ. Sci. Technol.* 1990, 24, 1655-1664.
- Reynolds, D. & Ahmad, S.R. (1995). "Effect of metal ions on the fluorescence of sewage wastewater." *Water Research*, Vol. 29, No. 9, pp. 2214-2216, ISSN 0043-1354.
- Richardson, S. D., M. J. Plewa, E. D. Wagner, R. Schoeny and D. M. DeMarini (2007). "Occurrence, genotoxicity, and carcinogenicity of regulated and emerging disinfection by-products in drinking water: A review and roadmap for research." *Mutation Research/Reviews in Mutation Research* 636(1-3): 178-242.
- Rigobello, E. S., A. D. Dantas, L. Di Bernardo and E. M. Vieira (2011). "Influence of the apparent molecular size of aquatic humic substances on colour removal by coagulation and filtration." *Environ Technol* 33(15-16): 1767-1777.
- Rishi, S., Ramesh, B., Jung, G., (2003). "Applications and benefits of ceramic membranes." *Membrane Technol.* (11), 5-8.
- Rodriguez, M.J., Serodes, J. and Levallois, P., (2004). "Behavior of trihalomethanes and haloacetic acids in a drinking water distribution System." *Water Research* 38: 4367-4382
- Santana Rodríguez, J., J. and C. Padrón Sanz (2000). "Fluorescence techniques for the determination of polycyclic aromatic hydrocarbons in marine environment: an overview." *Analisis* 28(8): 710-717.

- Santos, L. R. B., Santilli, C. V., Larbot, A., Persin, M. & Pulcinelli, S. H. (2001). "Influence of membrane-solution interface on the selectivity of SnO₂ ultrafiltration membranes." *Sep. Sci. Technol.* 22–23, 17–22.
- Sax, N.I. and R.J. Lewis (1987) *Hawley's Condensed Chemical Dictionary*, 11th ed., New York, NY, Van Nostrand Reinhold, 261, 1175.
- Senesi, N. (1993). Nature of interactions between organic chemicals and dissolved humic substances and the influence of environmental factors, In: *Organic substances in soil and water: Natural constituents and their influences on contaminant behaviour*, Eds. Beck, A.J., Jones, K.C., Hayes, M.H.B., Minglegrin, U., Publisher Royal Society of Chemistry, Cambridge.
- Sharp, E., P. Jarvis, S. Parsons and B. Jefferson (2006a). "Impact of fractional character on the coagulation of NOM." *A: Physicochemical and Engineering Aspects* 286: 104-111.
- Sharp, E., S. Parsons and B. Jefferson (2006b). "Seasonal variations in natural organic matter and its impact on coagulation in water treatment." *Science of the Total Environment* 363(183-194).
- Shestakova, M. and M. Sillanpää (2013). "Removal of dichloromethane from ground and wastewater: A review." *Chemosphere* 93(7): 1258-1267.
- Smart, P.L., Finlayson, B.L., Rylands, B.L. & Ball, C.M. (1976). "The relation of fluorescence to dissolved organic carbon in surface waters." *Water Research*, Vol. 10, No. 9, pp. 805- 811, ISSN 0043-1354.
- Smith, M.K., J.L. Randall, D.R. Tocco, R.G. York, J.A. Stober and E.J. Read (1988) "Teratogenic effects of tricloroacetonitrile in the Long-Evans rat." *Teratology*, 38, 113-120.
- Stewart, A.J. & Wetzel, R.G. (1980). "Asymmetrical relationships between absorbance, fluorescence, and dissolved organic carbon." *Limnology and Oceanography*, Vol. 26, No. 3, pp. 590-597, ISSN 1939-5590.

- Swietlik, J., A. Dabrowska, U. Raczyk-Stanislawiak and J. Nawrocki (2004). "Reactivity of natural organic matter fractions with chlorine dioxide and ozone." *Water Research* 38(3): 547-558.
- Thurman, E. (1985). "Organic Geochemistry of Natural Waters." Martinus Nijhoff/Dr W. Junk Publishers, Dordrecht, The Netherlands.
- Trehy, M.L., Yost, R.A., Miles, C.J. (1986). "Chlorination byproducts of amino acids in natural waters." *Environ. Sci. Technol.* 20, 1117-1122.
- USEPA (1999) *Alternative Disinfectants and Oxidants Guidance Manual*.
- USEPA. (1999). *Enhanced Coagulation and Enhanced Precipitative Softening Guidance Manual*.
- Vaillant, F., Millan, P., O'Brien, G., Dornier, M., Decloux, M., & Reynes, M. (1999). "Crossflow microfiltration of passion fruit juice after partial enzymatic liquefaction." *Journal of Food Engineering*, 42, 215–224.
- Valeur, B. (2001). *Molecular Fluorescence: Principles and Applications*, Publisher Wiley, Weinheim.
- Villanueva, C. M., K. P. Cantor, S. Cordier, J. K. Jaakkola, W. D. King, C. F. Lynch, S. Porru and M. Kogevinas (2004). "Disinfection byproducts and bladder cancer: a pooled analysis." *Epidemiology* 15(357-367).
- Wattanachira, S., C. Musikavong, O. Permsuk and P. Pavasant (2004). "Removal of Surrogates for Natural Organic Matter and the Probability of finding Trihalomethanes in the Produced Water Supply from Small Waterworks in Chiang Mai, Thailand." *Songklanakarin Journal of Science and Technology* 26(Suppl.-1): 25-35.
- Westerhoff, P., Mash, H., (2002). "Dissolved organic nitrogen in drinking water supplies: a review." *J. Water Supply Res. Technol.-Aqua.* 51, 415–448

- White, G.C. 1992. Handbook Of Chlorination and Alternative Disinfectants. Volume 3. Van Nostrand Reinhold Co., New York, NY.
- WHO (1994) World Health Organisation. Guidelines for drinking water quality, 2nd edition, Vol. 1: Recommendations. Geneva, 1994.
- Wiesner, M.R., Clark, M.M., Mallevalle, J., (1989). "Membrane filtration of coagulated suspensions." Environ. Eng. Sci. 115(1), 15–20.
- Xia, S.-j., Y.-n. Liu, X. Li and J.-j. Yao (2007). "Drinking water production by ultrafiltration of Songhuajiang River with PAC adsorption." Journal of Environmental Sciences 19(5): 536-539.
- Xu, B., T. Ye, D.-P. Li, C.-Y. Hu, Y.-L. Lin, S.-J. Xia, F.-X. Tian and N.-Y. Gao (2011). "Measurement of dissolved organic nitrogen in a drinking water treatment plant: Size fraction, fate, and relation to water quality parameters." Science of The Total Environment 409(6): 1116-1122.
- Xue, C., Q. Wang, W. Chu and M. R. Templeton (2014). "The impact of changes in source water quality on trihalomethane and haloacetonitrile formation in chlorinated drinking water." Chemosphere 117: 251-255.
- Y., W. Chu and M. Ma (2012). "Carbonaceous and nitrogenous disinfection by-product formation in the surface and ground water treatment plants using Yellow River as water source." Journal of Environmental Sciences 24(7): 1204-1209.
- Yoon, Y., Amy, G., Cho, J., & Her, N. (2005). "Effects of retained natural organic matter (NOM) on NOM rejection and membrane flux decline with nanofiltration and ultrafiltration." Desalination, 173(3), 209-221.
- Youssef, A.M., El-Wakil, A.M., El-Sharkawy, E.A., Farag, A.B., Tollan, K., 1996. Adsorption Sci. Technol. 13 (2), 115.

Zhang, H., J. Qu, H. Liu and D. Wei (2009). "Characterization of dissolved organic matter fractions and its relationship with the disinfection by-product formation." *Journal of Environmental Sciences* 21(1): 54-61.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved