

เอกสารอ้างอิง

เกศแก้ว ปานสมุทร, อ.ส., 2554. การบำบัดสารอินทรีย์ธรรมชาติด้วยกระบวนการทางเคมีและฟิสิกส์. วารสารสิ่งแวดล้อม ปีที่ 15 เล่มที่ 3, 35-40.

จิระรัตนานนท์, ร.ด.ร., 2541. กระบวนการแยกด้วยเยื่อแผ่นสังเคราะห์. ภาควิชาวิศวกรรมเคมี มหาวิทยาลัยเทคโนโลยีพระจอมเกล้าธนบุรี, กรุงเทพฯ.

เดชา, น., 2552. กระบวนการดูดซับ (ADSORPTION PROCESSES). สำนักพิมพ์แห่งจุฬาลงกรณ์มหาวิทยาลัย, กรุงเทพฯ.

ปัญญาพลกุล, ผ.ด.ป., 2557. การดูดซับสำหรับการบำบัดน้ำเสียและผลิตน้ำประปา (Adsorption for Water and Wastewater Treatment). ภาควิชาวิศวกรรมสิ่งแวดล้อม คณะวิศวกรรมศาสตร์ จุฬาลงกรณ์มหาวิทยาลัย, กรุงเทพฯ.

มันสิน, ต., 2542. วิศวกรรมการประปา 1 และ 2. โรงพิมพ์แห่งจุฬาลงกรณ์มหาวิทยาลัย, กรุงเทพมหานคร.

สำนักงานสถิติแห่งชาติ, 2557. โลกนี้มีน้ำให้ใช้ไม่มาก.

ABANDON LANDFILL BY POWDER ACTIVATED CARBON WITH CERAMIC MEMBRANE. Chulalongkorn University, Bangkok.

Alpatova, A.L., Davies, S.H., Masten, S.J., 2013. Hybrid ozonation-ceramic membrane filtration of surface waters: The effect of water characteristics on permeate flux and the removal of DBP precursors, dicloxacillin and ceftazidime. Separation and Purification Technology 107, 179-186.

- Amy, G.L., 1993. Using NOM Characterization for the Evaluation of Treatment. Proceedings of the Natural Organic Matter (NOM) workshop. Journal (American Water Works Association) 11, 19-22.
- Aziz, H.A., Daud, Z., Adlan, M.N., Hung, Y.-T., 2009. The use of polyaluminium chloride for removing colour, COD and ammonia from semi-aerobic leachate. International Journal of Environmental Engineering 1, 20-35.
- Bond, T., Goslan, E.H., Parsons, S.A., Jefferson, B., 2011. Treatment of disinfection by-product precursors. Environmental Technology 32, 1-25.
- Bull, R.J., Meier, J.R., Robinson, M., Ringhand, H.P., Laurie, R.D., Stober, J.A., 1985. Evaluation of mutagenic and carcinogenic properties of brominated and chlorinated acetonitriles: By-products of chlorination. Fundamental and Applied Toxicology 5, 1065-1074.
- Busaya, J., 2013. REMOVAL OF DISSOLVED ORGANIC MATTER IN SHALLOW WELL LOCATED NEAR ABANDON LANDFILL BY POWDER ACTIVATED CARBON WITH CERAMIC MEMBRANE, Environmental Management. Chulalongkorn University.
- Busaya, J., 2013. REMOVAL OF DISSOLVED ORGANIC MATTER IN SHALLOW WELL LOCATED NEAR
- Chen, J., LeBoeuf, E.J., Dai, S., Gu, B., 2003. Fluorescence spectroscopic studies of natural organic matter fractions. Chemosphere 50, 639-647.
- Cheryan, M., 1998. Ultrafiltration and microfiltration handbook. CRC Press, Boca Raton [u.a.].
- Chiang, B.H., Cheryan, M., 1986. Ultrafiltration of Skimmilk in Hollow Fibers. Journal of Food Science 51, 340-344.

- Daniel, F.B., Schenck, K.M., Mattox, J.K., Lin, E.L.C., Haas, D.L., Pereira, M.A., 1986. Genotoxic properties of haloacetonitriles: Drinking water by-products of chlorine disinfection. *Fundamental and Applied Toxicology* 6, 447-453.
- Eaton, A., 1995. Measuring UV-absorbing organics: a standard method. *Journal (American Water Works Association)* 87, 86-90.
- Edzwald J.K., Tobiason, J.E., 2011. Chemical principles, source water composition, and watershed protection (Chapter 3). *Water Quality & Treatment: A Handbook on Drinking Water*, Sixth Edition. *Journal: American Water Works Association* 103.
- Edzwald, J.K., Becker, W.C., Wattier, K.L., 1985. Surrogate Parameters for Monitoring Organic Matter and THM Precursors. *Journal (American Water Works Association)* 77, 122-132.
- Hertz, P.M.R., McGown, L.B., 1992. Organized media for fluorescence analysis of complex samples: comparison of bile salt and conventional detergent micelles in coal liquids. *Analytical Chemistry* 64, 2920-2928.
- Hua, B., Veum, K., Koirala, A., Jones, J., Clevenger, T., Deng, B., 2007. Fluorescence fingerprints to monitor total trihalomethanes and N-nitrosodimethylamine formation potentials in water. *Environ Chem Lett* 5, 73-77.
- Huo, S., Xi, B., Yu, H., He, L., Fan, S., Liu, H., 2008. Characteristics of dissolved organic matter (DOM) in leachate with different landfill ages. *Journal of Environmental Sciences* 20, 492-498.
- J. Haarhoff, Staden, S.J.V., 2006. Measuring the cleanliness of filter media, Ninth Biennial WISA Conference, Durban International Conference Centre.
- Karnchanawong, S., Koottatep, S., Ikeguchi, T., 1993. Monitoring and evaluation of shallow well water quality near a waste disposal site. *Environment International* 19, 579-587.

- Kavanaugh, M.C., 1978. Modified Coagulation for Improved Removal of Trihalomethane Precursors. *Journal (American Water Works Association)* 70, 613-619.
- Kristiana, I., Joll, C., Heitz, A., 2011. Powdered activated carbon coupled with enhanced coagulation for natural organic matter removal and disinfection by-product control: Application in a Western Australian water treatment plant. *Chemosphere* 83, 661-667.
- Kumar, N.S.K., Yea, M.K., Cheryan, M., 2003. Soy Protein Concentrates by Ultrafiltration. *Journal of Food Science* 68, 2278-2283.
- Lee, N., Amy, G., Croué, J.-P., Buisson, H., 2004. Identification and understanding of fouling in low-pressure membrane (MF/UF) filtration by natural organic matter (NOM). *Water Research* 38, 4511-4523.
- Lightfoot, E.N., Ho, W.S.W., Sirkar, K.K., 1996. *Membrane Handbook*. Chemical engineering science. 51, 503.
- Lin, E.L.C., Daniel, F.B., Herren-Freund, S.L., Pereira, M.A., 1986. Haloacetonitriles: Metabolism, Genotoxicity, and Tumor-Initiating Activity. *Environmental Health Perspectives* 69, 67-71.
- Lipscomb, J.C., El-Demerdash, E., Ahmed, A.E., 2009. Haloacetonitriles: metabolism and toxicity. *Reviews of environmental contamination and toxicology* 198, 169-200.
- Liu, W., Wu, H., Wang, Z., Ong, S.L., Hu, J.Y., Ng, W.J., 2002. Investigation of assimilable organic carbon (AOC) and bacterial regrowth in drinking water distribution system. *Water Research* 36, 891-898.
- Marhaba, T.F., 2000. Fluorescence technique for rapid identification of DOM fractions. *Journal of Environmental Engineering* 126, 145-152.
- Marhaba, T.F., Pu, Y., 2000. Rapid delineation of humic and non-humic organic matter fractions in water. *Journal of hazardous materials* 73, 221-234.

- Marhaba, T.F., Pu, Y., Bengraïne, K., 2003. Modified dissolved organic matter fractionation technique for natural water. *Journal of hazardous materials* 101, 43-53.
- Muller-Pillet, V., Joyeux, M., Ambroise, D., Hartemann, P., 2000. Genotoxic activity of five haloacetonitriles: comparative investigations in the single cell gel electrophoresis (comet) assay and the Ames-fluctuation test. *Environmental and Molecular Mutagenesis* 36, 52-58.
- Musikavong, C., Wattanachira, S., 2007. Reduction of dissolved organic matter in terms of DOC, UV-254, SUVA and THMFP in industrial estate wastewater treated by stabilization ponds. *Environmental Monitoring and Assessment* 134, 489-497.
- Nicha, K., 2013. Dissolved Organic Matter Reduction Using Ceramic Membrane Combined with Alum, Department of Environmental Engineering. Chiang Mai University, Chiang Mai.
- Nkambule, T.I., Krause, R.W.M., Haarhoff, J., Mamba, B.B., 2012. A three step approach for removing organic matter from South African water sources and treatment plants. *Physics and Chemistry of the Earth, Parts A/B/C* 50–52, 132-139.
- Olivieri V.P., B.A.E., Bossung K.W., and Lowther E.D. , 1984. Recurrent coliforms in water distribution systems in the presence of free residual chlorine, in: *Water chlorination, chemistry, environmental impacts and health effects*. edited by: Jolley R. L., Bull R. J., Davis W. P., Katz W., Roberts M. H., and Jacobs V. A. Lewis Publishers Inc., Chelsea.
- Paul N. Cheremisinoff, Ellerbusch, F., 1980. Carbon adsorption handbook Edited by Paul N. Cheremisinoff and Fred Ellerbusch. Ann Arbor Science, Ann Arbor. 1978. Pp. 1054. Price: £25·15. Environmental Pollution Series B, Chemical and Physical Environmental Pollution Series B, Chemical and Physical 1.
- Peter, A., 2008. Taste and odor in drinking water: Sources and Mitigation strategies, Swiss federal Institute of technology Zurich, Switzerland. . ETH Zürich, Zurich.

- Peuravuori, J., Lehtonen, T., Pihlaja, K., 2002. Sorption of aquatic humic matter by DAX-8 and XAD-8 resins - Comparative study using pyrolysis gas chromatography. *Analytica Chimica Acta* 471, 219-226.
- Pohanish, R.P., 2012. A, in: Pohanish, R.P. (Ed.), *Sittig's Handbook of Toxic and Hazardous Chemicals and Carcinogens (Sixth Edition)*. William Andrew Publishing, Oxford, pp. 1-304.
- Prats Rico, D., Rodríguez Pastor, M., Rubia, M.A.d.l., Sentana Cremades, E., Sentana Gadea, I., 2009. Removal of natural organic matter by cationic and anionic polyacrylonitrile membranes. The effect of pressure, ionic strength and pH. *Separation and Purification Technology* 68, 305-311.
- Richardson, S.D., Plewa, M.J., Wagner, E.D., Schoeny, R., DeMarini, D.M., 2007. Occurrence, genotoxicity, and carcinogenicity of regulated and emerging disinfection by-products in drinking water: A review and roadmap for research. *Mutation Research/Reviews in Mutation Research* 636, 178-242.
- Rook, J.J., 1974. Formation of haloforms during chlorination of natural waters.
- Sentana, I., De La Rubia, M.A., Rodríguez, M., Sentana, E., Prats, D., 2009. Removal of natural organic matter by cationic and anionic polyacrylonitrile membranes. The effect of pressure, ionic strength and pH. *Separation and Purification Technology* 68, 305-311.
- SHALLOW WELLS NEAR A CLOSED UNSANITARY SOLID WASTE DUMPING SITE, Science in Environmental Management (Inter-department). Chulalongkorn University, Bangkok.
- Shestakova, M., Sillanpää, M., 2013. Removal of dichloromethane from ground and wastewater: A review. *Chemosphere* 93, 1258-1267.
- Siddiqui, M.S., Amy, G.L., Murphy, B.D., 1997. Ozone enhanced removal of natural organic matter from drinking water sources. *Water Research* 31, 3098-3106.


- Symons, J.M., Bellar, T.A., Carswell, J.K., DeMarco, J., Kropp, K.L., Gordon, G.R., Seeger, D.R., Slocum, C.J., Smith, B.L., Stevens, A.A., 1975. National Organics Reconnaissance Survey for Halogenated Organics. Journal (American Water Works Association) 67, 634-647.
- Tanju, K., Stuart, W.K., Paul, W., Yuefeng, X., 2008. Recent Advances in Disinfection By-Product Formation, Occurrence, Control, Health Effects, and Regulations, Disinfection By-Products in Drinking Water. American Chemical Society, pp. 2-19.
- Thurman, E.M., 1985. Organic geochemistry of natural waters. Nijhoff / Junk, Dordrecht; Lancaster.
- Tomaszewska, M., Mozia, S., 2002. Removal of organic matter from water by PAC/UF system. Water Research 36, 4137-4143.
- USEPA, 1998. National Primary Drinking Water Regulations: Disinfectants and Disinfection Byproducts. United States Environmental Protection Agency, Office of Water, [Washington, D.C.].
- USEPA, 1999. Enhanced coagulation and enhanced precipitative softening guidance manual [electronic resource]. United States Environmental Protection Agency, Office of Water, [Washington, D.C.].
- Vaillant, F., Millan, P., O'Brien, G., Dornier, M., Decloux, M., Reynes, M., 1999. Crossflow microfiltration of passion fruit juice after partial enzymatic liquefaction. Journal of Food Engineering 42, 215-224.
- Vasuree, J., 2003. RELATIONSHIPS BETWEEN TRIHALOMETHANE FORMATION POTENTIAL AND NATURAL ORGANIC MATTER SURROGATES IN RAW WATER AND COAGULATED WATER OF

Wipha, O., 1999. Risk Assessment of Water and Soil Contamination by Mae-Hia Solid Waste Disposal Site in Chiang Mai Province, Environmental Science, Graduate School. Chiang Mai University.

Xue, C., Wang, Q., Chu, W., Templeton, M.R., 2014. The impact of changes in source water quality on trihalomethane and haloacetonitrile formation in chlorinated drinking water. *Chemosphere* 117, 251-255.

Zhang, H., Qu, J., Liu, H., Zhao, X., 2009. Characterization of isolated fractions of dissolved organic matter from sewage treatment plant and the related disinfection by-products formation potential. *Journal of Hazardous Materials* 164, 1433-1438.

Zhang, Y., Zhao, X., Zhang, X., Peng, S., 2015. The change of NOM in a submerged UF membrane with three different pretreatment processes compared to an individual UF membrane. *Desalination* 360, 118-129.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved