หัวข้อวิทยานิพนธ์ ผลของการสนับสนุนทางสังคมต่อพฤติกรรมการให้นมมารดา

ของมารดาคลอดก่อนกำหนด

ผู้เขียน นางสาวฐิติพร แสงพลอย

ปริญญา พยาบาลศาสตรมหาบัณฑิต (การผลุงครรภ์)

คณะกรรมการที่ปรึกษา รองศาสตราจารย์ ดร.พรรณพิไล ศรีอาภรณ์ อาจารย์ที่ปรึกษาหลัก รองศาสตราจารย์ ดร. ปิยะนุช ชูโต อาจารย์ที่ปรึกษาร่วม

## บทคัดย่อ

มารดากลอดก่อนกำหนดมีความเสี่ยงต่อการ ไม่ประสบความสำเร็จในการเลี้ยงบุตรด้วย นมมารดา เนื่องจากภาวะสุขภาพของทารกแรกเกิดและการถูกแยกจากกันทันทีหลังกลอด การ ศึกษาวิจัยแบบกึ่งทดลองกรั้งนี้ มีวัตถุประสงค์เพื่อเปรียบเทียบพฤติกรรมการให้นมมารดาของ มารดากลอดก่อนกำหนดระหว่างกลุ่มควบคุมและกลุ่มทดลอง กลุ่มตัวอย่างเป็นมารดากลอดก่อน กำหนดจำนวน 44 ราย ที่มาคลอดในโรงพยาบาลนครพิงค์และ โรงพยาบาลถำพูน ตั้งแต่เดือน พฤษภาคมถึงพฤศจิกายน พ.ศ. 2557 เลือกกลุ่มตัวอย่างตามคุณสมบัติที่กำหนดโดยแบ่งเป็นกลุ่ม ควบคุมและกลุ่มทดลองกลุ่มละ 22 ราย กลุ่มควบคุมได้รับการพยาบาลตามปกติ ส่วนกลุ่มทดลอง ได้รับทั้งการพยาบาลตามปกติและแผนการสนับสนุนทางสังคมต่อพฤติกรรมการให้นมมารดาของ มารดากลอดก่อนกำหนด 2) คู่มือการเลี้ยงบุตรด้วยนมมารดาในมารดากลอดก่อนกำหนด 3) แบบ ประเมินพฤติกรรมการให้นมมารดาของมารดากลอดก่อนกำหนด วิเคราะห์ข้อมูลโดยใช้สถิติเชิง พรรณนา การทดสอบไกสแควร์ สถิติทดสอบแมนวิทนีย์ยู และสถิติทดสอบวิลคอกซันจับคู่ เครื่องหมายตำแหน่ง

ผลการวิจัยพบว่า มารดาคลอดก่อนกำหนดกลุ่มทดลองมีคะแนนพฤติกรรมการให้นม มารดาสูงกว่ากลุ่มควบคุมอย่างมีนัยสำคัญทางสถิติ (p < .001)

ผลการวิจัยครั้งนี้เป็นแนวทางสำหรับพยาบาลผดุงครรภ์ ในการสนับสนุนการเลี้ยงบุตรด้วย นุมมารดาในมารดาคลอดก่อนกำหนดให้ประสบความสำเร็จต่อไป Thesis Title Effect of Social Support on Breastfeeding Behavior Among

Mothers with Preterm Delivery

Author Ms. Thitiporn Sangploy

**Degree** Master of Nursing Science (Midwifery)

Advisory Committee Associate Professor Dr. Punpilai Sriarporn Advisor

Associate Professor Dr. Piyanut Xuto Co-advisor

## **ABSTRACT**

Mothers with preterm delivery risk breastfeeding failure due to health conditions of newborns and separation immediately after birth. This quasi-experimental research aimed to compare the breastfeeding behavior among mothers with preterm delivery between a control and an experimental group. The subjects consisted of 44 mothers with preterm delivery who admitted to delivery at Nakornping Hospital and Lamphun Hospital from May to November 2014. The subjects were purposively selected for the control group and the experimental group, with twenty-two in each group. The control group received routine postpartum care and the experimental group received both routine postpartum care and the social support plan for promoting breastfeeding behavior. The research instruments were 1) the Social Support Plan for Promoting Breastfeeding Behavior among Mothers with Preterm Delivery, 2) the Breastfeeding Manual for Mothers with Preterm Babies, and 3) the Breastfeeding Behavior among Mothers with Preterm Delivery Assessment. Data were analyzed using descriptive statistics, Chi-square test, Mann – Whitney U test and Wilcoxon matched pair test.

The finding of this study revealed that mothers with preterm delivery in the experimental group had statistically significantly higher breastfeeding behavior scores than the control group (p < 0.001).

The study results provide guidance for nurse-midwives to successfully support breastfeeding among mothers with preterm delivery.

