

เอกสารอ้างอิง

- กุลลดา เปรมจิตร์. (2547). ผลของโปรแกรมส่งเสริมความรู้ความสามารถในการดูแลทารกร่วมกับการดูแลแบบแกการต่อพฤติกรรมดูแลบุตรของมารดาและการเพิ่มน้ำหนักตัวของทารกคลอดก่อนกำหนด (วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาพยาบาลศาสตร์). บัณฑิตวิทยาลัย, จุฬาลงกรณ์มหาวิทยาลัย.
- เกรียงศักดิ์ จีระแพทย์, และ วิณา จีระแพทย์. (2551). การประเมินภาวะสุขภาพทารกแรกเกิด (พิมพ์ครั้งที่ 2). กรุงเทพฯ: ด้านสุขภาพการพิมพ์.
- จรงค์ บริสุทธิ์. (2545). ปัจจัยที่เกี่ยวข้องกับพฤติกรรมดูแลผู้ป่วยเด็กแบบองค์รวมของพยาบาลในงานการพยาบาลกุมารเวชศาสตร์ โรงพยาบาลศิริราช (วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลแม่และเด็ก). บัณฑิตวิทยาลัย, มหาวิทยาลัยมหิดล.
- จิราพร พรหมแก้วงาม, อุษณีย์ จินตะเวช, และ ปริศนา สุนทรไชย. (2554). การปฏิบัติการดูแลทารกเกิดก่อนกำหนดแบบแกการของพยาบาลและปัจจัยที่เกี่ยวข้อง. พยาบาลสาร, 38(3), 42-60.
- ฉิภา แสงกิตติไพบูลย์. (2554). การพัฒนาระบบบันทึกทางการพยาบาลด้วยคอมพิวเตอร์สำหรับผู้ป่วยมะเร็ง ศูนย์มะเร็งลพบุรี (วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาบริหารการพยาบาล). บัณฑิตวิทยาลัย, มหาวิทยาลัยสุโขทัยธรรมาธิราช.
- ธราธิป โกละทิต. (2552). High performing system for newborn care. ใน ดุลิต สถาวร และคณะ (บรรณาธิการ), *Advanced in pediatrics*. กรุงเทพฯ: ปิยอนด์เอ็นเทอร์ไพรซ์.
- บุญใจ ศรีสถิตนันท์รากร. (2553). ระเบียบวิธีการวิจัยทางการพยาบาลศาสตร์. กรุงเทพฯ: ยูเอเอ็นไอ อินเตอร์มีเดีย.
- บุญดี บุญญากิจ, และ ณัชน พรกาญจนานันท์. (2550). ตรวจประเมินความรู้ คู่ปฏิบัติ. กรุงเทพฯ: จีรวัฒน์ เอ็กเพรส.
- บุษกรพันธ์ เมธาฤทธิ. (2548). การดูแลแบบแกการ: ผลต่อความรักใคร่ผูกพันและการเลี้ยงลูกด้วยนมมารดา. สงขลา: เอสพีรินทร์.

เบญจวรรณ เครือเนตร, เสาวมาศ เกื่อนนาดี, และ นิลาวรรณ นันทะปรีดา. (2549). ผลของการดูแลแบบแกงการคู่ต่อสัมพันธ์ภาพระหว่างมารดากับทารก ความพึงพอใจในบทบาทการเป็นมารดา และน้ำหนักทารกคลอดก่อนกำหนด. *วารสารพยาบาลศาสตร์ มหาวิทยาลัยขอนแก่น*, 29(2), 37-47.

ปัทมา พวงขุนทด. (2554). การศึกษาความรู้และการปฏิบัติงานด้านการจัดการขยะติดเชื้อของพนักงาน โรงพยาบาลศิริราช (วิทยานิพนธ์บริหารธุรกิจมหาบัณฑิต). บัณฑิตวิทยาลัย, มหาวิทยาลัยศิลปากร.

พรสวรรค์ วิไลพันธุ์. (2551). การปฏิบัติของพยาบาลในการส่งเสริมพัฒนาการเด็กป่วยที่เข้ารับการรักษานในโรงพยาบาลและปัจจัยที่เกี่ยวข้อง (วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลกุมารเวชศาสตร์). บัณฑิตวิทยาลัย, มหาวิทยาลัยเชียงใหม่.

มาเรียม เพระสุนทร, และ อริย์วรรณ อ่วมตานี. (2552). ประสิทธิภาพการทำงานของพยาบาลที่เลี้ยงในโรงพยาบาลมหาวิทยาลัยของรัฐ. *วารสารสภาการพยาบาล*, 24(3), 56-69.

มาลี เอื้ออำนวย, สุธิศา ล่ามช้าง, และ จรัสศรี เย็นบุตร. (2553). การพยาบาลเด็ก เล่มที่ 1 (พิมพ์ครั้งที่ 2). เชียงใหม่: นันทพันธ์พรินติ้ง.

วราภรณ์ แสงทวีสิน, ศิราภรณ์ สวัสดิ์วร, สุอารีย์ อันตระการ, ธิดารัตน์ วงศ์วิสุทธิ, และ ศิริลักษณ์ ถาวรวัฒน์. (2551). ปัญหาทารกแรกเกิด (พิมพ์ครั้งที่ 1). กรุงเทพฯ: ธนาเพรส.

สุคนธา คงศีล, และ สุขุม เจียมตน. (2550). การวิจัยนโยบาย คืออะไร และทำอะไร. *วารสารบริหารงานสาธารณสุข*, 13(2), 56-71.

สุนทร อื้อเผ่าพันธุ์, พิมพ์รัตน์ ไทธรรมยานนท์, และ เกรียงศักดิ์ จีระแพทย์. (2552). *Neonatology* 2009. กรุงเทพฯ: ธนาเพลส.

สุพรรณิการ์ ปานบางพระ, และ พรรณรัตน์ แสงเพิ่ม. (2556). ความรู้ ทักษะ และ การปฏิบัติของพยาบาลในการส่งเสริมการเลี้ยงลูกด้วยนมแม่ ในโรงพยาบาลเอกชน. *วารสารพยาบาลศาสตร์*, 31(1), 70-79.

สมณฑา สร้อยน้ำ, และ สุมาลี วงศ์สุรเศรษฐ์. (2550). ความสัมพันธ์ระหว่าง ความรู้ ทักษะ และ การปฏิบัติตนในการป้องกันโรคเอดส์ของนักเรียนชั้นมัธยมศึกษาตอนต้นในโรงเรียนบ้านหนองไยบัว อำเภอโพธาราม จังหวัดราชบุรี. รายงานวิจัยคณะวิทยาศาสตร์และเทคโนโลยี, มหาวิทยาลัยราชภัฏนครปฐม.

สุมิตรา ชูแก้ว, ยุพาพิน ศิริโพธิ์งาม, และ วรรณภา ประไพพานิช. (2555). ความรู้ ทักษะ และการปฏิบัติตามการรับรู้ของพยาบาลในการช่วยเหลือและส่งเสริมสุขภาพของญาติผู้ดูแลผู้ป่วยเรื้อรัง. *วารสารรามาชิตี*, 18(2), 249-259.

Abouelfetoh, A., Ludington-Hoe, S. M., Burant, C. J., & Visscher, M. O. (2011). Effect of skin-to-skin contact on preterm infant skin barrier function and hospital-acquired infection. *Journal of Clinical Medicine Research*, 3(1), 36-46. doi:10.4021/jocmr479w

Als, H. (1986). A Synactive model of neonatal behavioral organization: Framework for the assessment of neurobehavioral development in the premature infant and for support of infants in the neonatal intensive care environment. *Physical & Occupational Therapy in Pediatrics*, 6(3/4), 3-53.

Anderson, G. C. (1999), Kangaroo care of the premature infant. In E. Goldson (Ed.), *Nurturing the premature infants* (pp. 131-160). New York: Oxford University Press.

Ballard, J. L., Khoury, J. C., Wedig, K., Wang, L., Eilers-Walsman, B. L., & Lipp, R. (1991). New Ballard Score, expanded to include extremely premature infants. *Journal of Pediatrics*, 119(3), 417-423.

Beck, S., Wojdyla, D., Say, L., Betran, A. P., Merialdi, M., Requejo, J. H., . . . van Look, P. F. A. (2010). The worldwide incidence of preterm birth: A systematic review of maternal mortality and morbidity. *Bulletin of the World Health Organization*, 88(1), 31-38. doi:10.2471/BLT.08.062554

- Begum, E. A., Bonno, M., Ohtani, N., Yamashita, S., Tanaka, S., Yamamoto, H., . . . Komada, Y. (2009). Cerebral oxygenation responses during skin-to-skin care in low birth weight infants. *Neonatal Intensive Care*, 22(2), 20-25. doi:10.1186/1471-2431-8-51.
- Benner, P. (1984). *From novice to expert: Excellence and power in clinical nursing practice*. California: Addison-Wesley.
- Berseth, C. L., & Poennaru, D. (2005). Necrotizing enterocolitis and short bowel syndrome. In H. W. Taeusch, R. A. Ballard & C. A. Gleason (Eds.), *Avery's diseases of the newborn* (9th ed., pp. 1123-1134). Philadelphia: Elsevier.
- Best, J. W. (1981). *Research in education* (4th ed.). Englewood Cliffs, NJ: Prentice Hall.
- Blackburn, S. T. (2007). *Maternal, fetal and neonatal physiology: A clinical perspective*. St. Louis: Saunders Elsevier.
- Blencowe, H., Cousens, S., Oestergaard, M. Z., Chou, D., Moller, A. B., Narwal, R. M., . . . Lawn, J. E. (2012). National, regional, and worldwide estimates of preterm birth rates in the 2010 year with time trends since 1990 for selected countries: A systematic analysis and implications. *The Lancet*, 379(9832), 2162-2172. doi:10.1016/S0140-6736(12)60820-4
- Blomqvist, Y. T., Frolund, L., Rubertsson, C., & Nyqvist, K. H. (2013). Provision of Kangaroo Mother Care: Supportive factors and barriers perceived by parents. *Scandinavian Journal of Caring Sciences*, 27(2), 345-353. doi:10.1111/j.1471-6712.2012.01040.x
- Blomqvist, Y. T., & Nyqvist, K. H. (2011). Swedish mothers' experience of continuous Kangaroo Mother Care. *Journal of Clinical Nursing*, 20(9), 1472-1480. doi:10.1111/j.1365-2702.2010.03369.x
- Bloom, B. S. (1964). *Taxonomy of education objective: The classification of educational goals: Handbook II: Affective domain*. New York: David McKay.

- Boo, N.-Y., & Jamli, F. M. (2007). Short duration of skin-to-skin contact: Effects on growth and breastfeeding. *Journal of Pediatrics and Child Health*, 43, 831-836. doi:10.1111/j.1440-1754.2007.01198.x
- Byaruhanga, R. N., Bergstrom, A., Tibemanya, J., Nakitto, C., & Okong, P. (2008). Perceptions among post-delivery mothers of skin-to-skin contact and newborn baby care in a periurban hospital in Uganda. *Midwifery*, 24(2), 183-189. doi:10.1016/j.midw.2006.09.002
- Callen, J., & Pinelli, J. (2005). A review of the literature examining the benefits and challenges, incidence and duration, and barriers to breastfeeding in preterm infants. *Advances in Neonatal Care*, 5(2), 72-88.
- Center for Healthcare Research & Transformation. (2010). *Prematurely*. Retrieved from <http://www.chrt.org/assets/price-of-care/CHRT-Issue-Brief-November-2010.pdf>
- Charpak, N., & Ruiz-Pelaez, J. G., (2006). Resistance to implementing kangaroo mother care in developing countries and proposed solution. *Acta Paediatrica*, 95(5), 529-534.
- Chia, P., Sellick, K., & Gan, S. (2006). The attitudes and practices of neonatal nurses in the use of kangaroo care. *Australian Journal of Advanced Nursing*, 23(4), 20-27.
- Chiu, S. H., & Anderson, G. C. (2009). Effect of early skin-to-skin contact on mother-preterm infant interaction through 18 months: Randomized controlled trial. *International Journal of Nursing Studies*, 46(9), 1168-1180. doi:10.1016/j.ijnurstu.2009.03.005
- Cong, X., Ludington-Hoe, S. M., McCain, G., & Fu, P. (2009). Kangaroo Care modifies preterm infant heart rate variability in response to heel stick pain: Pilot study. *Early Human Development*, 85(9), 561-567. doi:10.1016/j.earlhumdev.2009.05.012
- Dekker, R. (2012). *Can hospitals keep mothers and babies together after a cesarean*. Retrieved from <http://www.evidencebasedbirth.com/the-evidence-for-skin-to-skin-care-after-a-cesarean/>

- DiMenna, L. (2006). Consideration for implementation of a neonatal kangaroo care protocol. *Neonatal Network*, 25(6), 405-412.
- Dodd, V. L. (2005). Implications of kangaroo care for growth and development in preterm infants. *Journal of Obstetric Gynecologic & Neonatal Nursing*, 34(2), 218-232.
doi:10.1177/0884217505274698
- Eksirinimit, T. (2012). *A longitudinal evaluation of Kangaroo Care for preterm infants in Thailand* (Unpublished doctor dissertation). Flinders University, Australia.
- Engler, A. J., Ludington-Hoe, S. M., Cusson, R. M., Adams, R., Bahnsen, M., Brumbaugh, E., . . . Williams, D. (2002). Kangaroo Care national survey of practice, knowledge barriers and perceptions. *American Journal of Maternal & Child Health Nursing*, 27(3), 146-153.
- Flynn, A., & Leahy-Warren, P. (2010). Neonatal nurses' knowledge and beliefs regarding kangaroo care with preterm infants in an Irish neonatal unit. *Journal of Neonatal Nursing*, 16(5), 221-228. doi:10.1016/j.jnn.2010.05.008
- Franklin, C. (2006). The neonatal nurse's role in parental attachment in the NICU. *Critical Care Nursing Quarterly*, 29(1), 81-85.
- Gitau, R., Modi, N., Gianakouloupoulos, X., Bond, C., Glover, V., & Stevenson, J. (2002). Acute effects of maternal skin-to-skin contact and massage on salivary cortisol in preterm babies. *Journal Reproductive and Infant Psychology*, 20(2), 83-88.
- Hake-Brooks, S. J., & Anderson, G. C. (2008). Kangaroo care and breastfeeding of mother-preterm infant dyads 0-18 months: A randomized, controlled trial. *Neonatal Network*, 27(3), 151-159.
- Hamrick, S. E., & Hansmann, G. (2010). Patent ductus arteriosus of the preterm infant. *Pediatrics*, 125(5), 1020-1030. doi:10.1542/peds.2009-3506
- Hockenberry, M. J., & Wilson, D. (2007). *Wong's nursing care of infant and children* (8th ed.). St. Louis: Mosby Elsevier.

- Hunt, F. (2008). The importance of kangaroo care on infant oxygen saturation levels and bonding. *Journal of Neonatal Nursing*, 14(2), 47-51. doi:10.1016/j.jnn.2007.12.003
- Hunt, G., & Wainwright, P. (1994). *Expanding the role of the nurse: The scope of professional practice*. Oxford: Blackwell Scientific.
- Jefferies, A. L. (2012). Kangaroo care for the preterm infant and family. *Paediatrics & Child Health*, 17(3), 141-143.
- Johnson, A. N. (2007). Factors influencing implementation of kangaroo holding in a special care nursery. *The American Journal of Maternal Child Nursing*, 32(1), 25-29.
- Kenner, C., & Lott, J. W. (2007). *Comprehensive neonatal care: An interdisciplinary approach* (4th ed). St. Louis: Saunders.
- Klaus, M. H., & Kennell, J. H. (1982). *Parent-infant bonding* (2nd ed.). St. Louis: Mosby.
- Kostandy, R., Cong, X., Abouelfetoh, A., Bronson, C., Stankus, A., & Ludington-Hoe, S. M. (2008). Effect of Kangaroo Care (skin contact) on crying response to pain in preterm neonates. *Pain Management Nursing*, 9(2), 55-65. doi:10.1016/j.pmn.2007.11.004
- Kowalak, J. P., Hughes, A. S., & Mills, J. E. (2007). *Best practices: Evidence-based nursing procedures* (2nd ed.). Philadelphia: Lippincott Williams & Wilkins.
- Ladewig, P. W., London, M. L., & Davidson, M. R. (2006). *Contemporary maternal-newborn nursing care* (6th ed.). New Jersey: Pearson Education.
- Lai, H. L., Chen, C. J., Peng, T. C., Chang, F. M., Hsieh, M. L., Huang, H. Y., & Chang, S. C. (2006). Randomized controlled trial of music during kangaroo care on maternal state anxiety and preterm infant's response. *International Journal of Nursing Studies*, 43(2), 139-146.
- Lawn, J. E., Mwansa-Kambafwile, J., Horta, B. L., Barros, F. C., & Cousens S. (2010). Kangaroo mother care' to prevent neonatal deaths due to preterm birth complications. *International Journal of Epidemiology*, 39(Suppl. 1), i144-i154. doi:10.1093/ije/dyq031

- Lee, H. C., Martin-Anderson, S., & Dudley, R. A. (2012). Clinician perspectives on barriers to and opportunities for skin-to-skin contact for premature infants in neonatal intensive care units. *Breastfeeding Medicine*, 7(2), 79-84.
- Lee, J., & Bang, K. S. (2011). The effects of kangaroo care on maternal self-esteem and premature infants' physiological stability. *Korean Journal of Women Health Nursing*, 17(5), 454-462. doi:10.4069/kjwhn.2011.17.5.454
- Lee, S. B., & Shin, H. S. (2007). Effects of kangaroo care on anxiety, maternal role confidence, and maternal infant attachment of mothers who delivered preterm infants. *Taehan Kanho Hakhoe Chi*, 37(6), 949-956.
- Lindberg, B., & Ohrling, K. (2008). Experiences of having a prematurely born infant from the perspective of mother in northern Sweden. *International Journal of Circumpolar Health*, 67(5), 461-471.
- Ludington-Hoe, S. M., & Golant, S. K. (1993). *Kangaroo care: The best you can do to help your preterm infant*. New York: Bantam.
- Ludington-Hoe, S. M., Johnson, M. W., Morgan, K., Lewis, T., Gutman, J., Wilson, P. D., & Scher, M. S. (2006). Neurophysiologic assessment of neonatal sleep organization: Preliminary results of a randomized controlled trial of skin contact with preterm infants. *Pediatrics*, 117(5), 909-923.
- Ludington-Hoe, S. M., Lewis, T., Morgan, K., Cong, X., Anderson, L., & Reese, S. (2006). Breast-infant temperature with twins during shared kangaroo care. *Journal of Obstetric Gynecologic & Neonatal Nursing*, 35(2), 223-231.
- Ludington-Hoe, S. M., Morgan, K., & Abouelfetoh, A. (2008). A Clinical Guideline For Implementation of Kangaroo Care With Premature Infants of 30 or More Weeks' Postmenstrual Age. *Advances in Neonatal Care*, 8(3), 3-23.

- Mirmiran, M., & Ariagno, R. L. (2003). Role of rem sleep in brain development and plasticity. In P. Maquet, C. Smith, & R. Stickgold (Eds.), *Sleep and brain plasticity* (pp. 181-186). New York: Oxford University Press.
- Mori, R., Khanna, R., Pledge, D., & Nakayama, T. (2010). Meta-analysis of physiological effects of skin-to-skin contact for newborns and mothers. *Pediatrics International*, 52(2), 161-170.
- Murray, S. S., & McKinney, E. S. (2010). *Foundations of maternal-newborn nursing* (5th ed.). Philadelphia: W.B. Saunders.
- National Center for Health Statistics. (2013). *Preterm is less than 37 completed weeks gestation: Final natality data*. Retrieved from <http://www.marchofdimes.com/peristats>
- Nyqvist, K. H., Anderson, G. C., Bergman, N., Cattaneo, A., Charpak, N., Davanzo, R., . . . Widstrom, A. M. (2010a). State of the art and recommendations. kangaroo mother care: application in a high-tech environment. *Acta Paediatrica*, 99(6), 812-819. doi:10.1111/j.1651-2227.2010.01794.x
- Nyqvist, K. H., Anderson, G. C., Bergman, N., Cattaneo, A., Charpak, N., Davanzo, R., . . . Widstrom, A. M. (2010b). Towards universal kangaroo mother care: recommendations and report from the first European conference and seventh International Workshop on Kangaroo Mother Care. *Acta Paediatrica*, 99(6), 820-826. doi:10.1111/j.1651-2227.2010.01787.x
- Ogi, S., Fukuda, M., Moriuchi, H., Kusumoto, T., Akiyama, T., Nugent, J. K., . . . Saitoh H. (2002). Comparison of kangaroo care and standard care: Behavioral organization, development, and temperament in healthy, low-birth-weight infants through 1 year. *Journal of Perinatology*, 22(5), 374-379.
- Parmar, V. R., Kumar, A., Kaur, R., Parmar, S., Kumar, D., Basu, S., . . . Narula, S. (2009). Experience with kangaroo mother care in a neonatal intensive care unit (NICU) in Chandigarh, India. *Indian Journal of Peddiatric*, 79(1), 25-28.

- Penelope-Alexia, A., & Zafiropoulou, M. (2008). Parental bonding and depression: Personality as a mediating factor. *International Journal of Adolescent Medicine and Health*, 20(3), 261-269. doi:10.1515/IJAMH.2008.20.3.261
- Perkins, E., Ginn, L., Fanning, J. K., & Bartlett, D. (2004). Effect of nursing education on positioning of infants in the neonatal intensive care unit. *Pediatric Physical Therapy*, 16(1), 2-12. doi:10.1097/01.PEP.0000112916.38869.SE
- Polit, D. F., & Beck, C. T. (2010). *Essentials of nursing research: Appraising evidence for nursing practice* (7 th ed). Philadelphia: Lippincott William & Wilkin.
- Pratomo, H., Uhudiyah, U., SigitSidi, I. P., Rustina, Y., Suradi, R., Bergh, A. M., . . . Gibson, R. (2012). Supporting factor and barriers in implementing kangaroo mother care in Indonesia. *Paediatrica Indonesiana*, 52(1), 43-50. doi:10.14238/pi53.1.2012.09
- Rosenberg, K. D., Stull, J. D., Adler, M. R., Kasehagen, L. J., & Crivelli-Kovach, A. (2008). Impact of hospital policies on breastfeeding outcomes. *Breastfeed Medicine*, 3(2), 110-116. doi:10.1089/bfm.2007.0039
- Sansoucie, D. A., & Cavaliere, T. A. (2007). Assessment of the newborn and infant. In C. Kenner & L. W. Lott (Eds.), *Comprehensive neonatal nursing: A physiologic perspective* (3rd ed., pp. 677-718). Philadelphia: Saunders.
- Scher, M. S., Ludington-Hoe, S., Kaffashi, F., Johnson, M. W., Holditch-Davis, D., & Loparo, K. A. (2009). Neurophysiologic assessment of brain maturation after an 8-week trial of skin-to-skin contact on preterm infants. *Clinical Neurophysiology*, 120(10), 1812-1818. doi:10.1016/j.clinph.2009.08.004
- Solomons, N., & Rosant, C. (2012). Knowledge and attitudes of nursing staff and mothers towards kangaroo mother care in the eastern sub-district of Cape Town. *South African Journal of Clinical Nutrition*, 25(1), 33-39.

- Tessier, R., Cristo, M. B., Velez, S., Giron, M., Nadeau, L., Figueroa de Calume, Z., . . . Charpak, N. (2003). Kangaroo mother care: A method for protecting high-risk low-birth-weight and premature infants against developmental delay. *Infant Behavior and Development*, 26(3), 384-397. doi:10.1016/S0163-6383(03)00037-7
- Thukral, A., Chawla, D., Agarwal, R., Deorari, A. K., & Paul, V. K. (2008). Kangaroo mother care an alternative to conventional care. *Indian Journal Pediatrics*, 75(5), 497-503. doi:10.1007/s12098-008-0077-7
- Treyvaud, K., Anderson, V. A., Howard, K., Bear, M., Hunt, R. W., Doyle, L. W., . . . Anderson, P. J. (2009). Parenting behavior is associated with the early neurobehavioral development of very preterm children. *Pediatrics*, 123(2), 555-561. doi:10.1542/peds.2008-0477
- Valizadeh, L., Ajoodaniyan, N., Namnabati, M., Zamanzadeh V., & Layegh, V. (2012). Nurses' viewpoint about the impact of kangaroo mother care on the mother-infant attachment. *Journal of Neonatal Nursing*, 19(1) 38-43. doi:10.1016/j.jnn.2012.05.004
- Van Zanten, H. A., Havenaar, A. J., Stigt, H., Ligthart, P. A., & Walther, F. J. (2007). The kangaroo method is safe for premature infants under 30 weeks of gestation during ventilatory support. *Journal of Neonatal Nursing*, 13(5), 186-190.
- Veras, R. M., & Traverso-Yeppez, M. (2011). The Kangaroo Program at a Brazilian maternity hospital: The preterm/low-weight babies' health-care under examination. *Nursing Inquiry*, 18(1), 84-91. doi:10.1111/j.1440-1800.2011.00520.x
- World Health Organization. (2003). *Kangaroo mother care--A practice guide*. Geneva: Department of reproductive health and research, WHO.
- Zhao, J., Gonzalez, F., & Mu, D. (2011). Apnea of prematurity: From cause to treatment. *The European Journal of Pediatrics*, 170(9), 1097-1105. doi:10.1007/s00431-011-1409-6