

เอกสารอ้างอิง

ขัญญา จันอัง. (2546). คู่มือ สัตว์สะเทินน้ำ สะเทินบกในเมืองไทย เกรียงไกร สุวรรณภักดี McGracm 2546.

วุฒิ ทักษิณธรรม, วัชรากรณ์ รวมธรรม, บุญลือ พูลนิต และ วีรยุทธ์ เลาหะจินดา. (2553). การเปรียบเทียบความหลากหลายและ การเลือกใช้กลุ่มอาศัยในพื้นที่อุทยานแห่งชาติกุยบุรี และพื้นที่เกย์ตรกรรมไกลี้เคียง สารสารสัตว์ป่าเมืองไทย 17: 104-20.

อรุณรัตน์ นวราช. (2552). อนุกรรมวิชานระดับโน้มถ่วงของพืช. พิมพ์ครั้งที่ 1. คณะวิทยาศาสตร์ มหาวิทยาลัยขอนแก่น, ขอนแก่น.

Aowphol, A., et al. (2015). "A new caruncle-bearing Limnonectes (Anura: Dicroglossidae) from northeastern Thailand." Zootaxa **3956**(2): 258-270.

Askari, N., et al. (2011). "ISSR markers for assessing DNA polymorphism and genetic characterization of cattle, goat and sheep populations." Iranian Journal of Biotechnology **9**(3): 222-229.

Baker, R. J. and J. W. Bickham (1986). "Speciation by monobrachial centric fusions." Proceedings of the National Academy of Sciences **83**(21): 8245-8248.

Bakkappa, S. and S. Gopal (2014). "Inter Simple Sequence Repeat (ISSR) markers for assessment of genetic polymorphism and Phylogenetic Relationships of the Silkworm *Bombyx mori* L." Annual Research and Review in Biology **4**(6): 897.

Barluenga, M., et al. (2006). "Sympatric speciation in Nicaraguan crater lake cichlid fish." Nature **439**(7077): 719-723.

Boughman, J. W. (2002). "How sensory drive can promote speciation." Trends in ecology and Evolution **17**(12): 571-577.

Castellanos-Morales, G., et al. (2016). "Peripatric speciation of an endemic species driven by Pleistocene climate change: The case of the Mexican prairie dog (*Cynomys mexicanus*)."
Molecular phylogenetics and evolution **94**: 171-181.

Chek, A., et al. (2001). "Perception and history: molecular phylogeny of a diverse group of Neotropical frogs, the 30-chromosome *Hyla* (Anura: Hylidae)." Molecular phylogenetics and evolution **18**(3): 370-385.

- Cherry, L., et al. (1977). Relative rates of morphological evolution in primates, carnivores and frogs. *American Zoologist*, AMER SOC ZOOLOGISTS 1041 NEW HAMPSHIRE ST, LAWRENCE, KS 66044.
- Claremont, M., et al. (2011). "The geographic scale of speciation in a marine snail with high dispersal potential." *Journal of Biogeography* **38**(6): 1016-1032.
- Coyne, J. A. and H. A. Orr (2004). *Speciation*, Sinauer Associates Sunderland, MA.
- De Wolf, H., et al. (1998). "Congruence between allozyme and RAPD data in assessing macrogeographical genetic variation in the periwinkle *Littorina striata* (Mollusca, Gastropoda)." *Heredity* **81**(5): 486-492.
- Dervo, B. K., et al. (2016). "Effects of Temperature and Precipitation on Breeding Migrations of Amphibian Species in Southeastern Norway." *Scientifica* **2016**.
- Emerson, S. B. (1994). "Testing pattern predictions of sexual selection: a frog example." *American Naturalist*: 848-869.
- Emerson, S. B., et al. (2000). "Molecular systematics and biogeography of the fanged frogs of Southeast Asia." *Molecular phylogenetics and evolution* **16**(1): 131-142.
- Endler, J. A. (1977). *Geographic variation, speciation, and clines*, Princeton University Press.
- Evans, B. J., et al. (2003). "Phylogenetics of fanged frogs: testing biogeographical hypotheses at the interface of the Asian and Australian faunal zones." *Systematic Biology* **52**(6): 794-819.
- Favia, G., et al. (1997). "Molecular identification of sympatric chromosomal forms of *Anopheles gambiae* and further evidence of their reproductive isolation." *Insect molecular biology* **6**(4): 377-383.
- Ferguson, C. A. and S. H. Kidson (1997). "The regulation of tyrosinase gene transcription." *Pigment cell research* **10**(3): 127-138.
- Fonseca-Salamanca, F., et al. (2006). "Molecular characterization of *Trichinella* genotypes by inter-simple sequence repeat polymerase chain reaction (ISSR-PCR)." *Journal of Parasitology* **92**(3): 606-610.
- Fouquet, A., et al. (2007). "Revealing cryptic diversity using molecular phylogenetics and phylogeography in frogs of the *Scinax ruber* and *Rhinella margaritifera* species groups." *Molecular phylogenetics and evolution* **43**(2): 567-582.
- Frost, D. (2015). Amphibian species of the world: an online reference. Version 6.0 (08/04/2015).

- Futuyma, D. J. (1987). "On the role of species in anagenesis." *The American Naturalist* **130**(3): 465-473.
- Gavrilets, S., et al. (2000). "Patterns of parapatric speciation." *Evolution* **54**(4): 1126-1134.
- Geng, Q., et al. (2015). "Effect of Yangtze River on population genetic structure of the relict plant Parrotia subaequalis in eastern China." *Ecology and evolution* **5**(20): 4617-4627.
- Gorrochotegui-Escalante, N., et al. (2000). "Genetic isolation by distance among Aedes aegypti populations along the northeastern coast of Mexico." *The American journal of tropical medicine and hygiene* **62**(2): 200-209.
- Grant, P. R., et al. (1996). "Speciation and hybridization in Island birds [and discussion]." *Philosophical Transactions of the Royal Society of London B: Biological Sciences* **351**(1341): 765-772.
- Gray, S. M. and J. S. McKinnon (2007). "Linking color polymorphism maintenance and speciation." *Trends in ecology and Evolution* **22**(2): 71-79.
- Hass, C. A., et al. (1995). "Divergent lineages within the *Bufo margaritifera* complex (Amphibia: Anura; Bufonidae) revealed by albumin immunology." *Biotropica*: 238-249.
- Hickerson, M. J., et al. (2006). "DNA barcoding will often fail to discover new animal species over broad parameter space." *Systematic Biology* **55**(5): 729-739.
- Hoffman, E. A., et al. (2006). "An analysis of selection on a colour polymorphism in the northern leopard frog." *Molecular ecology* **15**(9): 2627-2641.
- Inger, R. F. and B. L. Stuart (2010). "Systematics of Limnonectes (Taylorana) Dubois." *Current Herpetology* **29**(2): 51-68.
- Jiwyam, W., champasri, T. and Juntana, J. 2005. A study on DNA fingerprint of some thai native frogs using RAPD technique. Kku Research Journal. 100 –105.
- Klein, S. L., et al. (2002). "Genetic and genomic tools for *Xenopus* research: The NIH *Xenopus* initiative." *Developmental Dynamics* **225**(4): 384-391.
- Kumla, S., et al. (2012). "Genetic variation, population structure and identification of yellow catfish, *Mystus nemurus* (C&V) in Thailand using RAPD, ISSR and SCAR marker." *Molecular biology reports* **39**(5): 5201-5210.
- Labastida, E., et al. (2015). "The use of ISSR markers for species determination and a genetic study of the invasive lionfish in Guanahacabibes, Cuba/Uso de marcadores ISSR para la

- determinación de especies y estudios genéticos del pez león, especie invasora en Guanahacabibes, Cuba." *Latin American Journal of Aquatic Research* **43**(5): 1011.
- Lambertz, M., et al. (2014). "Anatomy, histology, and systematic implications of the head ornamentation in the males of four species of Limnonectes (Anura: Dic平glossidae)." *Zoological Journal of the Linnean Society* **172**(1): 117-132.
- Lerner, A. B. and J. D. Case (1959). "Part III: General Considerations of Skin Pigmentation: Pigment Cell Regulatory Factors." *Journal of Investigative Dermatology* **32**(2): 211-221.
- Lips, K. R. (1998). "Decline of a tropical montane amphibian fauna." *Conservation Biology* **12**(1): 106-117.
- Machkour-M'Rabet, S., et al. (2009). "ISSR (Inter Simple Sequence Repeats) as molecular markers to study genetic diversity in tarantulas (Araneae, Mygalomorphae)." *Journal of Arachnology* **37**(1): 10-14.
- Malay, M. C. M. D. and G. Paulay (2010). "Peripatric speciation drives diversification and distributional pattern of reef hermit crabs (Decapoda: Diogenidae: Calcinus)." *Evolution* **64**(3): 634-662.
- Marmayou, J., et al. (2000). "Phylogenetic relationships in the Ranidae. Independent origin of direct development in the genera Philautus and Taylorana." *Comptes Rendus de l'Académie des Sciences-Series III-Sciences de la Vie* **323**(3): 287-297.
- Matsui, M., et al. (2010). "Two new species of the "kuhlii" complex of the genus Limnonectes from Thailand (Anura: Dic平glossidae)." *Zootaxa* **2615**: 1-22.
- Maxson, L. R. (1984). "Molecular probes of phylogeny and biogeography in toads of the widespread genus Bufo." *Molecular biology and evolution* **1**(4): 345-356.
- Mayr, E., et al. (1963). *Animal species and evolution*, Belknap Press of Harvard University Press Cambridge, Massachusetts.
- McLeod, D. S. (2008). "A new species of big-headed, fanged dic平glossine frog (Genus Limnonectes) from Thailand." *Zootaxa* **1807**: 26-46.
- McLeod, D. S. (2010). "Elucidating the relationships within the Limnonectes kuhlii species complex (Amphibia: Anura: Dic平glossidae)."

- McLeod, D. S. (2010). "Of least concern? Systematics of a cryptic species complex: Limnonectes kuhlii (Amphibia: Anura: Dic平glossidae)." *Molecular phylogenetics and evolution* **56**(3): 991-1000.
- McLeod, D. S., et al. (2012). "“SAME-SAME BUT DIFFERENT”: ANOTHER NEW SPECIES." *Russian Journal of Herpetology* **19**(3): 261-274.
- McLEOD, D. S., et al. (2015). "More of the same: a diminutive new species of the Limnonectes kuhlii complex from northern Vietnam (Anura: Dic平glossidae)." *Zootaxa* **3947**(2): 201-214.
- Montaldo, H. H. and C. A. Meza-Herrera (1998). "Use of molecular markers and major genes in the genetic improvement of livestock." *Electronic Journal of Biotechnology* **1**(2): 15-16.
- Myers, N., et al. (2000). "Biodiversity hotspots for conservation priorities." *Nature* **403**(6772): 853-858.
- Nei, M. and W.-H. Li (1979). "Mathematical model for studying genetic variation in terms of restriction endonucleases." *Proceedings of the National Academy of Sciences* **76**(10): 5269-5273.
- Ng, W.L., and Tan, S.G. (2015). Inter-Simple Sequence Repeat (ISSR) Markers: Are We Doing It Right? *ASM Science Journal* **9**(1), 10.
- Ohler, A., et al. (2002). "A recent survey of the amphibian fauna of the Cardomom Mountains, Southwest Cambodia with descriptions of three new species." *Raffles Bulletin of Zoology* **50**(2): 465-482.
- Orr, M. R. and T. B. Smith (1998). "Ecology and speciation." *Trends in ecology and Evolution* **13**(12): 502-506.
- Pejic, I., et al. (1998). "Comparative analysis of genetic similarity among maize inbred lines detected by RFLPs, RAPDs, SSRs, and AFLPs." *Theoretical and Applied Genetics* **97**(8): 1248-1255.
- Portillo, F., et al. (2015). "Phylogeography and species boundaries of Leptopelis (Anura: Arthroleptidae) from the Albertine Rift." *Molecular phylogenetics and evolution* **82**: 75-86.
- Pounds, J. A., et al. (1999). "Biological response to climate change on a tropical mountain." *Nature* **398**(6728): 611-615.

- Richards, C. M. and W. S. Moore (1996). "A phylogeny for the African treefrog family Hyperoliidae based on mitochondrial rDNA." Molecular phylogenetics and evolution **5**(3): 522-532.
- Richter-Boix, A., et al. (2013). "Fine-grained adaptive divergence in an amphibian: genetic basis of phenotypic divergence and the role of nonrandom gene flow in restricting effective migration among wetlands." Molecular ecology **22**(5): 1322-1340.
- Rivas, L. R. (1964). "A Reinterpretation or the Concepts "Sympatric" and "Allopatric" with Proposal or the Additional Terms "Syntopic" and "Allotopic"." Systematic Zoology **13**(1): 42-43.
- Roberts, J. L., et al. (2006). "Genetic divergence and speciation in lowland and montane Peruvian poison frogs." Molecular phylogenetics and evolution **41**(1): 149-164.
- Rosser, N., et al. (2015). "Extensive range overlap between heliconiine sister species: evidence for sympatric speciation in butterflies?" BMC evolutionary biology **15**(1): 125.
- Saether, O. A. (1979). "Underlying synapomorphies and anagenetic analysis." Zoologica Scripta **8**(1-4): 305-312.
- Slabbekoorn, H. and T. B. Smith (2002). "Habitat-dependent song divergence in the little greenbul: An analysis of environmental selection pressures on acoustic signals." Evolution **56**(9): 1849-1858.
- Slatkin, M. (1994). "Avise, JC (1993); Molecular Markers, Natural History and Evolution. Chapman and Hall. Price£ 75.00. ISBN: 0-412-03771-8 (hb). ISBN: 0-412-03981 (pb)." Journal of Evolutionary Biology **7**(6): 766-767.
- SMITHS, E., et al. (1996). "Use of randomly amplified polymorphic DNA markers for the genetic analysis of relatedness and diversity in chickens and turkeys." Poultry Science **75**(5): 579-584.
- Stuart, B. L., et al. (2006). "High level of cryptic species diversity revealed by sympatric lineages of Southeast Asian forest frogs." Biology letters **2**(3): 470-474.
- Sullivan, T. J., et al. (2009). "Genetic variation in a subterranean arthropod (*Folsomia candida*) as a method to identify low-permeability barriers in an aquifer." Pedobiologia **53**(1): 99-105.

- Suwannapoom, C., et al. (2016). "Taxonomic revision of the Chinese Limnonectes (Anura, Dicoglossidae) with the description of a new species from China and Myanmar." *Zootaxa* **4093**(2): 181-200.
- Tessier, A., et al. (1979). "Sequential extraction procedure for the speciation of particulate trace metals." *Analytical chemistry* **51**(7): 844-851.
- Tonk, F., et al. (2014). "Evaluation and comparison of ISSR and RAPD markers for assessment of genetic diversity in triticale genotypes." *Bulgarian Journal of Agricultural Science* **20**(6): 1413-1420.
- Twomey, E., et al. (2016). "Mimetic Divergence and the Speciation Continuum in the Mimic Poison Frog *Ranitomeya imitator*." *The American Naturalist* **187**(2): 205-224.
- van der Meijden, A., et al. (2007). "Nuclear gene phylogeny of narrow-mouthed toads (Family: Microhylidae) and a discussion of competing hypotheses concerning their biogeographical origins." *Molecular phylogenetics and evolution* **44**(3): 1017-1030.
- Vijayakumar, S., et al. (2016). *Glaciations, gradients, and geography: multiple drivers of diversification of bush frogs in the Western Ghats Escarpment*. Proc. R. Soc. B, The Royal Society.
- Wagner, C. E., et al. (2013). "Genome-wide RAD sequence data provide unprecedented resolution of species boundaries and relationships in the Lake Victoria cichlid adaptive radiation." *Molecular ecology* **22**(3): 787-798.
- Wang, I. J. and H. B. Shaffer (2008). "Rapid color evolution in an aposematic species: a phylogenetic analysis of color variation in the strikingly polymorphic strawberry poison-dart frog." *Evolution* **62**(11): 2742-2759.
- Weir, B. S. and C. C. Cockerham (1984). "Estimating F-statistics for the analysis of population structure." *Evolution*: 1358-1370.
- White, M. J. D. (1968). "Models of speciation." *Science* **159**: 1065-1070.
- Yao, H., et al. (2008). "ISSR primer screening and preliminary evaluation of genetic diversity in wild populations of *Glyceria uralensis*." *Biologia Plantarum* **52**(1): 117-120.
- Young, B. E., et al. (2005). "Disappearing jewels: the status of new world amphibians." *Appl Herpetol* **2**: 429-435.