

เอกสารอ้างอิง

- กฤติกาพร ไยโนนตาด. (2542). ความสัมพันธ์ระหว่างปัจจัยคัดสรร ความรู้สึกมีคุณค่าในตนเอง การสนับสนุนทางสังคม กับพฤติกรรมการดูแลตนเองของสตรีโรคเบาหวานในภาวะหมดประจำเดือน จังหวัดชัยภูมิ (วิทยานิพนธ์ปริญญาวิทยาศาสตรมหาบัณฑิต สาขาวิชาพยาบาลสาธารณสุข). บัณฑิตวิทยาลัย, มหาวิทยาลัยมหิดล.
- จิราวรรณ นิรมิตเกษ. (2551). ปัจจัยส่วนบุคคล ความรู้สึกมีคุณค่าในตนเอง แรงสนับสนุนทางสังคมและการปรับตัวด้านจิตสังคมของสตรีตั้งครรภ์ที่อายุมาก (วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลมารดาและทารกแรกเกิด). บัณฑิตวิทยาลัย, มหาวิทยาลัยมหิดล.
- ดารารวรรณ ต๊ะปีนตา. (2534). การลดความวิตกกังวลของพยาบาลประจำการที่ดูแลผู้ป่วยเอดส์ด้วยวิธีการปรับเปลี่ยนความคิดร่วมกับการฝึกสติ (วิทยานิพนธ์ครุศาสตร์ดุษฎีบัณฑิต ภาควิชาจิตวิทยา). บัณฑิตวิทยาลัย, จุฬาลงกรณ์มหาวิทยาลัย.
- ชวัลรัตน์ กิตติศักดิ์ชัย นันทพร แสนศิริพันธ์ และกรรณิการ์ กันธะรักษา. (2556). ความกลัวการคลอดบุตรในสตรีมีครรภ์ และปัจจัยที่เกี่ยวข้อง. *พยาบาลสาร*, 40(ฉบับพิเศษ 2), 12-21.
- ชวีรัตน์ มงคลเทพ ฉวี เบาทรวง และจันทรัตน์ เจริญสันติ. (2554). ผลของการให้ความรู้ร่วมกับการสนับสนุนทางอารมณ์ต่อความวิตกกังวลของสตรีมีครรภ์ที่ได้รับการเจาะน้ำคร่ำ. *พยาบาลสาร*, 38(1), 27-39.
- ธีระ ทองสง. (บรรณาธิการ). (2555). *สูติศาสตร์*. กรุงเทพฯ: บริษัทหลักทรัพย์รุ่ง.
- พรรณี นุ่นประดับ. (2538). ความสัมพันธ์ระหว่างความรู้สึกมีคุณค่าในตนเอง การสนับสนุนทางสังคมกับพฤติกรรมการเผชิญความเครียดในหญิงตั้งครรภ์ที่มีภาวะเสี่ยง (วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลแม่และเด็ก). บัณฑิตวิทยาลัย, มหาวิทยาลัยมหิดล.
- พุทธชาด แก้วยานันตพร แสนศิริพันธ์ และฉวี เบาทรวง. (2557). ความกลัวการคลอดบุตรของผู้ที่จะเป็นบิดาครั้งแรก และปัจจัยที่เกี่ยวข้อง. *พยาบาลสาร*, 41(3), 13-23.

ยวดี ภาษามาตี เลิศมาลีวงศ์ เขาวลัักษณ์ เลาหะจินดา วิไล ลีสุวรรณ พรรณวดี พุชวัฒน์ และรุจิเรศ
ธนุรักษ์. (2540). *วิจัยทางการพยาบาล* (พิมพ์ครั้งที่ 6). กรุงเทพฯ: สยามศิลปการพิมพ์.

ศศิธร นามทวีชัยกุล. (2541). *ภาวะจิตสังคมในระยะตั้งครรภ์ของหญิงตั้งครรภ์แรก* (วิทยานิพนธ์
พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลแม่และเด็ก). บัณฑิตวิทยาลัย,
มหาวิทยาลัยเชียงใหม่.

ศิรินทิพย์ คำมีอ่อน และนิลุบล รุจิประเสริฐ. (2557). ความสัมพันธ์ระหว่าง อายุมารดา อายุครรภ์ ลำดับ
ที่ของการตั้งครรภ์และความกลัวที่เกี่ยวข้องกับการตั้งครรภ์และการคลอดของสตรีตั้งครรภ์.
วารสารการพยาบาลและการดูแลสุขภาพ, 33(2), 147-154.

ศิริพงษ์ สวัสดิ์มงคล. (2553). การฝากครรภ์ครรภ์. ใน มานี ปิยะอนันต์, ชานชัย วัฒนาศิริ, และประเสริฐ
สันสนีย์วิทยกุล. (บรรณาธิการ). *ตำราสูติศาสตร์* (พิมพ์ครั้งที่ 4). กรุงเทพฯ: พี เอ ลีฟวิ่ง.

สถิติหน่วยคลอด. (2557). *สถิติรับใหม่สตรีมีครรภ์*. เชียงใหม่: หน่วยคลอด โรงพยาบาลมหาราชนคร
เชียงใหม่ คณะแพทยศาสตร์ มหาวิทยาลัยเชียงใหม่.

สถิติหน่วยคลอด. (2557). *สถิติรับใหม่สตรีมีครรภ์*. เชียงใหม่: หน่วยคลอด โรงพยาบาลส่งเสริมสุขภาพ
ศูนย์อนามัยที่ 1 เชียงใหม่.

สำนักงานนโยบายและยุทธศาสตร์ กระทรวงสาธารณสุข. (2557). สรุปสถิติที่สำคัญ พ. ศ. 2557. สืบค้นจาก
https://www.m-society.go.th/article_attach/15734/18919.pdf

อุ้นใจ กอนันตกุล. (บรรณาธิการ). (2551). *การตั้งครรภ์ความเสี่ยงสูง* (พิมพ์ครั้งที่ 2). สงขลา: ชานเมือง
การพิมพ์.

Adams, S. S., Eberhard-Gran, M., & Eskild, A. (2012). Fear of childbirth and duration of labour: A study of
2,206 women with intended vaginal delivery. *British Journal of Obstetrics and Gynaecology: An
International Journal of Obstetrics & Gynaecology*, 119(10), 1238-1246.

Alipour, Z., Lamyian, M., Hajizadeh, E., & Vafaei, M. A. (2011). The association between antenatal
anxiety and fear of childbirth in nulliparous women: A prospective study. *Iranian Journal of
Nursing and Midwifery Research*, 16(2), 1-6.

- American College of Obstetricians and Gynecologists. (2013). American College of Obstetricians and Gynecologists committee opinion no. 549: Obesity in pregnancy. *Obstetrics and Gynecology*, 121(1), 213.
- Areskog, B., Uddenberg, N., & Kjessler, B. (1983). Experience of delivery in women with and without antenatal fear of childbirth. *Gynecologic and Obstetric Investigation*, 16(1), 1-12.
- Berg, C. J., Callaghan, W. M., Syverson, C., & Henderson, Z. (2010). Pregnancy related mortality in the United States, 1998 to 2005. *Obstetrics & Gynecology*, 116(6), 1302-1309.
- Black, R. E., Cousens, S., Johnson, H. L., Lawn, J. E., Rudan, I., Bassani, D. G., ... & Eisele, T. (2010). Global, regional, and national causes of child mortality in 2008: A systematic analysis. *The lancet*, 375, 1969-1987.
- Burd, L. (2004). Fetal alcohol syndrome. *American Journal of Medical Genetics*, 127(1), 1-2.
- Campo-Engelstein, L., Howland, L. E., Parker, W. M., & Burcher, P. (2015). Scheduling the stork: Media portrayals of women and physicians reasons for elective cesarean delivery. *Birth*, 42(2), 181-188.
- Chuahorn, U., Sripichyakarn, K., Tungpunkom, P., Klunklin, A., & Kennedy, H. P. (2007). Fear and suffering during childbirth among Thai women. *Thai Journal Nursing Research*, 11(1), 49-61.
- Clauson, M. I. (1996). Uncertainty and stress in women hospitalized with high risk pregnancy. *Clinical Nursing Research*, 5(3), 309-325.
- Cnattingius, S. (2004). The epidemiology of smoking during pregnancy: Smoking prevalence, maternal characteristics, and pregnancy outcomes. *Nicotine & Tobacco Research*, 6(2), 125-140.
- Cunningham, F. G., Leveno, K. J., Bloom, S. L., Spong, C. Y., Dashe, J. S., Hoffman, B. L., ... Sseffield, J. S. (Eds.). (2014). *Williams Obstetrics* (24th ed.). New York: McGraw Hill Education.
- Dulude, D., Belanger, C., Wright, J., & Sabourin, S. (2002). High risk pregnancies, psychological distress, and dyadic adjustment. *Journal of Reproductive and Infant Psychology*, 20(2), 101-123.

- Eriksson, C., Westman, G., & Hamberg, K. (2005). Experiential factors associated with childbirth related fear in Swedish women and men: A population based study. *Journal of Psychosomatic Obstetrics & Gynecology*, 26(1), 63-72.
- Fenwick, J., Gamble, J., Nathan, E., Bayes, S., & Hauck, Y. (2009). Pre and postpartum levels of childbirth fear and the relationship to birth outcomes in a cohort of Australian women. *Journal of Clinical Nursing*, 18(5), 667-677.
- Fenwick, J., Staff, L., Gamble, J., Creedy, D. K., & Bayes, S. (2010). Why do women request caesarean section in a normal healthy first pregnancy. *Midwifery*, 26(4), 394-400.
- Fisher, C., Hauck, Y., & Fenwick, J. (2006). How social context impacts on women's fears of childbirth: A Western Australian example. *Social Science & Medicine*, 63(1), 64-75.
- Frisch, N. C., & Frisch, L. E. (2002). *Psychiatric mental health nursing: Understanding the client as well as the condition* (2nd ed.). Australia: Delmar.
- Geissbuehler, V., & Eberhard, J. (2002). Fear of childbirth during pregnancy: A study of more than 8,000 pregnant women. *Journal of Psychosomatic Obstetrics & Gynecology*, 23(4), 229-235.
- Gilbert, E. S. (2006). *Manual of high risk pregnancy and delivery* (4th ed.). St. Louise: Mosby Elsevier.
- Giurgescu, C., Penckofer, S., Maurer, M. C., & Bryant, F. B. (2006). Impact of uncertainty, social support, and prenatal coping on the psychological well being of high risk pregnant women. *Nursing Research*, 55(5), 356-365.
- Hall, W. A., Hauck, Y. L., Carty, E. M., Hutton, E. K., Fenwick, J., & Stoll, K. (2009). Childbirth fear, anxiety, fatigue, and sleep deprivation in pregnant women. *The Association of Women's Health, Obstetric and Neonatal Nurses*, 38(5), 567-576.
- Heaman, M., & Gupton, A. (1998). Perceptions of bed rest by women with high risk pregnancies: A comparison between home and hospital. *Birth*, 25(4), 252-258.
- Hofberg, K., & Brockington, I. F. (2000). Tokophobia: An unreasoning dread of childbirth a series of 26 cases. *The British Journal of Psychiatry*, 176(1), 83-85.

- Hofberg, K., & Ward, M. R. (2003). Fear of pregnancy and childbirth. *Postgraduate Medical Journal*, 79, 505-510.
- House, J. S. (1981). *Work stress and social support*. New Jersey: Prentice Hall.
- James, D. K., Steer, P. J., Weiner, C. P., & Gonik, B. (2006). *High risk pregnancy: Management options* (3rd ed.). St. Louis: Saunders.
- Kantaruksa, K. (2001), *Transition experience of Thai women during their first pregnancy* (Unpublished doctoral dissertation). Chiang Mai University, Chiang Mai, Thailand.
- Kjaergaard, H., Wijma, K., Dykes, A. K., & Alehagen, S. (2008). Fear of childbirth in obstetrically low risk nulliparous women in Sweden and Denmark. *Journal of Reproductive and Infant Psychology*, 26(4), 340-350.
- Korukcu, O., Firat, M. Z., & Kukulu, K. (2010). Relationship between fear of childbirth and anxiety among Turkish pregnant women. *Procedia Social and Behavioral Sciences*, 5, 467-470.
- Kovacevich, G. J., Gaich, S. A., Lavin, J. P., Hopkins, M. P., Crane, S. S., Stewart, J., ... & Lavin, L. M. (2000). The prevalence of thromboembolic events among women with extended bed rest prescribed as part of the treatment for premature labor or preterm premature rupture of membranes. *American Journal of Obstetrics and Gynecology*, 182(5), 1089-1092.
- Kuczkowski, K. M. (2007). The effects of drug abuse on pregnancy. *Current Opinion in Obstetrics and Gynecology*, 19(6), 578-585.
- Kurki, T., Hiilesmaa, V., Raitasalo, R., Mattila, H., & Ylikorkala, O. (2000). Depression and anxiety in early pregnancy and risk for preeclampsia. *Obstetrics & Gynecology*, 95(4), 487-490.
- Lapchem, P. (2007). *Relationships between selected factors, uncertainty in illness and parturition, social support and fear of childbirth among high risk primiparous women*. Unpublished master's thesis, University of Mahidol, Bangkok, Thailand.

- Laursen, M., Hedegaard, M., & Johansen, C. (2008). Fear of childbirth: Predictors and temporal changes among nulliparous women in the Danish nation birth cohort. *British Journal of Obstetrics and Gynaecology: An International Journal of Obstetrics and Gynaecology*, 115(3), 354-360.
- Leichtentritt, R. D., Blumenthal, N., Elyassi, A., & Rotmensch, S. (2005). High risk pregnancy and hospitalization: The women's voices. *Health & Social Work*, 30(1), 39.
- Lowdermilk, D. L., Perry, S. E., Cashion, K., & Alden, K. R. (2012). *Maternity & women's health care* (10th ed.). St. Louis: Mosby.
- Lowe, N. K. (2000). Self efficacy for labor and childbirth fears in nulliparous pregnant women. *Journal of Psychosomatic Obstetrics & Gynecology*, 21(4), 219-224.
- Lutz, K., & May, K. A. (2007). The impact of high risk pregnancy on the transition to parenthood. *International Journal of Childbirth Education*, 22(3), 20-22.
- Maloni, J. A. (2011). Lack of evidence for prescription of antepartum bed rest. *Expert Review Obstetrics Gynecology*, 6(4), 1-14.
- Maloni, J. A., Kane, J. H., Suen, L. J., & Wang, K. K. (2002). Dysphoria among high risk pregnant hospitalized women on bed rest: A longitudinal study. *Nursing Research*, 51(2), 92-99.
- McCain, G. C., & Deatrick, J. A. (1994). The experience of high risk pregnancy. *Journal of Obstetric, Gynecologic, & Neonatal Nursing*, 23(5), 421-427.
- Melender H. L., & Lauri, S. (1999). Fears associated with pregnancy and childbirth experiences of women who have recently given birth. *Midwifery*, 15(3), 177-182.
- Melender, H. L. (2002a). Fears and coping strategies associated with pregnancy and childbirth in Finland. *Journal of Midwifery & Women's Health*, 47(4), 246-263.
- Melender, H. L. (2002b). Experiences of fears associated with pregnancy and childbirth: A study of 329 pregnant women. *Birth*, 29(2), 101-111.
- Nantaporn S. (2013). Fear of childbirth. *Nursing Journal*, 40(Supplement), 103-112.

- Nilsson, C., Lundgren, I., Karlstrom, A., & Hildingsson, I. (2012). Self reported fear of childbirth and association with women's birth experience and mode of delivery: A longitudinal population based study. *Women and Birth, 25*(3), 114-121.
- Nordeng, H., Hansen, C., Garthus-Niegel, S., & Eberhard-Gran, M. (2012). Fear of childbirth, mental health, and medication use during pregnancy. *Archives of Women's Mental Health, 15*(3), 203-209.
- Polit, D. F. (2010). *Statistics and data analysis for nursing research* (2nd ed.). New Jersey: Pearson Education Inc.
- Promislow, J. H., Hertz-Picciotto, I., Schramm, M., Watt-Morse, M., & Anderson, J. J. (2004). Bed rest and other determinants of bone loss during pregnancy. *American Journal of Obstetrics and Gynecology, 191*(4), 1077-1083.
- Raisanen, S., Lehto, S. M., Nielsen, H. S., Gissler, M., Kramer, M. R., & Heinonen, S. (2014). Fear of childbirth in nulliparous and multiparous women: A population base analysis of all singleton births in Finland in 1997-2010. *British Journal of Obstetrics and Gynaecology, 121*, 965-970.
- Rouhe, H., Salmela-Aro, K., Gissler, M., Halmesmaki, E., & Saisto, T. (2011). Mental health problems common in women with fear of childbirth. *British Journal of Obstetrics and Gynaecology: An International Journal of Obstetrics & Gynaecology, 118*(9), 1104-1111.
- Rouhe, H., Salmela-Aro, K., Halmesmaki, E., & Saisto, T. (2008). Fear of childbirth according to parity, gestational age, and obstetric history. *British Journal of Obstetrics and Gynaecology: An International Journal of Obstetrics and Gynaecology, 116*(1), 67-73.
- Ryding, E. L. (1993). Investigation of 33 women who demanded a cesarean section for personal reasons. *Acta Obstetricaet Gynecologica Scandinavica, 72*(4), 280-285.
- Ryding, E. L., Wijma, B., Wijma, K., & Rydhstrom, H. (1998). Fear of childbirth during pregnancy may increase the risk of emergency cesarean section. *Acta Obstetricaet Gynecologica Scandinavica, 77*(5), 542-547.
- Saisto, T., & Halmesmaki, E. (2003). Fear of childbirth: A neglected dilemma. *Acta Obstetricaet Gynecologica Scandinavica, 82*(3), 201-208.

- Saisto, T., Samela-Aro, K., Nurmi, J. E., & Halmesmaki, E. (2001). Psychosocial characteristics of women and their partners fearing vaginal childbirth. *British Journal of Obstetrics and Gynaecology*, 108(5), 492-498.
- Salomonsson, B., Wijma, K., & Alehagen, S. (2010). Swedish midwife's perceptions of fear of childbirth. *Midwifery*, 26(3), 327-337.
- Schwab, W., Marth, C., & Bergant, A. M. (2012). Posttraumatic stress disorder postpartum: The impact of birth on the prevalence of posttraumatic stress disorder in multiparous women. *Geburtshilfe und Frauenheilkunde*, 72(1), 56.
- Sherwen, L., Scoloveno, M., A., & Weingarten, C. T. (1999). *Nursing care of the childbearing family* (2nd ed.). Norwalk: Appleton & Lange.
- Simkin, P. (1996). The experience of maternity in a woman's life. *Journal of Obstetric, Gynecologic and Neonatal Nursing*, 25(3), 247-252.
- Soderquist, J., Wijma, B., & Wijma, K. (2006). The longitudinal course of posttraumatic stress after childbirth. *Journal of Psychosomatic Obstetrics & Gynecology*, 27(2), 113-119.
- Soderquist, J., Wijma, B., Thorbert, G., & Wijma, K. (2009). Risk factors in pregnancy for post traumatic stress and depression after childbirth. *British Journal of Obstetrics and Gynaecology: An International Journal of Obstetrics & Gynaecology*, 116(5), 672-680.
- Soderquist, J., Wijma, K., & Wijma, B. (2002). Traumatic stress after childbirth: The role of obstetric variables. *Journal of Psychosomatic Obstetrics & Gynecology*, 23(1), 31-39.
- Spielberger, C. D., & Sydeman, S. J. (1994). State-Trait anxiety inventory and State-Trait anger expression inventory. In M. E. Marvish (Ed.), *The use of psychological test for treatment planning and outcome assessment* (pp.292-321). Hillsdale: LEA.
- Stuart, G. W., & Laraia, M. T. (2005). *Principles and practice of psychiatric nursing* (8th ed.) St. Louis: Mosby.

- Tampawiboon, K. (2005). *Effects of childbirth preparation on fear, labor pain coping behaviors, and childbirth satisfaction in primiparas* (Unpublished master's thesis). University of Mahidol, Bangkok, Thailand.
- Tanglakmankhong, K., Perrin, N. A., & Lowe, N. K. (2011). Childbirth self efficacy inventory and childbirth attitudes questionnaire: Psychometric properties of Thai language versions. *Journal of Advanced Nursing*, 67(1), 193-203.
- Thomson, G., & Downe, S. (2008). Widening the trauma discourse: The link between childbirth and experiences of abuse. *Journal of Psychosomatic Obstetrics & Gynecology*, 29(4), 268-273.
- Toohill, J., Fenwick, J., Gamble, J., Creedy, D. K., Buist, A., & Ryding, E. L. (2014). Psychosocial predictors of childbirth fear in pregnant women: An Australian study. *Open Journal of Obstetrics and Gynecology*, 4(9), 531.
- Tsui, M. H., Pang, M. W., Melender, H. L., Xu, L., Lau, T. K., & Leung, T. N. (2006). Maternal fear associated with pregnancy and childbirth in Hong Kong Chinese women. *Women Health*, 44(4), 79-92.
- Turner, K., Piazzini, A., Franza, A., Canger, R., Canevini, M. P., & Marconi, A. M. (2008). Do women with epilepsy have more fear of childbirth during pregnancy compared with women without epilepsy: A case control study. *Birth*, 35(2), 147-152.
- Unicef. (2015). Trends in maternal mortality: 1990 to 2015. Retrieved from [http://www.unfpa.org/sites/default/files/pub-pdf/Trends in Maternal Mortality 1990-2015 eng.pdf](http://www.unfpa.org/sites/default/files/pub-pdf/Trends%20in%20Maternal%20Mortality%201990-2015%20eng.pdf)
- Waldenstrom, U., Hildingsson, I., & Ryding, E. L. (2006). Antenatal fear of childbirth and its association with subsequent caesarean section and experience of childbirth. *British Journal of Obstetrics and Gynaecology: An International Journal of Obstetrics & Gynaecology*, 113(6), 638-646.
- Wijma, K., Wijma, B., & Zar, M. (1998). Psychometric aspects of the W-DEQ: A new questionnaire for the measurement of fear of childbirth. *Journal of Psychosomatic Obstetrics & Gynecology*, 19(2), 84-97.

Wright, J., Belanger, C., & Dulude, D. (2000). The effects of pregnancy complications on the parental adaptation process. *Journal of Reproductive and Infant Psychology*, 18(1), 5-20.

Zar, M., Wijma, K., & Wijma, B. (2001). Pre and postpartum fear of childbirth in nulliparous and parous women. *Scandinavian Journal of Behaviour Therapy*, 30(2), 75-84.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved