

## เอกสารอ้างอิง

- [1] Zhu, H., Yang, D., Ji, Y., Zhang, H., & Shen, X. (2005). Two-dimensional SnS nanosheets fabricated by a novel hydrothermal method. *Journal of Materials Science*, 40(3), 591–595. doi: 10.1007/s10853-005-6293-x
- [2] Chao, J., Xie, Z., Duan, X., Dong, Y., Wang, Z., Xu, J. Shen, G. (2012). Visible-light-driven photocatalytic and photoelectrochemical properties of porous SnS<sub>x</sub> (x=1, 2) architectures. *CrystEngComm*, 14(9), 3163–3168. doi: 10.1039/c2ce06586j
- [3] Panda, S., Gorai, S., & Chaudhuri, S. (2006). Shape selective solvothermal synthesis of SnS: Role of ethylenediamine–water solvent system. *Materials Science and Engineering: B*, 129(1–3), 265–269. doi: 10.1016/j.mseb.2005.12.014
- [4] Das, D., & Dutta, R. K. (2015). A novel method of synthesis of small band gap SnS nanorods and its efficient photocatalytic dye degradation. *Journal of Colloid and Interface Science*, 457, 339–344. doi: 10.1016/j.jcis.2015.07.002
- [5] Mengjin, Yang. (2012). *Band gap engineering and carrier transport in TiO<sub>2</sub> for solar energy harvestin*. University of Pittsburgh.
- [6] Gao, S., Guo, C., Lv, J., Wang, Q., Zhang, Y., Hou, S., Xu, J. (2017). A novel 3D hollow magnetic Fe<sub>3</sub>O<sub>4</sub>/BiOI heterojunction with enhanced photocatalytic performance for bisphenol A degradation. *Chemical Engineering Journal*, 307, 1055–1065. doi: 10.1016/j.cej.2016.09.032
- [7] Xiang, Y., Ju, P., Wang, Y., Sun, Y., Zhang, D., & Yu, J. (2016). Chemical etching preparation of the Bi<sub>2</sub>WO<sub>6</sub>/BiOI p–n heterojunction with enhanced photocatalytic antifouling activity under visible light irradiation. *Chemical Engineering Journal*, 288, 264–275. doi: 10.1016/j.cej.2015.11.103

- [8] Mehraj, O., Pirzada, B. M., Mir, N. A., Khan, M. Z., & Sabir, S. (2016). A highly efficient visible-light-driven novel p-n junction  $\text{Fe}_2\text{O}_3/\text{BiOI}$  photocatalyst: Surface decoration of BiOI nanosheets with  $\text{Fe}_2\text{O}_3$  nanoparticles. *Applied Surface Science*, 387, 642–651. doi: 10.1016/j.apsusc.2016.06.166
- [9] Mera, A. C., Moreno, Y., Contreras, D., Escalona, N., Meléndrez, M. F., Mangalaraja, R. V., & Mansilla, H. D. (2017). Improvement of the BiOI photocatalytic activity optimizing the solvothermal synthesis. *Solid State Sciences*, 63, 84–92. doi: 10.1016/j.solidstatesciences.2016.11.013
- [10] Shan, L., He, L., Suriyaprakash, J., & Yang, L. (2016). Photoelectrochemical (PEC) water splitting of BiOI {001} nanosheets synthesized by a simple chemical transformation. *Journal of Alloys and Compounds*, 665, 158–164. doi: 10.1016/j.jallcom.2016.01.008
- [11] Wang, L., & Daoud, W. A. (2015). BiOI/ $\text{TiO}_2$ -nanorod array heterojunction solar cell: Growth, charge transport kinetics and photoelectrochemical properties. *Applied Surface Science*, 324, 532–537. doi: 10.1016/j.apsusc.2014.10.110
- [12] Han, Q., Yang, Z., Wang, L., Shen, Z., Wang, X., Zhu, J., & Jiang, X. (2017). An ion exchange strategy to BiOI/ $\text{CH}_3\text{COO}(\text{BiO})$  heterojunction with enhanced visible-light photocatalytic activity. *Applied Surface Science*, 403, 103–111. doi: 10.1016/j.apsusc.2017.01.173
- [13] Huang, S., Zhong, J., Li, J., Chen, J., Xiang, Z., Li, M., & Liao, Q. (2016). Charge separation and photocatalytic properties of BiOI prepared by ionic liquid-assisted hydrothermal method. *Materials Letters*, 183, 248–250. doi: 10.1016/j.matlet.2016.07.119
- [14] Selinsky, R. S., Ding, Q., Faber, M. S., Wright, J. C., & Jin, S. (2013). Quantum dot nanoscale heterostructures for solar energy conversion. *Chemical Society Reviews*, 42(7), 2963–2985. doi: 10.1039/c2cs35374a
- [15] Wang, Y., Wang, Q., Zhan, X., Wang, F., Safdar, M., & He, J. (2013). Visible light driven type II heterostructures and their enhanced photocatalysis properties: a review. *Nanoscale*, 5(18), 8326–8339. doi: 10.1039/c3nr01577g
- [16] Zhou, H., Qu, Y., Zeid, T., & Duan, X. (2012). Towards highly efficient photocatalysts using semiconductor nanoarchitectures. *Energy & Environmental Science*, 5(5), 6732–6743. doi: 10.1039/c2ee03447f

- [17] Savio J. A. Moniz, Stephen A. Shevlin, David James Martin, Zheng-Xiao Guo, Junwang Tang. (2015). Visible-light driven heterojunction photocatalysts for water splitting – a critical review. *Energy & Environment Science*, 8(3), 731–759. doi: 10.1039/c4ee03271c
- [18] Tang, R., Su, H., Duan, S., Sun, Y., Li, L., Zhang, X., Sun, D. (2015). Enhanced visible-light-driven photocatalytic performances using  $\text{Bi}_2\text{WO}_6/\text{MS}$  (M=Cd, Zn) heterostructures: facile synthesis and photocatalytic mechanisms. *RSC Advances*, 5(52), 41949–41960. doi: 10.1039/c5ra04655f
- [19] Zhang, G., Fu, Z., Wang, Y., & Wang, H. (2015). Facile synthesis of hierarchical SnS nanostructures and their visible light photocatalytic properties. *Advanced Powder Technology*, 26(4), 1183–1190. doi: 10.1016/j.appt.2015.05.014
- [20] สมใจ เพ็งปรีชา, นุชชา ศรีวิจารณ์ และ สุเมธา อิศริยะเนตร. (2554). อัตราการเกิดปฏิกิริยาเคมีตอน ตัวเร่งปฏิกิริยาเคมี. จุฬาลงกรณ์มหาวิทยาลัย.
- [21] (n.d.). Retrieved June 07, 2017, from <http://www.chemguide.co.uk/>
- [22] สมฤทัย ชันซ้าย และ พิสมัย วงษ์ละคร. (2555). การย่อยสลายลิกนินโดยใช้ปฏิกิริยาโฟโตคะตะลิสติก. มหาวิทยาลัยขอนแก่น.
- [23] ฉลาดบรรเทา และ ชูสิทธิ์ ศรีสุทธกมล. (2548). การบำบัดน้ำเสียโรงงานกระดาษด้วยไททานเนียมไดออกไซด์. มหาวิทยาลัยขอนแก่น.
- [24] หทัยกาญจน์ รันวงษา. (2555). ผลของการเจือเหล็กที่มีต่อความสามารถการเร่งปฏิกิริยาด้วยแสงของบิสมัททั้งหมด. มหาวิทยาลัยเชียงใหม่.
- [25] ณิชญา คุ่มทรัพย์. (2556). ผลของการเจือโลหะต่อความว่องไวในปฏิกิริยาโฟโตคะตะลิสติกช่วงวิสิเบิลของไททานเนียมไดออกไซด์. สถาบันเทคโนโลยีปทุมวัน.
- [26] (n.d.). Retrieved June 07, 2017, from [http://web.ku.ac.th/schoolnet/snet7/phy3\\_1.htm](http://web.ku.ac.th/schoolnet/snet7/phy3_1.htm)
- [27] (n.d.). Retrieved June 07, 2017, from <http://www.vcharkarn.com/lesson/1250>
- [28] (n.d.). Retrieved June 07, 2017, from <http://www.thesolarspark.co.uk/the-science/solar-power/excitonic-solar-cells/dye-sensitised-cells/>
- [29] S. Sohila. (2012). *Synthesis and Characterization of SnS, ZnO nanostructures and SnS/ZnO nanocomposite*. SRM University.
- [30] Colmenares, J. C., & Luque, R. (2014). Heterogeneous photocatalytic nanomaterials: prospects and challenges in selective transformations of biomass-derived compounds. *Chemical Society Reviews*, 43(3), 765–778. doi: 10.1039/c3cs60262a

- [31] He, H. Y., Lu, J., Cao, L. Y., & Li, M. (2011). Photodegradation of methyl orange from wastewater on TiO<sub>2</sub>/SnS combined powders. *Research on Chemical Intermediates*, 38(2), 537–547. doi: 10.1007/s11164-011-0369-9
- [32] Fagan, R., McCormack, D. E., Dionysiou, D. D., & Pillai, S. C. (2016). A review of solar and visible light active TiO<sub>2</sub> photocatalysis for treating bacteria, cyanotoxins and contaminants of emerging concern. *Materials Science in Semiconductor Processing*, 42, 2–14. doi: 10.1016/j.mssp.2015.07.052
- [33] Burda, C., Chen, X., Narayanan, R., & El-Sayed, M. A. (2005). Chemistry and properties of nanocrystals of different shapes. *ChemInform*, 36(27), 1025–1102. doi: 10.1021/cr030063a
- [34] Demazeau, G., & Largeteau, A. (2014). Hydrothermal/solvothermal crystal growth: an old but adaptable process. *Zeitschrift für anorganische und allgemeine Chemie*, 641(2), 159–163. doi: 10.1002/zaac.201400515
- [35] (n.d.). Retrieved June 07, 2017, from <https://www.hindawi.com/journals/ijp/2014/518156/fig6/>
- [36] V., V., & O., S. (2012). Applications of superconductor/photosemiconductor contact structures in electronics. *Superconductors - Properties, Technology, and Applications*. doi: 10.5772/38045
- [37] Dai, W., & Zhao, Z. (2016). Electronic structure and optical properties of BiOI as a photocatalyst driven by visible light. *Catalysts*, 6(9), 133–147. doi: 10.3390/catal6090133
- [38] Li, J., Yu, Y., & Zhang, L. (2014). Bismuth oxyhalide nanomaterials: layered structures meet photocatalysis. *Nanoscale*, 6(15), 8473–8488. doi: 10.1039/c4nr02553a
- [39] Kandanapitiye, M. S., Gao, M., Molter, J., Flask, C. A., & Huang, S. D. (2014). Synthesis, characterization, and X-ray attenuation properties of ultrasmall BiOI nanoparticles: toward renal clearable particulate CT contrast agents. *Inorganic Chemistry*, 53(19), 10189–10194. doi: 10.1021/ic5011709
- [40] Li, H., Jia, Q., Cui, Y., & Fan, S. (2013). Photocatalytic properties of BiOI synthesized by a simple hydrothermal process. *Materials Letters*, 107, 262–264. doi: 10.1016/j.matlet.2013.06.019
- [41] Feng Cao, Jianmin Wang, Song Li, Jiajia Cai, Wanhong Tu, Xin Lv, Gaowu Qin. (2015). Rapid room-temperature synthesis and visible-light photocatalytic properties of BiOI nanoflowers. *Journal of Alloys and Compounds*, 639, 445–451. doi: 10.1016/j.jallcom.2015.03.185

- [42] Cao, J., Zhou, C., Lin, H., Xu, B., & Chen, S. (2013). Direct hydrolysis preparation of plate-like BiOI and their visible light photocatalytic activity for contaminant removal. *Materials Letters*, *109*, 74–77. doi: 10.1016/j.matlet.2013.07.033
- [43] Hao, R., Xiao, X., Zuo, X., Nan, J., & Zhang, W. (2012). Efficient adsorption and visible-light photocatalytic degradation of tetracycline hydrochloride using mesoporous BiOI microspheres. *Journal of Hazardous Materials*, *209–210*, 137–145. doi: 10.1016/j.jhazmat.2012.01.006
- [44] Wang, Y., Deng, K., & Zhang, L. (2011). Visible Light Photocatalysis of BiOI and Its Photocatalytic Activity Enhancement by in Situ Ionic Liquid Modification. *The Journal of Physical Chemistry C*, *115*(29), 14300–14308. doi: 10.1021/jp2042069
- [45] Di, J., Xia, J., Ge, Y., Xu, L., Xu, H., He, M., Li, H. (2014). Reactable ionic liquid-assisted rapid synthesis of BiOI hollow microspheres at room temperature with enhanced photocatalytic activity. *Journal of Materials Chemistry A*, *2*(38), 15864–15874. doi: 10.1039/c4ta02400a
- [46] Zhang, G., Su, A., Qu, J., & Xu, Y. (2014). Synthesis of BiOI flowerlike hierarchical structures toward photocatalytic reduction of CO<sub>2</sub> to CH<sub>4</sub>. *Materials Research Bulletin*, *55*, 43–47. doi: 10.1016/j.materresbull.2014.04.012
- [47] Su, J., Xiao, Y., & Ren, M. (2014). Direct hydrolysis synthesis of BiOI flowerlike hierarchical structures and its photocatalytic activity under simulated sunlight irradiation. *Catalysis Communications*, *45*, 30–33. doi: 10.1016/j.catcom.2013.10.020
- [48] Ahmet, I. Y., Hill, M. S., Johnson, A. L., & Peter, L. M. (2015). Polymorph-selective deposition of high purity SnS thin films from a single source precursor. *Chemistry of Materials*, *27*(22), 7680–7688. doi: 10.1021/acs.chemmater.5b03220
- [49] Feng Ke, Jie Yang, Cailong Liu, Qinglin Wang, Yuqiang Li, Junkai Zhang, Lei Wu, Xin Zhang, Yonghao Han, Baojia Wu, Yanzhang Ma, Chunxiao Gao. (2013). High-pressure electrical-transport properties of SnS: experimental and theoretical approaches. *The Journal of Physical Chemistry C*, *117*, 6033–6038. doi: 10.1063/1.4706255
- [50] Burton, L. A., & Walsh, A. (2012). Phase stability of the earth-abundant tin sulfides SnS, SnS<sub>2</sub>, and Sn<sub>2</sub>S<sub>3</sub>. *The Journal of Physical Chemistry C*, *116*(45), 24262–24267. doi: 10.1021/jp309154s
- [51] Zhu, H., Yang, D., Ji, Y., Zhang, H., & Shen, X. (2005). Two-dimensional SnS nanosheets fabricated by a novel hydrothermal method. *Journal of Materials Science*, *40*(3), 591–595. doi: 10.1007/s10853-005-6293-x

- [52] Zhu, H., Yang, D., & Zhang, H. (2006). Hydrothermal synthesis, characterization and properties of SnS nanoflowers. *Materials Letters*, 60(21–22), 2686–2689. doi: 10.1016/j.matlet.2006.01.065
- [53] Salavati-Niasari, M., Ghanbari, D., & Davar, F. (2010). Shape selective hydrothermal synthesis of tin sulfide nanoflowers based on nanosheets in the presence of thioglycolic acid. *Journal of Alloys and Compounds*, 492(1–2), 570–575. doi: 10.1016/j.jallcom.2009.11.183
- [54] Ghaedi, M., Karimi, F., Barazesh, B., Sahraei, R., & Daneshfar, A. (2013). Removal of Reactive Orange 12 from aqueous solutions by adsorption on tin sulfide nanoparticle loaded on activated carbon. *Journal of Industrial and Engineering Chemistry*, 19(3), 756–763. doi: 10.1016/j.jiec.2012.10.010
- [55] Biswas, S., Kar, S., & Chaudhuri, S. (2007). Thioglycolic acid (TGA) assisted hydrothermal synthesis of SnS nanorods and nanosheets. *Applied Surface Science*, 253(23), 9259–9266. doi: 10.1016/j.apsusc.2007.05.053
- [56] Tang, H., Yu, J., & Zhao, X. (2008). Solvothermal synthesis of novel dendrite-like SnS particles in a mixed solvent of ethylenediamine and dodecanethiol. *Journal of Alloys and Compounds*, 460(1–2), 513–518. doi: 10.1016/j.jallcom.2007.05.096
- [57] Zeng, X., Pramana, S. S., Batabyal, S. K., Mhaisalkar, S. G., Chen, X., & Jinesh, K. B. (2013). Low temperature synthesis of wurtzite zinc sulfide (ZnS) thin films by chemical spray pyrolysis. *Physical Chemistry Chemical Physics*, 15(18), 6763–6768. doi: 10.1039/c3cp43470b
- [58] Iqbal, M. Z., Wang, F., Rafique, M. Y., Ali, S., Farooq, M. H., & Ellahi, M. (2013). Hydrothermal synthesis, characterization and hydrogen storage of SnS nanorods. *Materials Letters*, 106, 33–36. doi: 10.1016/j.matlet.2013.04.051
- [59] Yan, X., Michael, E., Komarneni, S., Brownson, J. R., & Yan, Z. (2013). Microwave- and conventional-hydrothermal synthesis of CuS, SnS and ZnS: Optical properties. *Ceramics International*, 39(5), 4757–4763. doi: 10.1016/j.ceramint.2012.11.062
- [60] Muthuvinayagam, A., Viswanathan, B. (2015). Hydrothermal synthesis and LPG sensing ability of SnS nanomaterial. *Indian Journal Chemistry*, 54, 155–160
- [61] Tang, P., Chen, H., Cao, F., Pan, G., Wang, K., Xu, M., & Tong, Y. (2011). Nanoparticulate SnS as an efficient photocatalyst under visible-light irradiation. *Materials Letters*, 65(3), 450–452. doi: 10.1016/j.matlet.2010.10.055

- [62] Shi, J., Cui, H., Liang, Z., Lu, X., Tong, Y., Su, C., & Liu, H. (2011). The roles of defect states in photoelectric and photocatalytic processes for  $Zn_xCd_{1-x}S$ . *Energy & Environmental Science*, 4(2), 466–470. doi: 10.1039/c0ee00309c
- [63] Tang, R., Su, H., Sun, Y., Zhang, X., Li, L., Liu, C., Sun, D. (2016). Enhanced photocatalytic performance in  $Bi_2WO_6/SnS$  heterostructures: Facile synthesis, influencing factors and mechanism of the photocatalytic process. *Journal of Colloid and Interface Science*, 466, 388–399. doi: 10.1016/j.jcis.2015.12.054
- [64] Jiang, D., Chen, L., Zhu, J., Chen, M., Shi, W., & Xie, J. (2013). Novel p–n heterojunction photocatalyst constructed by porous graphite-like  $C_3N_4$  and nanostructured BiOI: facile synthesis and enhanced photocatalytic activity. *Dalton Transactions*, 42(44), 15726–15734. doi: 10.1039/c3dt52008k
- [65] J. Zhang, M. Ji, J. Liu, M. Xu. (2016) Advanced catalytic material-photocatalysis and other current trends, in *Metal/Semiconductor Hybrid Nanocrystals and Synergistic Photocatalysis Application*, eds. L.E. Narena, J.A. Wang, Beijing, China.
- [66] Li, X., Xia, J., Zhu, W., Di, J., Wang, B., Yin, S., Li, H. (2016). Facile synthesis of few-layered  $MoS_2$  modified BiOI with enhanced visible-light photocatalytic activity. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 511, 1–7. doi: 10.1016/j.colsurfa.2016.09.033
- [67] Lv, Y., Liu, H., Zhang, W., Ran, S., Chi, F., Yang, B., & Xia, A. (2013). Room-temperature synthesis and high visible-light-induced photocatalytic activity of AgI/BiOI composites. *Journal of Environmental Chemical Engineering*, 1(3), 526–533. doi: 10.1016/j.jece.2013.06.019
- [68] Cao, J., Xu, B., Lin, H., Luo, B., & Chen, S. (2012). Novel heterostructured  $Bi_2S_3/BiOI$  photocatalyst: facile preparation, characterization and visible light photocatalytic performance. *Dalton Transactions*, 41(37), 11482–11490. doi: 10.1039/c2dt30883e
- [69] Di, J., Xia, J., Yin, S., Xu, H., Xu, L., Xu, Y., Li, H. (2014). Preparation of sphere-like g- $C_3N_4/BiOI$  photocatalysts via a reactable ionic liquid for visible-light-driven photocatalytic degradation of pollutants. *Journal of Materials Chemistry A*, 2(15), 5340–5351. doi: 10.1039/c3ta14617k
- [70] Fang, S., Lu, M., Zhou, M., Li, Z., Xu, S., Peng, Y., Lu, D. (2017). Facile Synthesis and characterization of novel CdS/BiOI heterojunctions with enhanced visible-light photocatalytic performances. *Acta Physica Polonica A*, 131(1), 263–270. doi: 10.12693/aphyspola.131.263

- [71] Malathi, A., Arunachalam, P., Grace, A. N., Madhavan, J., & Al-Mayouf, A. M. (2017). A robust visible-light driven BiFeWO<sub>6</sub>/BiOI nanohybrid with efficient photocatalytic and photoelectrochemical performance. *Applied Surface Science*, 412, 85–95. doi: 10.1016/j.apsusc.2017.03.199
- [72] Chen, F., Niu, C., Yang, Q., Li, X., & Zeng, G. (2016). Facile synthesis of visible-light-active BiOI modified Bi<sub>2</sub>MoO<sub>6</sub> photocatalysts with highly enhanced photocatalytic activity. *Ceramics International*, 42(2), 2515–2525. doi: 10.1016/j.ceramint.2015.10.053
- [73] Yosefi, L., Haghghi, M., & Allahyari, S. (2017). Solvothermal synthesis of flowerlike p-BiOI/n-ZnFe<sub>2</sub>O<sub>4</sub> with enhanced visible light driven nanophotocatalyst used in removal of acid orange 7 from wastewater. *Separation and Purification Technology*, 178, 18–28. doi: 10.1016/j.seppur.2017.01.005
- [74] Song, H., Wu, R., Liang, Y., Xiong, H., & Ji, G. (2017). Facile synthesis of 3D nanoplate-built CdWO<sub>4</sub>/BiOI heterostructures with highly enhanced photocatalytic performance under visible-light irradiation. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 522, 346–354. doi: 10.1016/j.colsurfa.2017.03.027
- [75] Mehraj, O., Pirzada, B. M., Mir, N. A., Khan, M. Z., & Sabir, S. (2016). A highly efficient visible-light-driven novel p-n junction Fe<sub>2</sub>O<sub>3</sub>/BiOI photocatalyst: Surface decoration of BiOI nanosheets with Fe<sub>2</sub>O<sub>3</sub> nanoparticles. *Applied Surface Science*, 387, 642–651. doi: 10.1016/j.apsusc.2016.06.166
- [76] Luo, J., Zhou, X., Ma, L., & Xu, X. (2015). Enhanced visible-light-driven photocatalytic activity of WO<sub>3</sub>/BiOI heterojunction photocatalysts. *Journal of Molecular Catalysis A: Chemical*, 410, 168–176. doi: 10.1016/j.molcata.2015.09.019
- [77] Xiang, Y., Ju, P., Wang, Y., Sun, Y., Zhang, D., & Yu, J. (2016). Chemical etching preparation of the Bi<sub>2</sub>WO<sub>6</sub>/BiOI p–n heterojunction with enhanced photocatalytic antifouling activity under visible light irradiation. *Chemical Engineering Journal*, 288, 264–275. doi: 10.1016/j.cej.2015.11.103
- [78] Lau, Y., Wong, Y., Teng, T., Morad, N., Rafatullah, M., & Ong, S. (2015). Degradation of cationic and anionic dyes in coagulation–flocculation process using bi-functionalized silica hybrid with aluminum-ferric as auxiliary agent. *RSC Advances*, 5(43), 34206–34215. doi: 10.1039/c5ra01346a

- [79] Chan, A. S., Danquah, M. K., Agyei, D., Hartley, P. G., & Zhu, Y. (2014). A simple microfluidic chip design for fundamental bioseparation. *Journal of Analytical Methods in Chemistry*, 2014, 1–6. doi: 10.1155/2014/175457
- [80] Hong, R. Y., & Chen, Q. (2014). Dispersion of inorganic nanoparticles in polymer matrices: challenges and solutions. *Organic-Inorganic Hybrid Nanomaterials Advances in Polymer Science*, 267, 1–38. doi: 10.1007/12\_2014\_286
- [81] Bustos-Ramirez, K., Barrera-Diaz, C. E., Icaza, M. D., Martínez-Hernández, A. L., & Velasco-Santos, C. (2015). Photocatalytic activity in phenol removal of water from graphite and graphene oxides: effect of degassing and chemical oxidation in the synthesis process. *Journal of Chemistry*, 2015, 1–10. doi: 1155/2015/254631
- [82] Heller, M. I., & Croot, P. L. (2010). Kinetics of superoxide reactions with dissolved organic matter in tropical Atlantic surface waters near Cape Verde (TENATSO). *Journal of Geophysical Research*, 115(C12), 1–13. doi: 10.1029/2009jc006021
- [83] Wang, Y., & Zhang, P. (2011). Photocatalytic decomposition of perfluorooctanoic acid (PFOA) by TiO<sub>2</sub> in the presence of oxalic acid. *Journal of Hazardous Materials*, 192(3), 1869–1875. doi: 10.1016/j.jhazmat.2011.07.026
- [84] Piechowski, M. V., Thelen, M., Hoigné, J., & Bühler, R. E. (1992). Tert-Butanol as an OH-Scavenger in the Pulse Radiolysis of Oxygenated Aqueous Systems. *Berichte der Bunsengesellschaft für physikalische Chemie*, 96(10), 1448–1454. doi: 10.1002/bbpc.19920961019
- [85] Stranic, I., Pang, G. A., Hanson, R. K., Golden, D. M., & Bowman, C. T. (2013). Shock tube measurements of the tert-Butanol OH reaction rate and the tert-C<sub>4</sub>H<sub>8</sub>OH radical  $\beta$ -scission branching ratio using isotopic labeling. *The Journal of Physical Chemistry A*, 117(23), 4777–4784. doi: 10.1021/jp402176e
- [86] Yonemori, S., Ono, R., & Oda, T. (2012). Measurement of OH radical in the effluent of an atmospheric-pressure helium plasma jet. *2012 IEEE Industry Applications Society Annual Meeting*. doi: 10.1109/ias.2012.6373977
- [87] Adilbish, G., & Yu, Y. (2017). Effect of the nafion content in the MPL on the catalytic activity of the Pt/C-nafion electrode prepared by pulsed electrophoresis deposition. *International Journal of Hydrogen Energy*, 42(2), 1181–1188. doi:10.1016/j.ijhydene.2016.09.143

- [88] Furukawa, K., Okajima, K., & Sudoh, M. (2005). Structural control and impedance analysis of cathode for direct methanol fuel cell. *Journal of Power Sources*, 139(1–2), 9–14. doi:10.1016/j.jpowsour.2004.06.058
- [89] Zhang, H., Zhang, Y., He, Q., Liu, L., Ding, G., & Jiao, Z. (2011). Mixed-solvothermal slow release synthesis of  $Zn_xCd_{1-x}S_y$  nanorods with high visible light photocatalytic activities. *CrystEngComm*, 13(22), 6650–6657. doi: 10.1039/c1ce05548h
- [90] Das, R., Ali, M., Hamid, S. (2014). Current applications of X-ray powder diffraction - A review. *Reviews on advanced materials science*, 38(2), 95–109.
- [91] X-Ray diffraction (XRD). (2017, March 06). Retrieved June 07, 2017, from <http://wiki.anton-paar.com/x-ray-diffraction-xrd/>
- [92] Zhu, F., Wang, Q., Zhang, X., Hu, W., Zhao, X., & Zhang, H. (2014). 3D nanostructure reconstruction based on the SEM imaging principle, and applications. *Nanotechnology*, 25(18), 1–10. doi: 10.1088/0957-4484/25/18/185705.
- [93] (n.d.). Retrieved June 07, 2017, from <https://www.britannica.com/technology/scanning-electron-microscope>
- [94] (n.d.). Retrieved June 07, 2017, from <http://www.globalsino.com/micro/1/micro9999.html>
- [95] (n.d.). Retrieved June 07, 2017, from <http://www.ammr.org.au/myscope/analysis/eds/xraygeneration/characteristic/>
- [96] ฐาปนีย์ สารศรี. (2557). เอกสารคำสอนวิชา 203414 เรื่อง วิธีเชิงกายภาพในเคมีอินทรีย์. มหาวิทยาลัยเชียงใหม่.
- [97] Lowell, S., Shields, J. E., Thomas, M. A., & Thommes, M. (2004). *Characterization of porous solids and powders: surface area, pore size and density*. Netherlands: Kluwer Academic Publishers.
- [98] Nina Hwang Andrew R. Barron. (2011). *BET Surface Area Analysis of Nanoparticles*. OpenStax-CNX module: m38278
- [99] แม้น อมรสิทธิ์ และ อมร เพชรสม. (2539). หลักการและเทคนิคการวิเคราะห์เชิงเครื่องมือ. กรุงเทพฯ: ชวนพิมพ์
- [100] (n.d.). Retrieved June 07, 2017, from <http://science.buu.ac.th/part/sifbuu/index.php/laboratory-instruments.html?showall=1&limitstart=>

- [101] Feng, Y., Lin, S., Huang, S., Shrestha, S., & Conibeer, G. (2015). Can Tauc plot extrapolation be used for direct-band-gap semiconductor nanocrystals. *Journal of Applied Physics*, *117*(12), 1–7. doi: 10.1063/1.4916090
- [102] Zaidi Embong (2011). *XPS, AES and Laser Raman Spectroscopy: A fingerprint for a materials surface characterization*. University Tun Hussein Onn Malaysia.
- [103] (n.d.). Retrieved June 07, 2017, from <http://xpssimplified.com/whatisxps.php>
- [104] (n.d.). Retrieved June 07, 2017, from <http://m.blog.naver.com/disregarding/40014189949>
- [105] Zhao, J., Wu, W., Sun, J., & Guo, S. (2013). Triplet photosensitizers: from molecular design to applications. *Chemical Society Reviews*, *42*, 5353–5351. doi: 10.1039/c3cs35531d
- [106] (n.d.). Retrieved June 07, 2017, from <http://chemistry.tutorvista.com/analytical-chemistry/molecular-spectroscopy.html>
- [107] จรุงญ จักรมณี. (2549). *เอกสารคำสอน เคมีวิเคราะห์เชิงไฟฟ้า*. มหาวิทยาลัยเชียงใหม่
- [108] Liu, Y., Yan, X., Kang, Z., Li, Y., Shen, Y., Sun, Y., Zhang, Y. (2016). Synergistic Effect of surface plasmonic particles and surface passivation layer on ZnO nanorods array for improved photoelectrochemical water splitting. *Scientific Reports*, *6*(1), 1–7. doi: 10.1038/srep29907
- [109] Tang, R., Su, H., Sun, Y., Zhang, X., Li, L., Liu, C., Sun, D. (2016). Enhanced photocatalytic performance in Bi<sub>2</sub>WO<sub>6</sub>/SnS heterostructures: Facile synthesis, influencing factors and mechanism of the photocatalytic process. *Journal of Colloid and Interface Science*, *466*, 388–399. doi: 10.1016/j.jcis.2015.12.054
- [110] Fang, Z., Wang, Q., Wang, X., Fan, F., Wang, C., & Zhang, X. (2013). Uniform hierarchical SnS microspheres: Solvothermal synthesis and lithium ion storage performance. *Materials Research Bulletin*, *48*(11), 4935–4941. doi: 10.1016/j.materresbull.2013.07.023
- [111] Zhou, C., Cao, J., Lin, H., Xu, B., Huang, B., & Chen, S. (2015). Controllable synthesis and photocatalytic activity of Ag/BiOI based on the morphology effect of BiOI substrate. *Surface and Coatings Technology*, *272*, 213–220. doi: 10.1016/j.surfcoat.2015.04.004
- [112] Hu, J., Weng, S., Zheng, Z., Pei, Z., Huang, M., & Liu, P. (2014). Solvents mediated-synthesis of BiOI photocatalysts with tunable morphologies and their visible-light driven photocatalytic performances in removing of arsenic from water. *Journal of Hazardous Materials*, *264*, 293–302. doi: 10.1016/j.jhazmat.2013.11.027

- [113] Baldan, A. (2002). Review progress in Ostwald ripening theories and their applications to nickel-base superalloys. *Journal of Materials Science*, 37(11), 2171–2202. doi: 10.1007/978-1-4613-0383-1\_206
- [114] Wu, Y., Zhou, Z., Tuo, Y., Huang, Y., & Shen, S. (2013). A novel and facile method to synthesize self-assembled BiOI microrings composed of nanoplatelets. *Materials Letters*, 111, 43–46. doi: 10.1016/j.matlet.2013.08.031
- [115] Wang, N., Tan, F., Zhao, Y., Tsoi, C. C., Fan, X., Yu, W., & Zhang, X. (2016). Optofluidic UV–vis spectrophotometer for online monitoring of photocatalytic reactions. *Scientific Reports*, 6(1), 1–8. doi: 10.1038/srep28928
- [116] Barka, N., Qourzal, S., Assabbane, A., Nounah, A., & Ait-Ichou, Y. (2010). Photocatalytic degradation of an azo reactive dye, Reactive Yellow 84, in water using an industrial titanium dioxide coated media. *Arabian Journal of Chemistry*, 3(4), 279–283. doi: 10.1016/j.arabjc.2010.06.016
- [117] Mera, A. C., Contreras, D., Escalona, N., & Mansilla, H. D. (2016). BiOI microspheres for photocatalytic degradation of gallic acid. *Journal of Photochemistry and Photobiology A: Chemistry*, 318, 71–76. doi: 10.1016/j.jphotochem.2015.12.005
- [118] Wang, S., Guan, Y., Wang, L., Zhao, W., He, H., Xiao, J., Sun, C. (2015). Fabrication of a novel bifunctional material of BiOI/Ag<sub>3</sub>VO<sub>4</sub> with high adsorption–photocatalysis for efficient treatment of dye wastewater. *Applied Catalysis B: Environmental*, 168–169, 448–457. doi: 10.1016/j.apcatb.2014.12.047
- [119] Ninan, G. G., Kartha, C. S., & Vijayakumar, K. (2016). Spray pyrolysed SnS thin films in n and p type: Optimization of deposition process and characterization of samples. *Journal of Analytical and Applied Pyrolysis*, 120, 121–125. doi: 10.1016/j.jaap.2016.04.016
- [120] Hu, R., Gou, H., Mo, Z., Wei, X., & Wang, Y. (2015). Highly selective detection of trace Cu<sup>2+</sup> based on polyethyleneimine-reduced graphene oxide nanocomposite modified glassy carbon electrode. *Ionics*, 21(11), 3125–3133. doi: 10.1007/s11581-015-1499-7
- [121] Gedi, S., Reddy, V. R., Pejjai, B., Jeon, C., Park, C., & K.t., R. R. (2016). A facile inexpensive route for SnS thin film solar cells with SnS<sub>2</sub> buffer. *Applied Surface Science*, 372, 116–124. doi: 10.1016/j.apsusc.2016.03.032

- [122] Malleshham, B., Sudarsanam, P., & Reddy, B. M. (2014). Production of biofuel additives from esterification and acetalization of bioglycerol over SnO<sub>2</sub>-based solid acids. *Industrial & Engineering Chemistry Research*, 53(49), 18775–18785. doi: 10.1021/ie501133c
- [123] Quackenbush, N. F., Allen, J. P., Scanlon, D. O., Sallis, S., Hewlett, J. A., Nandur, A. S., Piper, L. F. (2013). Origin of the bipolar doping behavior of SnO from X-ray spectroscopy and density functional theory. *Chemistry of Materials*, 25(15), 3114–3123. doi: 10.1021/cm401343a
- [124] Fan, C., Peng, Y., Zhu, Q., Lin, L., Wang, R., & Xu, A. (2013). Synproportionation reaction for the fabrication of Sn<sup>2+</sup> self-doped SnO<sub>2</sub>-nanocrystals with tunable band structure and highly efficient visible light photocatalytic activity. *The Journal of Physical Chemistry C*, 117(46), 24157–24166. doi: 10.1021/jp407296f
- [125] Inceesungvorn, B., Teeranunpong, T., Nunkaew, J., Suntalelat, S., & Tantraviwat, D. (2014). Novel NiTiO<sub>3</sub>/Ag<sub>3</sub>VO<sub>4</sub> composite with enhanced photocatalytic performance under visible light. *Catalysis Communications*, 54, 35–38. doi: 10.1016/j.catcom.2014.05.015
- [126] Wang, T., Meng, H., Yu, X., Liu, Y., Chen, H., Zhu, Y., Zhang, Y. (2015). p-BiOI/n-SnS<sub>2</sub> heterojunction flowerlike structure with enhanced visible-light photocatalytic performance. *RSC Advances*, 5(20), 15469–15478. doi: 10.1039/c4ra15770b
- [127] Gao, S., Guo, C., Lv, J., Wang, Q., Zhang, Y., Hou, S., Xu, J. (2017). A novel 3D hollow magnetic Fe<sub>3</sub>O<sub>4</sub>/BiOI heterojunction with enhanced photocatalytic performance for bisphenol A degradation. *Chemical Engineering Journal*, 307, 1055–1065. doi: 10.1016/j.cej.2016.09.032
- [128] Huang, H., He, Y., Du, X., Chu, P. K., & Zhang, Y. (2015). A general and facile approach to heterostructured core/shell BiVO<sub>4</sub>/BiOI p-n junction: room-temperature in situ assembly and highly boosted visible-light photocatalysis. *ACS Sustainable Chemistry & Engineering*, 3(12), 3262–3273. doi: 10.1021/acssuschemeng.5b01038
- [129] Lin, H., Ye, H., Li, X., Cao, J., & Chen, S. (2014). Facile anion-exchange synthesis of BiOI/BiOBr composite with enhanced photoelectrochemical and photocatalytic properties. *Ceramics International*, 40(7), 9743–9750. doi: 10.1016/j.ceramint.2014.02.060
- [130] Heng, H., Gan, Q., Meng, P., & Liu, X. (2016). H<sub>3</sub>PW<sub>12</sub>O<sub>40</sub>/TiO<sub>2</sub>-In<sub>2</sub>O<sub>3</sub>: a visible light driven type-II heterojunction photocatalyst for the photocatalytic degradation of imidacloprid. *RSC Advances*, 6(77), 73301–73307. doi: 10.1039/c6ra10729j

- [131] Peng, Y., Yu, P., Chen, Q., Zhou, H., & Xu, A. (2015). Facile fabrication of  $\text{Bi}_{12}\text{O}_{17}\text{Br}_2/\text{Bi}_{24}\text{O}_{31}\text{Br}_{10}$  Type II heterostructures with high visible photocatalytic activity. *The Journal of Physical Chemistry C*, *119*(23), 13032–13040. doi: 10.1021/acs.jpcc.5b02132
- [132] Su, S. C., Lu, Y. M., Zhang, Z. Z., Shan, C. X., Li, B. H., Shen, D. Z., Fan, X. W. (2008). Valence band offset of  $\text{ZnO}/\text{Zn}_{0.85}\text{Mg}_{0.15}\text{O}$  heterojunction measured by X-ray photoelectron spectroscopy. *Applied Physics Letters*, *93*(8), 1–3. doi: 10.1063/1.2977478
- [133] Wangkawong, K., Tantraviwat, D., Phanichphant, S., & Inceesungvorn, B. (2015). Band offsets of novel  $\text{CoTiO}_3/\text{Ag}_3\text{VO}_4$  heterojunction measured by X-ray photoelectron spectroscopy. *Applied Surface Science*, *324*, 705–709. doi: 10.1016/j.apsusc.2014.11.020
- [134] Santoni, A., Biccari, F., Malerba, C., Valentini, M., Chierchia, R., & Mittiga, A. (2013). Valence band offset at the  $\text{CdS}/\text{Cu}_2\text{ZnSnS}_4$  interface probed by X-ray photoelectron spectroscopy. *Journal of Physics D: Applied Physics*, *46*(17), 1–11. doi: 10.1088/0022-3727/46/17/175101
- [135] Yang, C., Li, F., Zhang, M., Li, T., & Cao, W. (2016). Preparation and first-principles study for electronic structures of  $\text{BiOI}/\text{BiOCl}$  composites with highly improved photocatalytic and adsorption performances. *Journal of Molecular Catalysis A: Chemical*, *423*, 1–11. doi: 10.1016/j.molcata.2016.06.007
- [136] Dai, W., & Zhao, Z. (2016). Defect physics of  $\text{BiOI}$  as high efficient photocatalyst driven by visible light. *Journal of the American Ceramic Society*, *99*(9), 3015–3024. Doi: 10.1111/jace.14311
- [137] Ao, Y., Wang, K., Wang, P., Wang, C., & Hou, J. (2016). Fabrication of novel p–n heterojunction  $\text{BiOI}/\text{La}_2\text{Ti}_2\text{O}_7$  composite photocatalysts for enhanced photocatalytic performance under visible light irradiation. *Dalton Trans.*, *45*(19), 7986–7997. doi: 10.1039/c6dt00862c
- [138] Liu, Y., Yan, X., Kang, Z., Li, Y., Shen, Y., Sun, Y., Zhang, Y. (2016). Synergistic effect of surface plasmonic particles and surface passivation layer on  $\text{ZnO}$  nanorods array for improved photoelectrochemical water splitting. *Scientific Reports*, *6*(1), 1–7. doi: 10.1038/srep29907

- [139] Dai, K., Lu, L., Liang, C., Zhu, G., Liu, Q., Geng, L., & He, J. (2015). A high efficient graphitic-C<sub>3</sub>N<sub>4</sub>/BiOI/graphene oxide ternary nanocomposite heterostructured photocatalyst with graphene oxide as electron transport buffer material. *Dalton Transactions*, 44(17), 7903–7910. doi: 10.1039/c5dt00475f
- [140] Chen, L., Jiang, D., He, T., Wu, Z., & Chen, M. (2013). In-situ ion exchange synthesis of hierarchical AgI/BiOI microsphere photocatalyst with enhanced photocatalytic properties. *CrystEngComm*, 15(37), 7556–7563 doi: 10.1039/c3ce41038b
- [141] Cong, Y., Ji, Y., Ge, Y., Jin, H., Zhang, Y., & Wang, Q. (2017). Fabrication of 3D Bi<sub>2</sub>O<sub>3</sub>-BiOI heterojunction by a simple dipping method: Highly enhanced visible-light photoelectrocatalytic activity. *Chemical Engineering Journal*, 307, 572–582. doi:10.1016/j.cej.2016.08.114
- [142] Islam, M. J., Reddy, D. A., Han, N. S., Choi, J., Song, J. K., & Kim, T. K. (2016). An oxygen-vacancy rich 3D novel hierarchical MoS<sub>2</sub>/BiOI/AgI ternary nanocomposite: enhanced photocatalytic activity through photogenerated electron shuttling in a Z-scheme manner. *Physical Chemistry Chemical Physics*, 18(36), 24984–24993. doi: 10.1039/c6cp02246d
- [143] Cao, J., Xu, B., Lin, H., Luo, B., & Chen, S. (2012). Chemical etching preparation of BiOI/BiOBr heterostructures with enhanced photocatalytic properties for organic dye removal. *Chemical Engineering Journal*, 185–186, 91–99. doi: 10.1016/j.cej.2012.01.035
- [144] Lopes, O. F., Paris, E. C., & Ribeiro, C. (2014). Synthesis of Nb<sub>2</sub>O<sub>5</sub> nanoparticles through the oxidant peroxide method applied to organic pollutant photodegradation: A mechanistic study. *Applied Catalysis B: Environmental*, 144, 800–808. doi: 10.1016/j.apcatb.2013.08.031

Copyright © by Chiang Mai University  
All rights reserved