

เอกสารอ้างอิง

กระทรวงอุตสาหกรรม. (2521). ประกาศกระทรวงอุตสาหกรรมฉบับที่ 332 (พ.ศ. 2521) ออกตามความในพระราชบัญญัติมาตรฐานผลิตภัณฑ์อุตสาหกรรม พ.ศ. 2511 เรื่องกำหนดมาตรฐานผลิตภัณฑ์อุตสาหกรรมน้ำบริโภค ดีพิมพ์ในราชกิจจานุเบกษา เล่ม 95 ตอนที่ 85 ลงวันที่ 4 กรกฏาคม 2521.

ธรรมรัตน์ เอกวราณกุลศิริ และคณะ. (2552). กระบวนการคุณภาพ ภาควิชาเคมี คณะวิทยาศาสตร์, มหาวิทยาลัยเกษตรศาสตร์

ประกาศกระทรวงสาธารณสุข ฉบับที่ 61 (พ.ศ. 2545) เรื่อง น้ำบริโภคในภาชนะที่ปิดสนิท.

ปรินทร์ เต็มษุรศิลป์, 2551. การเตรียมและการวิเคราะห์คุณลักษณะเฉพาะของถ่านกำนัลต์จากไฟ ตรงและไฟฟ้า มหาวิทยาลัยเกษตรศาสตร์

มนฑล คงปัน และคณะ. (2549). การพัฒนาชุดตรวจสำเร็จรูปเพื่อหาปริมาณฟลูออิรอด์ในน้ำดื่ม. ภาควิชาเคมี คณะวิทยาศาสตร์ มหาวิทยาลัยเชียงใหม่.

วีระศักดิ์ อุดมกิจเดชาและคณะ. (2543). เครื่องมือวิจัยทางวัสดุศาสตร์ : ทฤษฎีและหลักการทำงานเบื้องต้น. จุฬาลงกรณ์มหาวิทยาลัย.

สิริจิตต์ แสงอุ่นอรุย. (2544). การศึกษาหลักสูตรการคุณติดผิวและการขยายอุณหภูมิเนี่ยมของดิน. ภาควิชา วิศวกรรมสิ่งแวดล้อม คณะวิศวกรรมศาสตร์, มหาวิทยาลัยเกษตรศาสตร์

สุรัตน์ มงคลชัยอรัญญา. (2557). “ฟลูออิรอด์ กัยเจ็บในน้ำดื่ม”. Available:
<http://www.thaihealth.or.th/content/26587>

APHA. “Standard Methods for Examination of Water and Wastewater”, American Public Health Association WWA, Washington, D.C. 2005. Page 4-85 – 4-88.

Ali, Tor. (2006). "Removal of fluoride from an aqueous solution by using montmorillonite".

Desalination 201, 267-276.

Albadarin, I., Iwasaki, S., Tokimoto, T., Kawasaki, N., Nakamura, T., Tanada, S. (2012).

"Adsorption of fluoride ions onto carbonaceous materials". J. Colloid Interface Sci. 275, 35–39

Amit, B., Eva, K., & Mika, S. (2011). "Fluoride removal from water by adsorption A review".

Chemical Engineering Journal 171, 811– 840.

Aunnop, W., Benja, S., Pharkphum, R., & Suraphong, W. (2015). "Kinetic Adsorption of Fluoride from an Aqueous Solution onto a Dolomite Sorbent".

Babic', B.M., S.K., Milonjic', M.J., Polovina., & B.V., Kaludierovic. (1999). "Point of zero charge and intrinsic equilibrium constants of activated carbon cloth". Carbon 37, 477–481.

Baig, L., M.O, F., & Undit, M.J. (2014). "Removal of arsenic from groundwater using magnetic rice straw". Journal of Asian Transactions on Engineering.

Ben, A., Nasr, K., Walha, C., Charcosset, & Ben, Amar. (2011). "Removal of fluoride ions using cuttlefish bones". Journal of Fluorine Chemistry 132, 57-62.

Bin, C., Schmidt-Rohr, K., Satrio, J.A., Brown, R.C. (2014). "Characterization of biochar from fast pyrolysis and gasification systems". Environ. Prog. Sustain. Energy 28, 386–396.

Cauley, JA., Murphy, PA., Riley, TJ., and Buhari, AM.(1995). "Effects of fluoridated drinking water on bone mass and fractures: the study of osteoporotic fractures". Journal of Bone Miner Res., Vol. 10 No. 7, Pp. 1076-1086.

Chunlu, L., Nan, C., Yanan, Z., Rui, L., & Chuanping, F. (2016). "Polypyrrole-grafted peanut shell

- biologicalcarbon as a potential sorbent for fluoride removal: Sorption capability and mechanism". Journal of chemosphere.163, 1-6.
- Cluff, W. (1992). "Nanofiltration Membranes for Natural Organic Matter Removal Contribution of Fouling and Concentration Polarization to Filtration Resistance". Membranes: 207-210
- Davison, A. (1982). "Fluoride supplements for young children: an analysis of the literature focusing on benefits and risks". Community Dental Oral Epidemiol; 27: 72-83
- Dinesh, M., Hemant, K., Ankur, S., M., Alexandre-F., & Charles, U. (2014). "Cadmium and lead remediation using magnetic oak wood and oak bark fast pyrolysis bio-chars". Chemical Engineering Journal. 236, 513–528.
- Dinesh, M., Sandeep, K., & Anju, S., (2014). "Fluoride removal from ground water using magnetic and nonmagnetic corn stoverbiochars". Journal of Ecological Engineering.73, 798–808.
- Dissanayuke, C.B. (1991). "The fluoride problem in the ground water of Sri Lanka environmental management and health". Int. J. Environ. Stud. 19, 195-203
- Edward J. Largent. (1961) "Dental Fluorosis in Man and the Use of Fluoride to Prevent Dental Caries Fluorosis: The Health Aspects of Fluorine Compounds". Ohio State University Press Columbus.
- Eli, Dahi, & Henrik, Breghoj. (1995). "Proceedings of the 1st International Workshop on Fluorosis Prevention and Defluoridation of Water". ISFR for CDC.
- Fang, L., Leoni, V., Vitali, M. (2014). "Bone-fracture incidence rate in two Italian regions with different fluoride concentrations levels in drinking water". J Trace Elements Med Biol 13: 232-7.

Gercel, U.K., Kaur, M.P., Garg, V.K., Suda, D., (2007). “Removal of hexavalent chromium from aqueous solution by agricultural waste biomass”. *J. Hazard. Mater.* 140, 60–68.

Heidwiler, M.J. (1992). “Relationship between fluoride concentration in drinking water and mortality rate from uterine cancer in Okinawa “. *Prefecture, Japan. J Epidemiol;* 6: 184-91.

Ho, Y.S., Ofomaja, A.E. (2006). “Pseudo-second-order model for lead ion sorption from aqueous solutions onto palm kernel fiber”. *Journal of Hazardous Materials*, 137–142.

Hui Q, Lu LV, Bing-cai P, Qing-jian Z, Wei-ming Z, &Quan-xing Z. (2009). “Critical review in adsorption kinetic models”. *J Zhejiang UnivSci A* 10(5), 716-724.

Huimei,C., Lingyun, X., Guijie, C., Chuanyi, P., Fei,K., Zhengquan, L.,...,Daxiang, L., Zhengzhu, Z., & Xiaochun, W. (2016). “Removal of fluoride from drinking water using modified ultrafineteapowderprocessed using a ball-mill”. *Journal of Applied Surface Science*.375, 74–84.

Ismail, Z., & N., AbdelKareem. (2015). “Sustainable approach for recycling waste lamb and chicken bones for fluoride removal from water followed by reusing fluoride-bearing waste in concrete”. *Waste Management* 45, 66-75.

Jiménez-R, M., & M.,Solache-R. (2010). “Sorption behavior of fluoride ions from aqueous solutions by hydroxyapatite”. *Journal of Hazardous Materials* 180, 297–302.

Jagvir, S., Prashant, S., &Anuradha, S. (2014). “Fluoride ions removal technologies: A study. Arabian” *Journal of Chemistry*.

Kavitha, D., Namasivayam, C. (2007). “Experimental and kinetic studies on methylene blue adsorption by coir pith carbon”. *Bioresour Technol.* 98(1), 14-21.

Keskinkan, O., Goksu, M.Z.L., Basibuyuk, M., Forster, C.F. (2004). "Heavy metal adsorption properties of a submerged aquatic plant (*Ceratophyllum demersum*)". *Bioresour. Technol.* 92, 197–200.

Kesaraporn, S., &Kowit, P. (2012). "Kinetic Adsorption of Silver Ion by Chitosan Resin". *KKU Sci. J.* 40(4), 1285-1300.

Kowit, P., Jaruwan, T., Piyawat, P., &Chattaros, K. (Jan - Apr. 2008). "Kinetic Adsorption of Chromium (VI) from Electroplating Factory onto Chitosan Resin". *The Journal of KMUTNB.*, Vol. 18, No. 1.

Larsen, M. J., E.I.F,Pearce.,& G. Ravnholte. (1994). "the effectiveness of bonechar in the defluoridation of water in relation to its crystallinity, carbon content and dissolution pattern.Archs oral Bid". Vol.39, No.99, 807-816.

Laura, R. B., & David, A. S. (2009). "An Evaluation of Fish Bone Char as An Appropriate Arsenic and Fluoride Removal Technology for Emerging Regions". *Environmental engineering science*. Vol. 26, No. 12 , 1777-1783.

Leyva-Ramos, R., J., Rivera-Utrilla, N.A., Medellin-Castillo., & M., Sanchez-Polo. (2010). "Kinetic modeling of fluoride adsorption from aqueous solution onto bone char". *Chemical Engineering Journal* 158, 458–467.

McKay, G., Fitzgerald, E.F., Hwang, S., Dubrow, R. (1980). "Adsorption of textile dyes on alumina Equilibrium studies and contact time effects". *Brazilian Journal of Chemical Engineering*, ISSN 0104-6632.

Mohapatra,M., S. Anand, B.K Mishr., Dion E. Giles, & P. Singh. (2009). "Review of fluoride removal from drinking water". *Journal of Environmental Management* 91, 67–77.

Mohan, D., Kumar, F, & Srivastava, A. (2014). “Cadmium and lead remediation using magnetic oak wood fast pyrolysis bio-chars”. Ecological Engineering Journal. 73, 578–588.

Mourabet, M., A. El Rhilassi., H. El Boujaady., M. Bennani-Ziatni., R. El Hamri., & A. Taitai. (2015). “Removal of fluoride from aqueous solution by adsorption on hydroxyapatite (HAp) using response surface methodology”. Journal of Saudi Chemical Society 19, 603–615.

Mouzadhir, C.A., Boateng, A.A., Goldberg, N.M., Lima, I.M., Laird, D.A., Hicks, K.B., (2007). “Initial behavior of intraparticle diffusion model used in the description of adsorption kinetics”. Chemical Engineering Journal, 67–74.

Medellin-Castillo, N.A., R., Leyva-Ramos, E., Padilla-Ortega, R., Ocampo Perez, J.V., Flores Cano, & M.S., Berber-Mendoza. (2014). “Adsorption capacity of bone char for removing fluoride from water solution. Role of hydroxyapatite content, adsorption mechanism and competing anions”. Journal of Industrial and Engineering Chemistry 20, 4014–4021.

Naba, K., Ria, B., & Jayanta, K. D., (2015). “Removal of fluoride by aluminum impregnated coconut fiber from synthetic fluoride solution and natural water”. Journal of Alexandria Engineering Journal 54, 1273–1284.

Ozcan, A., Gok, O., Ozcan, A.S., Erdem, B. (2007). “Immobilization of 2,2'-dipyridyl onto entonite and its adsorption behavior of copper(II) ions”. Journal Hazard Mater. Apr 15; 163(1), 418-26

Pan, X., Wang, J., Zhang, D. (2009). “Sorption of cobalt to bone char: kinetics, competitive sorption and mechanism”. Desalination 249, 609–614.

Panida, P. (2011). :Effects of Surface Functional Groups and Porous Structures on Adsorption and Recovery of Perfluorinated Compounds by Inorganic Porous Silicas”. Separation Science and Technology, Volume 48, Issue 5, 775-788

Paripurnanda, L., Saravanamuthu, V., Jaya, K., & Ravi, N. (2013). "Defluoridation of drinking water using adsorption processes". Journal of Hazardous Materials: 248– 249, 1– 19.

Pickering, W.F. (1985). "The mobility of soluble Fluoride in soils". Environmental pollution series B, Chemical and physical, Volume 9, Issue 4, 281-308.

Rao, S.M., Reddy, B.V.V., Lakshmikanth, S., Ambika, N.S. (2009). "Reuse of fluoride contaminated bone char sludge in concrete". J. Hazard. Mater. 166, 751–756.

Rojas-M, C.K., A., Bonilla-P., I.A., Aguayo-V., V., Hernández-M., M.R., Moreno-V., R., Tovar-G., M.A., Montes-M (2013). "Optimization of pyrolysis conditions and adsorption properties of bone char for fluoride removal from water". Journal of Analytical and Applied Pyrolysis 104, 10–18.

Singano, J., Choi, W.W., Chen, K.Y. (1991). "Defluoridation of Drinking Water by using Magnesite and Polyaluminium Chloride". M.Sc. Thesis. Department of Civil Engineering, Tampere University of Technology, Finland.

Sansanee, R., Vimonsri, P., Nipapan, O., &Kranjana, K. (1997). "Development of ICOH Defluoridator : Appropriate Bone Incinerator with Pollution Regulating System (Research paper)". Foundation of research and health development.

Srimurali,M., A.,Pragathi,& J.,Karthikeyan. (1998). "A study on removal of fluorides from drinking water by adsorption onto low-cost materials". Environmental Pollution 99, 285-289.

Serpen, I.B., Memon, S., Bhanger, M.I. (2007). "An excellent fluoride behavior of modified amberlite resin". J. Hazard. Mater. 176, 186–192.

Shams, B., Jin, Z., Niaz, M., Tiantian, S., & Xinhua, X. (2014). "Effect of synthesis methods on magnetic kans grass biochar for enhanced As(III, V) adsorption from aqueous solutions". *Biomass and Bioenergy journal*. Vol71, 299–310.

Sudhaka,r M. R., Venkatarama, R., Lakshmikanth,S.,& N.S.,Ambika. (2009). "Reuse of fluoride contaminated bone char sludge in concrete". *Journal of Hazardous Materials* 166, 751–756.

Sangeeta P., Jie H., Wei Q., & Wei G. (2015). "Synthesis and characterization of mesoporous bone char obtained by pyrolysis of animal bones, for environmental application". *Journal of Environmental Chemical Engineering*. Vol 3, 2368–2377.

Vinati,A., B.,Mahanty.,& S.K.,Behera., (2015). "Clay and clay minerals for fluoride removal from water: A state-of-the-art review?". *Journal of Applied Clay Science*. 114, 340–348.

Vaishali, T., Surendra, P., & Dinesh, K. (2014). "Adsorptive removal of fluoride from aqueous media using Citrus limonum (lemon) leaf". *Journal of Microchemical*. 306, 174–185.

Weber, W.J., Morris, J.C. (1963). "Kinetics of adsorption on carbon from solutions". *J.Sanit. Eng. Div. Am. Soc. Civ. Eng.* 89, 31–60.

World Health Organization. Fluoride and Oral Health: Reports of a WHO Expert Committee on Oral Health Status and Fluoride Use. Geneva: 2004, p.17.

Yulin, Tang., Xiaohong, Guan., Tingzhi, Sua., Naiyun, Gao., Jianmin, Wang., (2009). "Fluoride adsorption onto activated alumina: Modeling the effects of pH and some competing ions". *Colloids and Surfaces A: Physicochemical and Engineering Aspects*.337, p.33-38.

Yong, L., Qin F., Shixiang, W., Yanlan, L., Anlan, Z., & Lu F. (2016). “Adsorptive removal of fluoride from aqueous solutions using Al-humic acid-La aerogel composites”. Chemical Engineering Journal. 306, 174–185.

Zhang, C., Chen, L., Wang, T., Chao, L., & Yong, J. (2014). “Synthesis and properties of a magnetic core–shell compositenano-adsorbent for fluoride removal from drinking water”. Applied Surface Science journal. 317, 552-559.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved