


FLUID MECHANICS for CIVIL and ENVIRONMENTAL ENGINEERS



Ahlam I. Shalaby



CRC Press
Taylor & Francis Group

สำนักหอสมุดมหาวิทยาลัยเชียงใหม่

Fluid Mechanics for Civil and Environmental Engineers

616489330
012496443
122395878



Ahlam I. Shalaby



CRC Press

Taylor & Francis Group

Boca Raton London New York

CRC Press is an imprint of the
Taylor & Francis Group, an informa business

Contents

Preface xxxiii

Acknowledgments..... xxxvii

Author..... xxxix

List of Symbols xli

List of Abbreviations xlix

Standards for Units, Unit Prefixes, and Fluid Properties li

Introduction to the Textbook lv

1. Introduction..... 1

1.1 Introduction..... 1

1.2 Fundamental Principles of Fluid Mechanics 1

1.3 Types of Fluid Flow..... 2

1.4 Dimensions and Units 3

1.4.1 Primary and Secondary Dimensions..... 3

1.4.1.1 Dimensions for the British Gravitational (BG) System.....3

1.4.1.2 Dimensions for the International System (SI).....5

1.4.2 System of Units..... 6

1.4.2.1 Units for the British Gravitational (BG) System9

1.4.2.2 Units for the International System (SI)..... 10

1.5 Pressure Scales..... 12

1.6 Standard Atmosphere 13

1.7 Standard Reference for Altitude, Pressure, Latitude, and Temperature 15

1.7.1 Standard Atmospheric Pressure for Fluid Properties..... 16

1.7.2 Variation in Temperature for Fluid Properties..... 16

1.7.3 Standard Temperature Assumed for the Reference Fluid 19

1.8 Newton's Second Law of Motion 19

1.8.1 Acceleration due to Gravity for the British Gravitational (BG) System..... 19

1.8.2 Acceleration due to Gravity for the International System (SI)..... 20

1.9 Dynamic Forces Acting on a Fluid Element 21

1.10 Physical Properties of Fluids..... 21

1.10.1 Mass Density 22

1.10.2 Specific Gravity..... 25

1.10.3 Specific Weight 27

1.10.4 Viscosity 32

1.10.4.1 Laminar versus Turbulent Flow 36

1.10.4.2 Shear Stress Distribution/Profile for Laminar or Turbulent Pipe Flow 38

1.10.4.3 Newton's Law of Viscosity for Laminar Flow..... 39

1.10.4.4 Dynamic Viscosity versus Kinematic Viscosity..... 44

1.10.4.5 Newton's Law of Viscosity: Theoretically Derived Expression for Shear Stress for Laminar Flow 45

1.10.4.6	Empirically Derived Expression for Shear Stress for Turbulent Flow	53
1.10.5	Surface Tension	55
1.10.5.1	Definition of Surface Tension	56
1.10.5.2	The Formation of a Droplet in the Atmosphere	58
1.10.5.3	The Formation of a Droplet on a Solid Surface and Capillarity	60
1.10.5.4	The Formation of a Droplet on a Solid Surface	61
1.10.5.5	Capillarity	61
1.10.6	Vapor Pressure	64
1.10.6.1	Partial Pressure, Atmospheric Pressure, and Vapor Pressure	64
1.10.6.2	Evaporation, Condensation, Boiling Point, and Vapor Pressure of a Liquid	66
1.10.6.3	Cavitation	68
1.10.7	Elasticity, Compressibility, or Bulk Modulus of Elasticity	70
1.10.7.1	Definition of Bulk Modulus of Elasticity	71
1.10.7.2	Ideal Gas Law: Definition of Gas Constant and Molecular Weight	75
1.10.7.3	First Law of Thermodynamics: Definition of Specific Heat and Specific Heat Ratio	79
1.10.7.4	Determination of Bulk Modulus of Elasticity for Gases ...	85
1.10.7.5	Definition of the Sonic (Acoustic) Velocity for Fluids	89
1.10.7.6	Definition of the Mach Number for Fluids: A Measure of Compressibility	92
	End-of-Chapter Problems	93
2.	Fluid Statics	115
2.1	Introduction	115
2.2	The Principles of Hydrostatics	116
2.2.1	Pascal's Law: The Hydrostatic Pressure at a Point	117
2.2.2	The Hydrostatic Pressure Equation: Variation of Pressure from Point to Point	118
2.2.3	The Hydrostatic Pressure Head	121
2.2.4	The Hydrostatic Pressure Distribution	123
2.2.5	Application of the Principles of Hydrostatics	124
2.3	Measurement of Hydrostatic Pressure at a Point	126
2.3.1	Pressure Scales	126
2.3.1.1	Standard Atmospheric Pressure	128
2.3.2	Methods of Pressure Measurement	129
2.3.3	Barometers	129
2.3.4	Manometers	133
2.3.4.1	Manometry	134
2.3.5	Piezometer Columns/Tubes: Simplest Manometers	135
2.3.6	Open U-Tube Manometers: Simple Manometers	139
2.3.6.1	Single-Fluid Simple Manometer	140
2.3.6.2	Multifluid Simple Manometer	148
2.3.7	Differential Manometers	150

2.3.7.1	Single-Fluid Differential Manometer within a Single Pipe	152
2.3.7.2	Single-Fluid Differential Manometer between Two Pipes.....	154
2.3.7.3	Multifluid Differential Manometer between Two Pipes.....	159
2.4	Hydrostatic Forces on Submerged Surfaces	161
2.4.1	The Variation of the Hydrostatic Pressure along a Surface.....	162
2.4.1.1	Variation of the Pressure Prism for a Surface Submerged in a Gas	162
2.4.1.2	Variation of the Pressure Prism for a Surface Submerged in a Liquid Open to the Atmosphere	162
2.4.1.3	Variation of the Pressure Prism for a Surface Submerged in a Liquid, Enclosed, and Pressurized	164
2.4.2	Magnitude and Location of the Hydrostatic Force for Plane Surfaces	165
2.4.2.1	Magnitude of the Resultant Hydrostatic Force on Plane Surfaces	166
2.4.2.2	Location of the Resultant Hydrostatic Force on Plane Surfaces.....	169
2.4.3	Planes Submerged in a Gas.....	173
2.4.4	Planes Submerged in a Liquid Open to the Atmosphere.....	174
2.4.4.1	Submerged ($h = H$) Horizontal Plane (Open).....	174
2.4.4.2	Submerged ($h = y_o$) Vertical Plane (Open).....	176
2.4.4.3	Submerged ($h = y_o \sin \alpha$) Sloping Plane (Open).....	180
2.4.5	Planes Submerged in an Enclosed and Pressurized Liquid.....	184
2.4.5.1	Submerged ($h = H$) Horizontal Plane (Enclosed)	184
2.4.5.2	Submerged ($h = 0$) Vertical Plane (Enclosed)	186
2.4.5.3	Submerged ($h = y_o$) Vertical Plane (Enclosed)	189
2.4.5.4	Submerged ($h = y_o \sin \alpha$) Sloping Plane (Enclosed)	193
2.4.6	Submerged Nonrectangular Planes.....	196
2.4.6.1	Submerged ($h = H$) Horizontal Nonrectangular Plane....	197
2.4.6.2	Submerged ($h = H$) Horizontal Circular Plane.....	197
2.4.6.3	Submerged ($h = H$) Horizontal Triangular Plane	199
2.4.6.4	Submerged ($h = y_o$) Vertical Nonrectangular Plane.....	200
2.4.6.5	Submerged ($h = y_o$) Vertical Circular Plane.....	201
2.4.6.6	Submerged ($h = y_o$) Vertical Triangular Plane	204
2.4.6.7	Submerged ($h = y_o \sin \alpha$) Sloping Nonrectangular Plane.....	208
2.4.6.8	Submerged ($h = y_o \sin \alpha$) Sloping Circular Plane.....	208
2.4.6.9	Submerged ($h = y_o \sin \alpha$) Sloping Triangular Plane	212
2.4.7	Magnitude and Location of the Hydrostatic Force for Curved Surfaces.....	216
2.4.7.1	Magnitude and Location of the Horizontal Component of Force on Curved Surfaces.....	217
2.4.7.2	Magnitude and Location of the Vertical Component of Force on Curved Surfaces.....	219
2.4.7.3	Magnitude and Location of the Resultant Force on Curved Surfaces.....	220

2.4.8	Magnitude and Location of the Hydrostatic Force for Surfaces Submerged in a Multilayered Fluid	223
2.4.8.1	Magnitude and Location of the Resultant Force Acting in First Fluid	223
2.4.8.2	Magnitude and Location of the Resultant Force Acting in Second Fluid	225
2.4.8.3	Magnitude and Location of the Resultant Force Acting in Multilayer Fluid.	227
2.5	Buoyancy and Stability of a Floating or a Neutrally Buoyant Body	229
2.5.1	Buoyancy and Archimedes Principle	230
2.5.1.1	Magnitude and Location of the Buoyant Force	230
2.5.1.2	Buoyancy of a Completely Submerged Sinking Body	231
2.5.1.3	Buoyancy of a Completely Submerged Neutrally Buoyant Body.	233
2.5.1.4	Buoyancy of a Partially Submerged Floating Body	235
2.5.1.5	The Role of the Buoyant Force in Practical Applications	239
2.5.2	Stability of a Floating or a Neutrally Buoyant Body	240
2.5.2.1	Vertical Stability of a Floating or Neutrally Buoyant Body.	240
2.5.2.2	Rotational Stability of a Floating or Neutrally Buoyant Body	241
2.5.2.3	Rotational Stability of Neutrally Buoyant/Suspended Bodies	241
2.5.2.4	Rotational Stability of Floating Bodies	243
2.5.2.5	Maximum Design Angle of Rotation for a Top-Heavy Floating Body	246
2.5.2.6	Metacentric Height for a Top-Heavy Floating Body	246
2.5.2.7	Computation of the Metacentric Height and the Resulting Moment (Restoring, Overturning, or Zero) for a Top-Heavy Floating Body	248
	End-of-Chapter Problems	259
3.	Continuity Equation	301
3.1	Introduction	301
3.2	Fluid Kinematics	302
3.3	Types of Fluid Flow	302
3.3.1	Internal versus External Flow	302
3.3.2	Pressure versus Gravity Flow	303
3.3.3	Real versus Ideal Flow	303
3.3.3.1	Laminar versus Turbulent Flow	303
3.3.4	Compressible versus Incompressible Flow	303
3.3.5	Spatially Varied (Nonuniform) versus Spatially Uniform Flow	303
3.3.6	Unsteady versus Steady Flow	304
3.3.7	One-, Two-, and Three-Dimensional Flows	304
3.4	Flow Visualization/Geometry	304
3.4.1	Path Lines	305

3.4.2	Streamlines	305
3.4.3	Stream Tubes	306
3.5	Describing and Observing the Fluid Motion.....	307
3.5.1	Definition of a Fluid System: The Lagrangian Point of View.....	308
3.5.1.1	Definition of the Fluid Particle Velocity in the Lagrangian Point of View	308
3.5.2	Definition of a Control Volume: The Eulerian Point of View.....	309
3.5.2.1	Definition of the Fluid Particle Velocity in the Eulerian Point of View	310
3.5.2.2	Fixed versus Moving Control Volume in the Eulerian Point of View	311
3.5.3	Deriving One View from the Other.....	312
3.5.4	Application of the Lagrangian View versus Application of the Eulerian View.....	312
3.6	The Physical Laws Governing Fluid in Motion.....	313
3.6.1	Statement of the Governing Physical Laws Assuming a Fluid System	314
3.6.1.1	Extensive and Intensive Fluid Properties.....	314
3.6.2	The Reynolds Transport Theorem	314
3.6.3	Statement of the Assumptions Made for the Type of Fluid Flow....	317
3.6.3.1	The Assumption of Spatial Dimensionality of the Fluid Flow	318
3.6.3.2	The Modeling of Two-Dimensional Flows.....	319
3.6.3.3	The Modeling of One-Dimensional Flows	320
3.6.3.4	A Comparison of Velocity Profiles for Various Flow Types	323
3.7	Conservation of Mass: The Continuity Equation	324
3.7.1	The Continuity Equation	325
3.7.1.1	The Continuity Equation for a Fluid System	326
3.7.1.2	The Continuity Equation for a Control Volume	335
3.8	Measurement of the Volume Flowrate.....	348
	End-of-Chapter Problems.....	348
4.	Energy Equation	363
4.1	Introduction.....	363
4.2	Fluid Dynamics	363
4.3	Derivation of the Energy Equation	365
4.4	Conservation of Momentum Principle: Newton's Second Law of Motion....	365
4.4.1	Newton's Second Law of Motion for a Fluid System.....	367
4.4.2	Newton's Second Law of Motion for a Control Volume.....	369
4.5	The Energy Equation Based on Newton's Second Law of Motion.....	371
4.5.1	The Energy Equation for a Fluid System	372
4.5.2	The Energy Equation for a Control Volume	373
4.5.2.1	Definition of the Terms in the Energy Equation.....	374
4.5.2.2	Practical Assumptions Made for the Energy Equation ...	375
4.5.2.3	Application of the Energy Equation for Pressure Flow versus Open Channel Flow	376
4.5.3	The Bernoulli Equation	376

4.5.3.1	Applications of the Bernoulli Equation	379
4.5.3.2	The Pitot-Static Tube: Dynamic Pressure Is Modeled by a Pressure Rise	380
4.5.3.3	Ideal Flow Meters, Ideal Gradual Channel Contractions, and Ideal Flow from a Tank: Dynamic Pressure Is Modeled by a Pressure Drop	382
4.5.3.4	The Energy Grade Line (EGL) and the Hydraulic Grade Line (HGL)	383
4.5.3.5	The Hydraulic Grade Line (HGL) and Cavitation	389
4.5.4	Application of the Energy Equation in Complement to the Momentum Equation	392
4.5.4.1	Application of the Governing Equations	392
4.5.4.2	Modeling Flow Resistance: A Subset Level Application of the Governing Equations	401
4.5.5	Application of the Energy and Momentum Equations for Real Internal Flow	403
4.5.5.1	Evaluation of the Major and Minor Head Loss Terms	403
4.5.5.2	Evaluation of the Pump and Turbine Head Terms	405
4.5.5.3	Applications of the Governing Equations for Real Internal Flow	406
4.5.5.4	Application of the Energy Equation for Real Pipe Flow	406
4.5.5.5	Application of the Energy Equation for Real Open Channel Flow	410
4.5.6	Application of the Energy and Momentum Equations for Ideal Internal Flow and Ideal Flow from a Tank	412
4.5.6.1	Evaluation of the Actual Discharge	413
4.5.6.2	Applications of the Governing Equations for Ideal Internal Flow and Ideal Flow from a Tank	414
4.5.6.3	Application of the Bernoulli Equation for Ideal Pipe Flow	415
4.5.6.4	Application of the Bernoulli Equation for Ideal Open Channel Flow	419
4.5.6.5	Applications of the Bernoulli Equation for Ideal Flow from a Tank	423
4.5.7	Application of the Energy and Momentum Equations for Ideal External Flow	442
4.5.7.1	Evaluation of the Drag Force	442
4.5.7.2	Applications of the Governing Equations for Ideal External Flow	444
4.5.7.3	Applications of the Bernoulli Equation for Ideal External Flow	444
4.5.8	Application of the Energy and Momentum Equations for a Hydraulic Jump	449
4.5.8.1	Applications of the Governing Equations for a Hydraulic Jump	450
4.5.8.2	Application of the Energy Equation for a Hydraulic Jump	451

4.6	Conservation of Energy Principle: First Law of Thermodynamics.....	452
4.6.1	Total Energy	453
4.6.1.1	Total Energy for a Fluid Flow System	454
4.6.1.2	Dimensions and Units for Energy	455
4.6.2	Energy Transfer by Heat.....	455
4.6.3	Energy Transfer by Work.....	456
4.7	The Energy Equation Based on the First Law of Thermodynamics.....	457
4.7.1	The Energy Equation for a Fluid System	457
4.7.2	The Energy Equation for a Control Volume	458
4.7.2.1	The Energy Equation Expressed in Power Terms	460
4.7.2.2	Pump and Turbine Losses Are Modeled by Their Efficiencies.....	461
4.7.2.3	Pump, Turbine, and System Efficiencies.....	463
4.7.2.4	The Energy Equation Expressed in Energy Head Terms.....	465
4.7.2.5	Definition of the Terms in the Energy Equation.....	466
4.7.2.6	Practical Assumptions Made for the Energy Equation ...	467
4.7.3	Application of the Energy Equation in Complement to the Momentum Equation.....	467
4.7.4	Application of the Energy Equation for Real Internal Flow with a Pump or a Turbine	468
4.7.4.1	Dimensions and Units for the Pump and Turbine Head Terms.....	470
4.7.4.2	Applications of the Energy Equation for Real Internal Flow with a Pump	471
4.7.4.3	Applications of the Energy Equation for Real Internal Flow with a Turbine	486
	End-of-Chapter Problems.....	513
5.	Momentum Equation	555
5.1	Introduction.....	555
5.2	Derivation of The Momentum Equation	556
5.2.1	The Momentum Equation for a Fluid System: Differential Form of the Momentum Equation	556
5.2.1.1	Differential Form of the Momentum Equation	558
5.2.1.2	Application of the Differential Form of the Momentum Equation	559
5.2.2	The Momentum Equation for a Control Volume: Integral Form of the Momentum Equation	564
5.2.2.1	Fixed versus Moving Control Volume in the Eulerian (Integral) Point of View	565
5.2.2.2	Application of the Integral Form of the Momentum Equation	566
5.3	Application of the Energy Equation in Complement to the Momentum Equation	576
5.3.1	Application of the Governing Equations	577
5.3.2	Modeling Flow Resistance: A Subset Level Application of the Governing Equations	578

5.3.3	Application of the Energy and Momentum Equations for Real Internal Flow	580
5.3.3.1	Evaluation of the Major and Minor Head Loss Terms....	580
5.3.3.2	Evaluation of the Pump and Turbine Head Terms	583
5.3.3.3	Applications of the Governing Equations for Real Internal Flow	583
5.3.3.4	Applications of the Governing Equations for Real Internal Flow: Differential Fluid Element.....	584
5.3.3.5	Applications of the Governing Equations for Real Internal Flow: Finite Control Volume	592
5.3.4	Application of the Energy and Momentum Equations for Ideal Internal Flow and Ideal Flow from a Tank	598
5.3.4.1	Evaluation of the Actual Discharge.....	598
5.3.4.2	Applications of the Governing Equations for Ideal Internal Flow and Ideal Flow from a Tank	600
5.3.4.3	Applications of the Governing Equations for Ideal Pipe Flow	601
5.3.4.4	Applications of the Governing Equations for Ideal Open Channel Flow	602
5.3.4.5	Applications of the Governing Equations for Ideal Flow from a Tank.....	605
5.3.5	Application of the Energy and Momentum Equations for Ideal External Flow	614
5.3.5.1	Evaluation of the Drag Force	614
5.3.5.2	Applications of the Governing Equations for Ideal External Flow	616
5.3.6	Application of the Energy and Momentum Equations for a Hydraulic Jump.....	618
5.3.6.1	Applications of the Governing Equations for a Hydraulic Jump	618
	End-of-Chapter Problems.....	620
6.	Flow Resistance Equations	643
6.1	Introduction.....	643
6.1.1	Modeling Flow Resistance: A Subset Level Application of the Governing Equations	644
6.1.2	Derivation of the Flow Resistance Equations and the Drag Coefficients	645
6.1.2.1	Empirical Evaluation of the Drag Coefficients and Application of the Flow Resistance Equations.....	646
6.1.3	Modeling the Flow Resistance as a Loss in Pump and Turbine Efficiency in Internal Flow.....	646
6.2	Types of Flow.....	647
6.2.1	Internal Flow versus External Flow.....	647
6.2.2	Pipe Flow versus Open Channel Flow.....	647
6.2.3	Real Flow versus Ideal Flow.....	648
6.2.4	Ideal Flow	649
6.2.4.1	Ignoring the Flow Resistance in Ideal Flow	649

6.2.4.2	Subsequently Modeling the Flow Resistance in Ideal Flow	650
6.2.4.3	The Pitot-Static Tube: Dynamic Pressure Is Modeled by a Pressure Rise	651
6.2.4.4	The Venturi Meter: Dynamic Pressure Is Modeled by a Pressure Drop	653
6.2.5	Real Flow	654
6.2.5.1	Directly and Subsequently Modeling the Flow Resistance in Real Flow	654
6.2.5.2	Directly Modeling the Flow Resistance in Real Flow	655
6.2.5.3	Laminar Flow versus Turbulent Flow	656
6.2.5.4	The Velocity Profiles for Laminar and Turbulent Internal Flows	657
6.2.5.5	Developing Flow versus Developed Flow	659
6.3	Modeling the Flow Resistance as a Drag Force in External Flow	659
6.3.1	Evaluation of the Drag Force	660
6.3.2	Application of the Bernoulli Equation: Derivation of the Ideal Velocity	661
6.3.3	Application of the Momentum Equation and Dimensional Analysis: Derivation of the Actual Velocity, Drag Force Equation, and the Drag Coefficient	661
6.3.4	Modeling the Drag Force in the Momentum Equation	662
6.3.4.1	Submerged Stationary Body in a Stationary Real or Ideal Fluid	662
6.3.4.2	Submerged Moving Body in a Stationary Ideal Fluid	663
6.3.4.3	Submerged Moving Body in a Stationary Real Fluid	664
6.3.5	Supplementing the Momentum Equation with Dimensional Analysis: Derivation of the Drag Force and the Drag Coefficient ...	665
6.4	Modeling the Flow Resistance as a Major Head Loss in Internal Flow	666
6.4.1	Evaluation of the Major Head Loss	667
6.4.2	Application of the Energy Equation: Derivation of the Head Loss	668
6.4.3	Application of the Momentum Equations and Dimensional Analysis: Derivation of the Pressure Drop, Shear Stress, and the Drag Coefficient	668
6.4.4	Application of the Governing Equations to Derive the Major Head Loss Equations for Laminar and Turbulent Flow	669
6.5	Laminar and Turbulent Internal Flow Characteristics	671
6.5.1	Determining the Variation of Shear Stress with Radial Distance for Laminar and Turbulent Flow	672
6.5.2	The Variation of the Velocity with Time for Laminar and Turbulent Flow	675
6.5.3	The Variation of the Velocity, Pressure Drop, and the Wall Shear Stress with Length of Pipe for Laminar and Turbulent Flow: Developing versus Developed Flow	675
6.5.3.1	The Extent of Developing Flow in the Pipe Length	676
6.5.3.2	The Variation of the Velocity Profile with Pipe Length	678

	6.5.3.3	The Variation of the Pressure Drop and the Wall Shear Stress with Pipe Length	679
	6.5.3.4	Laminar versus Turbulent Flow	680
6.6		Derivation of the Major Head Loss Equation for Laminar Flow	681
	6.6.1	Application of the Integral Form of the Momentum Equation: Deriving the Velocity Profile for Laminar Flow	681
	6.6.2	Application of the Differential form of the Continuity Equation: Deriving Poiseuille's Law	683
	6.6.3	Substituting Poiseuille's Law into the Integral Form of the Energy Equation: Deriving the Major Head Loss Equation for Laminar Flow (Poiseuille's Law)	684
	6.6.4	Interpretation of Poiseuille's Law Expressed in Terms of the Pressure Drop	685
6.7		Derivation of the Major Head Loss Equation for Turbulent Flow	686
	6.7.1	Application of the Integral Momentum Equation: Deriving an Expression for the Pressure Drop	687
	6.7.2	Application of the Differential Momentum Equation: Interpreting the Friction Slope in Turbulent Flow	687
	6.7.3	Application of Dimensional Analysis: Empirically Interpreting Friction Slope (Empirically Deriving an Expression for Wall Shear Stress) in Turbulent Flow	688
	6.7.3.1	Derivation of an Empirical Expression for the Wall Shear Stress as a Function of the Velocity	689
	6.7.3.2	Derivation of the Chezy Equation and Evaluation of the Chezy Coefficient, C	690
	6.7.3.3	Application of the Chezy Equation	690
	6.7.4	Substituting the Chezy Equation into the Integral Form of the Energy Equation: Deriving the Major Head Loss Equation for Turbulent Flow	691
	6.7.5	The Darcy–Weisbach Equation	692
	6.7.5.1	Derivation of the Darcy–Weisbach Friction Coefficient, f	692
	6.7.5.2	Evaluation of the Darcy–Weisbach Friction Coefficient, f	693
	6.7.5.3	The Darcy–Weisbach Head Loss Equation	694
	6.7.6	Manning's Equation	694
	6.7.6.1	Derivation and Evaluation of the Manning's Roughness Coefficient, n	695
	6.7.6.2	Manning's Equation	695
	6.7.6.3	Manning's Head Loss Equation	696
	6.7.7	The Hazen–Williams Equation	696
	6.7.7.1	The Hazen–Williams Equation	696
	6.7.7.2	Evaluation of the Hazen–Williams Equation Roughness Coefficient, C_h	697
	6.7.7.3	The Hazen–Williams Head Loss Equation	697
	6.7.8	The Relationship between the Drag Coefficient, C_D ; the Chezy Coefficient, C ; the Darcy–Weisbach Friction Factor, f ; and Manning's Roughness Coefficient, n	698

6.7.9	A Comparison between Laminar and Turbulent Flow Using the Darcy–Weisbach Head Loss Equation	698
6.7.9.1	The Darcy–Weisbach Head Loss Equation and the Reynolds Number, R for Noncircular Pipes	699
6.7.9.2	Evaluating the Darcy–Weisbach Friction Coefficient, f for Laminar Pipe Flow	700
6.7.9.3	A Comparison between Laminar and Turbulent Flow Using the Darcy–Weisbach Head Loss Equation	700
6.7.10	Determining the Velocity Profile for Turbulent Flow	702
6.7.10.1	A Comparison between the Velocity Profiles for Laminar Flow and Turbulent Flow	704
6.7.10.2	The Role of the Boundary Roughness in Laminar Flow and Turbulent Flow	705
6.7.11	Application of the Major Head Loss Equation for Open Channel Flow	706
6.7.11.1	Application of the Chezy Equation for Open Channel Flow	708
6.8	Modeling the Flow Resistance as a Minor Head Loss in Pipe Flow	709
6.8.1	Evaluation of the Minor Head Loss	710
6.8.2	Application of the Energy Equation: Derivation of the Head Loss	711
6.8.3	Application of the Momentum Equation and Dimensional Analysis: Derivation of the Pressure Drop, Shear Stress, and the Drag Coefficient	713
6.8.4	Analytical Derivation of the Minor Head Loss Equation due to a Sudden Pipe Expansion	714
6.8.5	Empirical Derivation of the Minor Head Loss Equation due to Pipe Components in General	715
6.8.5.1	Application of the Energy Equation: Derivation of the Head Loss	715
6.8.5.2	Application of the Momentum Equation and Dimensional Analysis: Derivation of the Pressure Drop, Shear Stress, and the Drag Coefficient	716
6.8.5.3	Evaluation of the Minor Head Loss Coefficient, k	716
6.9	Modeling the Flow Resistance as a Loss in Flowrate in Internal Flow	718
6.9.1	Evaluation of the Actual Discharge	719
6.9.2	Application of the Bernoulli Equation: Derivation of the Ideal Velocity	720
6.9.3	Application of the Continuity Equation: Derivation of the Ideal Discharge and the Actual Discharge	720
6.9.4	Application of the Momentum Equation and Dimensional Analysis: Derivation of the Actual Velocity, Actual Area, Actual Discharge, and the Discharge Coefficient	721
6.9.4.1	Supplementing the Momentum Equation with Dimensional Analysis: Derivation of the Reduced/Actual Discharge Equation for Pipe Flow	722

6.9.4.2	Supplementing the Momentum Equation with Dimensional Analysis: Derivation of the Reduced/Actual Discharge Equation for Open Channel Flow	723
6.9.5	A Comparison of the Velocity Profiles for Ideal and Real Flows	724
6.10	Modeling the Flow Resistance as a Loss in Pump and Turbine Efficiency in Internal Flow	725
6.10.1	Evaluation of the Efficiency of Pumps and Turbines	726
6.10.1.1	Supplementing the Momentum Equation with Dimensional Analysis: Derivation of the Efficiency of Pumps and Turbines	726
	End-of-Chapter Problems	726
7.	Dimensional Analysis	749
7.1	Introduction	749
7.1.1	The Role of Dimensional Analysis in the Modeling of Fluid Flow	750
7.1.2	The Role of Dimensional Analysis in the Empirical Modeling of Flow Resistance in Real Fluid Flow	752
7.1.2.1	Modeling of Flow Resistance in Real Fluid Flow	752
7.1.2.2	Using Dimensional Analysis in the Empirical Modeling of Flow Resistance in Real Fluid Flow	753
7.1.3	Flow Types and Dimensional Analysis	755
7.1.4	Internal Flow versus External Flow	755
7.1.5	Modeling Flow Resistance: A Subset Level Application of the Governing Equations	755
7.1.6	Supplementing the Momentum Theory with Dimensional Analysis	756
7.1.7	Derivation of the Flow Resistance Equations and the Drag Coefficients	756
7.1.7.1	Empirical Evaluation of the Drag Coefficients and Application of the Flow Resistance Equations	757
7.1.8	Derivation of the Efficiency of Pumps and Turbines	757
7.2	Dimensional Analysis of Fluid Flow	757
7.2.1	Dynamic Forces Acting on a Fluid Element	758
7.2.2	Two-Dimensional Systems	759
7.2.3	Deriving a Functional Relationship/Dimensionless Numbers	759
7.2.4	Main Pi Terms	761
7.2.5	The Definition of New Pi Terms	762
7.2.6	Guidelines in the Derivation of the Flow Resistance Equations and the Drag Coefficients	762
7.2.7	The Definition of the Drag Coefficient	769
7.2.8	Guidelines in the Derivation of the Efficiency of Pumps and Turbines	770
7.2.9	The Definition of the Pump (or Turbine) Efficiency	773
7.2.10	Specific Guidelines and Summary in the Application of Dimensional Analysis for Example Problems and End-of-Chapter Problems	774

7.3	Modeling the Flow Resistance as a Drag Force in External Flow	776
7.3.1	Evaluation of the Drag Force	776
7.3.2	Application of the Bernoulli Equation: Derivation of the Ideal Velocity	777
7.3.3	Application of the Momentum Equation and Dimensional Analysis: Derivation of the Actual Velocity, Drag Force Equation, and the Drag Coefficient	777
7.3.3.1	Application of Dimensional Analysis: Derivation of the Drag Force and the Drag Coefficient	778
7.3.3.2	Application of Dimensional Analysis to Derive the Drag Force and Drag Coefficient for More Specific Assumptions of External Flow	787
7.3.4	Derivation of the Lift Force and the Lift Coefficient	791
7.4	Modeling the Flow Resistance as a Major Head Loss in Internal Flow	795
7.4.1	Evaluation of the Major Head Loss	796
7.4.2	Application of the Energy Equation: Derivation of the Head Loss	797
7.4.3	Application of the Momentum Equations and Dimensional Analysis: Derivation of the Pressure Drop, Shear Stress, and the Drag Coefficient	797
7.4.4	Derivation of the Major Head Loss Equation for Laminar Flow	799
7.4.5	Derivation of the Major Head Loss Equation for Turbulent Flow ...	799
7.4.5.1	Application of Dimensional Analysis: Derivation of the Wall Shear Stress and Drag Coefficient in Turbulent Flow	800
7.4.5.2	Derivation of the Chezy Equation and Evaluation of the Chezy Coefficient, C	804
7.4.5.3	Substituting the Chezy Equation into the Energy Equation: Deriving the Major Head Loss Equation for Turbulent Flow	805
7.4.6	The Darcy–Weisbach Equation	806
7.4.6.1	Derivation of the Darcy–Weisbach Friction Coefficient, f	806
7.4.6.2	Evaluation of the Darcy–Weisbach Friction Coefficient, f	808
7.4.6.3	The Darcy–Weisbach Head Loss Equation	808
7.4.6.4	Evaluating the Darcy–Weisbach Friction Coefficient, f for Laminar Pipe Flow	809
7.4.7	Manning’s Equation	809
7.4.7.1	Derivation and Evaluation of the Manning’s Roughness Coefficient, n	809
7.4.7.2	Manning’s Equation	810
7.4.7.3	Manning’s Head Loss Equation	811
7.4.8	Application of the Major Head Loss Equation for Open Channel Flow	811
7.4.8.1	Interpretation of the Results of Dimensional Analysis for Open Channel Flow	813
7.4.8.2	Application of the Chezy Equation for Open Channel Flow	814

	7.4.8.3	Application of the Darcy–Weisbach Equation for Open Channel Flow	815
	7.4.8.4	Application of Manning’s Equation for Open Channel Flow	815
	7.4.9	Application of Dimensional Analysis to Derive the Wall Shear Stress and Drag Coefficient for More Specific Assumptions of Internal Flow	816
7.5		Modeling the Flow Resistance as a Minor Head Loss in Pipe Flow	820
	7.5.1	Evaluation of the Minor Head Loss	820
	7.5.2	Application of the Energy Equation: Derivation of the Head Loss	821
	7.5.3	Application of the Momentum Equation and Dimensional Analysis: Derivation of the Pressure Drop, Shear Stress, and the Drag Coefficient	822
	7.5.4	Analytical Derivation of the Minor Head Loss Equation due to a Sudden Pipe Expansion	823
	7.5.5	Empirical Derivation of the Minor Head Loss Equation due to Pipe Components in General	824
	7.5.5.1	Application of Dimensional Analysis: Derivation of the Pressure Drop and Drag Coefficient for Pipe Components in General	824
	7.5.5.2	Substituting the Pressure Drop into the Energy Equation: Deriving the Minor Head Loss Equation for Pipe Components in General	831
	7.5.5.3	Evaluation of the Minor Head Loss Coefficient, k	831
	7.5.5.4	Application of Dimensional Analysis to Derive the Pressure Drop and Drag Coefficient for More Specific Assumptions for Pipe Flow Components	833
7.6		Modeling the Flow Resistance as a Loss in Flowrate in Internal Flow	838
	7.6.1	Evaluation of the Actual Discharge	839
	7.6.2	Application of the Bernoulli Equation: Derivation of the Ideal Velocity	840
	7.6.3	Application of the Continuity Equation: Derivation of the Ideal Discharge and the Actual Discharge	840
	7.6.4	Application of the Momentum Equation and Dimensional Analysis: Derivation of the Actual Velocity, Actual Area, Actual Discharge, and the Discharge Coefficient	841
	7.6.4.1	Application of Dimensional Analysis: Derivation of the Reduced/Actual Discharge and Drag Coefficient for Pipe Flow Measuring Devices	842
	7.6.4.2	Application of Dimensional Analysis: Derivation of the Reduced/Actual Discharge and Drag Coefficient for Open Channel Flow-Measuring Devices	854
	7.6.4.3	Application of Dimensional Analysis to Derive the Reduced/Actual Discharge and Drag Coefficient for More Specific Assumptions for Open Channel Flow-Measuring Devices	861
7.7		Modeling the Flow Resistance as a Loss in Pump and Turbine Efficiency in Internal Flow	866

8.5.4	Manning's Roughness Coefficient, n and Manning's Equation	952
8.5.4.1	Application of Manning's Equation	954
8.5.5	The Hazen–Williams Roughness Coefficient, C_h and the Hazen–Williams Equation	957
8.5.5.1	Application of the Hazen–Williams Equation	959
8.6	Pipes with Components: Minor Head Losses and Reaction Forces in Real Pipe Flow	962
8.6.1	Evaluation of the Minor Head Loss Term in the Energy Equation	963
8.6.1.1	Evaluation of the Minor Head Loss	963
8.6.1.2	Derivation of the Minor Head Loss Coefficient, k	965
8.6.1.3	Evaluation of the Minor Head Loss Coefficient, k	965
8.6.2	Alternative Modeling of the Minor Head Loss Term in the Energy Equation	966
8.6.3	Evaluation of the Minor Head Loss due to Pipe Components	967
8.6.4	Minor Losses in Valves and Fittings (Tees, Unions, Elbows, and Bends)	968
8.6.4.1	Valves	969
8.6.4.2	Fittings (Tees, Unions, Elbows, and Bends)	974
8.6.5	Minor Losses in Entrances, Exits, Contractions, and Expansions ...	979
8.6.5.1	Pipe Entrances	980
8.6.5.2	Pipe Exits	983
8.6.5.3	Sudden Pipe Expansions	984
8.6.5.4	Sudden Pipe Contractions	989
8.6.5.5	Gradual Pipe Expansions	990
8.6.5.6	Gradual Pipe Contractions	995
8.6.6	Reaction Forces on Pipe Components	998
8.7	Pipe Systems: Major and Minor Head Losses in Real Pipe Flow	1000
8.7.1	Single Pipes	1001
8.7.2	Pipes with Components	1001
8.7.3	Pipes with a Pump or a Turbine	1004
8.7.4	Pipes in Series	1009
8.7.5	Pipes in Parallel	1017
8.7.6	Branching Pipes	1030
8.7.6.1	Branching Pipes Connected to Three Reservoirs	1031
8.7.6.2	Branching Pipes Connected to a Water Supply Source under Pressure	1044
8.7.7	Pipes in a Loop	1055
8.7.8	Pipe Networks	1063
8.7.8.1	Continuity Principle	1063
8.7.8.2	Energy Principle	1064
8.7.8.3	Momentum Principle	1067
8.7.8.4	Summary of Governing Equations for Pipe Networks	1067
8.8	Pipe Flow Measurement and Control Devices: Actual Flowrate in Ideal Flow Meters	1078
8.8.1	Evaluation of the Actual Flowrate for Ideal Flow Meters in Pipe Flow	1079

8.8.1.1	Derivation of the Discharge Coefficient, C_d	1080
8.8.1.2	Evaluation of the Discharge Coefficient, C_d	1081
8.8.2	Evaluation of the Actual Flowrate for a Pitot-Static Tube	1081
8.8.3	Evaluation of the Actual Flowrate for Orifice, Nozzle, and Venturi Meters	1086
8.8.3.1	Evaluation of the Actual Flowrate for an Orifice, a Nozzle, or a Venturi Meter	1088
8.8.3.2	Actual Flowrate for an Orifice Meter	1090
8.8.3.3	Actual Flowrate for a Nozzle Meter	1093
8.8.3.4	Actual Flowrate for a Venturi Meter.....	1097
8.8.3.5	Evaluation of the Minor Head Loss due to an Orifice, a Nozzle, or a Venturi Meter	1100
	End-of-Chapter Problems.....	1101
9.	Open Channel Flow	1115
9.1	Introduction.....	1115
9.2	Application of the Eulerian (Integral) versus Lagrangian (Differential) Forms of the Governing Equations	1116
9.2.1	Eulerian (Integral) Approach for Open Channel Flow Problems.....	1117
9.2.2	Lagrangian (Differential) Approach for Open Channel Flow Problems.....	1118
9.3	The Occurrence of a Major Head Loss in Open Channel Flow	1118
9.4	Modeling Flow Resistance in Open Channel Flow: A Subset Level Application of the Governing Equations.....	1118
9.5	Application of the Governing Equations in Open Channel Flow	1119
9.5.1	Application of the Governing Equations for Real Open Channel Flow.....	1120
9.5.1.1	Integral Approach for Real Open Channel Flow Problems.....	1120
9.5.1.2	Evaluation of the Major Head Loss Term	1120
9.5.1.3	Evaluation of the Pump and Turbine Head Terms	1122
9.5.1.4	Differential Approach for Real Open Channel Flow Problems.....	1122
9.5.1.5	Applications of the Governing Equations for Real Open Channel Flow	1123
9.5.2	Application of the Governing Equations for Ideal Open Channel Flow.....	1123
9.5.2.1	Evaluation of the Actual Discharge.....	1124
9.5.2.2	Applications of the Governing Equations for Ideal Open Channel Flow	1126
9.5.3	Application of the Governing Equations for a Hydraulic Jump	1126
9.6	Major Head Loss due to Flow Resistance in Real Open Channel Flow.....	1126
9.6.1	Uniform versus Nonuniform Open Channel Flow	1127
9.6.2	Evaluation of the Major Head Loss Term in the Energy Equation	1128
9.6.3	The Chezy Equation and Evaluation of the Chezy Coefficient, C	1128

9.6.4	Turbulent Channel Flow Resistance Equations and Their Roughness Coefficients	1129
9.6.5	Manning's Equation and Evaluation of Manning's Roughness Coefficient, n	1129
9.7	Flow Type (State) and Flow Regime	1131
9.7.1	The Role and Significance of Uniform Flow	1131
9.7.2	The Definition of Flow Regimes for Uniform Flow	1132
9.7.3	The Occurrence of Nonuniform Flow and Changes in the Flow Regime	1132
9.8	Transitions and Controls in Open Channel Flow	1132
9.8.1	The Definition of a Control in Open Channel Flow	1133
9.8.1.1	The Occurrence of Critical Flow at Controls	1134
9.8.2	The Definition of a Flow-Measuring Device in Open Channel Flow	1135
9.9	Energy Concepts in Open Channel Flow	1135
9.9.1	Hydrostatic Pressure Distribution	1136
9.9.2	Deviation from a Hydrostatic Pressure Distribution	1137
9.9.2.1	Sharp-Crested Weir and Free Overfall	1138
9.9.3	Specific Energy in Open Channel Flow	1139
9.9.4	Specific Energy for Rectangular Channel Cross Sections	1140
9.9.4.1	The Specific Energy Curve for Rectangular Channel Sections	1140
9.9.4.2	Derivation of Critical Flow for Rectangular Channel Sections	1141
9.9.4.3	The Depth–Discharge Curve for Rectangular Cross Sections	1143
9.9.5	Specific Energy for Nonrectangular Channel Cross Sections	1145
9.9.5.1	Derivation of Critical Flow for Nonrectangular Channel Sections	1146
9.9.6	Subcritical and Supercritical Flow	1147
9.9.7	Analysis of the Occurrence of Critical Flow at Controls	1148
9.9.7.1	Critical Flow at Controls due to an Abrupt/Maximum Vertical Constriction	1149
9.9.7.2	Critical Flow at Controls due to an Abrupt/Maximum Horizontal Constriction	1153
9.9.7.3	Critical Flow at Controls due to a Change in Channel Bottom Slope	1156
9.9.8	Analysis of the Occurrence of Uniform Flow as a Control	1159
9.10	Momentum Concepts in Open Channel Flow	1162
9.10.1	The Momentum Function	1162
9.10.1.1	The Use of Controls in the Formation of a Hydraulic Jump	1163
9.10.1.2	Definition of the Momentum Function for Rectangular Channel Sections	1164
9.10.1.3	The Momentum Function Curve for Rectangular Channel Sections	1166
9.10.1.4	Definition of the Momentum Function for Nonrectangular Channel Sections	1170

- 9.11 Geometric Properties of Some Common Channel Sections 1171
 - 9.11.1 Geometric Properties of Rectangular Channel Sections. 1172
 - 9.11.2 Geometric Properties of Trapezoidal Channel Sections. 1172
 - 9.11.3 Geometric Properties of Triangular Channel Sections 1174
 - 9.11.4 Geometric Properties of Partially Filled Circular Channel Sections. 1175
- 9.12 Flow Depth and Reaction Force for Short Channel Transitions in Open Channel Flow: Ideal Flow 1176
 - 9.12.1 Flow Depth for Gradual Channel Transitions: Not Controls 1176
 - 9.12.1.1 Flow Depth for a Gradual Upward Step 1177
 - 9.12.1.2 Flow Depth for a Gradual Decrease in Channel Width 1180
 - 9.12.2 Flow Depth for Abrupt Channel Transitions: Controls 1187
 - 9.12.2.1 Flow Depth for an Abrupt Upward Step 1187
 - 9.12.2.2 Flow Depth for an Abrupt Decrease in Channel Width 1192
 - 9.12.2.3 Flow Depth for Typical Flow-Measuring Devices 1196
 - 9.12.3 Reaction Force on Open Channel Flow Structures/Controls (Abrupt Flow Transitions and Flow-Measuring Devices) 1204
- 9.13 Flow Depth and Major Head Loss for a Hydraulic Jump in Open Channel Flow 1209
 - 9.13.1 Critical Flow at the Hydraulic Jump 1210
 - 9.13.2 Derivation of the Hydraulic Jump Equations: Rectangular Channel Sections 1211
 - 9.13.3 Numerical Solution for a Hydraulic Jump: Nonrectangular Channel Sections 1214
 - 9.13.4 Computation of the Major Head Loss due to a Hydraulic Jump ... 1215
- 9.14 Flow Depth and Major Head Loss in Uniform Open Channel Flow: Real Flow 1221
- 9.15 Flow Depth and Major Head Loss in Nonuniform Open Channel Flow: Real Flow 1228
- 9.16 Actual Flowrate in Flow Measurement and Control Devices in Open Channel Flow: Ideal Flow Meters 1253
 - 9.16.1 Flow-Measuring Devices in Open Channel Flow 1255
 - 9.16.1.1 Ideal Flow Meters 1255
 - 9.16.1.2 Critical Depth Meters 1255
 - 9.16.2 Controls Serving as Flow Measurement Devices in Open Channel Flow 1256
 - 9.16.2.1 Determination of the Depth–Discharge Relationship for Controls Serving as Flow-Measuring Devices 1256
 - 9.16.2.2 Deviations from the Assumptions for Critical Flow in Controls Serving as Flow-Measuring Devices 1257
 - 9.16.2.3 Applied Depth–Discharge Relationship for Ideal versus Critical Flow Meters. 1258
 - 9.16.3 Actual Flowrate for Ideal Flow Meters 1258
 - 9.16.4 Actual Flowrate for Critical Flow Meters 1259
 - 9.16.5 A Comparison between Ideal Flow Meters and Critical Depth Meters 1260
 - 9.16.5.1 Advantages of Critical Depth Meters 1261

9.16.5.2	Disadvantages of Critical Depth Meters	1261
9.16.5.3	Ideal Flow Meters: Typical Flow-Measuring Devices	1261
9.17	Evaluation of the Actual Flowrate for Ideal Flow Meters in Open Channel Flow	1262
9.17.1	Evaluation of the Actual Flowrate for Ideal Flow Meters	1263
9.17.1.1	Application of the Bernoulli Equation	1263
9.17.1.2	Application of the Continuity Equation, the Momentum Equation, and Dimensional Analysis.....	1264
9.17.1.3	Derivation of the Discharge Coefficient, C_d	1265
9.17.1.4	Evaluation of the Discharge Coefficient, C_d	1266
9.17.2	Sluice Gates, Weirs, Spillways, Venturi Flumes, and Contracted Openings in Open Channel Flow	1266
9.17.3	Evaluation of the Actual Flowrate for a Sluice Gate	1267
9.17.4	Evaluation of the Actual Flowrate for a Sharp-Crested Weir.....	1272
9.17.4.1	Rectangular Sharp-Crested Weir	1275
9.17.4.2	Triangular Sharp-Crested Weir	1278
9.17.4.3	A Comparison between a Rectangular and a Triangular Sharp-Crested Weir.....	1282
9.17.5	Evaluation of the Actual Flowrate for a Spillway	1283
9.17.6	Evaluation of the Actual Flowrate for a Broad-Crested Weir.....	1285
9.17.7	Evaluation of the Actual Flowrate for the Parshall Flume (Venturi Flume).....	1291
9.17.8	Evaluation of the Actual Flowrate for a Contracted Opening	1294
	End-of-Chapter Problems.....	1294
10.	External Flow	1305
10.1	Introduction.....	1305
10.1.1	Occurrence and Illustration of the Drag Force and the Lift Force.....	1306
10.2	Application of the Eulerian (Integral) versus Lagrangian (Differential) Forms of the Governing Equations	1308
10.3	Modeling Flow Resistance in External Flow: A Subset Level Application of the Governing Equations.....	1308
10.4	Application of the Governing Equations in External Flow	1309
10.4.1	Application of the Governing Equations for Ideal External Flow	1309
10.4.1.1	Evaluation of the Drag Force	1310
10.5	The Drag Force and the Lift Force in External Flow	1311
10.5.1	Evaluation of the Drag Force in External Flow	1312
10.5.1.1	Modeling the Drag Force in the Momentum Equation.....	1313
10.5.1.2	Derivation of the Drag Coefficient, C_D	1314
10.5.2	Determination of the Drag Coefficient, C_D	1315
10.5.3	Evaluation of the Drag Coefficient, C_D	1315
10.5.3.1	The Role of the Velocity of Flow.....	1316
10.5.3.2	The Role of the Shape of the Body.....	1316

10.5.3.3	Reducing the Total Drag Force by Optimally Streamlining the Body	1319
10.5.3.4	The Occurrence of Flow Separation	1331
10.5.3.5	Reducing the Flow Separation (Pressure Drag).....	1333
10.5.3.6	The Importance of the Reynolds Number, R	1333
10.5.3.7	Creeping Flow ($R \leq 1$) for Any Shape Body, and Stokes Law for a Spherical Shaped Body.....	1338
10.5.3.8	Laminar and Turbulent Flow for Any Shape Body except Round-Shaped Bodies	1344
10.5.3.9	Laminar and Turbulent Flow for Round-Shaped Bodies (Circular Cylinder or Sphere)	1357
10.5.3.10	Laminar and Turbulent Flow with Wave Action at the Free Surface for Any Shape	1362
10.5.3.11	The Importance of the Relative Surface Roughness	1362
10.5.3.12	The Importance of the Mach Number, M	1365
10.5.3.13	The Importance of the Froude Number, F	1369
10.5.4	Evaluation of the Lift Force in External Flow.....	1372
10.5.5	Evaluation of the Lift Coefficient	1375
10.5.5.1	The Role of the Shape of the Body and the Angle of Attack.....	1375
10.5.5.2	Optimizing the Shape of an Airfoil and the Angle of Attack.....	1376
10.5.5.3	Optimizing the Performance of an Airfoil	1382
10.5.5.4	Optimizing the Shape of an Airfoil by the Use of Flaps	1384
10.5.5.5	Optimizing the Shape of an Airfoil by the Aspect Ratio	1389
10.5.6	Estimating the Lift Force and Lift Coefficient for a Hot-Air Balloon.....	1392
	End-of-Chapter Problems.....	1395
11.	Dynamic Similitude and Modeling	1403
11.1	Introduction.....	1403
11.1.1	The Role of Dynamic Similitude in the Modeling of Fluid Flow	1404
11.1.2	The Role of Dynamic Similitude in the Empirical Modeling of Flow Resistance in Real Fluid Flow.....	1406
11.1.2.1	Using Dynamic Similitude in the Empirical Modeling of Flow Resistance in Real Fluid Flow.....	1407
11.1.3	Developing and Applying the Laws of Dynamic Similitude to Design Geometrically Scaled Physical Models of Real Fluid Flow	1408
11.2	Primary Scale Ratios	1409
11.2.1	Geometric Similarity.....	1410
11.2.2	Kinematic Similarity	1410
11.2.3	Dynamic Similarity	1411
11.3	Interpretation of the Main π Terms	1412
11.3.1	The Euler Number.....	1413

11.3.2	The Froude Number	1414
11.3.3	The Reynolds Number	1414
11.3.4	The Cauchy Number	1415
11.3.5	The Weber Number	1415
11.3.6	Implications of the Definitions of the Main π Terms	1416
11.4	Laws Governing Dynamic Similarity: Secondary/Similitude Scale Ratios	1418
11.4.1	Similitude Scale Ratios for Physical Quantities	1419
11.4.2	Similitude Scale Ratios for Physical Properties of Fluids	1420
11.5	The Role and the Relative Importance of the Dynamic Forces in Dynamic Similitude	1421
11.6	Guidelines in the Application of the Laws Governing Dynamic Similarity	1425
11.6.1	Definition of the Flow Resistance Prediction Equations (or Equations for Any Other Physical Quantity)	1426
11.6.2	Definition of the Dynamic Similarity Requirements	1426
11.6.3	"True Models" versus "Distorted Models"	1427
11.6.4	General Guidelines in the Application of "Distorted Models"	1428
11.7	Application of the Laws Governing Dynamic Similarity for Flow Resistance Equations and Efficiency of Pumps and Turbines	1429
11.7.1	Specific Guidelines in the Application of "Distorted Models"	1430
11.7.1.1	Geometry Similarity Requirements	1436
11.7.1.2	Relative Roughness Similarity Requirements	1436
11.7.1.3	"Pressure Model" Similarity Requirements	1437
11.7.1.4	"Viscosity Model" Similarity Requirements	1438
11.7.1.5	"Elastic Model" Similarity Requirements	1439
11.7.1.6	"Gravity Model" Similarity Requirements	1439
11.7.1.7	"Surface Tension Model" Similarity Requirements	1440
11.7.1.8	"Viscosity Model" and "Elastic Model" Similarity Requirements	1440
11.7.1.9	"Viscosity Model" and "Gravity Model" Similarity Requirements	1441
11.7.1.10	"Viscosity Model" and "Surface Tension Model" Similarity Requirements	1444
11.7.1.11	"Gravity Model," "Viscosity Model," and "Surface Tension Model" Similarity Requirements	1445
11.7.2	Application of the Similitude Scale Ratios for the Drag Force in External Flow	1446
11.7.2.1	Creeping Flow ($R \leq 1$) for Any Shape Body	1447
11.7.2.2	Laminar Flow ($R < 10,000$) for Any Shape Body except Round-Shaped Bodies	1451
11.7.2.3	Turbulent Flow ($R > 10,000$) for Any Shape Body except Round-Shaped Bodies	1459
11.7.2.4	Laminar and Turbulent Flow for Round-Shaped Bodies (Circular Cylinder or Sphere)	1470
11.7.2.5	Laminar and Turbulent Flow with Wave Action at the Free Surface for Any Shape Body	1479

11.7.3	Application of the Similitude Scale Ratios for the Major Head Loss in Pipe Flow	1491
11.7.3.1	Laminar Pipe Flow	1491
11.7.3.2	Completely Turbulent Pipe Flow (Rough Pipes)	1495
11.7.3.3	Transitional Pipe Flow	1500
11.7.4	Application of the Similitude Scale Ratios for the Major Head Loss in Open Channel Flow	1504
11.7.4.1	Turbulent Open Channel Flow	1505
11.7.5	Application of the Similitude Scale Ratios for the Minor Head Loss in Pipe Flow	1510
11.7.5.1	Turbulent Pipe Flow with Pipe Component	1511
11.7.6	Application of the Similitude Scale Ratios for the Actual Discharge in Pipe Flow	1515
11.7.6.1	Pipe Flow with a Flow-Measuring Device	1516
11.7.7	Application of the Similitude Scale Ratios for the Actual Discharge in Open Channel Flow	1520
11.7.7.1	Open Channel Flow with Sluice Gate or Venturi Meter	1521
11.7.7.2	Open Channel Flow with Weir or Spillway with Large Head	1525
11.7.7.3	Open Channel Flow with Weir or Spillway with Small Head	1529
11.7.8	Application of the Similitude Scale Ratios for the Efficiency of Pumps and Turbines	1535
11.7.8.1	Similitude Scale Ratios for the Efficiency of Pumps	1535
11.7.8.2	Affinity Laws for the Efficiency of Homologous Pumps	1537
11.7.8.3	Modeling of Scaling Effects for the Efficiency of Nonhomologous ("Distorted Models") Pumps Using the Moody Equation	1539
11.7.8.4	Similitude Scale Ratios for the Efficiency of Turbines	1544
11.7.8.5	Affinity Laws for the Efficiency of Homologous Turbines	1545
11.7.8.6	Modeling of Scaling Effects for the Efficiency of Nonhomologous ("Distorted Models") Turbines Using the Moody Equation	1546
	End-of-Chapter Problems	1550
	Appendix A: Physical Properties of Common Fluids	1563
	Appendix B: Geometric Properties of Common Shapes	1571
	References	1575
	Bibliography	1577
	Index	1579