

TABLE OF CONTENTS

CHAPTER 1 NEW FRAMEWORK FOR GEOMETRIC DESIGN

1.1	INTRODUCTION	1-1
1.2	PROJECT PURPOSE AND NEED	1-3
1.3	OVERVIEW OF THE NEW FRAMEWORK FOR GEOMETRIC DESIGN	1-5
1.4	FUNCTIONAL CLASSIFICATION FOR MOTOR VEHICLES	1-7
1.4.1	Hierarchy of Motor Vehicle Movement	1-8
1.4.2	Access Control and Mobility Needs	1-10
1.4.3	Functional System Characteristics	1-11
1.4.3.1	Definitions of Urban and Rural Areas	1-11
1.4.3.2	Functional Categories	1-12
1.4.3.3	Functional Systems for Rural Areas	1-12
1.4.3.3.1	Rural Principal Arterial System	1-12
1.4.3.3.2	Rural Minor Arterial System	1-13
1.4.3.3.3	Rural Collector System	1-13
1.4.3.3.4	Rural Local Road System	1-13
1.4.3.4	Functional Systems for Urban Areas	1-14
1.4.3.4.1	Urban Principal Arterial System	1-14
1.4.3.4.2	Urban Minor Arterial Street System	1-15
1.4.3.4.3	Urban Collector Street System	1-15
1.4.3.4.4	Urban Local Street System	1-15
1.4.4	Functional Classification as a Design Type	1-16
1.5	CONTEXT CLASSIFICATION FOR GEOMETRIC DESIGN	1-16
1.5.1	Context Classes for Roads and Streets in Rural Areas	1-20
1.5.1.1	Rural Context	1-20
1.5.1.2	Rural Town Context	1-20
1.5.2	Context Classes for Roads and Streets in Urban Areas	1-21
1.5.2.1	Suburban Context	1-21
1.5.2.2	Urban Context	1-21

1.5.2.3	Urban Core Context	1-22
1.5.3	Design Guidance for Specific Context Classes	1-22
1.6	MULTIMODAL CONSIDERATIONS	1-23
1.6.1	Road and Street User Groups/Transportation Modes.	1-23
1.6.1.1	Automobiles.	1-23
1.6.1.2	Bicyclists.	1-23
1.6.1.3	Pedestrians.	1-24
1.6.1.4	Transit.	1-25
1.6.1.5	Trucks	1-25
1.6.2	Consideration of All Transportation Modes in Design	1-26
1.7	DESIGN PROCESS TO ADDRESS SPECIFIC PROJECT TYPES	1-28
1.7.1	New Construction Projects	1-28
1.7.2	Reconstruction Projects.	1-29
1.7.3	Construction Projects on Existing Roads.	1-30
1.8	DESIGN FLEXIBILITY	1-32
1.9	PERFORMANCE-BASED DESIGN	1-34
1.10	REFERENCES	1-36

CHAPTER 2 DESIGN CONTROLS AND CRITERIA

2.1	INTRODUCTION.	2-1
2.2	DRIVER PERFORMANCE AND HUMAN FACTORS.	2-1
2.2.1	Introduction	2-1
2.2.2	Older Drivers and Older Pedestrians	2-2
2.2.3	The Driving Task	2-2
2.2.4	The Guidance Task.	2-3
2.2.4.1	Lane Placement and Road Following.	2-3
2.2.4.2	Car Following	2-3
2.2.4.3	Passing Maneuvers.	2-4
2.2.4.4	Other Guidance Activities	2-4
2.2.5	The Information System.	2-4
2.2.5.1	Traffic Control Devices	2-4

2.2.5.2	The Roadway and Its Environment	2-4
2.2.6	Information Handling	2-5
2.2.6.1	Reaction Time	2-5
2.2.6.2	Primacy	2-8
2.2.6.3	Expectancy	2-8
2.2.7	Driver Error	2-8
2.2.7.1	Errors Due to Driver Deficiencies	2-9
2.2.7.1.1	Older Drivers	2-9
2.2.7.2	Errors Due to Situation Demands	2-11
2.2.8	Speed and Design	2-11
2.2.9	Design Assessment	2-12
2.3	TRAFFIC CHARACTERISTICS	2-13
2.3.1	General Considerations	2-13
2.3.2	Volume	2-13
2.3.2.1	Average Daily Traffic	2-13
2.3.2.2	Design Hour Traffic: Rural Areas	2-14
2.3.2.3	Design Hour Traffic: Urban Areas	2-17
2.3.3	Directional Distribution	2-18
2.3.4	Composition of Traffic	2-19
2.3.5	Projection of Future Traffic Demands	2-20
2.3.6	Speed	2-21
2.3.6.1	Operating Speed	2-22
2.3.6.2	Running Speed	2-22
2.3.6.3	Design Speed	2-23
2.3.7	Traffic Flow Relationships	2-27
2.4	HIGHWAY CAPACITY	2-29
2.4.1	General Characteristics	2-29
2.4.2	Application	2-29
2.4.3	Capacity as a Design Control	2-30
2.4.3.1	Design Service Flow Rate versus Design Volume	2-30
2.4.3.2	Measures of Congestion	2-30
2.4.3.3	Relation between Congestion and Traffic Flow Rate	2-32

2.4.3.4	Acceptable Degrees of Congestion	2-32
2.4.4	Factors Other Than Traffic Volume That Affect Operating Conditions	2-33
2.4.4.1	Roadway Factors	2-33
2.4.4.2	Alignment	2-34
2.4.4.3	Weaving Sections	2-34
2.4.4.4	Ramp Terminals	2-34
2.4.4.5	Traffic Factors	2-35
2.4.4.6	Peak Hour Factor	2-35
2.4.5	Levels of Service	2-36
2.4.6	Design Service Flow Rates	2-38
2.4.6.1	Weaving Sections	2-38
2.4.6.2	Multilane Highways without Access Control	2-41
2.4.6.3	Arterial Streets and Highways in Urban Areas	2-41
2.4.6.4	Intersections	2-41
2.5	ACCESS CONTROL AND ACCESS MANAGEMENT	2-41
2.5.1	General Conditions	2-41
2.5.2	Basic Principles of Access Management	2-43
2.5.3	Access Classifications	2-44
2.5.4	Methods of Controlling Access	2-45
2.5.5	Benefits of Controlling Access	2-45
2.6	PEDESTRIANS	2-50
2.6.1	General Considerations	2-50
2.6.2	General Characteristics	2-50
2.6.3	Walking Speeds	2-52
2.6.4	Walkway Level of Service	2-52
2.6.5	Intersections	2-52
2.6.6	Reducing Pedestrian–Vehicular Conflicts	2-53
2.6.7	Accommodating Persons with Disabilities	2-53
2.6.7.1	Mobility Disabilities	2-53
2.6.7.2	Vision Disabilities	2-54
2.6.7.3	Cognitive Disabilities	2-54

2.6.7.4	Hearing Disabilities	2-54
2.7	BICYCLISTS	2-54
2.8	DESIGN VEHICLES	2-55
2.8.1	General Characteristics	2-55
2.8.2	Minimum Turning Paths of Design Vehicles	2-58
2.8.3	Vehicle Performance	2-86
2.8.4	Vehicular Pollution	2-89
2.9	SAFETY	2-90
2.9.1	Key Factors Related to Traffic Crashes	2-90
2.9.1.1	Roadway Design	2-91
2.9.1.2	Roadside Design	2-92
2.9.1.3	Traffic Control Devices	2-93
2.9.2	Key Safety Resources	2-93
2.9.3	Safety Improvement Programs	2-94
2.9.4	Project Development Process	2-94
2.10	ENVIRONMENT	2-95
2.11	REFERENCES	2-95

CHAPTER 3 ELEMENTS OF DESIGN

3.1	INTRODUCTION	3-1
3.2	SIGHT DISTANCE	3-1
3.2.1	General Considerations	3-1
3.2.2	Stopping Sight Distance	3-2
3.2.2.1	Brake Reaction Time	3-2
3.2.2.2	Braking Distance	3-3
3.2.2.3	Design Values	3-5
3.2.2.4	Effect of Grade on Stopping	3-5
3.2.2.5	Variation for Trucks	3-6
3.2.2.5.1	New Construction vs. Projects on Existing Roads	3-7
3.2.3	Decision Sight Distance	3-7
3.2.4	Passing Sight Distance for Two-Lane Highways	3-10

3.2.4.1	Criteria for Design	3-10
3.2.4.2	Design Values.	3-10
3.2.4.3	Effect of Grade on Passing Sight Distance.	3-12
3.2.4.4	Frequency and Length of Passing Sections	3-12
3.2.5	Sight Distance for Multilane Highways	3-14
3.2.6	Criteria for Measuring Sight Distance	3-15
3.2.6.1	Height of Driver's Eye.	3-15
3.2.6.2	Height of Object	3-15
3.2.6.3	Sight Obstructions	3-16
3.2.6.4	Measuring Sight Distance	3-16
3.3	HORIZONTAL ALIGNMENT	3-19
3.3.1	Theoretical Considerations	3-19
3.3.2	General Considerations	3-20
3.3.2.1	Superelevation	3-20
3.3.2.2	Side Friction Factor	3-21
3.3.2.3	Distribution of e and f over a Range of Curves	3-26
3.3.3	Design Considerations.	3-31
3.3.3.1	Normal Cross Slope	3-31
3.3.3.2	Maximum Superelevation Rates for Streets and Highways	3-31
3.3.3.3	Minimum Radius.	3-33
3.3.3.4	Effects of Grades	3-35
3.3.4	Design for Rural Highways, Urban Freeways, and High-Speed Urban Streets	3-36
3.3.4.1	Side Friction Factors.	3-36
3.3.4.2	Superelevation	3-37
3.3.4.3	Procedure for Development of Method 5 Superelevation Distribution	3-37
3.3.5	Design Superelevation Tables	3-41
3.3.5.1	Minimum Radius of Curve for Section with Normal Crown	3-52
3.3.6	Design for Low-Speed Urban Streets	3-53
3.3.6.1	Side Friction Factors.	3-53
3.3.6.2	Superelevation	3-53

3.3.7	Turning Roadways	3-59
3.3.7.1	Design Speed	3-59
3.3.7.2	Maximum Superelevation for Turning Roadways	3-59
3.3.7.3	Use of Compound Curves	3-60
3.3.8	Transition Design Controls	3-61
3.3.8.1	General Considerations	3-61
3.3.8.2	Tangent-to-Curve Transition	3-62
3.3.8.2.1	Minimum Length of Superelevation Runoff	3-62
3.3.8.2.2	Minimum Length of Tangent Runout	3-70
3.3.8.2.3	Location with Respect to End of Curve	3-70
3.3.8.2.4	Limiting Superelevation Rates	3-72
3.3.8.3	Spiral Curve Transitions	3-73
3.3.8.4	Length of Spiral	3-74
3.3.8.4.1	Length of Spiral	3-74
3.3.8.4.2	Maximum Radius for Use of a Spiral	3-75
3.3.8.4.3	Minimum Length of Spiral	3-76
3.3.8.4.4	Maximum Length of Spiral	3-76
3.3.8.4.5	Desirable Length of Spiral	3-77
3.3.8.4.6	Length of Superelevation Runoff	3-78
3.3.8.4.7	Limiting Superelevation Rates	3-78
3.3.8.4.8	Length of Tangent Runout	3-79
3.3.8.4.9	Location with Respect to End of Curve	3-81
3.3.8.5	Compound Curve Transition	3-81
3.3.8.6	Methods of Attaining Superelevation	3-81
3.3.8.7	Design of Smooth Profiles for Traveled-Way Edges	3-85
3.3.8.8	Axis of Rotation with a Median	3-86
3.3.8.8.1	Case I	3-86
3.3.8.8.2	Case II	3-86
3.3.8.8.3	Case III	3-86
3.3.8.8.4	Divided Highway	3-87
3.3.8.9	Minimum Transition Grades and Drainage Considerations	3-87
3.3.8.10	Transitions and Compound Curves for Turning Roadways	3-88

3.3.8.11	Length of Spiral for Turning Roadways	3-89
3.3.8.12	Compound Circular Curves	3-90
3.3.9	Offtracking	3-91
3.3.9.1	Derivation of Design Values for Widening on Horizontal Curves	3-91
3.3.10	Traveled-Way Widening on Horizontal Curves	3-97
3.3.10.1	Design Values for Traveled-Way Widening	3-101
3.3.10.2	Application of Widening on Curves	3-101
3.3.11	Widths for Turning Roadways at Intersections	3-103
3.3.11.1	Three Cases	3-105
3.3.11.1.1	Case I	3-105
3.3.11.1.2	Case II	3-105
3.3.11.1.3	Case III	3-105
3.3.11.2	Design Values	3-107
3.3.11.3	Widths Outside the Traveled Way	3-112
3.3.12	Sight Distance on Horizontal Curves	3-113
3.3.12.1	Stopping Sight Distance	3-114
3.3.12.2	Passing Sight Distance	3-119
3.3.13	General Controls for Horizontal Alignment	3-119
3.4	VERTICAL ALIGNMENT	3-121
3.4.1	Terrain	3-121
3.4.2	Grades	3-122
3.4.2.1	Vehicle Operating Characteristics on Grades	3-122
3.4.2.1.1	Passenger Cars	3-122
3.4.2.1.2	Trucks	3-122
3.4.2.1.3	Recreational Vehicles	3-126
3.4.2.2	Control Grades for Design	3-130
3.4.2.2.1	Maximum Grades	3-130
3.4.2.2.2	Minimum Grades	3-130
3.4.2.2.3	Pedestrian Considerations	3-130
3.4.2.3	Critical Lengths of Grade for Design	3-130
3.4.3	Climbing Lanes	3-137

3.4.3.1	Climbing Lanes for Two-Lane Highways	3-137
3.4.3.1.1	General	3-137
3.4.3.1.2	Trucks	3-139
3.4.3.1.3	Summary	3-141
3.4.3.2	Climbing Lanes on Freeways and Multilane Highways	3-142
3.4.3.2.1	General	3-142
3.4.3.2.2	Trucks	3-142
3.4.4	Methods for Increasing Passing Opportunities on Two-Lane	
Roads	3-145
3.4.4.1	Passing Lanes	3-145
3.4.4.2	2+1 Roadways	3-149
3.4.4.3	Turnouts	3-152
3.4.4.4	Shoulder Driving	3-153
3.4.4.5	Shoulder Use Sections	3-154
3.4.5	Emergency Escape Ramps	3-154
3.4.5.1	General	3-154
3.4.5.2	Need and Location for Emergency Escape Ramps	3-156
3.4.5.3	Types of Emergency Escape Ramps	3-157
3.4.5.4	Design Considerations	3-159
3.4.5.5	Brake-Check Areas	3-164
3.4.5.6	Maintenance	3-164
3.4.6	Vertical Curves	3-164
3.4.6.1	General Considerations	3-164
3.4.6.2	Crest Vertical Curves	3-166
3.4.6.2.1	Design Controls: Stopping Sight Distance	3-167
3.4.6.2.2	Design Controls: Passing Sight Distance	3-171
3.4.6.3	Sag Vertical Curves	3-172
3.4.6.4	Sight Distance at Undercrossings	3-177
3.4.6.5	General Controls for Vertical Alignment	3-179
3.5	COMBINATIONS OF HORIZONTAL AND VERTICAL ALIGNMENT	3-180
3.5.1	General Considerations	3-180
3.5.2	General Design Controls	3-181

3.5.3	Alignment Coordination in Design	3-182
3.6	OTHER FEATURES AFFECTING GEOMETRIC DESIGN	3-186
3.6.1	Erosion Control and Landscape Development	3-186
3.6.2	Rest Areas, Information Centers, and Scenic Overlooks.	3-187
3.6.3	Lighting	3-188
3.6.4	Utilities	3-190
3.6.4.1	General.	3-191
3.6.4.2	Rural Areas	3-192
3.6.4.3	Urban Areas	3-192
3.6.5	Traffic Control Devices.	3-193
3.6.5.1	Traffic Signs, Pavement Markings, and Traffic Signals	3-193
3.6.5.2	Intelligent Transportation Systems	3-194
3.6.6	Traffic Management Plans for Construction	3-195
3.7	REFERENCES	3-196

CHAPTER 4 CROSS-SECTION ELEMENTS

4.1	GENERAL	4-1
4.2	TRAVELED WAY	4-1
4.2.1	Surface Type	4-1
4.2.2	Cross Slope	4-2
4.2.2.1	Rate of Cross Slope	4-6
4.2.2.2	Weather Considerations.	4-7
4.2.2.3	Unpaved Surfaces.	4-7
4.2.3	Skid Resistance	4-8
4.2.4	Hydroplaning.	4-8
4.3	LANE WIDTHS	4-9
4.4	SHOULDERS	4-10
4.4.1	General Characteristics	4-10
4.4.2	Shoulder Width	4-12
4.4.3	Shoulder Cross Sections	4-13
4.4.4	Shoulder Stability.	4-14

4.4.5	Shoulder Contrast	4-15
4.4.6	Turnouts	4-16
4.5	RUMBLE STRIPS	4-16
4.6	ROADSIDE DESIGN	4-17
4.6.1	Clear Zones	4-17
4.6.2	Lateral Offset	4-18
4.7	CURBS	4-19
4.7.1	General Considerations	4-19
4.7.2	Curb Configurations	4-19
4.7.2.1	Gutters	4-21
4.7.3	Curb Placement	4-22
4.8	DRAINAGE CHANNELS AND SIDESLOPES	4-23
4.8.1	General Considerations	4-23
4.8.2	Drainage	4-23
4.8.3	Drainage Channels	4-26
4.8.4	Sideslopes	4-28
4.9	ILLUSTRATIVE OUTER CROSS SECTIONS	4-32
4.9.1	Normal Crown Sections	4-32
4.9.2	Superelevated Sections	4-32
4.10	TRAFFIC BARRIERS	4-33
4.10.1	General Considerations	4-33
4.10.2	Longitudinal Barriers	4-34
4.10.2.1	Roadside Barriers	4-34
4.10.2.2	Median Barriers	4-35
4.10.3	Bridge Railings	4-37
4.10.4	Crash Cushions	4-38
4.11	MEDIANS	4-38
4.12	FRONTAGE ROADS	4-41
4.13	OUTER SEPARATIONS	4-45
4.14	ROADWAY TRAFFIC NOISE ABATEMENT	4-46

4.14.1	General Considerations	4-46
4.14.2	Noise Evaluation Procedures	4-47
4.14.3	Noise Reduction	4-48
4.15	ROADSIDE CONTROL	4-52
4.15.1	General Considerations	4-52
4.15.2	Driveways	4-52
4.15.3	Mailboxes	4-56
4.15.4	Fencing	4-57
4.16	TUNNELS	4-57
4.16.1	General Considerations	4-57
4.16.2	Types of Tunnels	4-58
4.16.3	General Design Considerations	4-59
4.16.4	Tunnel Sections	4-60
4.16.5	Examples of Tunnels	4-63
4.17	PEDESTRIAN FACILITIES	4-65
4.17.1	Sidewalks	4-65
4.17.2	Grade-Separated Pedestrian Crossings	4-67
4.17.3	Curb Ramps	4-70
4.18	BICYCLE FACILITIES	4-77
4.19	TRANSIT FACILITIES	4-77
4.19.1	Bus Turnouts on Freeways	4-79
4.19.2	Bus Turnouts on Arterials	4-80
4.19.3	Park-and-Ride Facilities	4-82
4.19.3.1	Location	4-82
4.19.3.2	Design	4-82
4.20	ON-STREET PARKING	4-85
4.21	REFERENCES	4-88
 CHAPTER 5 LOCAL ROADS AND STREETS		
5.1	INTRODUCTION	5-1
5.2	LOCAL ROADS IN RURAL AREAS	5-2

5.2.1	General Design Considerations	5-2
5.2.1.1	Design Speed	5-2
5.2.1.2	Design Traffic Volume	5-3
5.2.1.3	Levels of Service	5-3
5.2.1.4	Alignment	5-3
5.2.1.5	Grades	5-3
5.2.1.6	Cross Slope	5-4
5.2.2	Cross-Sectional Elements	5-6
5.2.2.1	Width of Roadway	5-6
5.2.2.2	Number of Lanes	5-6
5.2.2.3	Right-of-Way Width	5-7
5.2.2.4	Medians	5-7
5.2.2.5	Bicycle and Pedestrian Facilities	5-8
5.2.2.6	Driveways	5-8
5.2.2.7	Structures	5-9
5.2.2.7.1	New and Reconstructed Structures	5-9
5.2.2.7.2	Vertical Clearance	5-9
5.2.2.8	Roadside Design	5-9
5.2.2.8.1	Clear Zones	5-10
5.2.2.8.2	Lateral Offset	5-10
5.2.2.8.3	Foreslopes	5-10
5.2.2.9	Intersection Design	5-11
5.2.2.10	Railroad–Highway Grade Crossings	5-11
5.2.2.11	Traffic Control Devices	5-12
5.2.2.12	Drainage	5-12
5.2.2.13	Erosion Control and Landscaping	5-12
5.2.2.14	Design of Local Streets in the Rural Town Context	5-12
5.3	LOCAL STREETS IN URBAN AREAS	5-12
5.3.1	General Design Considerations	5-13
5.3.1.1	Design Speed	5-14
5.3.1.2	Design Traffic Volume	5-14
5.3.1.3	Levels of Service	5-14

5.3.1.4	Alignment	5-14
5.3.1.5	Grades	5-15
5.3.1.6	Cross Slope	5-15
5.3.1.7	Superelevation	5-15
5.3.1.8	Sight Distance	5-16
5.3.2	Cross-Sectional Elements	5-16
5.3.2.1	Width of Traveled Way	5-16
5.3.2.2	Number of Lanes	5-16
5.3.2.3	Parking Lanes	5-16
5.3.2.4	Medians	5-17
5.3.2.5	Curbs	5-17
5.3.2.6	Right-of-Way Width	5-17
5.3.2.7	Provision for Utilities	5-17
5.3.2.8	Border Area	5-18
5.3.2.9	Bicycle and Pedestrian Facilities	5-18
5.3.2.10	Cul-de-Sacs and Turnarounds	5-19
5.3.2.11	Alleys	5-20
5.3.2.12	Driveways	5-21
5.3.3	Structures	5-22
5.3.3.1	New and Reconstructed Structures	5-22
5.3.3.2	Vertical Clearance	5-23
5.3.4	Roadside Design	5-23
5.3.4.1	Clear Zones	5-23
5.3.4.2	Lateral Offset	5-23
5.3.5	Intersection Design	5-23
5.3.6	Railroad–Highway Grade Crossings	5-25
5.3.7	Traffic Control Devices	5-25
5.3.8	Roadway Lighting	5-25
5.3.9	Drainage	5-26
5.3.10	Erosion Control	5-26
5.3.11	Landscaping	5-27
5.4	RECREATIONAL ROADS	5-27

5.4.1	General Design Considerations.	5-27
5.4.1.1	Design Speed.	5-28
5.4.1.2	Design Vehicle	5-29
5.4.1.3	Grades	5-29
5.4.1.4	Vertical Alignment	5-30
5.4.1.5	Horizontal Alignment and Superelevation	5-31
5.4.1.6	Sight Distance	5-32
5.4.1.7	Passing Sight Distance	5-32
5.4.1.8	Cross Slope	5-33
5.4.2	Cross-Sectional Elements	5-33
5.4.2.1	Width of Roadway	5-33
5.4.2.2	Number of Lanes	5-34
5.4.3	Structures.	5-35
5.4.4	Roadside Design	5-36
5.4.4.1	Clear Zones	5-36
5.4.4.2	Roadside Slopes.	5-36
5.4.4.3	Roadside Barriers	5-37
5.4.5	Signing and Marking	5-37
5.4.6	Bicycle and Pedestrian Facilities	5-37
5.5	RESOURCE RECOVERY AND LOCAL SERVICE ROADS	5-37
5.6	LOW-VOLUME ROADS.	5-39
5.7	REFERENCES	5-39

CHAPTER 6 COLLECTOR ROADS AND STREETS

6.1	INTRODUCTION.	6-1
6.2	COLLECTORS IN RURAL AREAS	6-2
6.2.1	General Design Considerations.	6-2
6.2.1.1	Design Speed.	6-2
6.2.1.2	Design Traffic Volumes.	6-3
6.2.1.3	Level of Service	6-3
6.2.1.4	Alignment.	6-3

6.2.1.5	Grades	6-4
6.2.1.6	Cross Slope	6-4
6.2.1.7	Superelevation	6-4
6.2.1.8	Sight Distance	6-4
6.2.2	Cross-Sectional Elements	6-6
6.2.2.1	Width of Roadway	6-6
6.2.2.2	Number of Lanes	6-6
6.2.2.3	Parking Lanes	6-7
6.2.2.4	Medians	6-7
6.2.2.5	Right-of-Way Width	6-7
6.2.2.6	Bicycle/Pedestrian Facilities	6-7
6.2.3	Structures	6-7
6.2.3.1	New and Reconstructed Structures	6-7
6.2.3.2	Vertical Clearance	6-8
6.2.4	Roadside Design	6-8
6.2.4.1	Clear Zones	6-8
6.2.4.2	Lateral Offset	6-8
6.2.4.3	Foreslopes	6-9
6.2.5	Intersection Design	6-9
6.2.6	Railroad–Highway Grade Crossings	6-10
6.2.7	Traffic Control Devices	6-10
6.2.8	Drainage	6-10
6.2.9	Erosion Control and Landscaping	6-10
6.2.10	Speed Transitions Entering Rural Towns	6-10
6.2.11	Design of Collectors in the Rural Town Context	6-12
6.3	COLLECTORS IN URBAN AREAS	6-12
6.3.1	General Design Considerations	6-13
6.3.1.1	Design Speed	6-13
6.3.1.2	Design Traffic Volumes	6-14
6.3.1.3	Level of Service	6-14
6.3.1.4	Alignment	6-14
6.3.1.5	Grades	6-14

6.3.1.6	Cross Slope	6-15
6.3.1.7	Superelevation	6-15
6.3.1.8	Sight Distance	6-15
6.3.2	Cross-Sectional Elements	6-16
6.3.2.1	Width of Roadway	6-16
6.3.2.2	Number of Lanes	6-16
6.3.2.3	Parking Lanes	6-16
6.3.2.4	Medians	6-17
6.3.2.5	Curbs	6-18
6.3.2.6	Right-of-Way Width	6-18
6.3.2.7	Provision for Utilities	6-19
6.3.2.8	Border Area	6-19
6.3.2.9	Bicycle/Pedestrian Facilities	6-19
6.3.2.10	Driveways	6-20
6.3.3	Structures	6-20
6.3.3.1	New and Reconstructed Structures	6-20
6.3.3.2	Vertical Clearance	6-20
6.3.4	Roadside Design	6-21
6.3.4.1	Clear Zones	6-21
6.3.4.2	Lateral Offset	6-21
6.3.5	Intersection Design	6-22
6.3.6	Railroad–Highway Grade Crossings	6-23
6.3.7	Traffic Control Devices	6-23
6.3.8	Roadway Lighting	6-23
6.3.9	Drainage	6-24
6.3.10	Erosion Control	6-24
6.3.11	Landscaping	6-24
6.4	REFERENCES	6-25

CHAPTER 7 ARTERIAL ROADS AND STREETS

7.1	INTRODUCTION	7-1
7.2	ARTERIALS IN RURAL AREAS	7-2

7.2.1	General Characteristics	7-2
7.2.2	General Design Considerations.	7-3
7.2.2.1	Design Speed.	7-3
7.2.2.2	Design Traffic Volumes	7-3
7.2.2.3	Level of Service	7-4
7.2.2.4	Sight Distance	7-4
7.2.2.5	Alignment.	7-5
7.2.2.6	Grades	7-5
7.2.2.7	Cross Slope	7-6
7.2.2.8	Superelevation	7-6
7.2.3	Cross-Sectional Elements	7-6
7.2.3.1	Roadway Width	7-6
7.2.3.2	Number of Lanes	7-7
7.2.3.3	Cross Section and Right-of-Way.	7-7
7.2.4	Roadside Design	7-8
7.2.4.1	Clear Zones	7-8
7.2.4.2	Lateral Offset	7-8
7.2.5	Structures.	7-9
7.2.5.1	Vertical Clearances.	7-9
7.2.6	Traffic Control Devices.	7-9
7.2.7	Erosion Control	7-9
7.2.8	Provision for Passing	7-9
7.2.9	Ultimate Development of Multilane Divided Arterials in Rural Areas	7-11
7.2.10	Multilane Undivided Arterials in Rural Areas.	7-13
7.2.11	Divided Arterials in Rural Areas.	7-15
7.2.11.1	General Features	7-15
7.2.11.2	Lane Widths	7-15
7.2.11.3	Cross Slope	7-15
7.2.11.4	Shoulders	7-16
7.2.11.5	Median Barrier Clearance.	7-17
7.2.11.6	Medians	7-17

7.2.11.7	Alignment and Profile.	7-18
7.2.11.8	Climbing Lanes on Multilane Arterials in Rural Areas.	7-19
7.2.11.9	Superelevated Cross Sections	7-20
7.2.11.10	Cross Section and Right-of-Way Widths	7-24
7.2.11.11	Sections with Widely Separated Roadways	7-28
7.2.12	Intersections	7-29
7.2.13	Access Management	7-29
7.2.14	Bicycle and Pedestrian Facilities	7-30
7.2.15	Bus Turnouts	7-30
7.2.16	Railroad–Highway Grade Crossings	7-31
7.2.17	Lighting	7-31
7.2.18	Rest Areas	7-32
7.2.19	Speed Transitions Entering Rural Towns	7-32
7.2.20	Design of Arterials in the Rural Town Context	7-34
7.3	ARTERIALS IN URBAN AREAS	7-34
7.3.1	General Characteristics	7-35
7.3.2	General Design Considerations.	7-36
7.3.2.1	Design Speed.	7-36
7.3.2.2	Design Traffic Volumes.	7-36
7.3.2.3	Level of Service	7-37
7.3.2.4	Sight Distance	7-37
7.3.2.5	Alignment.	7-37
7.3.2.6	Grades	7-37
7.3.2.7	Superelevation	7-38
7.3.2.8	Cross Slope	7-38
7.3.3	Cross-Sectional Elements	7-39
7.3.3.1	Roadway Widths.	7-39
7.3.3.2	Lane Widths	7-39
7.3.3.3	Curbs and Shoulders	7-40
7.3.3.4	Number of Lanes	7-40
7.3.3.5	Medians	7-40
7.3.3.6	Drainage.	7-45

7.3.3.7	Parking Lanes	7-45
7.3.3.8	Borders and Sidewalks	7-46
7.3.3.9	Right-of-Way Width	7-48
7.3.4	Roadside Design	7-49
7.3.4.1	Clear Zones	7-49
7.3.4.2	Lateral Offset	7-49
7.3.5	Structures.	7-50
7.3.5.1	New and Reconstructed Structures	7-50
7.3.5.2	Vertical Clearances	7-51
7.3.6	Traffic Barriers	7-51
7.3.7	Railroad–Highway Grade Crossings	7-51
7.3.8	Access Management	7-51
7.3.8.1	General Features	7-51
7.3.8.2	Access Control by Statute	7-52
7.3.8.3	Access Control by Zoning	7-52
7.3.8.4	Access Control through Driveway Regulations	7-53
7.3.8.5	Access Control through Geometric Design	7-53
7.3.9	Bicycle and Pedestrian Facilities	7-54
7.3.9.1	Bicycle Facilities	7-54
7.3.9.2	Pedestrian Facilities	7-54
7.3.10	Provision for Utilities	7-56
7.3.11	Intersection Design	7-56
7.3.12	Operational Control.	7-56
7.3.12.1	Traffic Control Devices	7-57
7.3.12.2	Provision and Management of Curb Parking	7-58
7.3.13	Speed Management in Design	7-58
7.3.14	Directional Lane Usage	7-59
7.3.14.1	One-Way Operation.	7-59
7.3.14.2	Reverse-Flow Operation.	7-60
7.3.15	Frontage Roads and Outer Separations	7-62
7.3.16	Grade Separations and Interchanges	7-63
7.3.17	Erosion Control	7-64

7.3.18	Lighting	7-64
7.3.19	Public Transit Facilities.	7-65
7.3.19.1	Location of Bus Stops.	7-66
7.3.19.2	Bus Turnouts.	7-67
7.3.19.3	Reserved Bus Lanes	7-68
7.3.19.4	Traffic Control Measures.	7-69
7.4	REFERENCES	7-69

CHAPTER 8 FREEWAYS

8.1	INTRODUCTION	8-1
8.2	GENERAL DESIGN CONSIDERATIONS.	8-2
8.2.1	Design Speed	8-2
8.2.2	Design Traffic Volumes.	8-2
8.2.3	Levels of Service	8-3
8.2.4	Traveled Way and Shoulders	8-3
8.2.5	Curbs	8-4
8.2.6	Superelevation.	8-4
8.2.7	Grades	8-4
8.2.8	Structures.	8-5
8.2.9	Vertical Clearance	8-5
8.2.10	Roadside Design	8-6
8.2.11	Ramps and Terminals.	8-6
8.2.12	Outer Separations, Borders, and Frontage Roads	8-6
8.3	FREEWAYS IN RURAL AREAS.	8-7
8.3.1	Alignment and Profile	8-7
8.3.2	Medians	8-9
8.3.3	Sideslopes	8-11
8.3.4	Frontage Roads	8-12
8.4	FREEWAYS IN URBAN AREAS	8-12
8.4.1	General Design Characteristics	8-12
8.4.2	Medians	8-13

8.4.3	Depressed Freeways	8-13
8.4.3.1	General Characteristics	8-13
8.4.3.2	Slopes and Walls	8-14
8.4.3.3	Typical Cross Section	8-15
8.4.3.4	Restrictive Cross Section	8-15
8.4.3.5	Walled Cross Section	8-16
8.4.3.6	Example of Depressed Freeway	8-17
8.4.4	Elevated Freeways	8-19
8.4.4.1	General Characteristics	8-19
8.4.4.2	Medians	8-20
8.4.4.3	Ramps and Terminals	8-20
8.4.4.4	Frontage Roads	8-20
8.4.4.5	Building Offset	8-20
8.4.4.6	Typical Cross Section	8-21
8.4.4.7	Freeways on Earth Embankment	8-23
8.4.4.8	Examples of Elevated Freeways	8-24
8.4.5	Ground-Level Freeways	8-26
8.4.5.1	General Characteristics	8-26
8.4.5.2	Typical Cross Section	8-26
8.4.5.3	Restrictive Cross Section	8-27
8.4.5.4	Example of a Ground-Level Freeway	8-28
8.4.6	Combination-Type Freeways	8-28
8.4.6.1	General Characteristics	8-28
8.4.6.2	Profile Control	8-28
8.4.6.2.1	Rolling Terrain	8-28
8.4.6.2.2	Level Terrain	8-29
8.4.6.3	Cross-Section Control	8-30
8.4.7	Special Freeway Designs	8-33
8.4.7.1	Reverse-Flow Roadways	8-33
8.4.7.2	Dual-Divided Freeways	8-36
8.4.7.3	Freeways with Collector–Distributor Roads	8-39
8.4.8	Accommodation of Managed Lanes and Transit Facilities	8-39

8.4.8.1	General Considerations	8-39
8.4.8.2	Buses	8-41
8.4.8.2.1	Exclusive HOV Lanes	8-41
8.4.8.2.2	Bus Stops	8-41
8.4.8.2.3	Bus-Stop Arrangements	8-41
8.4.8.2.4	Bus Stops at Freeway Level	8-41
8.4.8.2.5	Bus Stops at Street Level	8-45
8.4.8.2.6	Stairs, Ramps, Escalators, and Elevators.	8-46
8.4.8.3	Rail Transit	8-47
8.4.8.3.1	Typical Sections	8-48
8.4.8.3.2	Stations.	8-49
8.4.8.3.3	Example of Rail Transit Combined with a Freeway	8-50
8.5	REFERENCES	8-51

CHAPTER 9 INTERSECTIONS

9.1	INTRODUCTION.	9-1
9.2	GENERAL DESIGN CONSIDERATIONS AND OBJECTIVES	9-2
9.2.1	Characteristics of Intersections	9-2
9.2.2	Intersection Functional Area	9-3
9.2.3	Design Objectives	9-4
9.2.4	Design Considerations for Intersection User Groups	9-6
9.2.5	Intersection Capacity.	9-9
9.2.6	Intersection Design Elements	9-10
9.3	TYPES AND EXAMPLES OF INTERSECTIONS.	9-11
9.3.1	Three-Leg Intersections.	9-14
9.3.1.1	Basic Types of Intersections	9-14
9.3.1.2	Channelized Three-Leg Intersections.	9-15
9.3.2	Four-Leg Intersections.	9-18
9.3.2.1	Basic Types.	9-18
9.3.2.2	Channelized Four-Leg Intersections.	9-19
9.3.3	Multileg Intersections	9-24

9.3.4	Roundabouts	9-26
9.3.4.1	Mini-Roundabouts	9-28
9.3.4.2	Single-Lane Roundabouts	9-29
9.3.4.3	Multilane Roundabouts	9-30
9.4	ALIGNMENT AND PROFILE.	9-31
9.4.1	General Considerations	9-31
9.4.2	Alignment	9-31
9.4.3	Profile.	9-33
9.5	INTERSECTION SIGHT DISTANCE.	9-35
9.5.1	General Considerations	9-35
9.5.2	Sight Triangles	9-36
9.5.2.1	Approach Sight Triangles	9-36
9.5.2.2	Departure Sight Triangles.	9-38
9.5.2.3	Identification of Sight Obstructions within Sight Triangles	9-38
9.5.3	Intersection Control.	9-39
9.5.3.1	Case A—Intersections with No Control	9-40
9.5.3.2	Case B—Intersections with Stop Control on the Minor Road	9-42
9.5.3.2.1	Case B1—Left Turn from the Minor Road.	9-43
9.5.3.2.2	Case B2—Right Turn from the Minor Road	9-47
9.5.3.2.3	Case B3—Crossing Maneuver from the Minor Road	9-48
9.5.3.3	Case C—Intersections with Yield Control on the Minor Road	9-50
9.5.3.3.1	Case C1—Crossing Maneuver from the Minor Road	9-51
9.5.3.3.2	Case C2—Left- and Right-Turn Maneuvers	9-53
9.5.3.4	Case D—Intersections with Traffic Signal Control	9-55
9.5.3.5	Case E—Intersections with All-Way Stop Control	9-56
9.5.3.6	Case F—Left Turns from the Major Road	9-56
9.5.3.7	Case G—Roundabouts.	9-58
9.5.4	Effect of Skew	9-58
9.6	TURNING ROADWAYS AND CHANNELIZATION.	9-59
9.6.1	Turning Roadways	9-60

9.6.1.1	General	9-60
9.6.1.2	Channelized Right-Turn Lanes	9-60
9.6.1.3	Design Considerations	9-63
9.6.1.4	Curb Radius	9-65
9.6.2	Channelization	9-67
9.6.3	Islands	9-69
9.6.3.1	General Characteristics	9-69
9.6.3.2	Channelizing Islands	9-70
9.6.3.3	Divisional Islands	9-72
9.6.3.4	Refuge Islands	9-74
9.6.3.5	Island Size and Designation	9-74
9.6.3.6	Island Delineation and Approach Treatment	9-75
9.6.3.7	Corner Islands for Turning Roadways	9-82
9.6.4	Superelevation for Turning Roadways at Intersections	9-83
9.6.4.1	General Design Guidelines	9-83
9.6.4.2	Superelevation Runoff	9-83
9.6.4.3	Development of Superelevation at Turning Roadway Terminals	9-84
9.6.5	Stopping Sight Distance at Intersections for Turning Roadways . .	9-91
9.6.5.1	General Considerations	9-91
9.6.5.2	Vertical Control	9-91
9.6.5.3	Horizontal Control	9-92
9.7	AUXILIARY LANES	9-92
9.7.1	General Design Considerations	9-92
9.7.2	Deceleration Lanes	9-94
9.7.2.1	Perception--Reaction Distance	9-94
9.7.2.2	Storage Length	9-96
9.7.2.3	Taper Length	9-100
9.7.3	Design Treatments for Left-Turn Maneuvers	9-105
9.7.3.1	Guidelines for Provision and Design of Left-Turn and Bypass Lanes	9-105
9.7.3.2	Median Left-Turn Lanes	9-110

9.7.3.3	Median End Treatment	9-113
9.7.3.4	Offset Left-Turn Lanes	9-113
9.7.3.5	Simultaneous Left Turns	9-115
9.7.3.6	Double or Triple Left-Turn Lanes	9-116
9.8	MEDIAN OPENINGS	9-118
9.8.1	General Design Considerations	9-118
9.8.2	Control Radii for Minimum Turning Paths	9-119
9.8.2.1	Shape of Median End	9-120
9.8.3	Effect of Skew	9-121
9.8.4	Design Considerations for Higher Speed Left Turns	9-122
9.9	INDIRECT LEFT TURNS AND U-TURNS	9-124
9.9.1	General Design Considerations	9-124
9.9.2	Intersections with Jughandle or Loop Roadways	9-126
9.9.3	Displaced Left-Turn Intersections	9-129
9.9.4	Wide Medians with U-Turn Crossover Roadways	9-130
9.9.5	Location and Design of U-Turn Median Openings	9-136
9.10	ROUNDBABOUT DESIGN	9-141
9.10.1	Geometric Elements of Roundabouts	9-143
9.10.1.1	Size and Space Needs	9-144
9.10.2	Fundamental Principles	9-145
9.10.2.1	Slow Speeds Using Deflection	9-146
9.10.2.2	Lane Balance and Lane Continuity	9-146
9.10.2.3	Appropriate Natural Path Alignment	9-148
9.10.2.4	Design Vehicle	9-149
9.10.2.5	Nonmotorized Users	9-150
9.10.2.6	Sight Distance and Visibility	9-151
9.11	OTHER INTERSECTION DESIGN CONSIDERATIONS	9-151
9.11.1	Intersection Design Elements with Frontage Roads	9-151
9.11.2	Traffic Control Devices	9-155
9.11.3	Bicyclists	9-156
9.11.4	Pedestrians	9-156

9.11.5	Lighting	9-156
9.11.6	Driveways.	9-157
9.11.7	Left Turns at Midblock Locations and at Unsignalized Intersections on Streets with Flush Medians	9-158
9.12	RAILROAD–HIGHWAY GRADE CROSSINGS.	9-159
9.12.1	Horizontal Alignment.	9-159
9.12.2	Vertical Alignment	9-160
9.12.3	Crossing Design.	9-161
9.12.4	Sight Distance	9-162
9.13	REFERENCES	9-168

CHAPTER 10 GRADE SEPARATIONS AND INTERCHANGES

10.1	INTRODUCTION AND GENERAL TYPES OF INTERCHANGES	10-1
10.2	WARRANTS FOR INTERCHANGES AND GRADE SEPARATIONS	10-3
10.3	ADAPTABILITY OF HIGHWAY GRADE SEPARATIONS AND INTERCHANGES.	10-6
10.3.1	Traffic and Operation.	10-6
10.3.2	Site Conditions	10-7
10.3.3	Type of Highway and Intersecting Facility.	10-7
10.4	ACCESS SEPARATIONS AND CONTROL ON THE CROSSROAD AT INTER- CHANGES.	10-8
10.5	SAFETY	10-9
10.6	STAGE DEVELOPMENT	10-10
10.7	ECONOMIC FACTORS.	10-11
10.7.1	Initial Costs	10-11
10.7.2	Maintenance Costs	10-11
10.7.3	Vehicular Operating Costs.	10-11
10.8	GRADE SEPARATION STRUCTURES	10-11
10.8.1	Introduction	10-11
10.8.2	Types of Separation Structures	10-12
10.8.3	Overpass versus Underpass Roadways	10-18

10.8.3.1	General Design Considerations	10-18
10.8.3.2	Structure Widths.	10-21
10.8.4	Underpass Roadways.	10-22
10.8.4.1	Lateral Offset	10-22
10.8.4.2	Vertical Clearance.	10-24
10.8.5	Overpass Roadways.	10-25
10.8.5.1	Bridge Railings	10-25
10.8.5.2	Lateral Offset	10-26
10.8.5.3	Medians	10-27
10.8.6	Longitudinal Distance to Attain Grade Separation	10-27
10.8.7	Grade Separations without Ramps	10-29
10.9	INTERCHANGES.	10-30
10.9.1	General Considerations.	10-30
10.9.2	Three-Leg Designs.	10-31
10.9.3	Four-Leg Designs.	10-39
10.9.3.1	Ramps in One Quadrant	10-39
10.9.3.2	Diamond Interchanges.	10-40
10.9.3.3	Roundabout Interchanges	10-47
10.9.3.4	Single-Point Diamond Interchanges.	10-48
10.9.3.5	Diverging Diamond Interchanges	10-53
10.9.3.6	Cloverleaf Interchanges	10-57
10.9.3.6.1	Partial Cloverleaf Ramp Arrangements.	10-60
10.9.3.7	Directional Interchanges	10-63
10.9.3.7.1	With Loops and Weaving	10-66
10.9.3.7.2	With Loops and No Weaving	10-67
10.9.3.7.3	Fully Directional	10-67
10.9.4	Other Interchange Configurations.	10-72
10.9.4.1	Offset Interchanges	10-72
10.9.4.2	Combination Interchanges.	10-72
10.9.5	General Design Considerations.	10-76
10.9.5.1	Determination of Interchange Configuration.	10-76
10.9.5.2	Approaches to the Structure	10-79

	10.9.5.2.1	Alignment, Profile, and Cross Section	10-79
	10.9.5.2.2	Sight Distance	10-81
	10.9.5.3	Interchange Spacing	10-82
	10.9.5.4	Uniformity of Interchange Patterns	10-82
	10.9.5.5	Route Continuity	10-83
	10.9.5.6	Overlapping Routes	10-84
	10.9.5.7	Signing and Marking	10-86
	10.9.5.8	Basic Number of Lanes	10-86
	10.9.5.9	Coordination of Lane Balance and Basic Number of Lanes . . .	10-87
	10.9.5.10	Auxiliary Lanes	10-90
	10.9.5.11	Lane Reductions	10-93
	10.9.5.12	Weaving Sections	10-94
	10.9.5.13	Collector–Distributor Roads	10-95
	10.9.5.14	Two-Exit versus Single-Exit Interchange Design	10-96
	10.9.5.15	Wrong-Way Entry	10-98
10.9.6		Ramps	10-102
	10.9.6.1	Types and Examples	10-102
	10.9.6.2	General Ramp Design Considerations	10-105
		10.9.6.2.1 Design Speed	10-105
		10.9.6.2.2 Portion of Ramp to Which Design Speed Is Applicable	10-105
		10.9.6.2.3 Ramps for Right Turns	10-105
		10.9.6.2.4 Loop Ramps	10-106
		10.9.6.2.5 Two-Lane Loop Ramps	10-106
		10.9.6.2.6 Semidirect Connections	10-106
		10.9.6.2.7 Direct Connections	10-106
		10.9.6.2.8 Different Design Speeds on Intersecting Highways	10-106
		10.9.6.2.9 At-Grade Terminals	10-106
		10.9.6.2.10 Curvature	10-107
		10.9.6.2.11 Sight Distance	10-109
		10.9.6.2.12 Grade and Profile Design	10-109

	10.9.6.2.13	Vertical Curves	10-111
	10.9.6.2.14	Superelevation and Cross Slope.	10-111
	10.9.6.2.15	Gores	10-114
10.9.6.3		Ramp Traveled-Way Widths.	10-121
	10.9.6.3.1	Width and Cross Section	10-121
	10.9.6.3.2	Shoulder Widths and Lateral Offset	10-121
	10.9.6.3.3	Shoulders and Curbs	10-122
10.9.6.4		Ramp Terminals	10-123
	10.9.6.4.1	Left-Side Entrances and Exits	10-123
	10.9.6.4.2	Terminal Location and Sight Distance	10-123
	10.9.6.4.3	Ramp Terminal Design	10-124
	10.9.6.4.4	Traffic Control	10-124
	10.9.6.4.5	Distance between a Free-Flow Terminal and Structure	10-124
	10.9.6.4.6	Distance between Successive Ramp Terminals	10-126
	10.9.6.4.7	Speed-Change Lanes	10-128
10.9.6.5		Single-Lane Free-Flow Terminals, Entrances	10-128
	10.9.6.5.1	Taper-Type Entrances	10-128
	10.9.6.5.2	Parallel-Type Entrances.	10-130
10.9.6.6		Single-Lane Free-Flow Terminals, Exits	10-135
	10.9.6.6.1	Taper-Type Exits	10-135
	10.9.6.6.2	Parallel-Type Exits.	10-136
	10.9.6.6.3	Free-Flow Terminals on Curves.	10-139
	10.9.6.6.4	Multilane Free-Flow Terminals	10-143
	10.9.6.6.5	Two-Lane Entrances	10-143
	10.9.6.6.6	Two-Lane Exits	10-146
	10.9.6.6.7	Two-Lane Terminals on Curved Alignment.	10-147
	10.9.6.6.8	Major Forks and Branch Connections.	10-147
10.9.7		Other Interchange Design Features	10-150
	10.9.7.1	Testing for Ease of Operation	10-150
	10.9.7.2	Pedestrian and Bicycle Accommodation	10-151

10.9.7.3	Managed Lanes and Transit Facilities	10-152
10.9.7.4	Ramp Metering	10-152
10.9.7.5	Grading and Landscape Development	10-153
10.9.7.5.1	Contour Grading Design	10-153
10.9.7.5.2	Plantings	10-154
10.9.7.6	Models	10-154
10.10	REFERENCES	10-155