

บทคัดย่อ

การศึกษาความสัมพันธ์ระหว่างสถานะภาพทางครอบครัว และ
ประเภทของอาการเจ็บป่วยในผู้ป่วยใน ของโรงพยาบาลประสาทเชียงใหม่

โดย

ศิริเพ็ญ เชาวนศิลป์

อังกาบ บุญยอย

การวิจัยนี้มีจุดมุ่งหมายเพื่อศึกษาความสัมพันธ์ระหว่างประเภทของอาการ
เจ็บป่วยทางจิตและสถานะภาพทางครอบครัวของผู้ป่วยที่เข้ารับการรักษา เป็นผู้ป่วยใน
ของโรงพยาบาลประสาทเชียงใหม่ โดยเก็บรวบรวมข้อมูลจากแบบบันทึกของผู้ป่วย
(ร.พ.จ., 14)

การวิจัยครั้งนี้กระทำกับกลุ่มผู้ป่วยในทั้งหมดที่เข้ารับการรักษาในโรงพยาบาล
ประสาทเชียงใหม่ ตั้งแต่เดือนตุลาคม 2522 ถึง เดือนกันยายน 2523 จำนวนทั้งสิ้น
902 คน เป็นชาย 470 คน และหญิง 432 คน โดยแบ่งผู้ป่วยเหล่านี้ออกเป็น 3 กลุ่ม
(ตามการวินิจฉัยแยกประเภทขององค์การอนามัยโลก ค.ศ. 1978 : ICD - 9)
1. กลุ่มผู้ป่วยโรคจิต 2. กลุ่มผู้ป่วยโรคประสาท และ 3. กลุ่มผู้ป่วยโรคทางกาย แล้วนำมาศึกษา
วิเคราะห์ถึงมูลาเนา ลักษณะการรับรู้ และสถานะภาพทางครอบครัวของผู้ป่วย

ผลการวิเคราะห์ข้อมูล โดยการหาค่าสถิติพื้นฐาน ค่าร้อยละ และหาค่า
ไคสแควร์ ของตัวแปรตามต่าง ๆ พบว่าผู้ป่วยในทั้งหมดของโรงพยาบาลประสาทเชียงใหม่
เป็นผู้ป่วยที่มีภูมิลำเนาอยู่ใน 17 จังหวัดภาคเหนือ ซึ่งเป็นเขตพัฒนาภาคเหนือที่มหาวิทยาลัย
เชียงใหม่ให้ความรับผิดชอบในการให้บริการทางการศึกษา และในจำนวนผู้ป่วยที่มาจาก 17
จังหวัดนั้น พบว่าเป็นผู้ป่วยที่มาจากจังหวัดเชียงใหม่มากที่สุด โดยเฉพาะอย่างยิ่งเป็นผู้ป่วย
ที่พักอาศัยอยู่ในเขตอำเภอเมืองเชียงใหม่เป็นจำนวนมาก โดยมีผู้ป่วยด้วยโรคประสาท

มากที่สุดคิดเป็นร้อยละ 44 รองลงมาได้แก่ผู้ป่วยด้วยโรคจิต และโรคทางกาย คิดเป็นร้อยละ 28 เท่ากัน โดยที่ผู้ป่วยโรคจิตและโรคประสาทมีจำนวนผู้ป่วยหญิงและชายจำนวนใกล้เคียงกัน แต่ในโรคทางกายนั้นพบผู้ป่วยชายมากกว่าหญิงเกือบเท่าตัว และลักษณะการรับรู้ของผู้ป่วยทั้งสามประเภทพบว่ปกติเป็นส่วนใหญ่ แต่ผู้ป่วยโรคจิตมีการรับรู้ผิดปกติมากกว่าผู้ป่วยโรคประสาท และผู้ป่วยโรคทางกาย มีการรับรู้ผิดปกติน้อยที่สุด ส่วนผลการศึกษาสถานะภาพของครอบครัวผู้ป่วยทั้งสามประเภทพบว่า ผู้ป่วยที่พบมากที่สุดได้แก่ผู้ป่วยที่มีญาติเป็นผู้นำส่ง ผู้ป่วยมีสัญชาติและเชื้อชาติไทย มีฐานะเศรษฐกิจปานกลาง ไม่พบลักษณะการถ่ายทอดทางพันธุกรรม และพบว่าผู้ป่วยพักอาศัยอยู่กับพ่อแม่มากที่สุด ส่วนสถานะภาพทางครอบครัวลักษณะอื่น ๆ ถึงแม้จะไม่พบมากดังเช่นที่กล่าวมาแล้ว แต่พบมากเป็นอันดับแรกในแต่ละประเภทของสถานะภาพทางครอบครัว ได้แก่อุป่วยมีสถานะภาพสมรส มีลูก 1-3 คน ระบุอายุระหว่าง 25-44 ปี ประกอบอาชีพเกษตรกรรม มีระดับการศึกษาเพียงชั้นประถม 4 มีพี่น้องน้อง 3 คน และเป็นลูกคนแรกของครอบครัว นอกจากนั้นผลการวิจัยนี้ยังชี้ให้เห็นว่าลักษณะการรับรู้ สถานะภาพสมรส จำนวนบุตร ระบุอายุ ลักษณะอาชีพ และระดับการศึกษา มีความสัมพันธ์กับประเภทของอาการเจ็บป่วยอีกด้วย

Abstract

An Investigation of the relationship between Family Characteristics and Symptoms among in-patients at Chiangmai Neuro-Psychiatric Hospital

by

Siriperm Chowsilpa

Angkarb Boonyoi

This research was concerned with the investigation of the relationship between family characteristics and symptoms among in-patients at Chiangmai Neuro-Psychiatric Hospital by drawing the data from the neuro-psychiatric patient summary form.

The research was conducted on 470 male and 432 female subjects who were admitted as in-patients during October, 1979, until September, 1980. These patients were classified into three groups based on the diagnosis of the World Health Organization (1978), ICD-9, as follows:- Psychoses, Neuroses and Organic Disorder. All the patients were questioned about their home town, their perception, and family characteristics.

By utilizing statistical tests for percent and chi-square, it was found that all the patients were from the 17 northern provinces for which Chiangmai University has educational responsibility. Among these provinces, it was found that the patients who came from Chiangmai province, especially from

Amphoe Muang (district area), showed remarkably higher percent than the other provinces. Forty-four percent of the cases were diagnosed as neuroses, twenty-eight percent as psychoses, and twenty-eight percent as organic disorder. As far as sex differences were concerned, the psychoses and neuroses had nearly equal number of cases, while the organic disorders showed nearly half as many more male patients than female. Concerning perception, most of the patients were normal, but the psychotic patients showed much more hallucination than the neurotic patients, and the organic patients showed the least amount of hallucination. Regarding the family characteristics of all the patients it was found : most patients were brought by their relatives for hospital admission; all the patients had Thai nationality; their financial status was middle class; no genetic disorder was found among these patients. They lived with their parents. The following characteristics, although not true of the majority of the population, stand out as significant descriptions of this population : many of the patients were married, with 1-3 children; their ages ranged from 25-44 years; their occupation was agricultural; their education was primary school 4; they had an average of 3 siblings; many of the patients were the first born child. Of all these variables regarding perception and family characteristics, statistical analysis showed a significant relationship only between the kind of symptoms and perception, marital status, number of children, age level, occupation, and level of education.