TABLE OF CONTENTS

Title	Page
ACKNOWLEDGEMENTS	iii
ABSTRACT (ENGLISH)	v
ABSTRACT (THAI)	vii
LIST OF TABLES	xii
LIST OF FIGURES	xiii
ABBREVIATONS AND SYMBOLS	xix
CHAPTER 1 INTRODUCTION	
General	1
Historical background in Thailand	1
Objectives	2
Hypothesis	2
CHAPTER 2 LITERATURE REVIEW	
Morphology and anatomy	7
Chemistry	7
Microcrystallization	8
Tlc test	8
Taxonomy	9
Distribution and ecology of the family Pertusariaceae	10
Pertusariaceae in Thailand	10
Uses of lichens	11
CHAPTER 3 MATERIALS AND METHODOLOGY	
Study area	12
Surveys and collecting localities	12
Preparation of specimens	23

TABLE OF CONTENTS (Continued)

Title	Page
Morphological and anatomical observation	
Macroscopic examination	25
Microscopic examination	25
Scanning electron microscope examination	25
Photographic illustrations	25
Chemical Analysis	
UV test	25
Spot test	26
Micro crystallization	26
Tlc test	27
CHAPTER 4 MORPHOLOGICAL, ANATOMICAL AND CHEMICAL CHARACTERS	
Morphological characters	
Structural character for generic delimitation	29
Thallus	29
Apothecia	37
Anatomical characters	
Ascospores	41
Pycnidia	49
Chemical characters	
UV test	53
Spot test	53
Micro crystallization	54
Tlc test	55
CHAPTER 5 TAXONOMY AND ECOLOGY	
Taxonomic characteristics	82

TABLE OF CONTENTS (Continued)

Title	Page
Family classification	82
Ecology and distribution	82
List of species	83
Key to genera of the lichen family Pertusariaceae in Thailand	84
Genus description	
Ochrolechia	89
Key to *Ochrolechia* species in Thailand	91
Pertusaria	120
Key to *Pertusaria* species in Thailand	121
CHAPTER 6 DISCUSSION AND CONCLUSION	
Collecting localities and specimens collection	456
Morphology	457
Anatomy	458
UV test	458
Spot test	459
Microcrystallization	460
Tlc test	460
Taxonomy and ecology	461
REFERENCES	466
TAXONOMIC INDIX	484
CURRICULUM VITAE	494

LIST OF TABLES

Table		Page
1.1	Distribution of Pertusariaceae in various countries	3
4.1	Percentage of various characters of *Ochrolechia*	49
4.2	Percentage of various characters of *Pertusaria*	51
4.3	Example of species thalli showing UV fluorescence	53
4.4	Colour reactions of some lichen substances of *Ochrolechia* and *Pertusaria* with K, C, KC and Pd reagents	54
4.5	Chemistry in Thai Pertusariaceae	61
4.6	The taxa on the basis of chemistry	72
5.1	The number of collected specimens and the distribution of *Ochrolechia* species	85
5.2	The number of collected specimens and the distribution of *Pertusaria* species	86
5.3	The taxa on different substrates	90
5.4	The number of the taxa at elevations ranges	130
6.1	Shared species of Pertusariaceae in various countries	464

LIST OF FIGURES

Figure	Page
3.1 Map of Asia	13
3.2 Map of Thailand shows floristic regions and provinces	16
3.3 Map of collecting localities	22
3.4 Forest types of collecting sites in Thailand	24
4.1 Apothecia types of Pertusariaceae	30
4.2 Apothecia of Pertusariaceae viewed by SEM	31
4.3 Isidia reproductive propagules of Pertusariaceae	33
4.4 Soredia reproductive propagules of Pertusariaceae	34
4.5 Isidia and soredia of Pertusariaceae viewed by SEM	36
4.6 Ostioles characters of *Pertusaria* viewed by SEM	38
4.7 Ostioles characters and colour of *Pertusaria*	40
4.8 Pertusariaceae ocular type	42
4.9 Shape of and characters ascospores of Pertusariaceae	43
4.10 Ascospores of *Ochrolechia,* number and arrangement	44
4.11 Smooth ascospores of *Pertusaria,* number and arrangement	46
4.12 Rough ascospores of *Pertusaria,* number and arrangement	47
4.13 Asci of *Pertusaria* viewed by SEM	48
4.14 Ascospores of *Pertusaria* viewed by SEM	50
4.15 Pycnidia of Pertusariaceae	52
4.16 Microcrystal forms 1 of some lichen substances in Thai *Pertusaria*	57
4.17 Microcrystal forms 2 of some lichen substances in Thai *Pertusaria*	59
4.18 Lichen substances on tlc plates	60
5.1 *Ochrolechia africana* Vainio	93
5.2 *Ochrolechia androgyna* (Hoffm.) Arnold	95
5.3 *Ochrolechia osorioana* Verseghy	99
5.4 *Ochrolechia trochophora* (Vainio) Oshio	101

LIST OF FIGURES (Continued)

Figure **Page**

5.5 *Ochrolechia yasudae* Vainio 103
5.6 *Ochrolechia yasudae* Vainio var. *corallina* Poelt 105
5.7 *Ochrolechia* sp. 1 107
5.8 *Ochrolechia* sp. 2 109
5.9 *Ochrolechia* sp. 3 111
5.10 *Ochrolechia* sp. 4 113
5.11 *Ochrolechia* sp. 5 114
5.12 *Ochrolechia* sp. 6 116
5.13 *Ochrolechia* sp. 7 118
5.14 *Pertusaria albescens* (Huds.) Choisy & Wern. 137
5.15 *Pertusaria alboaspera* A.W. Archer & Elix 140
5.16 *Pertusaria alboaspera* A.W. Archer & Elix var. *deficiens* Jariangprasert & A.W. Archer 144
5.17 *Pertusaria alboaspera* A.W. Archer & Elix var. *tetraspora* Jariangprasert 146
5.18 *Pertusaria allothwaitesii* Jariangprasert & A.W. Archer 149
5.19 *Pertusaria amara* (Ach.) Nyl. 152
5.20 *Pertusaria angabangensis* A.W. Archer & Elix 155
5.21 *Pertusaria archeri* Jariangprasert 157
5.22 *Pertusaria asiana* Vainio 159
5.23 *Pertusaria asterella* Aptroot 163
5.24 *Pertusaria bokluensis* Jariangprasert 165
5.25 *Pertusaria bonariensis* Malme 168
5.26 *Pertusaria ceylonica* Müll. Arg. 170
5.27 *Pertusaria cicatricosa* Müll. Arg. 180
5.28 *Pertusaria cicatricosa* Müll. Arg. *deficiens* A.W. Archer, Elix & Streimann 185
5.29 *Pertusaria cinchinae* Müll. Arg. 187

LIST OF FIGURES (Continued)

Figure **Page**

5.30 *Pertusaria clarkeana* A.W. Archer 191
5.31 *Pertusaria commutata* Müll. Arg. 194
5.32 *Pertusaria elixii* Jariangprasert 198
5.33 *Pertusaria endochroma* Müll. Arg. 201
5.34 *Pertusaria erubescens* (Taylor) Nyl. 202
5.35 *Pertusaria follmanniana* A.W. Archer & Elix 206
5.36 *Pertusaria gibberosa* Müll. Arg. 209
5.37 *Pertusaria glomerata* (Ach.) Schaer. 211
5.38 *Pertusaria howeana* A.W. Archer & Elix 215
5.39 *Pertusaria hylocola* Jariangprasert & A.W. Archer 217
5.40 *Pertusaria hypostictica* Jariangprasert 219
5.41 *Pertusaria inthanonensis* Jariangprasert 222
5.42 *Pertusaria irregularis* Müll. Arg. 224
5.43 *Pertusaria kansriae* Jariangprasert 226
5.44 *Pertusaria krabiensis* Jariangprasert 228
5.45 *Pertusaria lansangensis* Jariangprasert & A.W. Archer 231
5.46 *Pertusaria leiocarpella* Müll. Arg. 233
5.47 *Pertusaria leioplaca* DC. 238
5.48 *Pertusaria leioplacella* Nyl. 241
5.49 *Pertusaria leucostigma* Müll. Arg. 245
5.50 *Pertusaria limbata* Vainio 248
5.51 *Pertusaria litchicola* Jariangprasert & A.W. Archer 251
5.52 *Pertusaria loeiensis* Jariangprasert 254
5.53 *Pertusaria lordhowensis* A.W. Archer & Elix 257
5.54 *Pertusaria macounii* (Lamb) Dibb. 261
5.55 *Pertusaria mattogrossensis* Malme 267
5.56 *Pertusaria miscella* A.W. Archer 270
5.57 *Pertusaria montpittensis* A.W. Archer 273

LIST OF FIGURES (Continued)

Figure **Page**

5.58 *Pertusaria moreliensis* de Lesd. 275
5.59 *Pertusaria mundula* Müll. Arg. 280
5.60 *Pertusaria muricata* J.C. David 285
5.61 *Pertusaria nahaeoensis* Jariangprasert & A.W. Archer 287
5.62 *Pertusaria nanensis* Jariangprasert & A.W. Archer 289
5.63 *Pertusaria nebolusa* A.W. Archer 292
5.64 *Pertusaria norstictica* A.W. Archer 295
5.65 *Pertusaria novaeguineae* A.W. Archer & Elix 299
5.66 *Pertusaria omkoiensis* Jariangprasert & A.W. Archer 303
5.67 *Pertusaria ophthalmiza* (Nyl.) Nyl. 305
5.68 *Pertusaria orarensis* A.W. Archer & Elix 310
5.69 *Pertusaria pallida* A.W. Archer & Elix 314
5.70 *Pertusaria paradoxica* A.W. Archer & Elix 316
5.71 *Pertusaria patellifera* A.W. Archer 318
5.72 *Pertusaria pertusa* (L.) Tuck. 322
5.73 *Pertusaria pertusella* Müll. Arg. 329
5.74 *Pertusaria petrophyes* Knight 332
5.75 *Pertusaria phaeostoma* Müll. Arg. 334
5.76 *Pertusaria pilosula* A.W. Archer & Elix 336
5.77 *Pertusaria psoromica* A.W. Archer & Elix 339
5.78 *Pertusaria puffina* A.W. Archer & Elix 342
5.79 *Pertusaria radiata* Oshio 344
5.80 *Pertusaria ramuemsis* A.W. Archer & Elix 346
5.81 *Pertusaria ramulifera* H. Magn. 349
5.82 *Pertusaria scaberula* A.W. Archer 351
5.83 *Pertusaria scutellifera* A.W. Archer & Elix 354
5.84 *Pertusaria siamensis* Jariangprasert 357
5.85 *Pertusaria sommerfeltii* (Flörke ex Somm.) Fr. 360

LIST OF FIGURES (Continued)

Figure **Page**

5.86 *Pertusaria stenostoma* Oshio 364
5.87 *Pertusaria subplanaica* A.W. Archer & Elix 366
5.88 *Pertusaria subplanaica* A.W. Archer & Elix
var. *tetraspora* Jariangprasert & A.W. Archer 368
5.89 *Pertusaria subrigida* Müll. Arg. 371
5.90 *Pertusaria takensis* Jariangprasert & A.W. Archer 375
5.91 *Pertusaria tetrathalamia* (Fée) Nyl. 378
5.92 *Pertusaria tetrathalamia* (Fée) Nyl. var. *plicatula* Müll. Arg. 383
5.93 *Pertusaria texana* Müll. Arg. 386
5.94 *Pertusaria thailandica* Jariangprasert 390
5.95 *Pertusaria thiophaninica* A.W. Archer 394
5.96 *Pertusaria thwaitesii* Müll. Arg. 399
5.97 *Pertusaria tropica* Vainio 402
5.98 *Pertusaria umbricola* A.W. Archer & Elix 406
5.99 *Pertusaria uttaraditensis* Jariangprasert 408
5.100 *Pertusaria velata* (Turn.) Nyl. 411
5.101 *Pertusaria wauensis* Elix & A.W. Archer 416
5.102 *Pertusaria xantholeuca* Müll. Arg. 418
5.103 *Pertusaria xanthonaria* A.W. Archer & Elix 420
5.104 *Pertusaria xylophyes* A.W. Archer 423
5.105 *Pertusaria* sp. 1 426
5.106 *Pertusaria* sp. 2 428
5.107 *Pertusaria* sp. 3 431
5.108 *Pertusaria* sp. 4 433
5.109 *Pertusaria* sp. 5 436
5.110 *Pertusaria* sp. 6 438
5.111 *Pertusaria* sp. 7 441
5.112 *Pertusaria* sp. 8 443

LIST OF FIGURES (Continued)

Figure **Page**

5.113 *Pertusaria* sp. 9 447
5.114 *Pertusaria* sp. 10 449
5.115 *Pertusaria* sp. 11 452
5.116 *Pertusaria* sp. 12 454

TAXONOMIC INDEX

Name in *italics* are synonyms and name in **bold** type are new taxa. Page numbers for major taxonomic treatments are in **boldface**.

Lecidea cinnabarina:- 9

Lichen albescens:- 136

androgynus:- 94

Ochrolechia:

africana:- 44, 49, 54, 64-66, 72, 85-86, 90-91, **92**-93, 110, 115-116

androgyna:- 34, 49, 52, 54, 64, 72, 85-86, 90-91, **94**-95

chilensis:- 100

osorioana:- 49, 64-66, 72, 85-86, 89, 90-91, **97**-98

parella:- 7

tartarea:- 7, 92

tartarea var. *austroamericana*

trochophora:- 31, 49, 64, 72, 85-86, 90-91, 97, **100**-101

yasudae:- 31-32, 43, 49, 64-65, 72, 85-86, 90-91, 97, **102**-103, 106

yasudae var. corallina:- 32, 35, 49, 64-65, 72, 85-86, 90-91, 102, **104**-105

sp. 1:- 30, 64-66, 72, 85-86, 90-92, **106**-108, 110

sp. 2:- 64-66, 72, 85-86, 90-91, **108**-110

sp. 3:- 44, 64, 72, 85-86, 90-91, **110**-111

sp. 4:- 64-65, 72, 85-86, 90-91, 108, **112**-113

sp. 5:- 44, 64-66, 72, 85-86, 90-92, **112**, 114

sp. 6:- 64-66, 72, 85-86, 90-91, **115**-116

sp. 7:- 44, 64-66, 72, 85-86, 90-91, **117**-118, 458

Parmelia velata:- 409

Pertusaria:

achroiza:- 268

acroscyphoide:- 407

TAXONOMIC INDEX (Continued)

aggregata:- 193
alaskensis:- 212
albescens:- 1, 11, 34-35, 51, 55, 72, 85-86, 122-123, 130, **136**-137, 151, 350, 463
albidopallens:- 160
albissima:- 372
alboaspera:- 45, 51, 62, 64-65, 70, 73, 85-86, 123, 130, **139**-141, 147, 199, 290, 367, 427, 434, 439
alboaspera var. deficiens:- 39, 41, 45, 51, 64-65, 68, 73, 85-86, 128, 130, 141, **142**-144, 290
alboaspera var. **tetraspora**:- 51, 62, 64-66, 69-70, 73, 85-86, 126, 130, 141, **145**-147
allothwaitesii:- 37, 41, 51, 61, 64, 68, 73, 85-86, 124, 130, **148**-150
alpina:- 239
amara:- 7, 11, 51, 54-55, 58, 61, 69, 73, 85-86, 122, 130, 137, **150**, 152, 463
amara var. *flotowiana*:- 152
amblyogona:- 242
amnicola:- 160
angabangensis:- 51, 62-63, 66, 69-70, 73, 85-86, 121, 130, **154**-156
aptrotii:- 205
archeri:- 51, 66-69, 73, 85-86, 125, 130, **156**-158
asiana:- 1, 10, 37, 51, 53-54, 61-62, 64, 68-70, 73, 85-86, 123, 130, **158**-160, 204, 458, 462
asterella:- 51, 65, 73, 85-86, 123, 130, **162**-163
atrospilota:- 324
bengalensis:- 1, 10, 73, 130, 401
blumeana:- 167
boklueaensis:- 51, 63-64, 73, 85-86, 129-130, **164**-165
bonariensis:- 37, 51, 62-63, 69-70, 73, 85-86, 126, 130, **166**, 168, 205, 358
buburna:- 453
bundiensis:- 429

TAXONOMIC INDEX (Continued)

californica:- 212

ceylonica:- 30, 39, 41-43, 45, 51, 53, 62-63, 68-71, 73, 83, 85-86, 126, 130, **167**, 169, 171, 178, 323, 328, 458, 463

cicatricosa:- 41, 50-51, 53, 61-63, 70-71, 74, 85-86, 124, 130, 171, **177**-179, 184, 230, 262, 340, 376, 462

cicatricosa var. deficiens:- 43, 50-51, 70, 74, 85-86, 124, 130, 177, **184**-185

cinchonae:- 41, 51, 56, 61-63, 67-70, 74, 85-86, 126, 130, **186**-188, 223, 463

clarkeana:- 43, 51, 61, 65, 69-70, 74, 85-86, 123, 130, **190**-192, 458, 463

coccopoda:- 274, 276

cocodes:- 348

communis var. *neocaledonica*:- 177

commutata:- 37, 51, 54, 61-62, 65, 74, 85-86, 123, 131, 137, 162, **193**-195, 276, 403, 458, 462-463

concava:- 203

confluens:- 242

confusa:- 190

congesta:- 290

consanguinae:- 246

consocians:- 324

copelandii:- 442

copiosa:- 193

corallina:- 1, 11, 463

corallina var. condens:- 348

corrugata:- 203

corrugata f. *phaeizans*:- 203

darbishireana:- 203

darbishireana f. *phaeizans* :-203

dissita:- 243

depressa:- 372

elixii:- 51, 62, 65-68, 70, 74, 85-86, 126, 131, **197**-199, 427

TAXONOMIC INDEX (Continued)

endochroma:- 37, 51, 71, 74, 85-86, 126, 131, **199**-201
erubescens:- 51, 68, 74, 85-86, 123, 131, **200**, 202, 204
flavovelata:- 319
follmanniana:- 37, 45, 51, 61-62, 65-71, 74, 85-86, 127, 131, 166, **204**-206, 229, 306
gibberosa:- 51, 63, 67, 74, 85-86, 129, 131, **207**, 208-209, 306
glaucocinera:- 145, 290
glomerata:- 37, 51, 54, 62, 68, 75, 85-86, 124, 131, **210**, 211-212, 444
gracilis var. heteromera:- 221, 384
graphidioides:- 207
gundermanica:- 451
hakkodensis:- 281
hermaka:- 388
heterochroa:- 7
himalayensis:- 296
howeana:- 37, 41, 50-51, 54, 61, 63-64, 66, 75, 85-86, 129, 131, **212**-214
hylocola:- 45, 51, 61-62, 65, 67-71, 75, 85-86, 128, 131, **216**-218
hymenea 1, 463
hypostictica:- 51, 54, 62, 65, 69-70, 75, 85-86, 122, 131, **218**-220
hypothamnolica:- 403
iddukiensis:- 213
impressula:- 167
indica:- 288
injuneana:- 218
inthanonensis:- 42, 45, 51, 61-62, 64-65, 67, 69-70, 75, 85-86, 125, 131, **221**-222
irregularis:- 43, 51, 63, 75, 85, 87, 125, 131, **223**-225
isidiosa:- 11, 453
kansriae:- 51, 63, 66, 68, 75, 85, 87, 126, 131, **225**-227
knightiana:- 444

TAXONOMIC INDEX (Continued)

krabiensis:- 51, 62, 65, 67, 69-71, 75, 85, 87, 127, 131, **227**-229

lacerans:- 319

lactea:- 410

lansangensis:- 34, 47-48, 51, 61-63, 70-71, 75, 85, 87, 124, 131, **229**-231, 340

laeviganda:- 7, 234

leiocarpella:- 41, 51, 53, 62-63, 68, 70, 75, 83, 85, 87, 129, 131, **232**-234, 249, 323, 361-362, 462-463

leioplaca:- 1, 51, 62-63, 69-70, 76, 85, 87, 126, 131, **236**-239

leioplacella:- 39, 41, 51, 62, 65, 68, 70-71, 76, 85, 87, 128, 131, **240**-241, 243, 304, 387

leucostigma:- 37, 39, 45, 48, 50-51, 65, 67, 76, 85, 87, 127, 132, **244**-246, 268

leucostoma:- 236

leucostomoides:- 239

leucoxantha:- 321

limbata:- 41, 51, 61-62, 68, 70, 76, 85, 87, 129, 132, **247**-249

litchicola:- 39, 41, 48, 51, 63, 66, 76, 85, 87, 124, 132, **250**-252

loeiensis:- 51, 62-63, 66-67, 69-70, 76, 85, 87, 126, 132, **252**-254

lordhowensis:- 39, 41, 45, 51, 61-63, 69-71, 76, 85, 87, 129, 132, **253**, 255-257, 363

macounii:- 37, 41, 50-51, 62-63, 70, 76, 83, 85, 87, 124, 132, 178, **259**-262, 323, 380, 462-463

malvinae:- 188, 445

mattogrossensis:- 37-38, 41, 51, 67, 69, 76, 85, 87, 127, 132, 246, **265**-266, 268, 422

meeana:- 437

mendax:- 9

meridionalis var. *xanthostoma*:- 242

mesoxantha:- 242

microspora:- 208

microsporella:- 208

TAXONOMIC INDEX (Continued)

minor:- 450
miscella:- 31, 51, 58, 63, 65, 71, 76, 85, 87, 123, 132, **269**-271, 350, 355
moffatiana:- 207
montpittensis:- 51, 62-63, 70, 76, 85, 87, 121, 132, **272**-274
moreliensis:- 34, 51, 53-54, 56, 61-62, 65-66, 68, 76, 85, 87, 122, 132, 195, **274**-276
multipuncta:- 1, 463
mundula:- 41, 51, 63, 76, 85, 87, 129, 132, **278**-279, 281
muricata:- 32, 35, 51, 62-63, 69-70, 76, 85, 87, 122, 132, 156, 220, 274, **284**-286, 337, 463
myola:- 192
nahaeoensis:- 37, 51, 61, 63, 66-67, 69, 77, 85, 87, 125, 132, **286**-288
nanensis:- 37, 51, 64, 66, 69, 77, 85, 87, 128, 132, **288**-290
nebolusa:- 41, 51, 61, 77, 85, 87, 126, 132, **291**-292, 343
nerigensis:- 417
nitidula:- 207
norfolkensis:- 296
norstictica:- 37-38, 41, 51, 53-54, 56, 61, 68, 77, 85, 87, 128, 132, **293**-294, 296
novaeguineae:- 37-38, 51, 53, 61-62, 66-70, 77, 85, 87, 126, 132, 158, 166, **297**-298, 300, 312, 432, 442, 458
novaezealandica:- 403
omkoiensis:- 51, 54, 62, 64-65, 69-71, 77, 85 87, 128, 132, **302**-304
ophthalmiza:- 45, 51, 54, 58, 64, 69, 77, 85, 87, 123, 133, 137, **304**-306, 462
orarensis:- 51, 61, 64, 66, 69, 77, 85, 87, 129, 133, 252, **309**-311
ornatulas:- 193
pallida:- 31, 37-38, 47, 51, 61-62, 66-70, 77, 85, 87, 124, 133, 300, **311**-313
papuana:- 311
paradoxica:- 41, 43, 51, 62, 67, 71, 77, 85, 87, 128, 133 218, **315**-317
paratuberculifera:- 246
patellifera:- 37, 51, 53-54, 61, 69, 77, 85, 87, 123, 133, 137, 192, **317**-319, 458

TAXONOMIC INDEX (Continued)

parvula:- 281
perfida:- 200
pertusa:- 1, 7, 37, 41, 45, 49, 51-53, 62-63, 66, 68-70, 77-78, 83, 85, 87, 126, 133, 171, 188, 218, 225, 239, **320**-321, 323-324, 329, 361, 458, 462-463
pertusella:- 39, 41, 51, 61-63, 69-71, 78, 85, 87, 126, 133, 171, **327**-328
petrophyes:- 41, 51, 67, 71, 78, 85, 87, 128, 133, **331**-333, 422
phaeostoma:- 51, 66, 78, 85, 87, 128, 133, **333**-335
pilosula:- 32, 35, 51, 61-63, 67, 70, 78, 85, 87, 121, 133, **335**-337, 429, 453
planaica:- 358
plethocarpa:- 291
plicatula:- 327, 381
praecipua:- 288
praetermissa:- 227. 427
psoromica:- 34, 51, 54, 69, 78, 85, 87, 122, 133, **338**-339, 417, 462
puffina:- 35, 51, 61-63, 70-71, 78, 85, 87, 122, 133, **340**, 342
pulchretina:- 401
pustulata:- 1, 10, 463
radiata:- 41, 45, 51, 54, 70, 78, 85, 87, 126, 133, **343**-344, 347
ramuensis:- 51, 54, 70, 78, 85, 87, 125, 133, **345**-347
ramulifera:- 32, 51, 61-62, 68-70, 78, 85, 88, 122, 133, **347**-349
rhodotropa:- 409
ruprestris:- 320
salebrosa:- 409
scaberula:- 34, 51, 63, 65, 71, 78, 85, 88, 122, 133, 137, 271, 276, **350**-351, 355, 462
scotii:- 268
scutellifera:- 43, 51, 63, 71, 78, 85, 88, 123, 133, 271, 350, **353**-355
siamensis:- 51, 63, 69, 78, 85, 88, 123, 133, **355**-356, 358, 463
simplex:- 247
solitaria:- 203

TAXONOMIC INDEX (Continued)

sommerfeltii:- 41, 51, 62-63, 68, 70, 78, 85, 88, 129, 134, 234, **359**-361

spaniostoma:- 247

sphaerulifera:- 1, 10, 338, 462

stenostoma:- 41, 51, 63, 69-70, 78, 85, 88, 129, 134, 234, 255, 361, **362**-364, 458

straminea:- 327

subisidiosa:- 376

subnegans:- 1, 10

subobductans:- 9

subplanaica:- 51, 64, 67-69, 78, 85, 88, 127, 134, 164, 166, 306, **365**-367, 369, 439, 451

subplanaica var. tetraspora:- 39, 41, 51, 64, 68-69, 79, 85, 88, 125, 134, 227, 365, **367**-369

subrigida:- 51, 55, 79, 85, 88, 127, 134, **369**-370, 372

subtruncata:- 177

subventosa var. *hypothamnolica*:- 384

superan:-*s* 198

supertusa:- 396

takensis:- 32, 47, 50-51, 61-63, 71, 79, 85, 88, 124, 134, **373**-374, 376

tapadensis:- 253

tetrathalamia:- 1,41, 49, 51, 53, 62-63, 69-70, 79, 85, 88, 124, 134, 262, **376**-377, 379-380

tetrathalamia var. plicatula:- 38, 41, 48, 51, 62, 65, 70, 79, 85, 88, 123, 134, 379, **381**-382, 384

texana:- 41, 51, 62, 70-71, 79, 85, 88, 128, 134, 234, 243, **385**-387

thailandica:- 51, 61-63, 66-68, 79, 85, 88, 127, 134, **387**-389

thiophaninica:- 41, 51, 53, 71, 79, 85, 88, 128, 134, **392**-393, 395

thwaitesii:- 37, 39, 41, 51, 54, 58, 61, 69, 71, 79, 85, 88, 124, 134, 150, **395**-396, 398, 458, 462-463

trachythallina:- 350

trevethensis:- 239

TAXONOMIC INDEX (Continued)

trisperma:- 167
trochophora:- 100
tropica:- 51, 53-54, 56, 65, 79, 85, 88, 123, 134, 162, 195, **401**-403, 458, 462
umbricola:- 32, 69, 79, 85, 88, 122, 134, **405**-407
uttaraditensis:- 51, 67, 79, 85, 88, 122, 134, **407**-409
valdiviana:- 335
velata:- 30, 37, 43, 51, 54, 56, 61, 65, 68, 79, 83, 85, 88, 123, 134, 162, **409**-411, 419, 458, 462-463
velloziae:- 252
vepallida:- 203
verruculifera:- 142, 145, 290
virginiea:- 207
wattiana:- 150
wauensis:- 32, 51, 54, 61-62, 69, 79, 85, 88, 122, 134, 338, 407, **415**-417
wilsonii:- 395
woolsiana:- 207
xantholeuca:- 51, 61, 68, 69, 79, 85, 88, 123, 135, **417**-418
xanthonaria:- 41, 51, 61, 63, 71, 79-80, 85, 88, 125, 135, **419**-421, 458
xylophyes:- 51, 61, 67, 71, 80, 85, 88, 127, 135, 268, 333, **421**-423
sp. 1:- 51, 66-68, 70, 80, 85, 88, 128, 135, **425**-427
sp. 2:- 51, 62-63, 67, 70, 80, 85, 88, 124, 135, **427**-429
sp. 3:- 51, 62, 66-70, 80, 85, 88, 125, 135, **430**-432
sp. 4:- 51, 62, 64, 70, 80, 85, 88, 128, 135, **432**-434
sp. 5:- 51, 61, 63-64, 67-69, 80, 85, 88, 125, 135, **434**-435, 437
sp. 6:- 51, 62-63, 68, 70, 80, 85, 88, 129, 139, **437**-439
sp. 7:- 51, 61, 66-70, 80, 85, 88, 125, 135, **440**-442
sp. 8:- 51, 62-63, 68, 80, 85, 88, 125, 135, **442**-444
sp. 9:- 51, 61, 67, 80, 85, 88, 125, 135, **444**-446
sp. 10:- 51, 67, 69-70, 80, 85, 88, 127, 135, **448**-450
sp. 11:- 51, 63-64, 66, 68-70, 80-81, 85, 88, 129, 135, **450**-452

TAXONOMIC INDEX (Continued)

sp. 12:- 51, 62, 67, 70, 81, 85, 88, 122, 135, **453**-454, 463
Urceolaria erubescens:- 200
Variolaria amara:- 151

ABBREVIATIONS AND SYMBOLS

BM	=	British History Museum
cm	=	centrimetre
CMU	=	Herbarium, Biology Department, Chiang Mai University, Chiang Mai, Thailand
diam.	=	diameter
e.g.	=	*exempli gratia* (for example)
et al.	=	*et alii* (and others)
etc.	=	*et cetera* (and so forth)
hplc	=	High Performance Liquid Chromatography
Ibid.	=	ibidem
i.e.	=	*id est* (that is)
km	=	kilometre
mm	=	millimetre
PSU	=	Herbarium, Biology Department, Prince of Songkla University, Haad Yai, Thailand
RAMK	=	Herbarium, Lichen Unit Research, Biology Department, Ramkhamhaeng University, Bangkok, Thailand
SJ	=	Sureeporn Jariangprasert
SEM	=	Scanning Electron Microscope
°E	=	degrees East longitude
′E	=	minutes East longitude
°N	=	degrees North latitude
′N	=	minutes North latitude
°S	=	degrees South latitude
′S	=	minutes South latitude
sp. nov.	=	species nova (new species)
tlc	=	thin layer chromatography
UV	=	ultraviolet
var. nov.	=	variety nova (new variety)
µm	=	micrometre