

REFERENCES

- Agrios, G.N. 2005. *Plant Pathology*, Academic Press, New York.
- Ainsworth, G.C. 1971. *Ainsworth and Bisby. Dictionary of the Fungi*. CAB International.
- Ahamed, A., Ahring, B.K. 2011. Production of hydrocarbon compounds by endophytic fungi *Gliocladium* sp., grown on cellulose. *Bioresour. Technol.*, 102: 9718–9722.
- Ahmad, F., Ahmad, I., Khan, M.S. 2005. Indole acetic acid production by the indigenous isolates of *Azotobacter* and fluorescent *Pseudomonas* in the presence and absence of tryptophan. *Turk. J. Biol.*, 29: 29–34.
- Ajith, P.S., Lakshmidēvi, N. 2010. Effect of volatile and non-volatile compounds from *Trichoderma* spp. against *Colletotrichum capsici* incitant of anthracnose on bell peppers. *Natural and Science*, 8: 265–269.
- Akin, M., Aktumsek, A., Nostro, A. 2010. Antibacterial activity and composition of the essential oil of *Eucalyptus camaldulensis* Dehn. and *Myrtus communis* L. growing in Northern Cyprus. *Afr. J. Biotechnol.*, 9: 531–535.
- Alvarez-Manzaneda, E.J., Chahboun, R., Barranco Pe´rez, I., Cabrera, E., Alvarez, E., Alvarez-Manzaneda, R.. 2005. First Enantiospecific Synthesis of the Antitumor Marine Sponge Metabolite (-)-15-Oxopuupehenol from (-)-Sclareol. *Org. Lett.*, 14: 1477–1480.
- Alverson, J., Cohen, A.C. 2002. Effect of antifungal agents on biological fitness of *Lygus hesperus* (Heteroptera: Miridae). *J. Econ. Entomol.*, 95: 256–260.

- Aly, A.H., Debbab, A., Kjer, J., Proksch, P. 2010. Fungal endophytes from higher plants: a prolific source of phytochemicals and other bioactive natural products. *Fungal Divers.*, 41: 1–16.
- Amin, F., Razdan, V.K., Mohiddin, F.A., Bhat, K.A., Sheikh, P.A. 2010. Effect of volatile metabolites of *Trichoderma* species against seven fungal plant pathogens *in vitro*. *J. Phytol.*, 2: 34–37.
- Andjic, V., Cole, A.L.J., Klena, J.D. 2005. Taxonomic identity of the sterile red fungus inferred using nuclear rDNA ITS 1 sequences. *Mycol. Res.*, 109: 200–204.
- Arnold, A.E. 2001. Fungal endophytes in neotropical trees: Abundance, diversity, and ecological implications. In: Ganeshalah, K.N., Uma Shaanker, R., Bawa, K.S. (Eds.), *Tropical Ecosystems: Structure, Diversity and Human Welfare* (pp. 739–743). Proceedings of the International Conference on Tropical Ecosystems. Oxford-ISH, New Delhi.
- Arnold, A.E. 2008. Endophytic fungi: hidden components of tropical community ecology. In: Schnitzer, S., Carson, W. (Eds.), *Tropical Forest Community Ecology*, (pp. 254–271). Blackwell Scientific, London.
- Arnold, A.E., Lutzoni, F. 2007. Diversity and host range of foliar fungal endophytes: are tropical leaves biodiversity hotspots?. *Ecology*, 88: 541–549.
- Arnold, A.E., Maynard, Z., Gilbert, G.S., Coley, P.D., Kursar, T.A. 2000. Are tropical fungal endophytes hyperdiverse?. *Ecol. Lett.*, 3: 267–274.

- Arnold, A.E., Mejía, L.C., Kyllö, D., Rojas, E.I., Maynard, Z., Robbins, N., Herre, E.A. 2003. Fungal endophytes limit pathogen in a tropical tree. *Proc. Natl. Acad. Sci.*, 100: 15649–15654.
- Arnow, L.E. 1937. Colorimetric determination of the components of 3,4 dihydroxyphenyl alanine tyrosine mixtures. *J. Biol. Chem.*, 118: 531–537.
- Atkin, C.L., Neilands, J.B., Phaff, H.J. 1970. Rhodotorulic acid from species of *Leucosporidium*, *Rhodosporidium*, *Rhodotorula*, *Sporidiobolus*, and *Sporobolomyces*, and a new alanine containing ferrichrome from *Cryptococcus melibiosum*. *J. Bacteriol.*, 103: 722–733.
- Atmosukarto, I., Castillo, U., Hess, W.M., Sears, J., Strobel, G. 2005. Isolation and characterization of *Muscodor albus* I-41.3 s, a volatile antibiotic producing fungus. *Plant Sci.*, 169: 854–861.
- Bäck, J., Aaltonen, H., Hellén, H., Kajos, M.K., Patokoski, J., Taipale, R., Pumpanen, J., Heinonsalo, J. 2010. Variable emissions of microbial volatile organic compounds (MVOCs) from root-associated fungi isolated from Scots pine. *Atmos. Environ.*, 44: 3651–3659.
- Bacon, C.W., White, J.F. 2000. Physiological adaptations in the evolution of endophytism in the Clavicipitaceae. In: Bacon, C.W., White, J.F. (Eds.): *Microbial endophytes* (pp. 237-261). Marcel Dekker, USA.
- Bajwa, R., Khalid, A., Cheema, T.S. 2003. Antifungal activity of allelopathic plant extracts III: Growth response of some pathogenic fungi to aqueous extract of *Parthenium hysterophorus*. *Plant Pathol. J.*, 2: 145–156.

- Banerjee, D., Strobel, G., Geary, B., Seares, J., Ezra, D., Liarzi, O., Coombs, J. 2010. *Muscodor albus* strain GBA, an endophytic fungus of *Ginkgo biloba* from United States America, produces volatile antimicrobials. *Mycology*, 1: 179–186.
- Banu, G.S., Kumar, G. 2009. Preliminary screening of endophytic fungi from medicinal plants in india for antimicrobial and antitumor activity. *Int. J. Phar. Sci. Nanotechnol.*, 2: 566–571.
- Barakat, R., Al-Masri, M. 2005. Biological control of gray mold disease (*Botrytis cinerea*) on tomato and bean plants by using local isolates of *Trichoderma harzianum*. *Dirasat Agric. Sci.*, 32: 145–156.
- Bar-Ness, E., Chen, Y., Hadar, Y., Marschner, H., Römheld, V. 1991. Siderophores of *Pseudomonas putida* as an iron source for dicot and monocot plants. *Plant Soil*. 130: 231–241.
- Barnett, H.L., Hunter, B.B. 1998. *Illustrated Genera of Imperfect Fungi*. APS Press, Minnesota, USA.
- Bartholdy, B.A., Berreck, M., Haselwandter, K. 2001. Hydroxamate siderophore synthesis by *Phialocephala fortinii*, a typical dark septate fungal root endophyte. *Biometals*, 14: 33–42.
- Bayat, F., Mirlohi, A., Khodambashi, M. 2009. Effects of endophytic fungi on some drought tolerance mechanisms of tall fescue in a hydroponics culture. *Russ. J. Plant Physiol.*, 56: 510–516.

- Begoude, B. A. D., Slippers, B., Wingfield, M. J., Roux, Y. 2010. Botryosphaeriaceae associated with *Terminalia catappa* in Cameroon, South Africa and Madagascar. *Mycol. Progress*, 9: 101–123.
- Bentley, R. 2000. Mycophenolic acid: A one hundred year odyssey from antibiotic to immunosuppressant. *Chem. Rev.*, 100: 3801–3826.
- Bérdy, J. 2005. Bioactive microbial metabolites: Review article. *J. Antibiot.*, 58: 1–26.
- Bhadury, P., Mohammad, B.T., Wright, P.C. 2006. The current status of natural products from marine fungi and their potential as anti- infective agents. *J. Ind. Microbiol. Biotechnol.*, 33: 325–337.
- Bhagobaty, R.K., Joshi, S.R. 2012. Enzyme activity of fungi endophytic on five medicinal plant species of the pristine sacred forests of Meghalaya, India. *Biotech. Bioprocess Eng.*, 17: 33–40.
- Bhilabutra, W. 2009. *Biodiversity of fungi on some grasses and their production of bioactive compounds*. Ph.D. Thesis. Chiang Mai University, Chiang Mai, Thailand.
- Bhilabutra, W., McKenzie, E.H.C., Hyde, K.D., Lumyong, S. 2010. Fungi on the grasses, *Thysanolaena latifolia* and *Saccharum spontaneum*, in northern Thailand. *Mycosphere*, 1: 301–314.
- Bhilabutra, W. Techowisan, T., Peberdy, J.F., Lumyong, S. 2007. Antimicrobial activity of bioactive compounds from *Periconia siamensis* CMUGE015. *Res. J. Microbiol.*, 2: 749–755.

- Bidochka, M.J., De Koning, J. 2001. Are teleomorphs really necessary?: modeling the potential effects of Muller's ratchet on deuteromycetous entomopathogenic fungi. *Mycol. Res.*, 105: 1014–1019.
- Bills, G., Dombrowski, A., Pelaez, F., Polishook, J., An, Z. 2002. Recent and future discoveries of pharmacologically active metabolites from tropical fungi. In: Watling, J.C., Frankland, A.M., Anisworth, S.I., Robinson, C.H. (Eds.), *Tropical Mycology: Micromycetes*, Vol 2 (pp. 65–149), CABI Publishing, New York.
- Bitzer, J., Laessøe, T., Fournier, J., Kummer, V., Decock, C., Tichy, H.V., Piepenbring, M., Persoh, D., Stadler, M. 2008. Affinities of *Phylacia* and the daldinoid *Xylariaceae*, inferred from chemotypes of cultures and ribosomal DNA sequences. *Mycol. Res.*, 112: 251–270.
- Blaudez, D., Jacob, C., Turnau, K., Colpaert, J.V., Ahonen-jonnarth, U., Finlay, R., Botton, B., Chalot, M. 2000. Differential responses of ectomycorrhizal fungi to heavy metals *in vitro*. *Mycol. Res.*, 104: 1366–1371.
- Bode, H.B., Bethe, B., Höfs, R., Zeek, A. 2002. Big effects from small changes: possible ways to explore nature's chemical diversity. *ChemBioChem*, 3: 619–627.
- Boerema, G.H., De Gruyter, J., Noordeloos, M.E., Hamers, M.E.C. 2004. Phoma Identification Manual: *Differentiation of Specific and Infra-specific Taxa in Culture*, CABI Publishing, UK.

- Boonmak, C., Limtong, S., Jindamorakot, S., Am-In, S., Yongmanitchai, W., Suzuki, K.I., Nakase, T. Kawasaki, H. 2010. *Candida xylanilytica* sp. nov., a xylan degrading yeast species isolated from Thailand. *Int. J. Syst. Evol. Microbiol.*, 61: 1230–1234.
- Booth, E., Strobel, G., Knighton, B., Sears, J., Geary, B., Avci, R. 2011. A rapid column technique for trapping and collecting of volatile fungal hydrocarbons and hydrocarbon derivatives. *Biotechnol. Lett.*, 33: 1963–1972.
- Boustie, J., Grube, M. 2007. Lichens-a promising source of bioactive secondary metabolites. *Plant Genet. Resour.*, 3: 273–287
- Brady, S.F., Wagenaar, M.M., Singh, M.P., Janso, J.E., Clardy, J. 2000. The cytosporones, new octaketide antibiotics isolated from an endophytic fungus. *Org. Lett.*, 14: 4043–4046.
- Bussaban, B., Lumyong, S., Lumyong, P., Hyde, K.D., McKenzie, E.H.C. 2001. Two new species of endophytes (ascomycetes) from Zingiberaceae sporulating in culture. *Nova Hedwigia*, 73: 487–493.
- Bussaban, B., Lumyong, S., Lumyong, P., McKenzie, E.H.C., Hyde, K.D. 2003a. Three new species of *Pyricularia* isolated as Zingiberaceous endophytes from Thailand. *Mycologia*, 95: 519–524.
- Bussaban, B., Lumyong, P., McKenzie, E.H.C., Hyde, K.D., Lumyong, S. 2003b. *Xenosporium amomi* sp. nov. from Zingiberaceae in Thailand. *Fungal Divers.*, 14: 61–66.

- Butler, M.S. 2004. The role of natural product chemistry in drug discovery. *J. Nat. Prod.*, 67: 2141–2153.
- Cabral, D., Stone, J. Carroll, G.C. 1993. The internal mycoflora of *Juncus* spp.: microsporidic and cultural observation of infection patterns. *Mycol. Res.*, 97: 367–376.
- Cai, L., Hyde, K.D., Taylor, P.W.J., Weir, B.S., Waller, J., Abang, M.M., Zhang, J.Z., Yang, Y.L., Phoulivong, S., Liu, Z.Y., Prihastuti, H., Shivas, R.G., McKenzie, E.H.C., Johnston, P.R. 2009. A polyphasic approach for studying *Colletotrichum*. *Fungal Divers.*, 39: 183–204.
- Cairney, J.W.G. 2000. Evolution of mycorrhiza system. *Naturwissenschaften*, 87: 467–475.
- Camp, A.R., Dillard, H.R., Smart, C.D. 2008. Efficacy of *Muscodor albus* for the control of *Phytophthora* blight of sweet pepper and butternut squash. *Plant Dis.*, 92: 1488–1492.
- Carmichael, J.W., Kendrick, W.B., Connors, I.L., Sigler, L. 1980. *Genera of Hyphomycetes*. The University of Alberta Press, Canada.
- Carroll, G.C. 1986. The biology of endophytism in plants with particular references to woody perennials. In: Fokkema, N.J., van den Heuvel, J. (Eds.), *Microbiology of phyllosphere* (pp. 205–222), Cambridge University Press, UK.
- Carroll, G.C. 1998. Fungal endophytes in stems and leaves: from latent pathogen to mutualistic symbiont. *Ecology*, 69: 2–9.

- Carroll, F.E., Muller, E., Sutton, B.C. 1977. Preliminary studies on the incidence of needle endophytes in some European conifers. *Sydowia*, 29: 87–103.
- Carroll, G.C., Carroll, F.E. 1978. Studies on the incidence of coniferous needle endophytes in the Pacific Northwest. *Can. J. Bot.*, 56: 3034–3048.
- Carroll, G.C., Petrini, O. 1983. Patterns of substrate utilization by some fungal endophytes from coniferous foliage. *Mycologia*, 75: 53–63.
- Castillo, U., Myers, S., Browne, L., Strobel, G., Hess, W.M., Hanks, J., Reay, D. 2005. Scanning electron microscopy of some endophytic streptomycetes in snake vine—*Kennedia nigricans*. *Scanning*, 27: 305–311.
- Chaiharn, M., Chunchaleuchanon, S., Lumyong, S., 2009. Screening siderophore producing bacteria as potential biological control agent for fungal rice pathogens in Thailand. *World J. Microbiol. Biotechnol.*, 25: 1919–1928.
- Chareprasert, S., Piapukiew, J., Thienhirun, S., Whalley, A.J.S., Sihanonth, P. 2006. Endophytic fungi of teak leaves *Tectona grandis* L. and rain tree leaves *Samanea saman* Merr. *World J. Microbiol. Biotechnol.*, 22: 481–486.
- Chareprasert, S., Piapukiew, J., Thienhirun, S., Whalley, A.J.S., Sihanonth, P. 2010. Endophytic fungi from mangrove plant species of Thailand: their antimicrobial and anticancer potentials. *Botanica Marina*, 53: 555–564.
- Cheeptham, N., Higashiyama, T., Fukushi, E., Matsuura, H., Mikama, T., Yokota, T., Ichihara, A., Tomita, F. 1999. Studies in an antifungal antibiotic from *Ellisiodothis ingiunans* L1588-A8. *Thai J. Biotechnol.*, 1: 37–45

- Chen, J., Zhang, L., Xing, Y., Wang, Y., Xing, X., Zhang, D., Liang, H., Guo, S. 2013. Diversity and taxonomy of endophytic Xylariaceous fungi from medicinal plants of *Dendrobium* (Orchidaceae). *PLoS ONE*, 8: 1–11.
- Chen, X.M., Dong, H.L., Hu, K.X., Sun, Z.R., Chen, J., Guo, S.X. 2010. Diversity and antimicrobial and plant-growth-promoting activities of endophytic fungi in *Dendrobium loddigesii* Rolfe. *J. Plant Growth Regul.*, 29: 328–337.
- Chen, X.M., Guo, S.X. 2005. Effects of four species of endophytic fungi on the growth and polysaccharide and alkaloid contents of *Dendrobium nobile*. *China J. Chin. Mat. Med.*, 30: 253–257.
- Chin-A-Woeng, T.F.C., Bloemberg, G.V., Lugtenberg B.J.J. 2002. Phenazines and their role in biocontrol by *Pseudomonas* bacteria. *New Phytol.*, 157: 503–523
- Chin, Y.W., Balunas, M.J., Chai, H.B., Kinghorn, A.D. 2006. Drug discovery from natural sources. *AAPS J.*, 8: 239–253.
- Chiron, N., Michelot, D. 2005. Odeurs de champignons: chimie et rôle dans les interactions biotiquesd-une revue. *Cryptogam. Mycol.*, 26: 299–364.
- Cho, I.H., Namgung, H.-J., Choi, H.-K., Kim, Y.S. 2008. Volatiles and key odorants in the pileus and stipe of pine-mushroom (*Tricholoma matsutake* Sing). *Food Chem.*, 106: 71–76.
- Choeyklin, R. 2009. *The ecology and lignocellulose degrading ability of basidiomycetes on selected bamboo and palms*. Ph.D. Thesis. Burapha University, Chon Buri, Thailand.

- Chomcheon, P., Prachya, S., Kittakoop, P., Limmatvapirat, C., Wiyakrutta, S., 2006. Cyclopentanones, mycoepoxydiene, quinine and lactone compounds from endophytic fungus mitosporic *Dothideomycete* sp. LRUB20. *J. Nat. Prod.*, 69: 1351–1353.
- Chomcheon, P., Wiyakrutta, S., Sriubolmas, N., Ngamrojanavanich, N., Isarangkul, D., Kittakoop, P., 2005. 3-Nitropropionic acid (3-NPA), a potent antimicrobial agent from endophytic fungi: is 3-NPA in some plants produced by endophytes?. *J. Nat. Prod.*, 68: 1103–1105.
- Chutima, R. 2012. *Enhancing the propagation success of Thai terrestrial orchids with mycorrhizal fungi*. Ph.D. Thesis. Chiang Mai University, Chiang Mai, Thailand.
- Chutima, R., Lumyong, S. 2012. Production of indole-3-acetic acid by Thai native orchid-associated fungi. *Symbiosis*, 56: 35–44.
- Clay, K. 2004. Fungi and the food of the gods. *Nature*, 427: 401–402.
- Clay, K., Holah, J. 1999. Fungal endophyte symbiosis and plant diversity in successional fields. *Science*, 285: 1742–1744.
- Cui, Y., Yi, D., Bai, X., Sun, B., Zhao, Y., Zhang, Y. 2012. Ginkgolide B produced endophytic fungus (*Fusarium oxysporum*) isolated from *Ginkgo biloba*. *Fitoterapia*, 83: 913–920.
- Dai, C.C., Yu, B.Y., Li, X. 2008. Screening of endophytic fungi that promote the growth of *Euphorbia pekinensis*. *Afr. J. Biotechnol.*, 7: 3505–3510.

- Dai, J., Krohn, K., Draeger, S., Schulz, B. 2009. New naphthalene-chroman coupling products from the endophytic fungus, *Nodulisporium* sp. from *Erica arborea*. *Eur. J. Org. Chem.*, 10: 1564–1569.
- Dai, J., Krohn, K., Frörke, U., Draeger, S., Schulz, B., Kiss-Szikazai, A., Antus, S., Kurtán, T., van Ree, T. 2006. Metabolites from the endophytic fungus *Nodulisporium* sp. from *Juniperus cedre*. *Eur. J. Org. Chem.*, 15: 3498–3506.
- Daisy, B.H., Strobel, G.A., Ezra, D., Castillo, U., Bairn, G., Hess, W.M. 2002. *Muscodor vitigenus* anam. sp. nov., an endophyte from *Paullinia paullinioides*. *Mycotaxon*, 81: 463–475.
- De Bary, A. 1866. *Morphologie und physiologie der plize. Flechten und Myxomyceten*. Holfmeister's Handbook of Physiological botany. Vol 2. Leipzig, Germany.
- De Souza, J.J., Vieira, I.J., Rodrigues-Filho, E., Braz-Filho, R. 2011. Terpenoids from endophytic fungi. *Molecules*, 16: 10604–10618.
- Dethoup, T., Manoch, L., 2009. Diversity of marine fungi in eastern Thailand. *Kasetsart J. Nat. Sci.*, 43: 100–106.
- Dewick, P.M. 2006. Medicinal natural products: *A biosynthetic approach*. 2nd ed. John Wiley and Sons Ltd, Chichester, England.
- Ding, X., Lui, K., Deng, B., Chen, W., Li, W., Lui, F. 2013. Isolation and characterization of endophytic fungi from *Camptotheca acuminata*. *World J. Microbiol. Biotechnol.*, doi: 10.1007/s11274-013-1345-x.

- Ding, Z., Li, M., Ren, J., Zhao, J., Huang, R., Wang, Q., Cui, X., Zhu, H., Wen, M. 2011. Phenazolinols A–E: novel diphenazines from a tin mine tailings-derived *Streptomyces* species. *Org. Biomol. Chem.*, 9: 2771–2776.
- Doan T.N., Tran, D.T. 2011. Synthesis, antioxidant and antimicrobial activities of a novel series of chalcones, pyrazolic chalcones, and allylic chalcones. *Pharm. Pharmacy*, 2: 282–288.
- Donadio, S., Monicardini, P., Alduina, R., Mazzaa, P., Chiocchini, C., Cavaletti, L., Sosio, M., Puglia, A.M. 2002. Microbial technologies for the discovery of novel bioactive metabolites, *J. Biotechnol.*, 99: 187–198.
- Dreyfuss, M.M., Chapela, I.H. 1994. Potential of fungi in the discovery of novel, low-molecular weight pharmaceuticals. In: Gullo, V.P. (Ed.), *The discovery of natural products with therapeutic potential* (pp. 49–80). Butterworth-Heinemann, UK.
- Duong, L.M., Jeewon, R., Lumyong, S., Hyde, K.D. 2006. DGGE coupled with ribosomal DNA phylogenies reveal uncharacterized fungal phylotypes on living leaves of *Magnolia liliifera*. *Fungal Divers.*, 23: 121–138.
- Ebrahimi, A., Asgharian, S., Habibian, S. 2010. Antimicrobial activities of isolated endophytes from some Iranian native medicinal plants. *Iranian J. Pharm. Sci.* 6: 217–222.
- Ehmann, A. 1977. The van Urk-Salkowski reagent—a sensitive and specific chromogenic reagent for silica gel thin-layer chromatographic detection and identification of indole derivatives. *J. Chromatogr.*, 132: 267–276.

- Ellis, M.B. 1971. *Dematiaceous Hyphomycetes*. Commonwealth Mycological Institute, UK.
- Ellis, M.B. 1976. *More Dematiaceous Hyphomycetes*. Commonwealth Mycological Institute, UK.
- Ezra, D., Hess, W.M., Strobel, G.A. 2004. New endophytic isolates of *Muscodor albus*, a volatile antibiotic producing fungus. *Microbiology*, 150: 4023–4031.
- Ezra, D., Strobel, G.A. 2003. Effect of substrate on the bioactivity of volatile antimicrobials produced by *Muscodor albus*. *Plant Sci.*, 165: 1229–1238.
- Faeth, S.H. 2002. Are endophytic fungi defensive plant mutualists?. *Oikos*, 98: 25–36.
- Fernando, W.D.G., Nakkeeran, S., Zhang, Y. 2005. Biosynthesis of antibiotics by PGPR and its relation in biocontrol of plant diseases. In: Siddiqui, Z.A. (Ed.). *PGPR: Biocontrol and Biofertilizer* (pp. 67–109). Springer Science, Netherlands.
- Fialho, M.B., Duarte de Moraes, M.H., Tremocoldi, A.R., Pascholati, S.F. 2011. Potential of antimicrobial volatile organic compounds to control *Sclerotinia sclerotiorum* in bean seeds. *Pesq. Agropec. Bras.*, 46: 137–142.
- Fiedler, N., Laumbach, R., Kelly-Mcneil, K., Liroy, P., Fan, Z.-H., Zhang, J., Ottenweller, J., Ohman-Strickland, P., Kipen, H. 2005. Health effects of a mixture of indoor air volatile organics, their ozone oxidation products, and stress. *Environ. Health Perspect.*, 113: 1542–1548.
- Fisher, P.J., Petrini, O., Petrini, L.E., Sutton, B.C. 1994. Fungal endophytes from the leaves and twigs of *Quercus ilex* L. from England, Majorca and Switzerland. *New Phytol.*, 127: 133–137.

- Fraatz, M.A., Zorn, H. 2010. Fungal flavours. In: Hofrichter, M. (Ed.), *The Mycota X: Industrial Applications*, second ed (pp. 249e264). Springer-Verlag, Berlin.
- Fröhlich, J., Hyde, K.D. 1999. Biodiversity of palm fungi in the tropics: are global fungal diversity estimates realistic?. *Biodivers. Conserv.*, 8: 977–1004.
- Fröhlich, J., Hyde, K.D., Petrini, O. 2000. Endophytic fungi associated with palms. *Mycol. Res.*, 104: 1202–1212.
- Fomina, M.A., Alexander, I.J., Colpaert, J.V., Gadd, G.M. 2005. Solubilization of toxic metal minerals and metal tolerance of mycorrhizal fungi. *Soil Biol. Biochem.*, 37: 851–866.
- Gabler, F.M., Fassel, R., Mercier, J., Smilanick, J.L. 2006. Influence of temperature, inoculation interval, and dosage on biofumigation with *Muscodor albus* to control postharvest gray mold on grapes. *Plant Dis.*, 90: 1019–1025.
- Gadd, G.M. 2004. Microbial influence on metal mobility and application for bioremediation. *Geoderma*, 122: 109–119.
- Gamboa, M.A. Bayman, P. 2001. Communities of endophytic fungi in leaves of tropical timber tree (*Guarea guidonia*: Meliaceae). *Biotropica*, 33: 352–360.
- Game, W. 1971. *Cephalosporium-artinge Schimmelpilze (Hyphomycetes)*. Gustav Fischer Verlag, Germany.
- Gangadevi, V., Muthumary, J. 2008. Isolation of *Colletotrichum gloeosporioides*, a novel endophytic-taxon-producing fungus from the leaves of a medicinal plant, *Justicia gendarussa*. *Mycol. Balc.*, 5: 1–4.

- Gao, F.K., Dai, C.C., Liu, X.Z. 2010. Mechanisms of fungal endophytes in plant protection against pathogens. *Afr. J. Microbiol. Res.*, 4: 1346–1351.
- Ghimire, S.R., Hyde, K.D. 2004. Fungal endophytes. In: Verma, A., Abbott, L., Werner, D., Hampp, R. (Eds.), *Plant Surface Microbiology*, (pp. 281–292), Springer, Berlin.
- Grimme, E., Zidack, N.K., Sikora, R.A., Strobel, G.A., Jacobsen, B.J. 2007. Comparison of *Muscodor albus* volatiles with a biorational mixture for control of seedling diseases of sugar beet and root-knot nematode on tomato. *Plant Dis.*, 91: 220–225.
- Griffin, M.A., Spakowicz, D.J., Gianoulis, T.A., Strobel, S.A. 2010. Volatile organic compound production by organisms in the genus *Ascocoryne* and a re-evaluation of myco-diesel production by NRRL 50072. *Microbiology*, 156: 3814–3829.
- Goates, B.J., Mercier, J. 2009. Effect of biofumigation with volatiles from *Muscodor albus* on the viability of *Tilletia* spp. teliospores. *Can. J. Microbiol.*, 55: 203–206.
- Gond, S.K., Verma, V.C., Kumar, A., Kumar, V., Kharwar, R.N. 2007. Study of endophytic fungi community from different parts of *Aegle marmelos* Correae. (Rutaceae) from Varanasi (India). *World J. Microbiol. Biotechnol.*, 23: 1371–1375.
- Gong, L.J., Guo, S.X. 2009. Endophytic fungi from *Dracaena cambodiana* and *Aquilaria sinensis* and antimicrobial activity. *Afr. J. Microbiol.*, 8: 731–736.
- Gonthier, D.J., Sullivan, T.J., Brown, K.L., Wurtzel, B., Lawal, R., Vandenoever, K., Bucha, Z., Bultman, T.L. 2008. Stroma-forming *Epichloë glyceriae* provides wound-inducible herbivore resistance to its grass host. *Oikos*, 117: 629–633.
- Gonthier, P., Gennaro, M., Nicolotti, G. 2006. Effects of water stress on the endophytic mycota of *Quercus robur*. *Fungal Divers.*, 21: 69–80.

- González, M.C., Anaya, A.L., Glenn, A.E., Macías-Rubalcava, M.L., Hernández-Bautista, B.E., Hanlin, R.T. 2009. *Muscodor yucatanensis*, a new endophytic ascomycete from Mexican chakah, *Bursera simaruba*. *Mycotaxon*, 110: 363–372.
- Gordaliza, M. 2010. Cytotoxic Terpene Quinones from Marine Sponges. *Mar. Drugs*, 8: 2849–2870.
- Gordien, A.Y., Gray, A.I., Ingleby, K., Franzblau, S.G., Seidel, V. 2010. Activity of scottish plant, lichen and fungal endophyte extracts against *Mycobacterium aurum* and *Mycobacterium tuberculosis*. *Phytother. Res.*, 24: 692–698.
- Goveas, S.W., Madtha, R., Nivas, S.K., Souza, L.D. 2011. Isolation of endophytic fungi from *Coscinium fenestratum* a red listed endangered medicinal plant. *EurAsian J. BioSci.*, 5: 48–53.
- Gray, D., Piprell, C., Graham, M. 1994. *National Parks of Thailand.*, Thai Wattana Panish, Thailand.
- Grimme, E., Zidack, N.K., Sikora, R.A., Strobel, G.A., Jacobsen, B.J. 2007. Comparison of *Muscodor albus* volatiles with a biorational mixture for control of seedling diseases of sugar beet and root-knot nematode on tomato. *Plant Dis.*, 91: 220–225.
- Grove, J.F., MacMillan, J., Mulholland, T.P.C., Rogers, M.A.T. 1952. Griseofulvin. part IV. structure. *J. Chem. Soc.*, 3977-3987.
- Gunatilaka, A.A.L. 2006. Natural products from plant-associated microorganisms: Distribution, structural diversity, bioactivity, and implications of their occurrence. *J. Nat. Prod.*, 69: 509–526.

- Guo, B., Wang, Y., Sun, X., Tang, K. 2008. Bioactive natural products from endophytes: a review. *Appl. Biochem. Microbiol.*, 44: 136–142.
- Guo, L.D., Huang, G.R., Wang, Y., Ho, W.H., Zheng, W.H., Hyde, K.D. 2003. Molecular identification of white morphotype strains of endophytic fungi from *Pinus tabulaeformis*. *Mycol. Res.*, 107: 680–688.
- Guo, L.D., Hyde, K.D., Liew, E.C.Y. 1998. A method to promote sporulation in palm endophytic fungi. *Fungal Divers.*, 1: 109–113.
- Guo, L.D., Hyde, K.D., Liew, E.C.Y. 2000. Identification of endophytic fungi from *Livistona chinensis* based on morphology and rDNA sequences. *New Phytol.*, 147: 617–630.
- Guo, L.D., Hyde, K.D., Liew, E.C.Y. 2001. Detection and taxonomic placement of endophytic fungi within frond tissues of *Livistona chinensis* based on rDNA sequences. *Mol. Phylogent. Evol.*, 20: 1–13.
- Gutierrez, R.M., Gonzalez, A.M., Ramirez, A.M. 2012. Compounds derived from endophytes: A review of phyto-chemistry and pharmacology. *Curr. Med. Chem.*, 19: 2992–3030.
- Hamayun, M., Khan, S.A., Khan, A.L., Rehman, G., Kim, Y., Iqbal, I., Hussain, J., Sohn, E., Lee, I.J., 2010. Gibberellins production and plant growth promotion from pure cultures of *Cladosporium* sp. MH-6 isolated from Cucumber (*Cucumis sativus* L.). *Mycologia*, 102: 989–995

- Hamayun, M., Khan, S.A., Khan, A.L., Rehman, G., Sohn, E., Shah, A.A., Kim, S., Joo., G., Lee, I.J. 2009. *Phoma herbarum* as a new gibberellin-producing and plant growth- promoting fungus. *J. Microbiol. Biotechnol.*, 1–6.
- Hanlin, R.T. 1998. *Illustrated Genera of Ascomycetes. Vol 2.* APS Press, Minnesota.
- Hasan, H. 2002. Gibberellin and auxin production by plant root-fungi and their biosynthesis under salinity-calcium interaction. *Acta. Microbiol. Immunol. Hung.* 49: 105–118.
- Hawksworth, D.L. 1991. The fungal dimension of biodiversity: magnitude, significance, and conservation. *Mycol. Res.*, 95: 641–655.
- Hawksworth, D.L., Rossman, A.Y. 1987. Where are the undescribed fungi?. *Phytopathology*, 87: 888–891.
- Hazalin, N.A., Ramasamy, K., Lim, S.M., Abdul-Wahab, I., Cole, A.L.J., Abdul Majeed, A. 2009. Cytotoxic and antibacterial activities of endophytic fungi isolated from plants at the National Park, Pahang, Malaysia. *BMC Complement. Altern. Med.*, 9: 46–50.
- Hellwig, V., Grothe, T., Mayer-Bartschmid, A., Endermann, R., Geschke, F. U., Henkel, T., Stadler, M. 2002. Altersetin, a new antibiotic from cultures of endophytic *Alternaria* spp. taxonomy, fermentation, isolation, structure elucidation and biological activities. *J. Antibiot.*, 55: 881-892.
- Hernawati, H., Wiyono, S., Santoso, S. 2011. Leaf endophytic fungi of chilli (*Capsicum annuum*) and their role in the protection against *Aphis gossypii* (Homoptera: Aphididae). *Biodiversitas*, 12: 187–191.

- Hirsch, G.U., Braun, U. 1992. Communities of parasitic microfungi. In: Winterhoff, W. (Ed.), *Handbook of Vegetation Science: Fungi in Vegetation Science*, Vol. 9 (pp. 225–250). Kluwer Academic, Dordrecht.
- Hofstra, D.E., Edwards, T., Clayton, J.S., Shearer, J.F. 2009. New record of fungus *Mycoleptodiscus terrestris* from New Zealand. *New Zeal. J. Bot.*, 47: 411–415.
- Hofstra, D., Rendle, D., Clayton, J. 2012. First record of the fungus *Mycoleptodiscus terrestris* from native milfoil and pondweed in New Zealand. *Austra. Mycol.*, 30: 1–4.
- Huang, W. Y., Cai, W. Z., Hyde, K. D., Corke, H., Sun, M. 2008. Biodiversity of endophytic fungi associated with 29 traditional Chinese medicinal plants. *Fungal Divers.*, 33: 61–75.
- Huang, W.Y., Cai, Y.Z., Hyde, K.D., Corke, H., Sun, M. 2007. Endophytic fungi from *Nerium oleander* L. (Apocynaceae): main constituents and antioxidant activity. *World J. Microbiol. Biotechnol.*, 23: 1253–1263.
- Huang, W.Y., Cai, Y.Z., Surveswaran, S., Hyde, K.D., Corke, H., Sun, M. 2009. Molecular phylogenetic identification of endophytic fungi isolated from three *Artemisia* species. *Fungal Divers.*, 36: 69–88.
- Huang, H., Li, Q., Feng, X., Chen, B., Wang, J., Liu, L., She, Z., Lin, Y. 2010. Structural elucidation and NMR assignments of four aromatic lactones from a mangrove endophytic fungus (No. GX4-1B). *Magn. Reson. Chem.*, 48: 496–499.

- Huang, R., Li, G.Q., Zhang, J., Yang, L., Che, H.J., Jiang, D.H., Huang, H.C. 2011. Control of postharvest botrytis fruit rot of strawberry by volatile organic compounds of *Candida intermedia*. *Phytopathology*, 101: 859–869.
- Hyde, K.D. 1997. The genus *Rousoella*, including two new species from palms in Cuyabeno, Ecuador. *Mycol. Res.*, 101: 609–616.
- Hyde, K.D. 2000. Improving screening in filamentous fungi. In: Pointing, S.B., Hyde, K.D. (Eds.), *Bio-exploitation of fungi, Hong Kong*. Fungal Diversity Press, Hong Kong.
- Hyde, K.D. 2001. Where are the missing fungi? Does Hong Kong have any answers? *Mycol Res.*, 105: 1514–1518.
- Hyde, K.D., Bussaban, B., Paulus, B., Crous, P.W., Lee, S., McKenzie, E.H.C., Photita, W., Lumyong, S. 2006. Diversity of saprobic microfungi. *Biodivers. Conserv.*, 16: 7–35.
- Hyde, K.D., Soyong, K. 2008. The fungal endophyte dilemma. *Fungal divers.*, 33: 163–173.
- Hyde, K.D., Taylor, J.E., Frohlich J. 2000. Genera of ascomycetes from palms, *Fungal Diversity Research Series 2*, Fungal Diversity Press, Hong Kong.
- Insam, H., Seewald, M.S.A. 2010. Volatile organic compounds (VOCs) in soils. *Biol. Fertil. Soils*, 46: 199–213.
- Ilyas, M., Kanti, A., Jamal, Y., Hertina, Agusta, A. 2009. Biodiversity of endophytic fungi associated with *Uncaria gambier* Roxb. (Rubiaceae) from west Sumatra. *Biodiversitas*, 10: 23–28.

- Ingold, C.T., Hudson, H.J. 1993. *The Biology of Fungi, 6th ed.* Chapman and Hall, London, UK.
- Inkha, S., Boonyakiat, D. 2010. Induction of resistance to *Penicillium digitatum* in tangerine fruit cv. Sai Nam Phung flavedo by hot water treatment. *Songklanakarin J. Sci. Technol.*, 32, 445–451.
- Ito, C., Katsuno, S., Itogawa, M., Ruangrunsi, N., Mukainaka, T., Okuda, M., Kitakawa, Y., Tokuda, H., Nishino, H., Furukawa, H. 2000. New carbazole alkaloids from *Clausena anisata* with antitumor promoting activity. *J. Nat. Prod.*, 63: 125–128.
- Jalgaonwala, R.E., Mohite, B.V., Mahajan, R.T. 2010. Evaluation of endophytes for their antimicrobial activity from indigenous medicinal plant belonging to North Maharashtra region India. *Int. J. Pharm. Res.*, 1: 136–141.
- Jamalizadeh, M., Etebarian, H.R., Aminian, H., Alizadeh, A. 2011. A review of mechanisms of action of biological control organisms against postharvest fruit spoilage. *EPPO Bull.*, 41: 65–71.
- Jeong, E.Y., Sung, B.K., Song H.Y., Yang, J.Y., Kim, D.K., Lee, H.S. 2010. Antioxidative and antimicrobial activities of active materials derived from *Triticum aestivum* Sprouts. *J. Korean Soc. Appl. Biol. Chem.* 53: 519–524.
- Jobes, A.V., Thien, L.B. 1997. A conserved motif in the 5.8S ribosomal RNA (rRNA) gene is a useful diagnostic marker for plant internal transcribed spacer (ITS) sequences. *Plant Mol. Biol. Rep.*, 15: 326–334.
- Johnson. L. 2008. Iron and siderophores in fungal–host interactions. *Mycol. Res.*, 112: 170–183.

- Jones, E.B.G., Hyde, K.D. 2004. Introduction to Thai fungal diversity. In: Jones, E.B.G., Tanticharoenand, M., Hyde, K.D. (Eds.), *Thai fungal diversity* (pp. 7–35). BIOTEC, Thailand.
- Jones, E.B.G., Pilantanapak, A., Chatmala, I., Sakayaroj, J., Phongpaichit, S., Choeyklin, R. 2006. Thai marine fungal diversity. *Songklanakarinn J. Sci. Technol.*, 28: 687–708.
- Jones, M.D., Hutchinson, T.C. 1988. Nickel toxicity in mycorrhizal birch seedlings infected with *Lactarius rufus* or *Scleroderma flavidum*. I. Effects on growth, photosynthesis, respiration and transpiration. *New Phytol.*, 108: 451–459.
- Joshee, S., Paulus, B.C., Park, D., John, P.R. 2009. Diversity and distribution of fungal foliar endophytes in New Zealand Podocarpaceae. *Mycol. Res.*, 113: 1003–1015.
- Ju, Y.M., Rogers, J.D., 1996. A revision of the genus *Hypoxylon*. *Mycologia Mem.*, 20: 1–365.
- Kader, A.A. (Tech. Ed.). 2002. *Post-harvest Technology of Horticultural Crops.*, Agriculture and Natural Resources, University of California. USA.
- Kai, M., Effmert, U., Berg, G., Piechulla, B. 2007. Volatile of bacterial antagonists inhibit mycelial growth of the plant pathogen *Rhizoctonia solani*. *Arch. Microbiol.*, 187: 351–360.
- Kajula, M., Tejesvi M.V., Kolehmainen, S., Mäkinen, A., Hokkanen, J, Mattila, S. Pirttilä, A.M. 2010. The siderophore ferricrocin produced by specific foliar endophytic fungi in vitro. *Fungal Biol.*, 114: 248–254.

- Kannadan, S., Rudgers, J.A. 2008. Endophyte symbiosis benefits a rare grass under low water availability. *Funct. Ecol.*, 22: 706–713.
- Karlovic, Z., Anic, I., Miletic, I., Prpic-Mehicic, G., Pezelj-Ribaric, S., Marsan, T., 2000. Antibacterial activity of halothane, eucalyptol and orange oil. *Acta. Stomatol. Croat.*, 34: 307–309.
- Karunarathna, S.C., Yang, Z.L., Zhao, R., Vellinga, E.C., Bahkali, A.H., Chukeatirote, E., Hyde, K.D. 2011. Three new species of *Lentinus* from northern Thailand. *Mycol. Progress*, 10: 389–398.
- Keena, M.A. 2005. Pourable Artificial diet for rearing *Anoplophora glabripennis* (Coleoptera: Cerambycidae) and methods to optimize larval survival and synchronize development. *Ann. Entomol. Soc. Am.*, 98: 536–547.
- Khamna, S. 2009. *Biodiversity and secondary metabolites of Actinomycetes from rhizosphere soils of some medicinal plants*. Ph.D. Thesis, Chiang Mai University.
- Khamna, S., Yokota, A., Peberdy, J.F., Lumyong, S., 2010. Indole-3-acetic acid production by *Streptomyces* sp. isolated from some Thai medicinal plant rhizosphere soils. *Eur. Asia. J. BioSci.*, 4: 23–32
- Khan, A.L., Hamayun, M, Waqas, M., Kang, S.M, Kim,Y.H., Kim, D.K., Lee, I.J. 2012. *Exophiala* sp. LHL08 association gives heat stress tolerance by avoiding oxidative damage to cucumber plants. *Biol. Fertil. Soils*, 48: 519–529.
- Khan, R., Shahzad, S., Choudhary, M.I., Khan, S.A., Ahmad, A. 2007. Biodiversity of endophytic fungi isolated from *Calotropis procera* (AIT.) R. BR. *Pak. J. Bot.*, 39: 2233–2239.

- Khan, R., Shahzad, S., Choudhary, M.I., Khan, S.A., Ahmad, A. 2010. Communities of endophytic fungi medicinal plant *Withania somnifera*. *Pak. J. Bot.*, 42: 1281–1287.
- Kim, K.J. 2000. Phenazine 1-carboxylic acid resistance in phenazine 1-carboxylic acid producing *Bacillus* sp. B-6. *J. Biochem. Mol. Biol.*, 33: 332–336.
- Kim, S., Shin, D.S., Lee, T., Oh, K.B. 2004. Periconicins, two new fusic- occane diterpenes produced by an endophytic fungus *Periconia* sp. with antibacterial activity. *J. Nat. Prod.*, 67: 448–450.
- Kinay, P., Mansour, M.F., Gabler, F.M., Margosan, D.A., Smilanick, J.L. 2007. Characterization of fungicide-resistant isolates of *Penicillium digitatum* collected in California. *Crop Prot.*, 26: 647–656.
- King, E.O., Ward, M.K., Raney, D.E. 1954. Two simple media for the demonstration of payociamin and fluorescein. *J. Lab. Clin. Med.*, 44: 301–307.
- Kirk, P.M., Cannon, P.F., David, J.C., Stalpers, J.A. 2001. *Ainsworth and Bisby's Dictionary of The Fungi*, 9th ed. CABI Publishing, USA.
- Kirk, P.M., Cannon, P.F., Minter, D.W., Stalpers, J.A. 2008. *Ainsworth and Bisby's Dictionary of The Fungi*, 10th ed. CABI Publishing. USA.
- Kishimoto, K., Matsui, K., Ozawa, R., Takabayashi, J. 2007. Volatile 1-octen-3-ol induces a defensive response in *Arabidopsis thaliana*. *J. Gen. Plant Pathol.*, 73: 35–37.

- Klaiklay, S., Sukpondma, Y., Rukachisirikul, V., Phongpaichit, S. 2013. Friedolanostanes and xanthenes from the twigs of *Garcinia hombroniana*. *Phytochemistry*, 85: 161–166.
- Kock, J.L.F., Strauss, T., Pohl, C.H., Smith, D.P., Botes, P.J., Pretorius, E.E., Tepeny, T., Sebolai, O., Botha, A., Nigam, S. 2001. Bioprospecting for novel oxylipins in fungi: the presence of 3-hydroxy oxylipins in *Pilobolus*. *Antonie Leeuwenhoek*, 80: 93–99.
- Kodsueb, R. 2007. *Biodiversity of saprobic fungi on woody litter*. Ph.D. Thesis. Chiang Mai University, Chiang Mai, Thailand.
- Kodsueb, R., Lumyong, S., Hyde, K.D., Lumyong, P., McKenzie, E.H.C. 2006. *Acrodictys micheliae* and *Dictyosporium manglietiae*, two new anamorphic fungi from woody litter of Magnoliaceae in northern Thailand. *Cryptog. Mycolog.*, 27: 111–119.
- Kodsueb, R., McKenzie, E.H.C., Ho, W.H., Hyde K.D., Lumyong P., Lumyong S. 2007. New anamorphic fungi from decaying woody litter of *Michelia baillonii* (Magnoliaceae) in northern Thailand. *Cryptog. Mycolog.*, 28: 237–245.
- Kodsueb, R., McKenzie, E.H.C., Lumyong, S., Hyde, K.D. 2008a. Diversity of saprobic fungi on *Magnoliaceae*. *Fungal Divers.*, 30: 37–53.
- Kodsueb, R., McKenzie, E.H.C., Lumyong, S., Hyde, K.D. 2008b. Fungal succession on woody litter of *Magnolia liliifera* (Magnoliaceae). *Fungal Divers.*, 30: 55–72.
- Kogel, K.H., Franken, P., Huckelhoven, R. 2006. Endophyte or parasite—what decides? *Curr. Opin. Plant Biol.*, 9: 358–363.

- Koko, T.W., Stephenson, S.L. Bahkali, A.H., Hyde, K.D. 2011. From morphology to molecular biology: can we use sequence data to identify fungal endophytes?. *Fungal Divers.*, 50: 113–120.
- Krings, M., Tayler, T.N., Hass, H., Keep, H., Doptzler, N., Hermsen, E.J. 2007. Fungal endophytes in a 400–million years old land plant: infection pathway, spatial distribution, and host responses. *New Phytol.*, 174: 648–657.
- Kudalkar, P., Strobel, G., Hassan, S., Geary, B., Sears, J. 2012. *Muscodor sutura*, a novel endophytic fungus with volatile antibiotic activities. *Mycoscience*, 53: 319–325.
- Kumar, D.S.S., Hyde, K.D. 2004. Biodiversity and tissue–recurrence of endophytic fungi in *Tripterygium wilfordii*. *Fungal Divers.*, 17: 69–90.
- Kumar, S., Kaushik, N., Edrada-Ebal, R., Ebel, R., Proksch, P. 2010. Isolation, characterization, and bioactivity of endophytic fungi of *Tylophora indica*, *World J. Microbiol. Biotechnol.*, 27: 571–577.
- Kusari, S., Lamshöft, M., Zühlke, S., Spiteller, M. 2008. An endophytic fungus from *Hypericum perforatum* that produces hypericin. *J. Nat. Prod.*, 71: 159–162.
- Kumla, J., Bussaban, B., Suwannarach, N., Danell, E., Lumyong S. 2012. Basidiome formation of and edible wide, putatively ectomycorrhizal fungus, *Phlebopus portentosus* without host plant. *Mycologia*, 104: 597–603.
- Korpi, A., Jarnberg, J., Pasanen A., L. 2009. Microbial volatile organic compounds. *Crit. Rev. Toxicol.*, 39: 139–193.

- Lacey, L.A., Neven, L.G. 2006. The potential of the fungus, *Muscodor albus*, as a microbial control agent of potato tuber moth (Lepidoptera: Gelechiidae) in stored potatoes. *J. Invertebr. Pathol.*, 91: 195–198.
- Lahlali, R., Hijri, M. 2010. Screening, identification and evaluation of potential biocontrol fungal endophytes against *Rhizoctonia solani* AG3 on potato plants. *FEMS Microbiol. Lett.* 311: 152–159.
- Larsen, T.O., Frisvad, J.C. 1994. A simple method for collection of fungal volatiles based on diffusive sampling from Petri dishes. *J. Microbiol. Methods*, 19: 297–305.
- Larsen, T.O., Frisvad, J.C. 1995. Comparison of different methods for collection of volatile chemical markers from fungi. *J. Microbiol. Methods*, 20: 135–144.
- Larsen, T., Smedgaard, J., Nielsen, K., Hansen, M., Frisvad, J. 2005. Phenotypic taxonomy and metabolite profiling in microbial drug discovery. *Nat. Prod. Rep.*, 22: 672–695.
- Laursen, J.B., Nielsen, J. 2004. Phenazine natural products: biosynthesis, synthetic analogues, and biological activity. *Chem. Rev.*, 104: 1663–1686.
- Le, H.T., Nuytinck, J., Verbeken, A., Desjardin, D.E., Lumyong, S. 2007a. *Lactarius* in Northern Thailand: 1. *Lactarius* subgenus *Piperites*. *Fungal Divers.*, 24: 173–224.
- Le, H.T., Stubbe, D., Verbeken, A., Nuytinck, J., Lumyong, S., Desjardin, D.E. 2007b. *Lactarius* in Northern Thailand: 2. *Lactarius* subgenus *Plinthogali*. *Fungal Divers.*, 27: 61–94.
- Le, H.T., Verbeken, A., Nuytinck, J., Lumyong, S., Desjardin, D.E. 2007c. *Lactarius* in Northern Thailand: 3. *Lactarius* subgenus *Lactariopsis*. *Mycotaxon.*, 102: 281–291.

- Lee, S.O., Kim, H.Y., Choi, G.J., Lee, H.B., Jang, K.S., Choi, Y.H., Kim, J.C. 2009. Mycofumigation with *Oxyporus latemarginatus* EF069 for control of postharvest apple decay and Rhizoctonia root rot on moth orchid. *J. Appl. Microbiol.*, 106: 1213–1219.
- Leuchtman, A. 1992. Systematics, distribution, and host specificity of grassendophytes. *Nat. Toxins*, 1: 150–162.
- Li, H., Qing, C., Zhang, Y., Zhao, Z. 2005. Screening for endophytic fungi with antitumour and antifungal activities from Chinese medicinal plants. *World J. Microbiol. Biotechnol.*, 21: 1515–1519.
- Li, H.Y., Zhao, C.A., Liu, C.J., Xu, X.F. 2010. Endophytic fungi diversity of aquatic/riparian plants and their antifungal activity *in vitro*. *J. Microbiol.*, 48: 1–6.
- Liew, E.C.Y., Guo, L.D., Ranghoo, V.M., Goh, T.K., Hyde, K.D. 1998. Molecular approaches to assessing fungal diversity in the natural environment. *Fungal Divers.*, 1: 1–17.
- Limtong, S., Imanishi, Y., Jindamorakot, S., Ninomiya, S., Yongmanitchai, W., Nakase, T. 2007a. *Torulasporea maleeae* sp. nov., a novel ascomycetous yeast species from Japan and Thailand. *FEMS Yeast Res.*, 8: 337–343.
- Limtong, S., Srisuk, N., Yongmanitchai, W., Kawasaki, H., Yurimoto, H., Nakase, T., Kato, N. 2004. Three new thermotolerant methylotrophic yeasts, *Candida krabiensis* sp. nov., *Candida sithepensis* sp. nov., and *Pichia siamensis* sp. nov. isolated in Thailand. *J. Gen. Appl. Microbiol.*, 50: 119–127.

- Limtong, S., Srisuk, N., Yongmanitchai, W., Yurimoto, H., Nakase, T. 2008. *Ogataea chonburiensis* sp. nov. and *Ogataea nakhonphanomensis* sp. nov., thermotolerant, methylotrophic yeast species isolated in Thailand, and transfer of *Pichia siamensis* and *Pichia thermomethanolica* to the genus *Ogataea*. *Int. J. Syst. Evol. Microbiol.*, 58: 302–307.
- Limtong, S., Srisuk, N., Yongmanitchai, W., Yurimoto, H., Nakase, T., Kato, N. 2005. *Pichia thermomethanolica* sp. nov., a novel thermotolerant, methylotrophic yeast isolated in Thailand. *Int. J. Syst. Evol. Microbiol.*, 55: 2225–2229.
- Limtong, S., Yongmanitchai, W., Tun, M.M., Kawasaki, H., Tatsuji Seki, T. 2007b. *Kazachstania siamensis* sp. nov., an ascomycetous yeast species from forest soil in Thailand. *Int. J. Syst. Evol. Microbiol.*, 57: 419–422.
- Limtong, S., Yongmanitchai, W., Kawasaki, H., Seki, T. 2007c. *Candida thaimueangensis* sp. nov., an anamorphic yeast species from estuarine water in a mangrove forest in Thailand. *Int. J. Syst. Evol. Microbiol.*, 57: 650–653.
- Linda, S. N., Judy, F.S. 2008. Evaluation of triclopyr and *Mycoleptodiscus terrestris* for control of eurasian watermilfoil (*Myriophyllum spicatum*). *Weed Sci. Soc. Am.*, 1: 337–342.
- Liu, J.Y., Song, Y.C., Zhang, Z., Wang, L., Guo, Z.J., Zou, W.X., Tan, R.X. 2004. *Aspergillus fumigates* CY018, an endophytic fungus in *Cynodon dactylon* as a versatile producer of new and bioactive metabolites. *J. Biotechnol.*, 114: 279–287.

- Liu, X., Dong, M., Chen, X., Jiang, M., Lv, X., Zhou, J. 2008. Antimicrobial activity of an endophytic *Xylaria* sp. YX-28 and identification of its antimicrobial compound 7-amino-4-methylcoumarin. *Appl. Microbiol. Biotechnol.*, 78: 241–247.
- Lumyong, S., Lumyong, P., Boontim, N., Hyde, K.D. 1998. Distribution of endophytic fungi among indigenous plant species in Doi Suthep-Pui Area. *J. Ethnopharmacol.*, 31: 21–156.
- Lumyong, S., Techa, W., Lumyong, P., McKenzie, E.H.C. Hyde, K.D. 2009. Endophytic Fungi from *Calamus kerrianus* and *Wallichia caryotoides* (Arecaceae) at Doi Suthep–Pui National Park, Thailand. *Chiang Mai J. Sci.*, 36: 158–167.
- Lumyong, S., Thongantha, S., Lumyong, P., Tomita, F. 2000. Endophytic fungi from 13 bamboo species in Thailand. *Biotechnology for Sustainable Utilization of Biological Resources in the Tropics*, 14: 96–101.
- Lutz, M.P., Wenger, S., Maurhofer, M., Defago, G., Duffy, B. 2004. Signaling between bacterial and fungal biocontrol agents in a strain mixture. *FEMS Microbiol. Ecol.*, 48: 447–455.
- Ma, Y.M., Li, Y., Liu, J.Y., Song, Y.C., Tan, R.X. 2004. Anti-*Helicobacter pylori* metabolites from *Rhizoctonia* sp. Cy064, an endophytic fungus in *Cynodon dactylon*. *Fitoterapia.*, 75: 451–456.
- Macias-Rubalcava, M.L., Hernandez-Bautista, B.E., Oropeza, F., Duarte, G., Gonzalez, M.C., Glenn, A.E., Hanlin, R.T., Anaya, A.L. 2010. Allelochemical effects of volatile compounds and organic extracts from *Muscodor yucatanensis*, a tropical endophytic fungus from *Bursera simaruba*. *J. Chem. Ecol.*, 36: 1122–1131.

- Mahmoud, A.L.E., Abd-allah, M.A., 2001. Siderophores production by some microorganisms and their effect on *Bradyrhizobium*-mungbean symbiosis. *Int. J. Agric. Biol.*, 3: 157–162.
- Malinowski, D.P., Belesky, D.P. 2000. Adaptations of endophyte-infected cool-season grasses to environmental stresses: mechanisms of drought and mineral stress tolerance. *Crop Sci.*, 40: 923–940.
- Mann R, Mattner S, Allen D, Porter I, Edwards J. 2008. Bioprospecting for endophytes from Australisn flora with mycofumigation potential. In: *3rd International Biofumigation Symposium*. (pp. 80). CSIRO Discovery Centre, Australia.
- Mandyam, K., Loughin, T., Jumpponen, A. 2010. Isolation and morphological and metabolic characterization of common endophytes in annually burned tallgrass prairie. *Mycologia*, 102: 813– 821.
- Manoch, L., Dethoup, T., Yilmaz, N., Houbraken, J., Samson, R.A. 2013. Two new *Talaromyces* species from soil in Thailand. *Mycoscience*, doi: org/10.1016/j.myc.2012.12.002.
- Mapelli, F., Marasco, R., Balloi, A., Rolli, E., Cappitelli, F., Daffonchio, D., Borin, S. 2012. Mineral-microbe interactions: Biotechnological potential of bioweathering. *J. Biotechnol.*, 157: 473–481.
- Marsili, R.T., Laskonis, L.C., Kenaa, C. 2007. Evaluation of PDMS-based extraction techniques and GC-TOFMS for the analysis of off-flavor chemicals in beer. *J. Am. Soc. Brew. Chem.*, 65: 129–137.

- Matheron, M.E., Porchas, M., Bigelow, D.M. 2006. Factors affecting the development of wood rot on lemon trees infected with *Antrodia sinuosa*, *Coniophora eremophila*, and a *Nodulisporium* sp. *Plant Dis.*, 90: 554–558.
- Matysik, S., Herbarth, O., Mueller, A. 2009. Determination of microbial volatile organic compounds (MVOCs) by passive sampling onto charcoal sorbents. *Chemosphere*, 76: 114–119.
- Mejia, L.C., Rojas, E.I., Maynard, Z., Bael, S.V., Arnold, A.E., Hebbar, P., Samuels, G.J., Robbins, N., Herre E.A. 2008. Endophytic fungi as biocontrol agents of *Theobroma cacao* pathogens. *Biol. Control*, 46: 4–14.
- Mekkamol, S. 1998. *Endophytic fungi in Tectona grandis L. (Teak)*. Ph.D. Thesis. Liverpool John Moores University, UK.
- Mercier, J., Jiménez-Santamaría, I., Tamez-Guerra, P. 2007. Development of the volatile-producing fungus *Muscodor albus* Worapong, Strobel, and Hess as a novel antimicrobial biofumigant. *Revista Mexicana de Fitopatología*, 25: 173–179.
- Mercier, J., Jimenez, J.I., 2004. Control of fungal decay of apples and peaches by the biofumigant fungus *Muscodor albus*. *Postharvest Biol. Technol.*, 31: 1–8.
- Mercier, J., Jimenez, J.I. 2007. Potential of the volatile-producing fungus *Muscodor albus* for control of building molds. *Can. J. Microbiol.*, 53: 404–410.
- Mercier, J., Manker, D. 2005. Biocontrol of soil-borne diseases and plant growth enhancement in greenhouse soilless mix by the volatile-producing fungus *Muscodor albus*. *Crop Prot.*, 24: 355–362.

- Mercier, J., Smilanick, J.L. 2005. Control of green mold and sour rot of stored lemon by biofumigation with *Muscodora albus*. *BioControl* 32: 401–407.
- Merkl, R., Hrádková, I., Filip, V., Smidrkal, J. 2010. Antimicrobial and antioxidant properties of phenolic acids alkyl esters. *Czech. J. Food Sci.*, 28: 275–279.
- Mitchell, A.M., Strobel, G.A., Hess, W.M., Vargas, P.N., Ezra, D. 2008. *Muscodora crispans*, a novel endophyte from *Ananas ananassoides* in the Bolivian Amazon. *Fungal Divers*, 31: 37–43.
- Mitova, M.I., Lang, G., Wiese, J., Imhoff, J.F. 2008. Subinhibitory concentrations of antibiotics induce phenazine production in a marine *Streptomyces* sp. *J. Nat. Prod.*, 71: 824–827.
- Moncalvo, J.M. 2005. Molecular systematics: Major fungal phylogenetic groups and fungal species concepts. In: Xu, J.P. (Ed.), *Evolutionary Genetics of Fungi*. Norfolk (pp. 1–33). Horizon Scientific Press, UK.
- Morath, S.U., Hing, R., Bennert, J.W. 2012. Fungal volatile organic compounds: A review with emphasis on their biotechnological potential. *Fungal Biol. Rev.*, 26: 73–83.
- Morton, J.B. 2000. Biodiversity and evolution in mycorrhizae in the desert. In: Bacon C.W., White, J.F.J., (Eds.). *Microbial Endophytes* (pp. 3–30). Marcel Dekker Inc, New York.
- Mostert, L., Crous, P.W., Petrini, O. 2000. Endophytic fungi associated with shoots and leaves of *Vitis vinifera*, with specific reference to the *Phomopsis viticola* complex. *Sydowia*, 52: 46–58.

- Muller, M.M., Valjakka, R., Suokko, A., Hantula, J. 2001. Diversity of endophytic fungi of single Norway spruce needles and their role as pioneer decomposers. *Mol. Ecol.*, 10: 1801–1810.
- Murali, T.S., Suryanarayanan, T.S., Venkatesan, G. 2007. Fungal endophyte communities in two tropical forests of southern India: diversity and host affiliation. *Mycol. Progress*, 6: 191–199.
- Nadeau, A.K., , Sorensen, J.L. 2011. Polyketides produced by *Daldinia loculata* cultured from Northern Manitoba. *Tetrahedron Lett.*, 52: 1697–1699.
- Nag Raj, T.R. 1993. Coelomycetous anamorphs with appendage-bearing conidia. Mycologue Publication, Canada.
- Naik, B.S., Shashikala, J., Krishnamurthy, Y.L. 2008. Diversity of fungal endophytes in shrubby medicinal plants of Malnad region, Western Ghats, Southern India. *Fungal Ecol.*, 1: 89–93.
- Nath, R., Sharma, G.D., Barooah, M. 2012. Efficiency of tricalcium phosphate solubilization by two different endophytic *Penicillium* sp. isolated from tea (*Camellia sinensis* L.). *Euro. J. Exp. Bio.*, 2: 1354–1358.
- Neilands, J.B. 1995. Siderophore: structure and function of microbial iron transport compounds. *J. Biol. Chem.*, 270: 26723–26726.
- Newcombe, G., Shipunov, A., Eigenbrode, S., Raghavendra, A.K., Ding, H., Anderson, C.L., Menjivar, R., Crawford, M., Schwarzländer, M. 2009. Endophytes influence protection and growth of an invasive plant. *Commun. Integr. Biol.*, 2: 29–31.

- Niemi, K., Vuorinen, T., Ernstsén, A., Häggman, H. 2002. Ectomycorrhizal fungi and exogenous auxins influence root and mycorrhiza formation of Scots pine hypocotyl cuttings *in vitro*. *Tree Physiol.*, 22: 1231–1239.
- Nithya, K., Muthumary, J., 2011. Bioactive metabolites produced by *Phomopsis* sp., an endophytic fungus in *Allamanda cathartica* Linn. *Recent. Res. in Sci. Technol.*, 3: 44–48.
- Nikolcheva, L.G., Bärlocher, F. 2005. Seasonal and substrate preferences of fungi colonizing leaves in streams: traditional versus molecular evidence. *Environ. Microbiol.*, 7: 270–280.
- Nikolcheva, L.G., Cockshutt, A.M., Bärlocher, F. 2003. Determining diversity of freshwater fungi on decaying leaves: comparison of traditional and molecular approaches. *Appl. Environ. Microbiol.*, 69: 2548–2554.
- Nilsson, A., Kihlström, E., Lagesson, V., Wessen, B., Szponar, B., Larsson, L., Tagesson, C. 2004. Microorganisms and volatile organic compounds in airborne dust from damp residences. *Indoor Air*, 14: 74–82.
- Nuangmek, W., McKenzie, E.H.C., Lumyong S. 2008. Endophytic fungi from wild banana (*Musa acuminata* Colla.) works against anthracnose disease caused by *Colletotrichum musae*. *Res. J. Microbiol.*, 3: 368–374.
- Ohta, A., Fujiwara, N. 2003. Fruit-body production of an ectomycorrhizal fungus in genus *Boletus* in pure culture. *Mycoscience*, 44: 295–300.

- Okane, I., Lumyong, S., Nakagiri, A., Ito, T. 2003. Extensive host range of an endophytic fungus, *Guignardia endophyllicola* (anamorph: *Phyllosticta capitalensis*). *Mycoscience*, 44: 353–363.
- Orachapunlap, K., Roengsumran, S., Sihanonth P. 2009. Biodiversity of endophytic fungi isolated from plant leaves in dipterocarp forest at Tak province. *Kasetsart J. Nat. Sci.*, 43: 182–188.
- Ortiz-Castro, R., Contreras-Cornejo, H., Macias-Rodriguez, L., Lopez-Bucio, J. 2009. The role of microbial signals in plant growth and development. *Plant Signaling Behav.*, 4: 701–712.
- Osono, T., Bhatta, B.K., Takeda, H. 2004. Phyllosphere fungi on living and decomposing leaves of giant dogwood. *Mycoscience*, 45: 35–41.
- Pagans, E., Font, X., Sanchez, A. 2006. Emission of volatile organic compounds from composting of different solid wastes: abatement by biofiltration. *J. Hazard Mater.* 131: 179–186.
- Palumbo, J.D., O’Keeffe, T.L., Mahoney, N.E. 2007. Inhibition of ochratoxin A production and growth of *Aspergillus* species by phenolic antioxidant compounds. *Mycopathologia*, 164: 241–248.
- Palou, L., Marcilla, A., Rojas-Argudo, C., Alonso, M., Jacas, J., Ángel del Rio, M. 2007. Effects of X-ray irradiation and sodium carbonate treatments on postharvest *Penicillium* decay and quality attributes of clementine mandarins. *Postharvest Biol. Technol.*, 46: 252–261.

- Panaccione, D.G., Beaulieu, W.T., Cook, D. 2013. Bioactive alkaloids in vertically transmitted fungal endophytes. *Funct. Ecol.*, doi: 10.1111/1365-2435.12076.
- Pandey, A.K., Reddy, M.S., Suryanarayanan, T.S. 2003. ITS–RFLP and ITS sequence analysis for a foliar endophytic *Phyllosticta* from different tropical forests. *Mycol. Res.*, 107: 439–444.
- Panthong, A., Kanjanapothi, D., Taesotikul, T., Taylor, W.C. 1991. Ethnobotanical review of medicinal plants from Thai traditional book. Part II: Plants with antidiarrheal, laxative and carminative properties. *J. Ethnopharmacol.*, 31: 121–156.
- Panuthai, T., Sihanonth, P., Piapukiew, J., Sooksai, S., Sangvanich, P., Karnchanatat, A. 2012. An extracellular lipase from the endophytic fungi *Fusarium oxysporium* isolated from the Thai medicinal plant, *Croton oblongifolius* Roxb. *Afr. J. Microbiol. Res.*, 6: 2622–2638.
- Park, J.H., Choi, G.J., Lee, H.B., Kim, K.M., Jung, H.S., Lee, S.W., Jang, K.S., Cho, K.Y., Kim, J.C. 2005. Griseofulvin from *Xylaria* sp. strain F0010, an endophytic fungus of *Abies holophylla* and its antifungal activity against plant pathogenic fungi. *J. Microbiol. Biotechnol.*, 15: 112–117.
- Park, J.Y., Oh, S.A., Anderson, A.J., Neiswender, J., Kim, J.C., Kim Y.C. 2011. Production of the antifungal compounds phenazine and pyrrolnitrin from *Pseudomonas chlororaphis* O6 is differentially regulated by glucose. *Lett. Appl. Microbiol.*, 52: 532–537.

- Park, M.S., Ahn, J., Choi, G.J., Choi, Y.H., Jang, K.S., Kim, J.C. 2010. Potential of the volatile-producing fungus *Nodulisporium* sp. CF016 for the control of postharvest diseases of apple. *Plant Pathol. J.*, 26: 253–259.
- Patil, R.B., Sawant, S.D., Thombare, P.A. 2012. Design, synthesis and pharmacological evaluation of chromenones and related analogues. *Int. J. PharmTech Res.*, 4: 375–381.
- Petrini, O. 1991. Fungal endophytes of tree leaves. In: Andrew, J.H., Hirano, S.S. (Eds.), *Microbial ecology of leaves* (pp. 179–187). Springer Verlag, New York.
- Petrini, O., Stone, J., Carroll, F.E. 1982. Endophytic fungi in evergreen shrubs in western Oregon: a preliminary study. *Can J. Bot.*, 60: 789–196.
- Photita, W. 2003. *Survey and isolation of endophytic and saprobic fungi of wild banana in Doi Suthep-Pui National Park*. Ph.D. Thesis. Chiang Mai University, Chiang Mai, Thailand.
- Photita, W., Lumyong, S., Lumyong, P., Hyde, K.D. 2001. Endophytic fungi of wild banana (*Musa acuminata*) at Doi Suthep–Pui National Park, Thailand. *Mycol. Res.*, 105: 1508–1513.
- Photita, W., Lumyong, S., Lumyong, P., McKenzie, E.H.C., Hyde, K.D. 2003. *Memnoniella* and *Stachybotrys* species from *Musa auminata*. *Cryptogamie Mycologie*, 24: 147–152.
- Photita, W., Lumyong, S., McKenzie, E.H.C., Hyde, K.D., Lumyong, P. 2002. A new *Dictyosporium* species from *Musa acuminata* in Thailand. *Mycotaxon*, 82: 415–419.

- Photita, W., Lumyong, S., Lumyong, P., McKenzie, E.H.C., Hyde, K.D. 2004. Are some endophytes of *Musa acuminata* latent pathogens?. *Fungal Divers.*, 16: 131–140.
- Phongpaichit, S., Nikom, J., Rungjindamai, N., Sakayaroj, J., Hutadilok-Towatana, N., Rukachaisirikul, V., Kirtikara, K. 2007. Biological activities of extracts from endophytic fungi isolated from *Garcinia* plants. *FEMS Immunol. Med. Microbiol.*, 51: 517–525.
- Phosri, C., Watling, R., Martín, M.P., Whalley, J.S. 2004. The genus *Astraeus* in Thailand. *Mycotaxon*, 89: 453–463.
- Pilantanapak, A., Jones, E.B.G., Eaton, R.A. 2006. Marine fungi on *Nypa fruticans* in Thailand. *Bot Mar.*, 48: 365–373.
- Pinnoi, A., Jeewon, R., Sakayaroj, J., Hyde, K.D., Jones, E.B.G. 2007. *Berkleasmium crunisia* sp. nov. and its teleomorphic affinities to the Pleosporales based on 18S, 28S and ITS–5.8S rDNA sequence analyses. *Mycologia*, 99: 378–384.
- Pinnoi, A., Lumyong, S., Hyde, K.D., Jones, E.B.G. 2006. Biodiversity of fungi on the palm *Eleiodoxa conferta* in Sirindhorn peat swamp forest, Narathiwat, Thailand. *Fungal Divers*, 22: 205–208.
- Pinnoi, A., Phongpaichit, S., Hyde, K.D., Jones, E.B.G. 2009. Biodiversity of fungi on *Calamus* (Palmae) in Thailand. *Cryptog. Mycolog.*, 30: 1–10.
- Pinnoi, A., Phongpaichit, S., Jeewon, R., Tang, A., Hyde, K.D., Jones, E.B.G. 2010. Phylogenetic relationships of *Astrocystis eleiodoxae* sp. nov. (Xylariaceae). *Mycosphere*, 1: 1–9.

- Pinruan, U. 2010. *Endophytic and saprophytic palm fungi and their ability as antagonists against the oil palm pathogen, Ganoderma boninense*. Ph.D. Thesis. Chiang Mai University, Chiang Mai, Thailand.
- Pinruan, U., Lumyong, S., McKenzie, E.H.C., Jones, E.B.G., Hyde, K.D. 2004. Three new species of *Craspedodidymum* from palm in Thailand. *Mycoscience*, 45: 177–180.
- Pinruan, U., Lumyong, S., Hyde, K.D., Jones, E.B.G. 2007. Occurrence of fungi on tissues of the peatswamp palm *Licuala longecalycata*. *Fungal Divers.*, 25: 157–273.
- Pinruan, U., Rungjindamai, N., Choeyklin, R., Lumyong, S., Hyde, K.D., Jones, E.B.G. 2010a. Occurrence and diversity of basidiomycetous endophytes from the oil palm, *Elaeis guineensis* in Thailand. *Fungal Divers.*, 41: 71–88.
- Pinruan, U., Rungjindamai, N., Sakayaroj, J., Lumyong, S., Hyde, K.D., Jones, E.B.G. 2010b. *Baipadisphaeria* gen nov., a freshwater ascomycete (Hypocreales, Sordariomycetes) from decaying palm leaves in Thailand. *Mycosphere*, 1: 53–63.
- Plaza, P., Usall, J., Torres, R., Abadias, M., Smilanick, J.L., Viñas, I. 2004. The use of sodium carbonate to improve curing treatments against green and blue moulds on citrus fruits. *Pest Manag. Sci.*, 60: 815–821.
- Pongcharoen, W., Rukachaisirikul, V., Phongpaichit, S., Kühn, T., Pelzing, M., Sakayaroj, J., Walter, C., Taylor, W.C. 2008. Metabolites from the endophytic fungus *Xylaria* sp. PSU-D14. *Phytochemistry*, 69: 1900–1902.

- Powthong, P., Jantrapanukorn, B., Thongmee, A., Suntornthitricharoen, P. 2012. Evaluation of endophytic fungi extract for their antimicrobial activity from *Sesbania grandiflora* (L.) Pers. *Int. J. Pharm. Biomed. Res.*, 3: 132–136.
- Promptutha, I. 2006. Roles of endophytic fungi on the diversity of saprobic fungi. Ph. D. thesis, Chiang Mai University, Thailand.
- Promptutha, I., Hyde, K.D., McKenzie, E.H.C., Peberdy, J.F., Lumyong, S. 2010. Can leaf degrading enzymes provide evidence that endophytic fungi becoming saprobes?. *Fungal divers.*, 41: 89–99.
- Promptutha, I., Hyde, K.D., Lumyong, P., McKenzie, E.H.C., Lumyong, S. 2004. A new species of *Pseudohalonestria* from Thailand. *Nova Hedwigia*, 25: 43–47.
- Promptutha, I., Lumyong, S., Dhanasekaren, V., McKenzie, E.H.C., Hyde, K.D., Jeewon, R. 2007. A phylogenetic evaluation of whether endophytes become saprotrophs at host senescence. *Microb. Ecol.*, 53: 579–590.
- Promptutha, I., Lumyong, S., Lumyong, P., McKenzie, E.H.C., Hyde, K.D. 2005. A new species of *Anthostomella* on *Magnolia lillifera* from northern Thailand. *Mycotaxon*, 91: 413–418.
- Pukahuta, C., Palasarn, W., Pimmongkol, A. 2009. Taxonomic study of wild edible pore fungi found in Ubon Ratchathani. *J. Micro. Soc. Thai.*, 23: 30–33.
- Qadri, M., Johri, S., Shah, B.A., Khajuria, A., Sidiq, T., Lattoo, S.K., Abdin, M.Z., Hassan, S.R.U. 2013. Identification and bioactive potential of endophytic fungi isolated from selected plants of the Western Himalayas. *Springerplus*, 2: 1–14.

- Qin, J.C., Zhang, Y.M., Gao, J.M., Bai, M.S., Yang, S.X., Laatsch, H., Zhang, A.L. 2009. Bioactive metabolites produced by *Chaetomium globosum*, an endophytic fungus isolated from *Ginkgo biloba*. *Bioorg. Med. Chem. Lett.*, 19: 1572–1574.
- Qiu, M., Xie, R., Shi, Y., Chen, H., Wen, Y., Gao, Y., Hu, X. 2010. Isolation and identification of endophytic fungus SX01, a red pigment producer from *Ginkgo biloba* L. *World J. Microbiol. Biotechnol.*, 26: 993–998.
- Radu, S., Kqueen, C.Y. 2002. Preliminary screening of endophytic fungi from medicinal plants in Malaysia for antimicrobial and antitumor activity. *Malaysian J. Med. Sci.* 9: 23–33.
- Rajkumar, M., Sandhya, S., Prasad, M.N.V., Freitas, H. 2012. Perspectives of plant-associated microbes in heavy metal phytoremediation. *Biotechnol. Adv.*, 30: 1562–1574.
- Ramin, A.A., Braun, P.G., Prange, R.K., DeLong, J.M. 2005. *In vitro* effects of *Muscodor albus* and three volatile components on growth of selected postharvest microorganisms. *HortScience*, 40: 2109–2114.
- Ranghoo, V.M., Hyde, K.D., Liew, E.C.Y., Spatafora, J.W. 1999. Family placement of *Ascotaiwanian* and *Ascolacicola* based on DNA sequences from the large subunit rRNA gene. *Fungal Divers.*, 2: 159–168.
- Rasmussen, T.B., Skinderso, M.E., Bjarnsholt, T., Phipps, R.K., Christensen, K.B., Andersen, J.B., Koch, B., Larsen, T.O., Hentzer, M., Hoiby, N., Givskov, M. 2005. Identity and effects of quorum-sensing inhibitors produced by *Penicillium* species. *Microbiology*, 151: 1325–1340.

- Redlin, S.C., Carris, L.M. 1996. *Endophytic fungi in grasses and woody*. APS Press, Minnesota.
- Redman, R.S., Sheehan, K.B., Stout, R.G., Rodriguez R.J., Henson, J.M. 2002. Thermotolerance conferred to plant host and fungal endophyte during mutualistic symbiosis. *Science*, 298: 1581.
- Refaei, J., Jones, E.B.G., Sakayaroj, J., Santhanam, J. 2011. Endophytic fungi from *Rafflesia cantleyi*: species diversity and antimicrobial activity. *Mycosphere*, 2: 429–447.
- Rehman, S., Mir, T., Kour, A., Qazi, P.H., Sultan, P., Shawl, A.S. 2011. *In vitro* antimicrobial studies of *Nodulisporium* specie: an endophytic fungus. *J. Yeast Fungal Res.*, 2: 53–58.
- Renshaw, J.C., Robson, G.D., Trinci, A.P.J., Wiebe, M.G., Livens, F.R., Collison, D., Taylor, R.J. 2002. Fungal siderophores: structures, functions and applications. *Mycol. Res.*, 106: 1123–1142.
- Rezk, B.M., Haenen, G.R.M.M., van der Vijgh, W.J.F., Bast, A. 2011. The antioxidant activity of phloretin: the disclosure of a new antioxidant pharmacophore in flavonoids. *Biochem. Biophys. Res. Commun.*, 295: 9–13.
- Riga, E., Lacey, L., Guerra, N. 2008. *Muscodor albus*, a potential biocontrol agent against plant-parasitic nematodes of economically important vegetable crops in Washington State, USA. *BioControl*, 45: 380–385.

- Rivera-Orduña, F.N., Suarez-sanchez, R.A., Flores-Bustamante, Z.R., Gracida-Rodriguez, J.N., Flores-Cotera, L.B. 2011. Diversity of endophytic fungi of *Taxus globosa* (Mexican yew). *Fungal Divers.*, 47: 65–74.
- Rodrigues, K.F. 1994. The foliar fungal endophytes of the Amazonian palm *Euterpe oleracea*. *Mycologia*, 86: 376–385.
- Rodrigues, K.F., Petrini, O. 1997. Biodiversity of endophytic fungi in tropical regions. In: Hyde, K.D. (Ed.), *Biodiversity of tropical microfungi* (pp. 57–69). University of Hong Kong Press, Hong Kong.
- Rodrigues, K.F., Samuels, G. 1990. Preliminary study of endophytic fungi in a tropical palm. *Mycol. Res.*, 94: 827–830.
- Rodriguez, R.J., White, J.F. Jr, Arnold, A.E. Redman, R.S. 2009. Fungal endophytes: diversity and functional roles. *New Phytol.*, 182: 314–330.
- Rollinger, J., Langenheim, J.H. 1993. Geographic survey of fungal endophyte community composition in leaves of coastal redwood. *Mycologia*, 85:149–156.
- Romero, A., Carrion, G., Rico-Gray, V. 2001. Fungal latent pathogens and endophytes from leaves of *Parthenium hysterophorus* (Asteraceae). *Fungal Divers.*, 7: 81–87.
- Rosa, L.H., Tabanca, N., Techen, N., Wedge, D.E., Pan, Z., Bernier, U.R., Becnel, J.J., Agramonte, N.M., Walker, L.A., Moraes, R.M. 2012. Diversity and biological activities of endophytic fungi associated with micropropagated medicinal plant *Echinacea purpurea* (L.) Moench. *Am. J. Plant Sci.*, 3: 1105–1114.

- Rosa, L.H., Vieira, M.L.A., Cota, B.B., Johann, S., Alves, T.M.A., Zani, C.L., Rosa, C.A. 2011. Endophytic Fungi of Tropical Forests: A Promising Source of Bioactive Prototype Molecules for the Treatment of Neglected Diseases. In: Rundfeldt, C. (Ed.), *A Case Study Based Insight into Modern Strategies, Drug Development* (pp. 469–486). InTech, China.
- Rossman, A.Y. 1994. A strategy for an all-taxa inventory of fungal diversity. In: Peng, C.I., Chen, C.H. (Ed.), *Biodiversity and terrestrial ecosystems, Monograph series No. 14* (pp. 169–194). Academia Sinica, Taipei.
- Rudgers, J.A., Swafford A.L. 2009. Benefits of a fungal endophyte in *Elymus virginicus* decline under drought stress. *Basic Appl. Ecol.*, 10: 43–51.
- Rukachaisirikul, V., Sommart, U., Phongpaichit, S., Sakayaroj, J., Kirtikara, K. 2008. Metabolites from the endophytic fungus *Phomopsis* sp. PUS-D15. *Phytochemistry*, 69: 783–787.
- Rukachaisirikul, V., Sommart, U., Phongpaichit, S., Hutadilok-Towatna, N., Rungjindamai, N., Sakayaroj, J. 2007. Metabolites from the Xylariaceous Fungus PSU-A80. *Chem. Pharm. Bull.*, 55: 1316–1318.
- Rungjindamai, N., Pinruan, U., Choeyklin, R., Hattori, T., Jones, E.B.G. 2008. Molecular characterization of basidiomycetous endophytes isolated from leaves, rachis petioles of the oil palm, *Elaeis guineensis*, in Thailand. *Fungal Divers*, 33: 139–161.

- Saha, D.C., Johnson–Cicalese, J.M., Halisky, P.M., van Heemstra, M.L., Funk, C.R. 1987. Occurrence and significance of endophytic fungi in fine fescues. *Plant Disease.*, 71: 1021–1024.
- Sahoo, R.K., Kuanar, A., Joshi, R.K., Das, A.P., Nayak, S., Subudshi, E. 2011. Anti-dermatophytic activity of eucalyptol rich turmeric somaclone oil against human pathogenic isolates. *J. Med. Plants Res.*, 5: 1594–1597.
- Saikkonen, K., Faeth, S.H., Helander, M., Sullivan, T.J. 1998. Fungal endophytes: a continuum of interaction with host plants. *Annu. Rev. Ecol. Syst.*, 29: 319–343.
- Saikkonen, K., Saari, S., Helander, M. 2010. Defensive mutualism between plants and endophytic fungi?. *Fungal Divers.*, 41: 101–113.
- Saikkonen, K., Wäli, P., Helander, M., Faeth, S.H. 2004. Evolution of endophyte-plant symbioses. *Trends Plant Sci.*, 9: 275–280.
- Sakayaroj, J., Preedanon, S., Supaphon, O., Jones, E.B.G., Phongpaichit, S. 2010. Phylogenetic diversity of endophytic assemblages associated with the tropical seagrass *Enhalus acorodes* in Thailand. *Fungal Divers.*, 41: 27–45.
- Sampson, K. 1938. Further observations on the systemic infection of *Lolium*. *Transactions of the British Mycological Society* 21: 84–97.
- Sánchez Márquez, S., Bills, G.F., Zabalgoeazcoa, I. 2008. Diversity and structure of the fungal endophytic assemblages from two sympatric coastal grasses. *Fungal Divers.*, 33: 87–100.
- Sanmee, R., Yang, Z.L., Lumyong, P., Lumyong, S. 2003. *Amanita siamensis* from Thailand. *Mycotaxon*, 88: 225–228.

- Sanmee, R., Tulloss, R.E., Lumyong, P., Dell, B., Lumyong, S. 2008. Studies on *Amanita* (*Basidiomycetes: Amanitaceae*) in northern Thailand. *Fungal Divers.*, 32: 97–123.
- Sappapan, R., Sommit, D., Ngamrojanavanich, N., Pengpreecha, S., Wiyakrutta, S., Sriubolmas, N., Pudhom, K. 2008. 11-Hydroxymonocerin from the plant endophytic fungus *Exserohilum rostratum*. *J. Nat. Prod.*, 71: 1657–1659.
- Sarangi, N., Athukorala, P., Dilantha-Fernando, W.G., Rashid, K.Y., Kievit, T.D. 2010. The role of volatile and non-volatile antibiotics produced by *Pseudomonas chlororaphis* strain PA23 in its root colonization and control of *Sclerotinia sclerotiorum*. *Biocontrol. Sci. Technol.*, 20: 875–890.
- Saranpuetti, C., Tanaka, M., Sone, T., Asano, K., Tomita, F. 2006. Determination of enzymes from *Colletotrichum* sp. AHU9748 essential for lepidimoide production from okra polysaccharide. *J. Biosci. Bioeng.*, 102: 452–456.
- Sardsud, V., Sittigul, C., Sardsud, U., Chantrasri, P., Promin, S. 1998. Endophytic fungi in longan. In: Fruit Coates, L.M., Hofman, P.J., Johnson, G.I. (Eds.), *Disease control and storage life extension in Australian Centre for International agriculture research* (pp. 147–152). Australia.
- Scannerini, S., Fusconi, A., Mucciarelli, M. 2001. The effect of endophytic fungi on host plant morphogenesis. In: Seckbach, J. (Ed.). *Cellular origin and life in extreme habitats, Symbiosis*, (pp. 427–447). Springer, Netherlands.
- Schulthess, F.M., Faeth S.H. 1998. Distribution, abundances and associations of the endophytic fungal community of Arizona fescue (*Festuca arizonica*). *Mycologia*, 90: 569–578.

- Schulz, B., Boyle, C. 2005. The endophyte continuum. *Mycol. Res.*, 109: 661–686.
- Schulz, B., Boyle, C., Draeger, S., Römmert, A.K., Krohn, K. 2002. Endophytic fungi: a source of novel biologically active secondary metabolites. *Mycol. Res.*, 106: 996–1004.
- Schwyn, B., Neilands, J.B. 1987. Universal chemical assay for the detection and determination of siderophores. *Anal. Biochem.*, 160: 46–56.
- Seehanan, S., Petcharat, V. 2008. Some species of wild boletes in Thailand. *J. Agric. Tech.*, 4 :109–118.
- Seena, S., Wynberg, N., Bärlocher, F. 2008. Fungal diversity during leaf decomposition in a stream assessed through clone libraries. *Fungal Divers.*, 30: 1–14.
- Seigel, M.R., Bush, L.P. 1997. Toxin production in grass/endophyte associations, In: Carroll, G.C., Tudzynski, P. (Eds.). *The Mycota* (pp.185–207). Springer-Verlag, Heidelberg.
- Selim, K.A., El-Beih, A.A., AbdEl-Rahman, T.M., El-Diwany, Al. 2012. Biology of Endophytic Fungi. *CREAM.*, 2: 31–82.
- Selin, C., Habibian, R., Poritsanos, N., Athukorala, S.N.P., Fernando, D., de Kievit, T.R. 2010. Phenazines are not essential for *Pseudomonas chlororaphis* PA23 biocontrol of *Sclerotinia sclerotiorum*, but do play a role in biofilm formation. *FEMS Microbiol. Ecol.*, 71: 73–83.
- Shearer, J.F., Jackson, M.A. 2006. Liquid culturing of microsclerotia of *Mycocleptodiscus terrestris*, a potential biological control agent for the management of hydrilla. *Biol. Control* 38: 298–306.

- Shi, Y., Lou, K., Li, C. 2009. Isolation, quantity distribution and characterization of endophytic microorganisms within sugar beet. *Afr. J. Biotechnol.*, 8: 875–840.
- Shimizu, M., Nakagawa, Y., Sato, Y., Furumai, T., Igarashi, Y., Onaka, H., Yoshida, R., Kunoh, H. 2000. Studies on endophytic actinomycetes (I) *Streptomyces* sp. isolated from *Rhododendron* and its antifungal activity. *J. Gen. Plant Pathol.*, 66: 360–366.
- Sieber, T.J. 2007. Endophytic fungi in forest trees: are they mutualists?. *Fungal Biol. Rev.*, 21: 75–89.
- Silva, G.H., Teles, H.L., Trevisan, H.C., Bolzani, V.S., Young, M.C.M., Pfenning, L.H., Eberlin, M.N., Haddad, R., Costa-Neto, C.M., Araújo, A.R. 2005. New bioactive metabolites produced by *Phomopsis cassiae*, an endophytic fungus in *Cassia spectabilis*. *J. Braz. Chem. Soc.*, 16: 1463–1466.
- Singh, S.K., Strobel, G.A., Knighton, B., Geary, B., Sears, J., Ezra, D. 2011. An endophytic *Phomopsis* sp. possessing bioactivity and fuel potential with its volatile organic compounds. *Microb. Ecol.*, 61: 729–739.
- Smilanick, J.L., Mansour, M.F., Gabler, F.M., Goodwine, W.R. 2006. The effectiveness of pyrimethanil to inhibit germination of *Penicillium digitatum* and to control citrus green mold after harvest. *Postharv. Biol. Technol.*, 42: 75–85.
- Sopalun, K., Strobel, G.A., Hess, W.M., Worapong, J. 2003. A record of *Muscodora albus*, an endophyte from *Myristica fragrans* in Thailand. *Mycotaxon*, 88: 239–247.
- Splivallo, R., Ottonello, S., Mello, A., Karlovsky, P. 2011. Truffle volatiles: from chemical ecology to aroma biosynthesis. *New Phytol.*, 189: 688–699.

- Sridevi, M., Mallaiah, K.V. 2008. Production of indole-3-acetic acid by *Rhizobium* isolates from *Sesbania* species. *Plant Sci. Res.*, 1: 13–16.
- Sri-indrasutdhi, V., Boonyuen, N., Suetrong, S., Chuaseeharonnachai, C., Sivichai, S., Jones, E.M. 2010. Wood-inhabiting freshwater fungi from Thailand: *Ascothilandia grenadoidia* gen. et sp. nov., *Canalisporium grenadoidia* sp. nov. with a key to *Canalisporium* species (Sordariomycetes, Ascomycota). *Mycoscience*, 51: 411–420.
- Srimathi, S., Isaivani, I., Muthumary, J., 2011. Biodiversity of endophytic fungi isolated from *Calotropis gigantean* (L.) R.BR. *Recent. Res. in Sci. Technol.*, 3: 94–100.
- Srinivasan, K., Jagadish, L.K., Shenbhagaraman, R., Muthumary, J. 2010. Antioxidant activity of endophytic fungus *Phyllosticta* sp. isolated from *Guazama tomentosa*. *J. Phytology*, 2: 37–41.
- Stadler, M., Fournier, J., Gardt, S., Persoh, D. 2010a. The phylogenetic position of *Rhopalostroma* as inferred from a polythetic approach. *Persoonia*, 25: 11–21.
- Stadler, M., Fournier, J., Læssøe, T., Chlebicki, A., Lechat, C., Flessa, F., Rambold, G., Persoh, D. 2010b. Chemotaxonomic and phylogenetic studies of *Thamnomycetes* (Xylariaceae). *Mycoscience*, 51: 189–207.
- Stadler, M., Keller, N.P. 2008. Paradigm shifts in fungal secondary metabolite research. *Mycol. Res.*, 112: 127–130.
- Stadler, M., Wollweber, H., Muhlbauer, A., Asakawa, Y., Hashimoto, T., Rogers, J.D., Ju, Y.M., Wetzstein, H.G., Tichy, H.V. 2001. Molecular chemotaxonomy of *Daldinia* and other Xylariaceae. *Mycol. Res.*, 105: 1191–1205.

- Stinson, M., Ezra, D., Hess, W.M., Sears, J., Strobel, G. 2003. An endophytic *Gliocladium* sp. of *Eucryphia cordifolia* producing selective volatile antimicrobial compounds. *Plant Sci.*, 165: 913–922.
- Stone, J.K., Bacon, C.W., White, J.E. 2000. An overview of endophytic microbes: endophytism defined. In: Bacon, C.W., White, J.F. (Eds.), *Microbial endophytes* (pp. 3–29). Basel: Marcel Dekker Inc, New York.
- Stoppacher, N., Kluger, B., Zeilinger, S., Krska, R., Schuhmacher, R. 2010. Identification and profiling of volatile metabolites of the biocontrol fungus *Trichoderma atroviride* by HS-SPME-GC-MS. *J. Microbiol. Methods.*, 81: 187–193.
- Strobel, G.A. 1996. Endophytic fungi: new sources for old and new pharmaceuticals. *Pharmaceutical News*, 3: 7–9.
- Strobel, G.A. 2002. Microbial gifts from rain forests. *Can. J. Plant Pathol.*, 24: 14–20.
- Strobel, G.A. 2003. Endophytes as sources of bioactive products. *Microb. Infect.*, 5: 535–544.
- Strobel, G.A. 2006. *Muscodor albus* and its biological promise. *J. Ind. Microbiol. Biotechnol.*, 33: 514–522.
- Strobel, G.A. 2011. *Muscodor* species-endophytes with biological promise. *Phytochem Rev.*, 10: 165–172.
- Strobel, G.A., Daisy, B. 2003. Bioprospecting for microbial endophytes and their natural products. *Microbiol. Mol. Biol. Rev.*, 67: 491–502.
- Strobel, G.A., Dirksie, E., Sears, J., Markworth, C. 2001. Volatile antimicrobials from a novel endophytic fungus. *Microbiology*, 147: 2943–2950.

- Strobel, G.A., Kluck, K., Hess, W.M., Sears, J., Ezra, D., Vargas, P.N. 2007. *Muscodora albus* E-6, an endophyte of *Guazuma ulmifolia*, making volatile antibiotics: isolation, characterization and experimental establishment in the host plant. *Microbiology*, 153: 2613–2620.
- Strobel, G.A., Knighton, B., Kluck, K., Ren, Y., Livinghouse, T., Griffin, M., Spakowicz, D., Sears, J. 2008. The production of mycodiesel hydrocarbons and their derivatives by the endophytic fungus *Gliocladium roseum* (NRRL 50072). *Microbiology*, 154: 3319–3328.
- Strobel, G.A., Singh, S.K., Riyaz-Ul-Hassan, S., Mitchell, A.M., Geary, B., Sears, J. 2011. An endophytic/pathogenic *Phoma* sp. from creosote bush producing biologically active volatile compounds having fuel potential. *FEMS Microbiol. Lett.*, 320: 87–94.
- Strobel, G.A., Tomscheck, A., Geary, B., Spakowicz, D., Strobel, S.A., Mattner, S., Mann, R. 2010. Endophyte strain NRRL 50072 producing volatile organics is a species of *Ascocoryne*. *Mycology*, 1: 187–194.
- Sumarah, M.W., Puniani, E., Sorensen, D., Blackwell, B.A., Miller, J.D. 2010. Secondary metabolites for anti-insect extracts of endophytic fungi isolated from *Picea rubens*. *Phytochem.*, 71: 760–765.
- Sun, L., Pei, K., Wang, F., Ding, Q., Bing, Y., Gao, B., Zheng, Y., Liang, Y., Ma, K. 2012. Different distribution patterns between putative ercoid mycorrhizal and other fungal assemblages in roots of *Rhododendron decorum* in the southwest of China. *PLoS ONE*, 7: 1–10.

- Sun, X., Guo, L.D., Hyde, K.D. 2011. Community composition of endophytic fungi in *Acer truncatum* and their role in decomposition. *Fungal Divers.*, 47: 85–95.
- Sun, J.Q., Guo, L.D., Zang, W., Ping, W.X., Chi, D.F., 2008. Diversity and ecological distribution of endophytic fungi associated with medicinal plants. *Sci. China C. Life Sci.*, 51: 751-759.
- Suryanarayanan, T.S., Kumaresan, V. 2000. Endophytic fungi of some halophytes from an estuarine mangrove forest. *Mycol. Res.*, 104: 1465–1467.
- Suryanarayanan, T.S., Murali, T.S., Venkatesan, G. 2002. Occurrence and distribution of fungal endophytes in tropical forests across a rainfall gradient. *Can. J. Bot.*, 80: 818–826.
- Suryanarayanan, T.S., Venkatesan, G., Murali, T.S. 2003. Endophytic fungal communities in leaves of tropical forest trees: diversity and distribution patterns. *Curr. Sci.*, 85: 489–493.
- Sutjaritvorakul, T., Whalley, A.J.S., Sihanonth, P., Roengsumran, S. 2011. Antimicrobial activity from endophytic fungi isolated from plant leaves in Dipterocarpaceae forest at Viengsa district Nan province, Thailand. *J. Agric. Technol.*, 7: 115–121.
- Sutton, B.C. 1980. *The Coelomycetes*, Commonwealth Mycological Institute, London.
- Suwannarach, N., Bussaban, B., Hyde, K.D., Lumyong, S. 2010. *Muscodor cinnamomi*, a new endophytic species from *Cinnamomum bejolghota*. *Mycotaxon*, 114: 15–23.

- Suwannarach, N., Kumla, J., Bussaban, B., McKenzie, E.H.C., Hyde, K.D., Mutsui, K., Lumyong, S. 2013a. Molecular and morphological evidence support four new species in the genus *Muscodor* from northern Thailand. *Ann. Microbiol.*, doi: 10.1007/s13213-012-0593-6.
- Suwannarach, N., Kumla, J., Bussaban, B., Nuangmek, W., Mutsui, K., Lumyong, S. 2013b. Biofumigation with the endophytic fungus *Nodulisporium* spp. CMU-UPE34 to control postharvest decay of citrus fruit. *Crop Prot.*, 45: 63–70.
- Swofford, D.L. 2002. PAUP*: *Phylogenetic analysis using parsimony (*and other methods)*, beta version 4.0b10. Sinauer Associates, Sunderland, Massachusetts.
- Tao, G., Liu, Z.Y., Hyde, K.D., Lui, X.Z. 2008. Whole rDNA analysis reveals novel and endophytic fungi in *Bletilla ochracea* (*Orchidaceae*). *Fungal Divers.*, 33: 101–122.
- Tao, M.H., Yan, J., Wei, X.Y., Li, D.L., Zhang, W.M., Tan, J.W. 2011. A novel sesquiterpene alcohol from *Fimetariella rabenhorstii*, an endophytic fungus of *Aquilaria sinensis*. *Nat. Prod. Commun.*, 6: 763–766.
- Tam, P.C.F. 1995. Heavy metal tolerance by ectomycorrhizal fungi and metal amelioration by *Pisolithus tinctorius*. *Mycorrhiza*, 5: 181–187.
- Tan, R.X., Zou, W.X. 2001. Endophytes: A rich source of functional metabolites. *Nat. Prod. Rep.*, 18: 448–459.
- Tanticharoen, M. 2004. Introduction to Thai biodiversity. In: Jones, E.B.G., Tanticharoen M., Hyde, K.D. (Eds.), *Thai fungal diversity* (pp. 1–6). BIOTEC, Thailand.

- Taylor, J.E., Hyde, K.D., Jones, E.B.G. 1999. Endophytic fungi associated with the temperate palm *Trachycarpus fortunei* within and outside its natural geographic range. *New Phytol.*, 142: 335–346.
- Taylor, J.E., Hyde, K.D., Jones, E.B.G. 2000. The biogeographical distribution of microfungi associated with three palm species from tropical and temperate habitats. *J. Biogeogr.*, 27: 297–310.
- Tejesvi, M.V., Kini, K.R., Prakash, H.S., Ven, S., Shetty, H.S. 2007. Genetic diversity and antifungal activity of species of *Pestalotiopsis* isolated as endophytes from medicinal plants. *Fungal Divers.*, 24: 37–54.
- Tikoo, A., Shakri, R., Conolly, L., Hirokawa, Y., Shishido, T., Bowers, B., Ye, L., Kohama, K., Simpson, R.J., Maruta, H. 2000. Treatment of ras-induced cancers by the Factin-bundling drug MKT-077. *Cancer J.*, 6: 162–168.
- Tintjer, T., Rudgers, J.A., 2006. Grass–herbivore interactions altered by strains of a native endophyte. *New Phytol.*, 170: 513–521.
- Theantana, T. 2012. *Production of asparaginase, antioxidants and antifungal volatile from endophytes of Thai medicinal plants*. Ph.D. Thesis. Chiang Mai University, Chiang Mai, Thailand.
- Theantana, T., Hyde, K.D., Lumyong S. 2007. Asparaginase production by endophytic fungi isolated from some Thai medicinal plants. *KMITL Sci. Tech. J.* 7: 13–18.
- Thompson, J.D., Gibson, T.J., Plewniak, F., Jeanmougin, F., Higgins, D.G. 1997. The CLUSTAL_X Windows Interface: Flexible strategies for multiple sequence alignment aided by quality analysis tools. *Nucleic. Acids. Res.*, 24: 4876–4882.

- Thongkantha, S., Lumyong, P., Lumyong, S., Whitton, S.R., McKenzie, E.H.C., Hyde, K.D. 2003. Microfungi on the Pandanaceae; *Linocarpon lammliae* sp. nov., *L. siamensis* sp. nov. and *L. suthepensis* sp. nov. and a key to *Linocarpon* species from the Pandanaceae. *Mycologia*, 95: 360–367.
- Thongkantha, S., Lumyong, S., McKenzie, E.H.C., Hyde, K.D. 2008. Fungal saprobes and pathogens occurring on tissues of *Dracaena louieri* and *Pandanus* spp. in Thailand. *Fungal Divers.*, 30: 149–169.
- Thongklam, S. 2008. *Diversity of boletes in some National Parks of upper northern Thailand*. Ph.D. Thesis. Chiang Mai University, Chiang Mai, Thailand.
- Ting, A.S.Y., Mah, S.W., Tee, C.S. 2010. Identification of volatile metabolites from fungal endophytes with biocontrol potential towards *Fusarium oxysporum* F. sp. *cubense* Race 4. *Am. J. Agr. Biol. Sci.*, 5: 177–182.
- Tomscheck, A.R., Strobel, G.A., Booth, E., Geary, B., Spakowicz, D., Knighton, B., Floerchinger, C., Sears, J., Liarzi, O., Ezra, D. 2010. *Hypoxylon* sp., an endophyte of *Persea indica*, producing 1,8-cineole and other bioactive volatiles with fuel potential. *Microb. Ecol.*, 60: 903–914.
- Tong, C.H., Draughon, F.A. 1985. Inhibition by Antimicrobial Food Additives of Ochratoxin A Production by *Aspergillus sulphureus* and *Penicillium viridicatum*. *Appl. Environ. Microbiol.*, 49: 1407–1411.
- Tong, W.Y., Darah, I., Latifah, Z. 2011. Antimicrobial activities from endophytic fungal isolates from medicinal herb *Orthosiphon stamineus* Benth. *J. Med. Plant Res.*, 5: 831–836.

- Tsavkelova, E.A., Cherdyntseva, T.A., Botina, S.G., Netrusov, A.I. 2007. Bacteria associated with orchid roots and microbial production of auxin. *Microbiol. Res.*, 162: 69–76.
- Vasilyeva, L.N., Chernyshev, A.V., Stevenson, S.L., Hyde, K.D. 2013. *Tortulomyces thailandicus* gen. et. sp. nov. and *Nitschkea siamensis* sp. nov. (Coronophorales, Ascomycota) from northern Thailand. *Mycoscience*, 54: 110–115.
- Vega, F.E., AnnSimpkins, A., Aime, M.C., Posada, F., Peterson S.W., Rehner, S.A., Infante, F., Castillo, A., Arnold, A.E. 2010. Fungal endophyte diversity in coffee plants from Colombia, Hawai'i, Mexico and Puerto Rico. *Fungal Ecol.*, 3: 122–138.
- Verma, V.C., Lobkovsky, E., Gange, A.C., Singh, S.K., Prakash, S. 2011. Piperine production by endophytic fungus *Periconia* sp. isolated from *Piper longum* L. *J. Antibiot.*, 64: 427–431.
- Vilgalys, R., Hester, M. 1990. Rapid genetic identification and mapping of enzymatically amplified ribosomal DNA from several *Cryptococcus* species. *J. Bacteriol.*, 172: 4238–4246.
- Vitorino, L.C., Silva, F.G., Soares, M.A., Souchie, E.L., Costa, A.C., Lima, W.C. 2012. Solubilization of calcium and iron phosphate and *in vitro* production of indoleacetic acid by endophytic isolates of *Hyptis marrubioides* Epling (Lamiaceae). *Int. Res. J. Biotechnol.*, 3: 47–54.

- Von Arx, J.A. 1981. *The Genera of Fungi Sporulating in Pure Culture*, Gantner A.R., Germany.
- Von Arx, J.A., Müller, E. 1975. A re-evaluation of the bitunicate ascomycetes with keys to families and genera. *Stud. Mycol.*, 9: 1–159.
- Wani, M.A., Sanjana, K., Kumar, D.M., Lal, D.K. 2010. GC-MS analysis reveals production of 2-phenylethanol from *Aspergillus niger* endophytic in rose. *J. Basic, Microbiol.*, 50: 110–114.
- Waller, F., Achatz, B., Baltruschat, H., Fodor, J., Becker, K., Fischer, M., Heier, T., Huckelhoven, R., Neumann, C., von Wettstein, D., Franken, P., Kogel, K.H. 2005. The endophytic fungus *Piriformospora indica* reprograms barley to salt-stress tolerance, disease resistance, and higher yield. *PNAS Journal*, 102: 13386–13391.
- Watanabe, T., de Moya, J., Gonzalez, J.L., Matsuda, A. 1997. *Mycocleptodiscus terrestris* from black pepper roots in the Dominican Republic. *Mycoscience*, 38: 91–94.
- Wang, H., Hyde, H.D., Soyong, K., Lin, F. 2008. Fungal diversity on fallen leaves of *Ficus* in northern Thailand. *J. Zhejiang Univ. Sci. B*, 9: 835–841.
- Wang, F.W., Jiao, R.H., Cheng, A.B., Tan, S.H., Song, Y.C. 2007. Antimicrobial potentials of endophytic fungi residing in *Quercus variabilis* and brefeldin A obtained from *Cladosporium* sp. *World J. Microbiol. Biotechnol.*, 23: 79–83.
- Wang, Y., Brown, H.N., Crowley, D.E., Szanislo, P.J. 1993. Evidence for direct utilization of a siderophore, ferrioxamine B, in axenically grown cucumber. *Plant Cell Environ.*, 16: 579–585.

- Wang, Y., Guo, L.D., Hyde, K.D. 2005. Taxonomic placement of sterile morphotypes of endophytic fungi from *Pinus tabulaeformis* (Pinaceae) in northeast China based on rDNA sequences. *Fungal Divers.*, 20: 235–360.
- Wannathes, N., Desjardin, D.E., Hyde K.D., Perry, B.A., Lumyong, S. 2009. A monograph of *Marasmius* (Basidiomycota) from Northern Thailand based on morphological and molecular (ITS sequences) data. *Fungal Divers.*, 37: 209–306.
- Whalley, A.J.S. 1996. The xylariaceous way of life. *Mycol. Res.*, 100: 897–922.
- White, J.F. 1987. The widespread distribution of endophytes in Poaceae. *Plant Disease.*, 71: 340–342.
- White, N.A. 2004. The importance of wood-decay fungi in forest ecosystems. In: Arora, D.K. (Ed.). *Fungal biotechnology in agricultural, food and environmental applications*. Marcel Dekker, New York.
- White, T.J., Bruns, T., Lee, S., Taylor, J. 1990. Amplification and direct sequencing of fungal ribosomal RNA genes for phylogenetics. In: Innis, M.A., Gelfand, D.H., Shinsky, J.J., White, T.J. (Eds.), *PCR Protocols: A Guide to Methods and Applications*. (pp. 315–322). Academic Press, San Diego.
- Wicklow, D.T., Roth, S., Deyrup, S.T., Gloer, J.B. 2005. A protective endophyte of maize: *Acremonium zae* antibiotics inhibitory to *Aspergillus flavus* and *Fusarium verticillioides*. *Mycol. Res.*, 109: 610–618.
- Wihlborg, R., Pippitt, D., Marsili, R. 2008. Headspace sorptive extraction and GC-TOFMS for the identification of volatile fungal metabolites. *J. Microbiol. Methods.*, 75: 244–250.

- Wilson, D. 1995. Endophyte the evolution of a term, and clarification of its use and definition. *Oikos*, 73: 274–276.
- Wisitrassameewong, K., Karunarathna, S.C., Thongklang, N., Zhao, R., Callac, P., Chukeatirote, E., Bahkali, A.H., Hyde, K.D. 2012. *Agaricus subrufescens*: new to Thailand. *Chiang Mai J. Sci.*, 39: 281–291.
- Wiyakrutta, S., Sriubolmas, N., Panphut, W., Thongon, N., Danwisetkanjana, K., Ruangrunsi, N., Meevootisom, V. 2003. Endophytic fungi with anti-microbial, anti-cancer and anti-malarial activities isolated from Thai medicinal plants. *World J. Microbiol. Biotechnol.*, 20: 1–8.
- Wiyakrutta, S., Sriubolmas, N., Panphut, W., Thongon, N., Danwisetkanjana, K., Ruangrunsi, N., Meevootisom, V. 2004. Endophytic fungi with anti-microbial, anti-cancer and anti-malarial activities isolated from Thai medicinal plants. *World J. Microbiol. Biotechnol.*, 20: 265–272.
- Worapong, J., Strobel, G.A. 2009. Biocontrol of root rot of kale by *Muscodor albus* strain MFC2. *BioControl*, 54: 301–306.
- Worapong, J., Strobel, G.A., Daisy, B.H., Castillo, U., Baird, G., Hess, W.M. 2002. *Muscodor roseus* sp. nov., an endophyte from *Grevillea pteridifolia*. *Mycotaxon*, 81: 463–475.
- Worapong, J., Strobel, G.A., Ford, E., Li, J.Y., Baird, G., Hess, W.M. 2001. *Muscodor albus* anam. gen. et sp. nov., an endophyte from *Cinnamomum zeylanicum*. *Mycotaxon*, 79: 67–79.

- Wu, Z.C., Li, D.L., Chen, Y.C., Zhang, W.M. 2010. A new isofuranonaphthalenone and benzopyrans from endophytic fungus *Nodulisporium* sp. A4 from *Aquilaria sinensis*. *Helv. Chim. Acta.*, 93: 920–924.
- Xing, X., Guo, S., Fu, J. 2010. Biodiversity and distribution of endophytic fungi associated with *Panax quinquefolium* L. cultivated in a forest reserve. *Symbiosis*, 51: 161–166.
- Xu, J., Ebada, S.S., Proksch, P. 2010. *Pestalotiopsis* a highly creative genus: chemistry and bioactivity of secondary metabolites. *Fungal Divers.*, 44: 15–31.
- Yu, H., Zhang, L., Li, L., Zheng, C., Guo, L., Li, W., Sun, P., Qin, L. 2010. Recent developments and future prospects of antimicrobial metabolites produced by endophytes. *Microbiol. Res.*, 165: 437–449.
- Yuan, Z.L., Su, Z.Z., Mao, L.J., Peng, Y.Q., Yang, G.M., Lin, F.C., Zhang, C.L. 2011. Distinctive endophytic fungal assemblage in stems of wild rice (*Oryza granulata*) in China with special reference to two species of *Muscodor* (Xylariaceae). *J. Microbiol.*, 49: 15–23.
- Zeng, P.Y., Wu, J.G., Liao, L.M., Chen, T.Q., Wu, J.Z., Wong, K.H. 2010. *In vitro* antioxidant activities of endophytic fungi isolated from the liverwort *Scapania verrucosa*. *Genet. Mol. Res.*, 10: 3169–3179.
- Zhang, C.L., Wang, G.P., Mao, L.J., Komon-Zelazowska, M., Yuan, Z.L., Lin, F.C., Druzhinina, I.S., Kubicek, C.P. 2010b. *Muscodor fengyangensis* sp. nov. from southeast China: morphology, physiology and production of volatile compounds. *Fungal Biol.*, 114: 797–808.

- Zhang, G., Wang, F., Qin, J., Wang, D., Zhang, J., Zhang, Y., Zhang, S., Pan, H. 2013. Efficacy assessment of antifungal metabolites from *Chetomium globosum* No.05, a new biocontrol agent, against *Setosphaeria turcica*. *Biol. Contr.*, 64: 90–98.
- Zhang, H., Jones, E.B.G., Zhou, D., Bahkali, A.H., Hyde, K.D. 2011. Checklist of freshwater fungi in Thailand. *Cryptog. Mycolog.*, 32: 199–217.
- Zhang, H.W., Song, Y.C., Tan, R.X. 2006. Biology and chemistry of endophytes. *Nat. Prod. Rep.*, 23: 753–771.
- Zhang, W., Wildel, J.F., Clark, L.G. 1997. Bamboozled again! Inadvertent isolation of fungal rDNA sequences from bamboos (Poaceae: Bambu-soideae). *Mol. Phylogenet. Evol.*, 8: 205–217.
- Zhang, X., Shi, Y., Wang, X., Zhang, W., Lou, K. 2010a. Isolation, identification and insecticidal activity of endophyte from *Achnatherum inebrians*. *Acta Microbiol. Sin.*, 50: 530–536.
- Zhang, Z.M., Li, G.K. 2010b. A review of advances and new developments in the analysis of biological volatile organic compounds. *Microchem. J.*, 95: 127–139.
- Zhao, R., Karunarathna, S.C., Raspé, O., Parra, L.A., Guinberteau, J., Moinard, M., Kesel, A.D., Barroso, G., Courtecuisse, R., Hyde K.D., Guelly, A.K., Desjardin, D.E., Callac, P. 2011. Major clades in tropical *Agaricus*. *Fungal Divers.*, 51: 279–296.

- Zhao, J., Zhou, L., Wang, J., Shan, T., Zhong, L., Liu, X., Gao, X. 2010. Endophytic fungi for producing bioactive compounds originally from their host plants. *Current Research, Technology Education Topics in Applied Microbiology and Microbial biotechnology* 1: 567–576.
- Zhi-Lin, Y., Yi-Cun, C., Bai-Ge, X., Chu-Long, Z. 2012. Current perspective on the volatile-producing fungal endophytes. *Crit. Rev. Biotechnol.*, 32: 363–373.
- Zhou, Q., Su, J., Jiang, H., Huang, X., Xu, Y. 2010. Optimization of phenazine-1-carboxylic acid production by a *gacA/qscR*-inactivated *Pseudomonas* sp. M18GQ harboring pME6032Phz using response surface methodology. *Appl. Microbiol. Biotechnol.*, 86: 1761–73.
- Zhuang, H.W., Song, Y.C., Tan, R.X. 2006. Biology and chemistry of endophytes. *Nat. Prod. Rep.*, 23: 753–771.
- Zuccaro, A., Schoch, C.L., Spatafora, J.W., Kohlmeyer, J., Draeger, S., Mitchell, J.I. 2008. Detection and identification of fungi intimately associated with the brown seaweed *Fucus serratus*. *Appl. Environ. Microbiol.*, 74: 931–941.