

เอกสารอ้างอิง

- จารุวรรณ บุญรัตน์, และ สุพัตรา อุปนิสากร. (2555). การดูแลด้านจิตวิญญาณในผู้ป่วยวิกฤตและครอบครัวในไอซียู: ประสบการณ์ทางการพยาบาล. *วารสารมหาวิทยาลัยนราธิวาสราชนครินทร์*, 4(1), 1-13.
- จินตนา วัชรสินธุ์. (2550). *ทฤษฎีการพยาบาลครอบครัวขั้นสูง*. ชลบุรี: ภาควิชาการพยาบาลแม่และเด็ก คณะพยาบาลศาสตร์ มหาวิทยาลัยบูรพา.
- ฉวีวรรณ ชงชัย. (2555). การปฏิบัติการพยาบาลขั้นสูงในผู้ป่วยวิกฤต. ใน สมจิต หนูเจริญกุล และ อรสา พันธุ์ภักดี (บรรณาธิการ), *การปฏิบัติการพยาบาลขั้นสูง: บูรณาการสู่การปฏิบัติ* (หน้า 227-228) กรุงเทพฯ: สภาการพยาบาล กระทรวงสาธารณสุข.
- ทัศนีย์ ทองประทีป. (2552). *จิตวิญญาณ: มิติหนึ่งของการพยาบาล*. กรุงเทพฯ: จุฬาลงกรณ์มหาวิทยาลัย.
- บุญส่ง พัจจนสุนทร. (2555). What do we need for the ICU of tomorrow. ใน คุสิต สถาพร, สหคณ บุญญถาวร, และ ครรชิต ปิยะเวชวิรัตน์ (บรรณาธิการ), *From basics to bedsides* (หน้า 3-13). กรุงเทพฯ: สมาคมเวชบำบัดวิกฤตแห่งประเทศไทย.
- ปฐมวดี สิงห์คง, และ ชนกพร จิตปัญญา. (2555). ประสบการณ์ของสมาชิกครอบครัวในหอผู้ป่วยวิกฤต: การวิจัยเชิงคุณภาพ. *วารสารพยาบาลรามธิบดี*, 18(3), 404-417.
- พรเลิศ ฉัตรแก้ว. (2550). Holistic end-of-life care in the ICU. ใน ประเสริฐ เลิศสงวนสินชัย, อิศรางค์ นุชประยูร, พรเลิศ ฉัตรแก้ว และฉันทชาย สิทธิพันธุ์ (บรรณาธิการ), *การดูแลผู้ป่วยระยะสุดท้าย* (หน้า 329-337). กรุงเทพฯ: อักษรสัมพันธ์.
- พรเลิศ ฉัตรแก้ว. (2556). *End-of-life care in ICU: The most difficult time for us (Update critical care)*. เชียงใหม่: คณะพยาบาลศาสตร์ มหาวิทยาลัยเชียงใหม่.
- พรเลิศ ฉัตรแก้ว. (2557). น้อมใจ ยอมรับ. ในสุทัศน์ รุ่งเรืองหิรัญญา และ ไชยรัตน์ เพิ่มพิกุล (บรรณาธิการ), *รู้ไว้ก่อนไป ICU ความจริง 12 ประการที่ต้องรู้* (หน้า 146 – 165). กรุงเทพฯ: ธรรมสาร.

- พระไพศาล วิสาโล. (2552). การเผชิญความตายอย่างสงบ. กรุงเทพฯ: เครือข่ายพุทธิกา.
- พีรเทพ รุ่งคุณากร. (2547). ชีวิตนี้มีความหมาย. วารสารครุศาสตร์, 3(2), 61-76.
- วรลักษณ์ คัชมาตย์, วัลภา คุณทรงเกียรติ, และ ยูนิ พงศ์จตุรวิทย์. (2552). ประสบการณ์ของครอบครัวผู้ป่วยเฉียบพลันระยะสุดท้าย. วารสารคณะพยาบาลศาสตร์ มหาวิทยาลัยบูรพา, 17(4), 1-12.
- วิจิตรา กุสุมภ์. (2551). การพยาบาลผู้ป่วยภาวะวิกฤต: แบบองค์รวม (พิมพ์ครั้งที่ 3). กรุงเทพฯ: สหประชาพานิชย์.
- สถิติโรงพยาบาลลำพูน. (2554). สถิติผู้ป่วยที่เข้ารับการรักษาในหอผู้ป่วยวิกฤต. ลำพูน: โรงพยาบาลลำพูน.
- สถิติโรงพยาบาลลำพูน. (2555). สถิติผู้ป่วยที่เข้ารับการรักษาในหอผู้ป่วยวิกฤต. ลำพูน: โรงพยาบาลลำพูน.
- สถิติโรงพยาบาลลำพูน. (2556). สถิติผู้ป่วยที่เข้ารับการรักษาในหอผู้ป่วยวิกฤต. ลำพูน: โรงพยาบาลลำพูน.
- สำนักนโยบายและยุทธศาสตร์ กระทรวงสาธารณสุข. (2553). ข้อมูลทรัพยากร ปี 2553: จำนวนเตียงผู้ป่วยหนัก ICU จำแนกตามสังกัด รายเขตพื้นที่เครือข่ายบริการ จังหวัด ปี 2553. Retrieved from <http://hrm.moph.go.th/res53/res-rep2553.html>
- สำนักนโยบายและยุทธศาสตร์ กระทรวงสาธารณสุข. (2554). ข้อมูลทรัพยากร ปี 2554: จำนวนเตียงผู้ป่วยหนัก ICU จำแนกตามสังกัด รายเขตพื้นที่เครือข่ายบริการ จังหวัด ปี 2554. Retrieved from <http://thcc.or.th/download/gishealth/report-gis54.pdf>
- สำนักนโยบายและยุทธศาสตร์ กระทรวงสาธารณสุข. (2555). ข้อมูลทรัพยากร ปี 2555: จำนวนเตียงผู้ป่วยหนัก ICU จำแนกตามสังกัด รายเขตพื้นที่เครือข่ายบริการ จังหวัด ปี 2555. Retrieved from <http://bps.ops.moph.go.th/Healthinformation/hos55/hos.html>
- ไหมมู๊ะ คลังซ็อง. (2552). สุขภาวะทางจิตวิญญาณของผู้ดูแลผู้ป่วยมุสลิมที่ป่วยเป็นมะเร็งระยะสุดท้าย (วิทยานิพนธ์ศิลปศาสตรมหาบัณฑิต สาขาวิชาพัฒนามนุษย์และสังคม). บัณฑิตวิทยาลัย, มหาวิทยาลัยสงขลานครินทร์.

- อรพรรณ ไชยเพชร, กิตติกร นิลมานันต์, และ วิภาวี คงอินทร์. (2554). ประสบการณ์ของพยาบาลไอซียู การดูแลผู้ป่วยระยะสุดท้าย. *วารสารสภาการพยาบาล*, 26(1), 41-55.
- Arroyo-Novoa, C. M., Figueroa-Ramos, M. I., Pultillo, K. A., Stanik-Hutt, J., Thompson, C. L., White, C., & Wild, L. R. (2008). Pain related to tracheal suctioning in awake acutely and critically ill adults: a descriptive study. *Intensive and Critical Care Nursing*, 24(1), 20-27. doi:10.1016/j.iccn.2007.05.002
- Beckstrand, R. L., Callister, L. C., & Kirchoff, K. T. (2016). Providing a "good death": Critical care nurses' suggestions for improving end-of-life care. *American Journal of Critical Care*, 15(1), 38-45. Retrieved from <http://ajcc.aacnjournals.org/content/15/1/38.long>
- Carson, V. B. (1989). *Spiritual dimension of nursing practice*. Philadelphia: W. B. Saunders.
- Casarini, K. A., Gorayeb, R., & Filho, A. B. (2009). Coping by relatives of critical care patient. *Heart & Lung: The Journal of Acute and Critical Care*, 38(3), 217-227. doi:10.1016/j.hrtlng.2008.05.003
- Cooper, A. B., Thrnley, K. S., Young, G. B., Slutsky, A. S., Stewart, T. E., & Hanly, P. J. (2000). Sleep in critically ill patients requiring mechanical ventilator. *Chest*, 117(3), 809-818. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/10713011>
- Craven, R. F., & Hirnle, C. J. (2003). Spiritual health. In R. F. Craven (Ed.), *Fundamental of nursing: Human health and function* (4th ed., pp. 1380-1402). Philadelphia: Lippincott.
- Davidson, J. (2009). Family-centered care: Meeting the needs of patient's families and helping families adapt to critical illness. *Critical Care Nurse*, 29(3), 28-34. doi:10.4037/ccn2009611
- Dines-Kalinowski, C. M. (2002). Nature's nurse: Promote sleep in the ICU. *Dimension of Critical Care Nursing*, 21(11), 32-35. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/11887279>
- Fisher, J. W. (1998). *Spiritual health: Its nature and place in the school curriculum* (Unpublished doctoral dissertation). University of Melbourne, Australia.

- Fisher, J. W. (1999). *Developing a spiritual health and life-orientation measure for secondary school students*. Proceedings of the University of Ballarat Inaugural Annual Conference.
- Fisher, J. W. (2010). Development and application of a spiritual well-being questionnaire called SHALOM. *Religions, 1*(1), 105-121. doi:10.3390/rel1010105
- Fisher, J. W. (2012). Staff's and family members' spiritual well-being in relation to help for residents with dementia. *Journal of Nursing Education and Practice, 2*(4), 77-85. doi:10.5430/jnep.v2n4p77
- Fisher, J. W., & Brumley, D. (2008). Nurses' and carers' spiritual wellbeing in the Workplace. *Australian Journal of Advanced Nursing, 25*(4), 49-57. Retrieved from [http://bhsdigital repository. bhs.org.au/bhsjspui/bitstream/11054/115/1/AJAN101.pdf](http://bhsdigitalrepository.bhs.org.au/bhsjspui/bitstream/11054/115/1/AJAN101.pdf)
- Friedman, M. M., Bowden, V. R., & Jones, E. G. (2003). *Family nursing: Research, theory, and practice* (5th ed.). Upper Saddle River, NJ: Prentice Hall.
- Girard, T. D., Pandharipande, P. P., & Ely, E. W. (2008). Delirium in the intensive care unit. *Critical Care, 12*(3), 3-9. doi:10.1186/cc6149
- Golics, C. J., Basra, M. K., Finlay, A. Y., & Salek, S. (2013). The impact of disease on family members: A critical aspect of medical care. *Journal of the Royal Society of Medicine, 106*(10), 399-407. doi:10.1177/0141076812472616
- Hanson, S. M. H. (2001). *Family health care nursing: Theory, practice, and research* (2nd ed.). Philadelphia: F.A. Davis.
- Herring, A. A., Ginde, A., Fahimi, J., Alter, H. J., Maselli, J. H., Espinola, J. A., . . . Camargo, C. A. (2013). Increasing critical care admissions from U.S. emergency departments, 2001-2009. *Critical Care Medicine, 41*(5), 1197-1204. doi:10.1097/CCM.0b013e31827c086f
- Highfield, M. F. (1992). Spiritual health of oncology patients: Nurse and patient perspective. *Cancer Nursing, 15*(1), 1-8. Website: <http://www.ncbi.nlm.nih.gov/pubmed/1544127>

- Hov, R., Hedelin, B., & Athlin, E. (2007). Good nursing care to ICU patients on the edge of life. *Intensive and Critical Care Nursing, 23*(6), 331-341. doi:10.1016/j.iccn.2007.03.006
- Hsiao, Y. C., Chien, L. Y., Wu, L. Y., Chiang, C. M., & Huang, S. Y. (2010). Spiritual health, clinical practice stress, depressive tendency and health-promoting behaviors among nursing students. *Journal of Advanced Nursing, 66*(7), 1612-1622. doi:10.1111/j.1365-2648.2010.05328.x
- Jones, C. (2012). Surviving the intensive care: Residual physical, cognitive, and emotional dysfunction. *Thoracic Surgery Clinics, 22*(4), 509-516. doi:10.1016/j.thorsurg.2012.07.003
- Kirchhoff, K. T., & Faas, A. I. (2007). Family support at end of life. *American Association of Critical Care Nurse Advance Critical Care, 18*(4), 426-435. doi:10.1097/01.AACN.0000298635.45653.c8
- Kociszewski, C. (2004). Spiritual care: A phenomenologic study of critical care nurses. *Heart and Lung: The Journal of Acute and Critical Care, 33*(6), 401-411. doi:10.1016/j.hrtlng.2004.06.004
- Komachi, M., & Kamibeppu, K. (2015). Acute stress symptoms in families of patients admitted to the intensive care unit during the first 24 hours following admission in japan. *Open Journal of Nursing, 5*(4), 325-335. doi:10.4236/ojn.2015.54035
- Leach, R. M. (2004). *Critical care medicine at a glance*. Oxford: Wiley-Blackwell.
- Li, D., Puntillo, K., & Miaskowski, C. (2008). A review of objective pain measures for use with critical care adult patients unable to self-report. *The Journal of Pain, 9*(1), 2-10. Retrieved from <http://www.sciencedirect.com/science/article/pii/S1526590007008553>
- Matthews, E. E. (2011). Sleep disturbances and fatigue in critically ill patients. *American Association of Critical Care Nurse Advance Critical Care, 22*(3), 204-224. doi:10.1097/NCI.0b013e31822052cb
- National Interfaith Coalition on Aging. (1975). *Spiritual well-being*. Athens, GA: NICA.
- Nolan, M. T., & Mock, V. (2004). A conceptual framework for end-of-life care: A reconsideration of factors influencing the integrity of the human person. *Journal of Professional Nursing, 20*(6), 351-360. doi:10.1016/j.profnurs.08.007

- Page, P. (2015). Critical illness trajectory for patients, families and nurses—A literature review. *British Association of Critical Care Nurses*. Advance online publication. doi:10.1111/nicc.12199
- Puchalski, C. (1999). Medical schools teach compassion through taking a spiritual history. *Spiritual & Medicine Connection*, 3(1), 1-3.
- Sandri, M., Berchialla, P., Baldi, I., Gregori, D., & De Blasi, R. A. (2014). Dynamic Bayesian Networks to predict sequences of organ failures in patients admitted to ICU. *Journal of Biomedical Informatics*, 48, 106-113. doi:10.1016/j.jbi.2013.12.008
- Schefold, J.C., Bierbrauer, J., & Weber-Carstens, S. (2010). Intensive care unit—acquired weakness (ICUAW) and muscle wasting in critically ill patients with severe sepsis and septic shock. *Journal of Cachexia, Sarcopenia and Muscle*, 1(2), 147-157. doi:10.1007/s13539-010-0010-6
- Schleder, L.P., Parejo, L. S., Puggina, A. C., & da Silva, M. J. (2013). Spirituality of relatives of patients hospitalized in intensive care unit. *Acta Paulista de Enfermagem*, 26(1), 71-78. doi:10.1590/S0103-21002013000100012
- Stoll, R. I. (1989). The essence of spirituality. In V. B. Carson (Ed.), *Spiritual dimension of nursing practice* (pp. 5-23). Philadelphia: W. B. Saunders.
- Urden, L. D., Stacy, K. M., & Lough, M. E. (2002). *Thelan's critical care nursing: Diagnosis and management* (4th ed.). St. Louis: Mosby.
- Weiland, S. A. (2010). Integrating spirituality into critical care an APN perspective using Roy's adaptation model. *Critical Care Chiang Mai Nursing Quarterly*, 33(3), 282-291. doi:10.1097/CNQ.0b013e3181ecd56d.
- World Health Organization. (1986). *The Ottawa charter for health promotion*. First International Conference on Health Promotion, Ottawa, 21 November 1986. Retrieved from <http://www.who.int/hpr/archive/does/ottawa.html>
- World Health Organization. (2007). *The world health report 2007: A safer future: Global public health security in the 21st century*. Switzerland: World Health Report.

Wright, L. M., & Leahey, M. (2005). *Nurses and families: A guide to family assessment and intervention* (3rd ed.). Philadelphia: F.A. Davis.

Yamane, T. (1973). *Statistics: An introductory analysis* (3rd ed.). New York: Harper and Row.

Young, J., Siffleet, J., Nikoletti, S., & Shaw, T. (2006). Use of a behavioural pain scale to assess pain in ventilated, unconscious and/or sedated patients. *Intensive and Critical Care Nursing*, 22(1), 32-39. doi:10.1016/j.iccn.2005.04.004



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved